

46. World Health Organization. HIV and infant feeding: guidelines for decision-makers. Geneva, Switzerland: World Health Organization; 2003.
47. Karon JM, Fleming PL, Steketee RW, De Cock KM. HIV in the United States at the turn of the century: an epidemic in transition. *Am J Public Health* 2001;91:1060–8.
48. CDC. Trends in HIV/AIDS diagnoses—33 states, 2001–2004. *MMWR* 2005;54:1149–53.
49. CDC. U.S. HIV and AIDS cases reported through December 2001. *HIV/AIDS Surveillance Report* 2001;13.
50. Beckwith CG, Flanigan TP, del Rio C, et al. It is time to implement routine, not risk-based, HIV testing. *Clin Infect Dis* 2005;40:1037–40.
51. Bozzette SA. Routine screening for HIV infection—timely and cost-effective. *N Engl J Med* 2005;352:620–1.
52. CDC. HIV testing among pregnant women—United States and Canada, 1998–2001. *MMWR* 2002;51:1013–6.
53. CDC. Voluntary HIV testing as part of routine medical care—Massachusetts, 2002. *MMWR* 2004;53:523–6.
54. Fincher-Mergi M, Cartone KJ, Mischler J, Pasieka P, Lerner EB, Billittier AJ IV. Assessment of emergency department healthcare professionals' behaviors regarding HIV testing and referral for patients with STDs. *AIDS Patient Care STDs* 2002;16:549–53.
55. Coil CJ, Haukoos JS, Witt MD, Wallace RC, Lewis RJ. Evaluation of an emergency department referral system for outpatient HIV testing. *J Acquir Immune Defic Syndr* 2004;35:52–5.
56. CDC. HIV prevalence, unrecognized infection, and HIV testing among men who have sex with men—five U.S. cities, June 2004–April 2005. *MMWR* 2005;54:597–601.
57. CDC. Routinely recommended HIV testing at an urban urgent-care clinic—Atlanta, Georgia, 2000. *MMWR* 2001;50:538–41.
58. Kelen GD, Shahan JB, Quinn TC. Emergency department–based HIV screening and counseling: experience with rapid and standard serologic testing. *Ann Emerg Med* 1999;33:147–55.
59. CDC. Anonymous or confidential HIV counseling and voluntary testing in federally funded testing sites—United States, 1995–1997. *MMWR* 1999;48:509–13.
60. Irwin KL, Valdiserri RO, Holmberg SD. The acceptability of voluntary HIV antibody testing in the United States: a decade of lessons learned. *AIDS* 1996;10:1707–17.
61. Hutchinson AB, Corbie-Smith G, Thomas SB, Mohanan S, del Rio C. Understanding the patient's perspective on rapid and routine HIV testing in an inner-city urgent care center. *AIDS Educ Prev* 2004;16:101–14.
62. Spielberg F, Branson BM, Goldbaum GM, et al. Overcoming barriers to HIV testing: preferences for new strategies among clients of a needle exchange, a sexually transmitted disease clinic, and sex venues for men who have sex with men. *J Acquir Immune Defic Syndr* 2003;32:318–28.
63. Copenhaver MM, Fisher JD. Experts outline ways to decrease the decade-long yearly rate of 40,000 new HIV infections in the US. *AIDS Behav* 2006;10:105–14.
64. American Academy of Pediatrics, American College of Obstetricians and Gynecologists. Human immunodeficiency virus screening. *Pediatrics* 1999;104:128.
65. Koo DJ, Begier EM, Henn MH, Sepkowitz KA, Kellerman SE. HIV counseling and testing: less targeting, more testing. *Am J Public Health* 2006;96:3–5.
66. Lo B, Wolf L, Sengupta S. Ethical issues in early detection of HIV infection to reduce vertical transmission. *J Acquir Immune Defic Syndr* 2000;25:S136–43.
67. Bayer R, Fairchild AL. Changing the paradigm for HIV testing—the end of exceptionalism. *N Engl J Med* 2006;355:647–9.
68. Simpson WM, Johnstone FD, Goldberg DJ, Gormley SM, Hart GJ. Antenatal HIV testing: assessment of a routine voluntary approach. *BMJ* 1999;318:1660–1.
69. Stringer EM, Stringer JS, Cliver SP, Goldenberg RL, Goepfert AR. Evaluation of a new testing policy for human immunodeficiency virus to improve screening rates. *Obstet Gynecol* 2001;98:1104–8.
70. Breese P, Burman W, Shlay J, Guinn D. The effectiveness of a verbal opt-out system for human immunodeficiency virus screening during pregnancy. *Obstet Gynecol* 2004;104:134–7.
71. Jayaraman GC, Preiksaitis JK, Larke B. Mandatory reporting of HIV infection and opt-out prenatal screening for HIV infection: effect on testing rates. *CMAJ* 2003;168:679–82.
72. Branson BM, Lee JH, Mitchell B, Nolt B, Robbins A, Thomas MC. Targeted opt-in vs. routine opt-out HIV testing in STD clinics [Abstract]. Presented at the 13th meeting of the International Society for Sexually Transmitted Diseases Research; July 11–14, 1999; Denver, Colorado.
73. Stanley B, Fraser J, Cox NH. Uptake of HIV screening in genitourinary medicine after change to “opt-out” consent. *BMJ* 2003;326:1174.
74. Perez F, Zvandzava C, Engelsmann B, Dabis F. Acceptability of routine HIV testing (“opt-out”) in antenatal services in two rural districts of Zimbabwe. *J Acquir Immune Defic Syndr* 2006;41:514–20.
75. Kaiser Family Foundation. Survey of Americans on HIV/AIDS. Washington, DC: Kaiser Family Foundation; 2006. Available at <http://www.kff.org/kaiserpolls/7521.cfm>.
76. CDC. Youth risk behavior surveillance—United States, 2005. In: *CDC Surveillance Summaries*, June 9, 2006. *MMWR* 2006;55(No. SS-5).
77. Rotheram-Borus MJ, Futterman D. Promoting early detection of human immunodeficiency virus infection among adolescents. *Arch Pediatr Adolesc Med* 2000;154:435–9.
78. National Institutes of Health, Office of AIDS Research. Report of the working group to review the NIH perinatal, pediatric, and adolescent HIV research priorities. Bethesda, MD: National Institutes of Health; 1999. Available at <http://www.oar.nih.gov/public/pubs/pedreport.pdf>.
79. American Academy of Pediatrics. Adolescents and human immunodeficiency virus infection: the role of the pediatrician in prevention and intervention. *Pediatrics* 2001;107:188–90.
80. Rawitscher LA, Saitz R, Friedman LS. Adolescents' preferences regarding human immunodeficiency virus (HIV)–related physician counseling and HIV testing. *Pediatrics* 1995;96:52–8.
81. Rand CM, Auinger P, Klein JD, Weitzman M. Preventive counseling at adolescent ambulatory visits. *J Adolesc Health* 2005;37:87–93.
82. Murphy DA, Mitchell R, Vermund SH, Futterman D. Factors associated with HIV testing among HIV-positive and HIV-negative high-risk adolescents: the REACH study. *Pediatrics* 2002;110:36.
83. Calonge N, Petitti DB. Screening for HIV (Response). *Ann Intern Med* 2005;143:916–7.
84. Chou R, Huffman LH, Fu R, Smits AK, Korthius PT. Screening for HIV: a review of the evidence for the U.S. Preventive Services Task Force. *Ann Intern Med* 2005;143:55–73.

85. Quinn TC, Wawer MJ, Sewankambo N, et al. Viral load and heterosexual transmission of human immunodeficiency virus type 1. Rakai Project Study Group. *N Engl J Med* 2000;342:921-9.
86. Sanders GD, Bayoumi AM, Sundaram V, et al. Cost-effectiveness of screening for HIV in the era of highly active antiretroviral therapy. *N Engl J Med* 2005;352:570-85.
87. Marks G, Crepaz N, Janssen RS. Estimating sexual transmission of HIV from persons aware and unaware that they are infected with the virus in the USA. *AIDS* 2006;20:1447-50.
88. Walensky RP, Weinstein MC, Smith HE, Freedberg KA, Paltiel AD. Optimal allocation of testing dollars: the example of HIV counseling, testing, and referral. *Med Decis Making* 2005;25:321-9.
89. Weinhardt LS, Carey MP, Johnson BT, Bickham NL. Effects of HIV counseling and testing on sexual risk behavior: a meta-analytic review of published research, 1985-1997. *Am J Public Health* 1999;89:1397-405.
90. Kamb ML, Fishbein M, Douglas JM, et al. Efficacy of risk-reduction counseling to prevent human immunodeficiency virus and sexually transmitted diseases: a randomized controlled trial. *JAMA* 1998;280:1161-7.
91. EXPLORE Study Team. Effects of a behavioural intervention to reduce acquisition of HIV infection among men who have sex with men: the EXPLORE randomised controlled study. *Lancet* 2004;364:41-50.
92. Lubelchek R, Kroc K, Hota B, et al. The role of rapid vs conventional human immunodeficiency virus testing for inpatients: effects on quality of care. *Arch Intern Med* 2005;165:1956-60.
93. Halpern SD. HIV testing without consent in critically ill patients. *JAMA* 2005;294:734-7.
94. Kahn JO, Walker BD. Acute human immunodeficiency virus type 1 infection. *N Engl J Med* 1998;339:33-9.
95. Celum CL, Buchbinder SP, Donnell D, et al. Early human immunodeficiency virus (HIV) infection in the HIV Network for Prevention Trials vaccine preparedness cohort: risk behaviors, symptoms, and early plasma and genital tract virus load. *J Infect Dis* 2001;183:23-35.
96. US Department of Health and Human Services. Panel on Clinical Practices for Treatment of HIV Infection. Guidelines for the use of antiretroviral agents in HIV-1-infected adults and adolescents. Washington, DC: US Department of Health and Human Services; 2006. Available at <http://www.aidsinfo.nih.gov/ContentFiles/AdultandAdolescentGL.pdf>.
97. Weintrob AC, Giner J, Menezes P, et al. Infrequent diagnosis of primary human immunodeficiency virus infection: missed opportunities in acute care settings. *Arch Intern Med* 2003;163:2097-100.
98. Coco A, Kleinhans E. Prevalence of primary HIV infection in symptomatic ambulatory patients. *Ann Fam Med* 2005;3:400-4.
99. Smith DE, Walker BD, Cooper DA, Rosenberg ES, Kaldor JM. Is antiretroviral treatment of primary HIV infection clinically justified on the basis of current evidence? *AIDS* 2004;18:709-18.
100. Wawer MJ, Gray RH, Sewankambo NK, et al. Rates of HIV-1 transmission per coital act, by stage of HIV-1 infection, in Rakai, Uganda. *J Infect Dis* 2005;191:1403-9.
101. Pilcher CD, Eron JJ, Galvin S, Gay C, Cohen MS. Acute HIV revisited: new opportunities for treatment and prevention. *J Clin Invest* 2004;113:937-45.
102. CDC. Achievements in public health: reduction in perinatal transmission of HIV infection—United States, 1985-2005. *MMWR* 2006;55:592-7.
103. US Department of Health and Human Services. Reducing obstetrician barriers to offering HIV testing. Washington, DC: US Department of Health and Human Services; 2002. Report OEI-05-01-00260. Available at <http://oig.hhs.gov/oei/reports/oei-05-01-00260.pdf>.
104. Lindsay MK, Johnson N, Peterson HB, Willis S, Williams H, Klein L. Human immunodeficiency virus infection among inner-city adolescent parturients undergoing routine voluntary screening, July 1987 to March 1991. *Am J Obstet Gynecol* 1992;167:1096-9.
105. Royce RA, Walter EB, Fernandez MI, Wilson TE, Ickovics JR, Simonds RJ. Barriers to universal prenatal HIV testing in 4 US locations in 1997. *Am J Public Health* 2001;91:727-33.
106. Warren B, Glaros R, Hackel S, et al. Residual perinatal HIV transmissions in 25 births occurring in New York state [Abstract]. Presented at the National HIV Prevention Conference; June 12-15, 2005; Atlanta, Georgia.
107. Sansom SL, Jamieson DJ, Farnham PG, Bulterys M, Fowler MG. Human immunodeficiency virus retesting during pregnancy: costs and effectiveness in preventing perinatal transmission. *Obstet Gynecol* 2003;102:782-90.
108. CDC. Controlling tuberculosis in the United States: recommendations from the American Thoracic Society, CDC, and the Infectious Diseases Society of America. *MMWR* 2005;54(No. RR-12).
109. CDC. Recommendations to improve preconception health and health care—United States. *MMWR* 2006;55(No. RR-6).
110. Wade NA, Birkhead GS, Warren BL, et al. Abbreviated regimens of zidovudine prophylaxis and perinatal transmission of the human immunodeficiency virus. *N Engl J Med* 1998;339:1409-14.
111. CDC. Protocols for confirmation of reactive rapid HIV tests. *MMWR* 2004;53:221-2.
112. CDC. 1995 revised guidelines for prophylaxis against *Pneumocystis carinii* pneumonia for children infected with or perinatally exposed to human immunodeficiency virus. *MMWR* 1995;44(No. RR-4).
113. Working Group on Antiretroviral Therapy and Medical Management of HIV-Infected Children, the Health Resources and Services Administration (HRSA), and the National Institutes of Health. Guidelines for the use of antiretroviral agents in pediatric HIV infection. Available at <http://aidsinfo.nih.gov/ContentFiles/PediatricGuidelines.pdf>.
114. CDC. HIV partner counseling and referral services—guidance. Atlanta, GA: US Department of Health and Human Services, CDC; 1998. Available at <http://www.cdc.gov/hiv/pubs/pcrs/pcrs-doc.htm>.
115. CDC. CDC guidelines for national human immunodeficiency virus case surveillance, including monitoring for human immunodeficiency virus infection and acquired immunodeficiency syndrome. *MMWR* 1999;48(No. RR-13):1-32.
116. CDC. HIV and AIDS: United States, 1981-2000. *MMWR* 2001;50:430-4.
117. CDC. Use of social networks to identify persons with undiagnosed HIV infection—seven U.S. cities, October 2003-September 2004. *MMWR* 2005;54:601-5.
118. Gostin LO. Public health strategies for confronting AIDS. Legislative and regulatory policy in the United States. *JAMA* 1989;261:1621-30.
119. Health Research and Educational Trust. Map to HIV testing laws of all U.S. states. Chicago, IL: American Hospital Association; 2006. Available at <http://www.hret.org/hret/about/map.html>.

厚生労働科学研究費補助金エイズ対策研究事業  
エイズ対策研究事業の企画と評価に関する研究  
平成19年度研究報告書

---

発行者 主任研究者 木村 哲  
東京通信病院 病院長  
〒102-8798 東京都千代田区富士見2-14-23

発行 平成20年3月