

Amal Gad, Eiji Tanaka, Akihiro Matsumoto, Moushira Abd-el Wahab, Abd el-Hamid Serwah, Fawzy Attia, Khalil Ali, Howayda Hassouba, Abd el-Raouf el-Deeb, Tetsuya Ichijyo, Takeji Umemura, Hidetomo Muto, Kaname Yoshizawa, Kendo Kiyosawa.	Assessment of KL-6 as a tumor marker in patients with hepatocellular carcinoma.	World J Gastroenterol	11(42)	6607-6612	2005
Amal Gad, Eiji Tanaka, Akihiro Matsumoto, Abd el-Hamid Serwah, Fawzy Attia, Adel Hassan, Ahmed Sanny, Khalil Ali, Amro Abbas, Abd El-Raouf El-Deeb, Xiao Hong Sun, Takeji Umemura, Tetsuya Ichijo, Takashi Ehara, Kaname Yoshizawa, Kendo Kiyosawa.	Ethnicity affects the diagnostic validity of alpha-fetoprotein in hepatocellular carcinoma.	Asia-Pacific Journal of Clinical Oncology	1:	64-70	2005
Naoki Tanaka, Tetsuya Ichijo, Wataru Okiyama, Hidetomo Mutou, Noriko Misawa, Akihiro Matsumoto, Kaname Yoshizawa, Eiji Tanaka and Kendo Kiyosawa.	Laparoscopic findings in patients with nonalcoholic steatohepatitis.	Liver Int	2	32-38	2006
Misawa N, Matsumoto A, Tanaka E, Rokuhara A, Yoshizawa K, Umemura T, Maki N, Kimura T, Kiyosawa K.	Patients with and without loss of hepatitis B virus DNA after hepatitis B e antigen seroconversion have different virological characteristics.	J Med Virol	78	68-73	2006
Ogata K, Ide T, Kumashiro R, Kumada H, Yotsuyanagi H, Okita K, Akahane Y, Kaneko S, Tsubouchi H, Tanaka E, Moriwaki H, Nishiguchi S, Kakumu S, Mizokami M, Iino S, Sata M.	Timing of interferon therapy and sources of infection in patients with acute hepatitis C.	Hepatology Research	34	35-40	2006

Tanaka N, Tanaka E, Sheena Y, Komatsu M, Okiyama W, Misawa N, Muto H, Umemura T, Ichijo T, Matsumoto A, Yoshizawa K, Horiuchi A, Kiyosawa K.	Useful parameters for distinguishing nonalcoholic steatohepatitis with mild steatosis from cryptogenic chronic hepatitis in the Japanese population.	Liver Int	26	956-963	2006
Rokuhara A, Matsumoto A, Tanaka E, Umemura T, Yoshizawa K, Kimura T, Maki N, Kiyosawa K.	Hepatitis B virus RNA is measurable in serum and can be a new marker for monitoring lamivudine therapy.	J Gastroenterol	41	785-790	2006
Ozasa A, Tanaka Y, Orito E, Sugiyama M, Kang JH, Hige S, Kuramitsu T, Suzuki K, Tanaka E, Okada S, Tokita H, Asahina Y, Inoue K, Kakumu S, Okanoue T, Murawaki Y, Hino K, Onji M, Yatsushashi H, Sakugawa H, Miyakawa Y, Ueda R, Mizokami M.	Influence of genotypes and precore mutations on fulminant or chronic outcome of acute hepatitis B virus infection.	Hepatology	44	326-334	2006
Tanaka E, Matsumoto A, Suzuki F, Kobayashi M, Mizokami M, Tanaka Y, Okanoue T, Minami M, Chayama K, Imamura M, Yatsushashi H, Nagaoka S, Yotsuyanagi H, Kawata S, Kimura T, Maki N, Iino S, Kiyosawa K; HBV Core-Related Antigen Study Group.	Measurement of hepatitis B virus core-related antigen is valuable for identifying patients who are at low risk of lamivudine resistance.	Liver Int.	Feb;26(1)	90-6	2006
Sohara N, Takagi H, Kakizaki S, Sato K, Mori M.	The use of partial splenic artery embolization made it possible to administer interferon and ribavirin therapy in a liver transplant patient with fibrosing cholestatic hepatitis C complicated with thrombocytopenia.	Transpl Int.	Mar;19(3)	255-7	2006

Takagi H, Hagiwara S, Hashizume H, Kanda D, Sato K, Sohara N, Kakizaki S, Mori M, Ushikai M, Kobayashi K, Saeki T.	Adult onset citrullinemia type II is one of the causes of non-alcoholic steatohepatitis (NASH).	J Hepatol,	44	236-239	2006
Takagi H, Kakizaki H, Sohara N, Satoh K and Mori M.	Treatment for the bone metastasis of liver cancer. Trends in Bone Cancer Research. Chapter II p21-28, Ed. By Birch EV, Nova Science Publishers,	Inc. Horizons in Cancer research	Volume 24		2006
Nakajima H, Takagi H, Horiuchi N, Toyoda C, Kanda D, Otsuka T, Emoto Y, Emoto M, Mori M.	Lack of macrophage migration inhibitory factor protects mice against concanavalin A-induced liver injury.	Liver Int.	26	346-351	2006
Kakizaki S, Takagi H, Hashizume H, Sohara N, Sato K, Mori M.	Vitamin E and liver diseases. 2006	In "Vitamin E; New research." Nova Publishers.			
Arai H, Abe T, Takagi H, Mori M.	Efficacy of balloon-occluded retrograde transvenous obliteration, percutaneous transhepatic obliteration and combined techniques for the management of gastric fundal varices.	World J Gastroenterol,	12 (24)	3866-73	2006
Yamazaki Y, Kakizaki S, Horiguchi N, Sohara N, Sato K, Takagi H, Mori M, Negishi M.	The role of nuclear receptor CAR in the pathogenesis of non-alcoholic steatohepatitis.	GUT	ePub Sept,		2006
Kosone T, Takagi H, Horiguchi N, Sohara N, Kakizaki S, Sato K, Yoneda M, Takeuchi T, Mori M.	Integrative roles of transforming growth factor-alpha in the cytoprotection mechanisms of gastric mucosal injury.	BMC Gastroenterology	6	22	2006
Machida T, Sato K, Takezawa J, Sohara N, Kakizaki S, Takagi H, Mori M.	Ruptured duodenal varices after endoscopic ligation of esophageal varices: An Autopsy Case	Gastrointest inal Endoscopy	63	352-354	2006

研究成果の刊行に関する一覧表(平成19年度)

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Oya H, Sato Y, Yamamoto S, Nakatsuka H, Kobayashi T, Hara Y, Waguri N, Suda T, Aoyagi Y, Hatakeyama K.	Comparison between human-telomerase reverse transcriptase mRNA and alpha-fetoprotein mRNA as a predictive value for recurrence of hepatocellular carcinoma in living donor liver transplantation.	Transplant Proc.	Dec;38(10):3	636-9.	2006
Tsuchiya A, Heike T, Baba S, Fujino H, Umeda K, Matsuda Y, Nomoto M, Ichida T, Aoyagi Y, Nakahata T.	Long-term culture of postnatal mouse hepatic stem/progenitor cells and their relative developmental hierarchy.	Stem Cells.	;25:	895-902.	2007
Maruyama M, Yamamoto T, Kohara Y, Katsuragi Y, Mishima Y, Aoyagi Y, Kominami R.	Mtf-1 lymphoma-susceptibility locus affects retention of large thymocytes with high ROS levels in mice after gamma-irradiation.	Biochem Biophys Res Commun.	2;354(1):.	209-15	2007
Kamimura K, Kobayashi M, Narisawa R, Watanabe H, Sato Y, Honma T, Sekine A, Aoyagi Y.	Collagenous gastritis: A case report and endoscopic and pathologic evaluation of the nodularity of Gastric Mucosa.	Dig. Dis. Sci.	52(4):	995-1000.	2007;
Kamimura K, Mishima Y, Obata M, Endo T, Aoyagi Y, Kominami R.	Lack of Bcl11b tumor suppressor results in vulnerability to DNA replication stress and damages.	Oncogene	30;26(40):	5840-50	2007
Takamura M, Matsuda Y, Yamagiwa S, Tamura Y, Honda Y, Suzuki K, Ichida T, Aoyagi Y.	An inhibitor of c-Jun NH2-terminal kinase, SP600125, protects mice from D-galactosamine/lipopolysaccharide-induced hepatic failure by modulating BH3-only proteins.	Life Sci.	Mar 13;80(14):	1335-44	2007
Takamura M, Ichida T, Ohkoshi S, Tsubata S, Osaki A, Aoyagi T, Nomoto M, Uehara K, Terada H, Aoyagi Y.	Decompensated lamivudine-resistant Hepatitis B virus related cirrhosis treated successfully with adefovir dipivoxil allowin surgery for hepatocellular carcinoma.	Intern Med.	46(7):	367-371.	2007;

Honda Y, Yamagiwa S, Matsuda Y, Takamura M, Ichida T, Aoyagi Y.	Altered expression of TLR homolog RP105 on monocytes hypersensitive to LPS in patients with primary biliary cirrhosis.	J Hepatol.	47(3):	404-11	2007
Yano M, Ikeda M, Abe KI, Dansako H, Ohkoshi S, Aoyagi Y, Kato N.	Comprehensive Analysis of the Effects of Ordinary Nutrients on Hepatitis C Virus RNA Replication in Cell Culture	Antimicrob . Agents Chemother.	51(6)	:2016-27.	2007
Kobayashi M, Kuroiwa T, Suda T, Tamura Y, Kawai H, Igarashi M, Fukuhara Y, Aoyagi Y.	The fucosylated fraction of alpha-fetoprotein, L3, as a useful prognostic factor in patients with hepatocellular carcinoma with special reference to the low concentration of serum alpha-fetoprotein.	Hepatol .R es.	37(11)	914-22	2007
Kamimura K, Ohi H, Kubota T, Okazuka K, Yoshikai Y, Wakabayashi Y, Aoyagi Y, Mishima Y, Kominami R.	Haploinsufficiency of Bcl11b for suppression of lymphomagenesis and thymocyte development.	Biochem Biophys .R es .Commun	355(2)	538-42	2007
Aiba T, Takahashi T, Suzuki K, Okoshi S, Nomoto M, Uno K, Aoyagi Y.	Liver injury induced by a Japanese herbal medicine, sairei-to (TJ-114, Bupleurum and Hoelen Combination, Chai-Ling-Tang) R1.	J .Gastroe nterol .He patol.	;22(5)	762-3.	2007
Suzuki K, Kawauchi Y, Palaniyandi SS, Veeraveedu PT, Fujii M, Yamagiwa S, Yoneyama H, Han GD, Kawachi H, Okada Y, Ajioka Y, Watanabe K, Hosono M, Asakura H, Aoyagi Y, Narumi S.	Blockade of interferon-gamma-inducible protein-10 attenuates chronic experimental colitis by blocking cellular trafficking and protecting intestinal epithelial cells.	Pathol. Int.	Jul;57 (7):	413-20	2007
Tsuboi K, Takamura M, Sato Y, Yokoyama H, Takeuchi M, Igarashi M, Kondo D, Omori K, Ogawa A, Takeyama A, Koyama Y, Ajioka Y, Aoyagi Y.	Severe acute pancreatitis as an initial manifestation of primary hyperparathyroid adenoma in a pediatric patient	Pancreas.	Jul;35 (1)	100-1.	2007
Yamazaki K, Ohkoshi S, Maruyama M, Aoki YH, Yano M, Kurita S, Suzuki K, Matsuda Y, Sugimura K, Aoyagi Y.	Early upsurge in anti-HBs titer possibly caused by the immunomodulative, not by the mutagenetic effect of interferon and ribavirin.	Hepatol .R es.	37(6)	477-81	2007

Sakamoto N, Tanabe Y, Yokota T, Saitoh K, Sekine-Osajima Y, Nakagawa M, Itsui Y, Tasaka M, Sakurai Y, Cheng-Hsin C, Yano M, Ohkoshi S, Aoyagi Y, Maekawa S, Enomoto N, Kohara M, Watanabe M,	Inhibition of hepatitis C virus infection and expression in vitro and in vivo by recombinant adenovirus expressing short hairpin RNA.	J .Gastroe nterol .He patol.			2007 in press.
Hokari M, Matsuda Y, Wakai T, Shirai Y, Sato M, Tsuchiya A, Takamura M, Yamagiwa S, Suzuki K, Ohkoshi S, Ichida T, Kawachi H, Aoyagi Y	Tumor suppressor carcinoembryonic antigen-related cell adhesion molecule 1 potentates the anchorage-independent growth of human hepatoma HepG2 cells.	Life Sci.	81:	336-34 5.	2007
Nakamura J, Kobayashi K, Toyabe S, Aoyagi Y, Akazawa K.	The cost-effectiveness of the new protocol reflecting rapid virologic response to peginterferon alpha-2b and ribavirin for chronic hepatitis C.	Eur J Gastroente rol Hepatol.	Sep;19 (9)	733-9.	2007
Yamazaki K, Suzuki K, Ohkoshi S, Yano M, Kurita S, Aoki Y, Toba K, Takamura M, Yamagiwa S, Matsuda Y, Aoyagi Y.	Temporal treatment with interferon- $\beta$ prevents hepatocellular carcinoma in hepatitis B virus-X gene transgenic mice.	J Hepatol.	(48);	255-26 5	2007
Tsuchiya A, Heike T, Baba S, Fujino H, Umeda K, Matsuda Y, Nomoto M, Ichida T, Aoyagi Y, Nakahata T.	Sca-1+ endothelial cells (SPECs) reside in the portal area of the liver and contribute to rapid recovery from acute liver disease.	Biochem Biophys Res Commun.	(365)	595-60 1	2008
Yamagiwa S, Matsuda Y, Ichida T, Honda Y, Takamura M, Sugahara S, Ishikawa T, Ohkoshi S, Sato Y, Aoyagi Y.	Sustained response to interferon-alpha plus ribavirin therapy for chronic hepatitis C is closely associated with increased dynamism of intrahepatic natural killer and natural killer T cells.	Hepatol Res.	Mar 4		2008
Oshima T, Kawasaki T, Ohashi R, Hasegawa G, Jiang S, Umezu H, Aoyagi Y, Iwanari H, Tanaka T, Hamakubo T, Kodama T, Naito M.	Downregulated P1 promoter-driven hepatocyte nuclear factor-4 $\alpha$ expression in human colorectal carcinoma is a new prognostic factor against liver metastasis.	Pathology Internatio nal	(57):	82-90	2007

Nakamura J, Toyabe SI, Aoyagi Y, Akazawa K.	Economic impact of extended treatment with peginterferon alpha-2a and ribavirin for slow hepatitis C virologic responders.	J Viral Hepat.	Apr;15 (4):	293-9	2008
Michitaka K, Horiike N, Duong T, Yagura M, Harada H, Shibayama T, Inui A, Fujisawa T, Matsuura K, Hiasa Y, Onji M.	Heterogeneity of hepatitis B virus genotype D in Japan.	Intervirol ogy	50:	150-15 5	2007
Shigematsu S, Kumagi T, Hiasa Y, Yoshida T, Hirooka M, Tokumoto Y, Matsuura B, Michitaka K, Horiike N, Tohyama T, Onji M.	Development of Hepatocellular Carcinoma (HCC) in a Patient 17 Years after Recovery from Chronic Hepatitis B and Seroconversion to Anti-HBs.	Internal Medicine	46:	29-33	2007
Matsuura K, Michitaka K, Yamauchi K, Nadano S, Okada S, Matsuura B, Hiasa Y, Horiike N, Onji M.	Characteristics of geographic distributions and route of infection for hepatitis B virus genotype D in Ehime area in western Japan.	Hepatology Research	37(4):	255-26 2	2007
Konishi I, Horiike N, Hiasa Y, Tokumoto Y, Mashiba T, Michitaka K, Miyake Y, Nonaka S, Joukou K, Matsuura B, Onji M.	Diabetes mellitus reduces the therapeutic effectiveness of interferon $\alpha$ 2b plus ribavirin therapy in patients with chronic hepatitis C.	Hepatology Research	37:	331-33 6,	2007
Mashiba T, Udaka K, Hirachi Y, Hiasa Y, Miyakawa T, Satta Y, Osoda T, Kataoka S, Kohara M, Onji M.	Identification of CTL epitopes in hepatitis C virus by a genome-wide computational scanning and a rational design of peptide vaccine.	Immunogene tics	59:	197-20 9,	2007
Nakanishi S, Matsuura B, Hirooka M, Ueda T, Niiya T, Furukawa S, Abe M, Hiasa Y, Kubo Y, Onji M.	Clinical usefulness of quantitative evaluation of visceral fat by ultrasonography.	Journal of Medical Ultrasonic s	34:	151-15 7	2007
Sk. Md. Fazle Akbar, Furukawa S, Yoshida O, Hiasa Y, Horiike N, Onji M.	Induction of anti-HBs in HB vaccine nonresponders in vivo by hepatitis B surface antigen-pulsed blood dendritic cells.	Journal of Hepatology	47:	60-66	2007

Uehara T, Hirooka M, Ishida K, Hiraoka A, Kumagi T, Kisaka Y, Hiasa Y, Onji M	Percutaneous ultrasound-guided radiofrequency ablation of hepatocellular carcinoma with artificially induced pleural effusion and ascites.	Journal of Gastroenterology	42:	306-311	2007
Tokumoto Y, Hiasa Y, Horiike N, Michitaka K, Matsuura B, Raymond T. Chung, Onji M	Hepatitis C Virus Expression and Interferon Antiviral Action is Dependent on PKR Expression.	Journal of Medical Virology	79	1120-1127	2007
Umemura T, Muto H, Tanaka E, Matsumoto A, Ichijo T, Yoshizawa K, Akamatsu T, Kiyosawa K, and the Nagano Interferon Treatment Research Group.	Anti-Helicobacter seropositivity: influence on severity and treatment response in patients with chronic hepatitis C.	J Viral Hepatitis	14:	48-54	2007
Yokosawa S, Yoshizawa K, Ota M, Katsuyama Y, Kawa S, Ichijo T, Umemura T, Tanaka E, Kiyosawa K.	A genomewide DNA microsatellite association study of Japanese patients with autoimmune hepatitis type 1.	Hepatology	45:	384-390	2007
Umemura T, Ota M, Yoshizawa K, Katsuyama Y, Ichijo T, Tanaka E, Kawa S, Kiyosawa K.	Lack of association between FCRL3 and Fc $\gamma$ RII polymorphisms in Japanese type 1 autoimmune hepatitis.	Clin Immunol	122:	338-342,	2007
Tanaka N, Horiuchi A, Yamaura T, Komatsu M, Tanaka E, Kiyosawa K.	Efficacy and safety of 6-month iron reduction therapy in patients with hepatitis C virus-related cirrhosis: a pilot study.	J Gastroenterol	42:	49-55,	2007
Fujiwara K, Yokosuka O, Imazeki F, Miki M, Suzuki K, Okita K, Tanaka E, Omata M.	Genetic analysis of hepatitis A virus protein 2C in sera from patients with fulminant and self-limited hepatitis A.	Hepato-Gastroenterology	54:	871-877,	2007
Matsumoto A, Tanaka E, Minami M, Tokanoue T, Yatsushashi H, Nagaoka S, Suzuki F, Kobayashi M, Chayama K, Imamura M, Yotsuyanagi H, Nakaoka S, Maki N, Kawata S, Kumada H, Iino S, Kiyosawa K.	Low serum level of hepatitis B core-related antigen indicates unlikely reactivation of hepatitis after cessation of lamivudine therapy.	Hepatology Res	37	661-666	2007



Tanaka N, Sano K, Horiuchi A, Tanaka E, Kiyosawa K, Aoyama T.	Highly-purified eicosapentaenoic acid treatment improves nonalcoholic steatohepatitis.	J Clin Gastroenterol			2007(in press)
Kosone T, Takagi H, Horiguchi N, Toyoda M, Sohara N, Kakizaki S, Sato K, Nishiyama U, Kuwaki T, Mori M.	Hepatocyte growth factor accelerates thrombopoiesis in transgenic mice.	Lab Invest.	87:	284-291	2007
Kakizaki S, Sohara N, Sato K, Suzuki H, Yanagisawa M, Nakajima H, Takagi H, Naganuma A, Otsuka T, Takahashi H, Hamada T, and Mori M.	Preventive effects of vitamin K on recurrent disease in patients with hepatocellular carcinoma arising from hepatitis C viral infection.	J Gastroenterol Hepatol,	22:	518-522	2007
Yamazaki Y, Kakizaki S, Sohara N, Sato K, Takagi H, Arai H, Abe T, Katakai K, Kojima A, Matsuzaki Y and Mori M.	Hepatocellular carcinoma in young adults—The clinical characteristics, prognosis and the findings of a patient survival analysis.	Dig Dis Sciences,	52:	1103-1107,	2007
Takizawa D, Kakizaki S, Sohara N, Sato K, Takagi H, Arai H, Katakai K, Kojima A, Matsuzaki Y, Mori M.	Hepatocellular Carcinoma with Portal Vein Tumor Thrombosis: Clinical Characteristics, Prognosis, and Patient Survival Analysis.	<u>Dig Dis Sci.</u>	52:	3290-3295,	2007
Kosone T, Takagi H, Horiguchi N, Ariyama Y, Otsuka T, Sohara N, Kakizaki S, Sato K, Mori M.	HGF ameliorates a high-fat diet-induced fatty liver.	Am J Physiol Gastrointest Liver Physiol.	293:	G204-210	2007
Kosone T, Takagi H, Horiguchi N, Kakizaki S, Sato K, Watanabe Y, Mori M.	Transforming growth factor-alpha accelerates hepatocyte repopulation after hepatocyte transplantation.	J Gastroenterol Hepatol	23:	260-266,	2008

Hashizume H, Sato K, Takagi H, Hirokawa T, Kojima A, Sohara N, Kakizaki S, Mochida Y, Shimura T, Sunose Y, Ohwada S, and Masatomo Mori M.	Primary liver cancers with nonalcoholic steatohepatitis.	Eur J Gastroenterol Hepatol	19:	827-834,	2007
Hagiwara S, Otsuka T, Yamazaki Y, Kosone T, Sohara N, Ichikawa T, Sato K, Kakizaki S, Takagi H, Mori M.	Overexpression of NK2 promotes liver fibrosis in carbon tetrachloride-induced chronic liver injury.	Liver Int.	28:	126-131,	2008
Kakizaki S, Sohara N, Yamazaki Y, Horiguchi N, Kanda D, Kabeya K, Katakai K, Sato K, Takagi H, Mori M.	Elevated plasma resistin concentration in patients with liver cirrhosis.	J Gastroenterol Hepatol.	23:	73-77,	2008