

#### (4) 研究成果の刊行に関する一覧表

## 雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nishio M, Endo T, Nakao S, Sato N, Koike T.	Reversible cardiomyopathy due to secondary hemochromatosis with multitransfusions for severe aplastic anemia after successful non-myeloablative stem cell transplantation.	Int J Cardiol			in press
Kataoka H, Atsumi T, Hashimoto T, Horita T, Yasuda S, Koike T.	Polymyalgia rheumatica as the manifestation of unclassified aortitis.	Mod Rheumatol	18(1)	105-108	2007
Bohgaki T, Atsumi T, Koike T	Multiple autoimmune diseases after autologous stem-cell transplantation	New Engl J Med	357(26)	2734-2736	2007
Chida D, Nakagawa S, Nagai S, Sagara H, Katsumata H, Imaki T, Suzuki H, Mitani F, Ogishima T, Shimizu C, Kotaki H, Kakuta S, Sudo K, Koike T, Kubo M, Iwakura Y	Melanocortin 2 receptor is required for adrenal gland development, steroidogenesis, and neonatal gluconeogenesis.	PNAS	104(46)	18205-18210	2007
Gatanaga H, Hayashida T, Tsuchiya K, Yoshino M, Kuwahara T, Tsukada H, Fujimoto K, Sato I, Ueda M, Horiba M, Hamaguchi M, Yamamoto M, Takata N, Kimura A, Koike T, Gejyo F, Matsushita S, Shirasaka T, Kimura S, Oka S	Successful efavirenz dose reduction in HIV type 1-infected individuals with cytochrome P450 2B6 *6 and *26.	CID	45(9)	1230-1237	2007
Ieko M, Nakabayashi T, Tarumi T, Naito S, Yoshida M, Kanazawa K, Mizukami K, Koike T	Soluble fibrin monomer degradation products as a potentially useful marker for hypercoagulable states with accelerated fibrinolysis	Clin Chim Acta	386(1-2)	38-45	2007
Yasuda S, Stevens RL, Terada T, Takeda M, Hashimoto T, Fukae J, Horita T, Kataoka H, Atsumi T, Koike T.	Defective expression of ras guanyl nucleotide-releasing protein 1 in a subset of patients with systemic lupus erythematosus.	J. Immunol	179(7)	4890-4900	2007
Atsumi T, Cho YR, Leng L, McDonald C, Yu T, Danton C, Hong EG, Mitchell RA, Metz C, Niwa H, Takeuchi J, Onodera S, Umino T, Yoshioka N, Koike T, Kim JK, Bucala R	The proinflammatory cytokine macrophage migration inhibitory factor regulates glucose metabolism during systemic inflammation.	J. Immunol	179(8)	5399-5406	2007
Atsumi T, Chiba H, Yoshioka N, Bucala R, Koike T	Increased fructose 2,6-bisphosphate in peripheral blood mononuclear cells of patients with diabetes	Endocr J	57(4)	517-520	2007
Natsuga K, Sawamura D, Homma E, Nomura T, Abe M, Muramatsu R, Mochizuki T, Koike T, Shimizu H	Amicrobial pustulosis associated with IgA nephropathy and Sjögren's syndrome	J Am Acad Dermatol	57	523-526	2007
Horita T, Ichikawa K, Kataoka H, Yasuda S, Atsumi T, Koike T	Human monoclonal antibodies against the complex of phosphatidylserine and prothrombin from patients with the antiphospholipid antibodies	Lupus	16(7)	509-516	2007
Amengual O, Atsumi T, Komano Y, Kataoka H, Horita T, Yasuda S, Koike T	A polymorphism in human platelet antigen 6b and risk of thrombocytopenia in patients with systemic lupus erythematosus	Arthritis Rheum	56(8)	2803-2809	2007
Masuda H, Atsumi T, Fujisaku A, Shimizu C, Yoshioka N, Koike T	Acute onset of type 1 diabetes accompanied by acute hepatitis C: the potential role of proinflammatory cytokine in the pathogenesis of autoimmune diabetes	Diabetes Res Clin Pract	75(3)	357-361	2007

Nishio M, Fujimoto K, Yamamoto S, Endo T, Sakai T, Obara M, Kumano K, Yamaguchi K, Takeda Y, Goto H, Sato N, Koizumi K, Mukai M, Koike T.	Delayed redistribution of CD27, CD40 and CD80 positive B cells and the impaired in vitro immunoglobulin production in patients with non-Hodgkin lymphoma after rituximab treatment as an adjuvant to autologous stem cell transplantation	Br J Haematol.	137(4)	349-354	2007
Minauchi K, Nishio M, Itoh T, Yamamoto S, Fujimoto K, Sato N, Koike T	Hepatosplenic alpha/beta T cell lymphoma presenting with cold agglutinin disease	Ann Hematol	86(2)	155-157	2007
Nakamura A, Shimizu C, Nagai S, Taniguchi S, Umetsu M, Atsumi T, Wada N, Yoshioka N, Ono Y, Sasano H, Koike T	Unilateral adrenalectomy improves insulin resistance and polycystic ovaries in a middle-aged woman with virilizing adrenocortical adenoma complicated with Cushing's syndrome	J Endocrinol Invest	30	65-69	2007
Koike T, Atsumi T	"Resurrection of thrombin" in the pathophysiology of the antiphospholipid syndrome.	Arthritis Rheum	56(2)	393-394	2007
Miyakis S, Lockshin MD, Atsumi T, Branch DW, Brey RL, Cervera R, Derkzen RHWM, de Groot PG, Koike T, Meroni PL, Reber G, Shoenfeld Y, Tincani A, Vlachoyiannopoulos PG, Krilis SA.	International consensus statement on an update of the classification criteria for definite antiphospholipid syndrome	J Thromb Haemost	4	295-306	2006
Mizumoto H, Maihara T, Hiejima E, Shiota M, Hata A, Seto S, Atsumi T, Koike T, Hata D.	Transient antiphospholipid antibodies associated with acute infections in children: a report of three cases and a review of the literature.	Eur J Pediatr.	165	484-488	2006
Nakamura A, Shimizu C, Nagai S, Taniguchi S, Umetsu M, Atsumi T, Wada N, Yoshioka N, Ono Y, Tanizawa Y, Koike T.	A novel mutation of <i>WFS1</i> gene in a Japanese man of Wolfram syndrome with positive diabetes-related antibodies.	Diabetes Res Clin Pract.	73(2)	215-217	2006
Nagai S, Shimizu C, Kimura Y, Umetsu M, Taniguchi S, Takeuchi J, Atsumi T, Yoshioka N, Kubo M, Koike T.	A case of reversed pituitary dysfunction with intrasellar mass.	J Endocrinol Invest	29(4)	367-372	2006
Amengual O, Atsumi T, Koike T.	Pathophysiology of the antiphospholipid syndrome: roles of anticardiolipin antibodies in thrombosis and fibrinolysis.	APLAR J Rheumatol.	9	377-386	2006
Mizukami K, Nakabayashi T, Naitoh S, Takeda M, Tarumi T, Mizoguchi I, Ieko M, Koike T.	One novel and one recurrent mutation in the PROS1 gene cause type I protein S deficiency in patients with pulmonary embolism associated with deep vein thrombosis.	Am J Hematol	81	787-797	2006
Ieko M, Tarumi T, Nakabayashi T, Yoshida M, Naito S, Koike T.	Factor Xa inhibitors: new anti-thrombotic agents and their characteristics.	Frontiers in Bioscience.	11	232-248	2006
Furusaki A, Judo S, Yamashita Y, Amasaki Y, Atsumi T, Koike T	TRAIL-mediated cytotoxicity: Impacts of sTRAIL and vTRAIL microvesicles.	J Biol Sci.	6(1)	150-159	2006
Niwa H, Koumoto C, Shiga T, Takeuchi J, Mishima S, Segawa T, Atsumi T, Shimizu C, Koike T, Yoshioka N.	Clinical analysis of cognitive function in diabetic patients by MMSE and SPECT.	Diabetes Res Clin Pract.	72	142-147	2006

Hashimoto T, Nishio M, Sakai T, Fujimoto K, Sato N, Endo T, Koike T.	Acute schizophrenic symptoms as the initial manifestation of HIV infection that respond to highly active antiretroviral therapy.	Clinical Infectious Diseases.	42	1653-1655	2006
Furukawa S, Yasuda S, Amengual O, Horita T, Atsumi T, Koike T.	Protective effect of pravastatin on vascular endothelium in patients with System Sclerosis: a pilot study.	Ann Rheum Dis.	65(8)	1118-1120	2006
Nishio M, Fujimoto K, Yamamoto S, Endo T, Sakai T, Obara M, Kumano K, Minauchi K, Yamaguchi K, Takeda Y, Sato N, Koizumi K, Mukai M, Koike T.	Hypogammaglobulinemia with a selective delayed recovery in memory B cells and an impaired Igotype expression after rituximab administration as an adjuvant to autologous stem cell transplantation for non-Hodgkin lymphoma.	Eur J Haemato.	77	226-232	2006
Yasuda,S.,Atsumi,T.,Matsuura,E.,Kaihara,K.,Yamamoto,D.,Ichikawa,K.,Koike,T.	Significance of valine/leucine <sup>247</sup> polymorphism of β2-glycoprotein I in antiphospholipid syndrome: increased reactivity of anti-β2-glycoprotein I autoantibodies to the valine <sup>247</sup> β2-glycoprotein I variant.	Arthritis Rheum	52:1	212-218	2005
Kataoka,H.,Takahashi,S.,Takase,K.,Yamasaki,S.,Yokosuka,T.,Koike,T.,Saito,T.	CD25 <sup>+</sup> CD4 <sup>+</sup> regulatory T cells exert in vitro suppressive activity independent of CTLA-4.	Int Immunol	17:04	421-427	2005
Jodo,S.,Pidiyar,V.J.,Xiao,S.,Furusaki,A.,Sharma,R.,Koike,T.,Ju,ST.	Cutting Edge: Fas Ligand (CD178) Cytoplasmic Tail Is a Positive Regulator of Fas Ligand-Mediated Cytotoxicity.	J Immunol	174	4470-4474	2005
Nishio,S.,Hatano,M.,Nagata,M.,Horie,S.,Koike,T.,Tokuhisa,T.,Mochizuki,T.	Pkd1 regulates immortalized proliferation of renal tubular epithelial cells through p53 induction and JNK activation.	J Clin Invest	115:4	910-918	2005
Kochi,Y.,Yamada,R.,Suzuki,A.,Harley,J.B.,Shirasawa,S.,Sawada,T.,Bae,SC.,Tokuhiro,S.,Chang,X.,Sekine,A.,Takahashi,A.,Tsunoda,T.,Ohnishi,Y.,Kaufman,K.M.,Kang,CP.,King,C.,Otsubo,S.,Yumura,W.,Mimori,A.,Koike,T.,Nakamura,Y.,Sasaki,T.,Yamamoto,K.	A functional variant in FCRL3, encoding Fc receptor-like 3, is associated with rheumatoid arthritis and several autoimmunities.	Nat Genet	37:5	478-485	2005
Imai,Y.,Chou,T.,Tobinai,K.,Tanosaki,R.,Morishima,Y.,Ogura,M.,Shimazaki,C.,Taniwaki,M.,Hiraoka,A.,Tanimoto,M.,Koike,T.,Kogawa,K.,Hirai,H.,Yoshida,T.,Tamura,K.,Kishi,K.,Hotta,T;	CliniMACS Study Group. Isolation and transplantation of highly purified autologous peripheral CD34+ progenitor cells: purging efficacy, hematopoietic reconstitution in non-Hodgkin's lymphoma (NHL): results of Japanese phase II study.	Bone Marrow Transpl	35:5	479-487	2005
Bando,H.,Atsumi,T.,Nishio,T.,Niwa,H.,Mishima,S.,Shimizu,C.,Yoshioka,N.,Bucala,R.,Koike,T.	Phosphorylation of the 6-phosphofructo-2-kinase/fructose 2,6-bisphosphatase/PFKFB3 family of glycolytic regulators in human cancer.	Clin Cancer Res	11	5784-5792	2005
Atsumi,T.,Furukawa,S.,Amengual,O.,Koike,T.	Antiphospholipid antibody associated thrombocytopenia and the paradoxical risk of thrombosis.	Lupus	14	499-504.	2005
Bohgaki,T., Amasaki,Y., Nishimura,N., Bohgaki,M., Yamashita,Y., Nishio,M., awada,KI., Jodo,S., Atsumi,T., Koike,T.	Up regulated expression of tumour necrosis factor α converting enzyme in peripheral monocytes of patients with early systemic sclerosis.	Ann Rheum Dis.	64	1165-1173	2005

Atsumi,T., Amengual,O., Yasuda,S., Matsuura,E., Koike,T.	Research around $\beta$ 2-glycoprotein I: A major target for antiphospholipid antibodies.	Autoimmunity.	38(5)	377-381	2005
Fukae,J., Amasaki,Y., Yamashita,Y., Bohgaki,T., Yasuda,S., Jodo,S., Atsumi,T., Koike,T.	Butyrate suppresses tumor necrosis factor $\alpha$ production by regulating specific messenger RNA degradation mediated through a cis-acting AU-rich element.	Arthritis Rheum.	52(9)	2697-2707	2005
Koike,T., Atsumi,T.	Antiphospholipid antibodies and cell activation: crucial role of p38 MAPK pathway.	Lupus	14(10)	799-801	2005
Atsumi,T., Nishio,T., Niwa,H., Takeuchi,J., Bando,H., Shimizu,C., Yoshioka,N., Bucala,R., Koike,T.	Expression of inducible 6-Phosphofructo-2-Kinase/Fructose-2,6-Bisphosphatase/PFKFB3 isoforms in adipocytes and their potential role in glycolytic regulation.	Diabetes	54(12)	3349-3357	2005
Kasahara,H., Matsuura,E., Kaihara,K., Yamamoto,D., Kobayashi,K., Inagaki,J., Ichikawa,K., Tsutsumi,A., Yasuda,S., Atsumi,T., Yasuda,T., Koike,T.	Antigenic structures recognized by anti-B2-glycoprotein I auto-antibodies	Int immunol	17(12)	1533-1542	2005
Yasuda,S., Bohgaki,M., Atsumi,T., Koike,T.	Pathogenesis of antiphospholipid antibodies: impairment of fibrinolysis and monocyte activation via the p38 mitogen-activated protein kinase pathway.	Immunobiology	210	775-780	2005
Nakabayashi,T., Mizukami,K., Naitoh,S., Takeda,M., Shikamoto,Y., Nakagawa,T., Kaneko,H., Tarumi,T., Mizoguchi,I., Mizuno,H., Ieko,M., Koike,T.	Protein C Sapporo (protein C Glu 25 →Lys): A heterozygous missense mutation in the Gla domain provides new insight into the interaction between protein C and endothelial protein C receptor.	Thromb Haemost	94	942-950	2005
Goto,H., Nishio,M., Endo,T., Sato,N., Kozumi,K., Fujimoto,K., Sakai,T., Kumano,K., Obara,M., Koike,T.	Effective in vivo purging with rituximab and autologous peripheral blood stem cell transplantation in a woman with CD5 positive primary cutaneous diffuse large B-cell lymphoma.	Eur J Haematol.	74	526-528	2005
Nakamura,A., Simizu,C., Nagai,S., Taniguchi,S., Umetsu,M., Atsumi,T., Yoshioka,N., Ono,Y., Tajima,T., Kubo,M., Koike,T.	A rare case of Gitelman's syndrome presenting with hypocalcemia and osteopenia.	J Endocrinol Invest	28	464-468	2005
Nishio,M., Endo,T., Fujimoto,K., Sato,N., Sakai,T., Obara,M., Kumano,K., Minauchi,K., Koike,T.	Persistent panhypogammaglobulinemia with selected loss of memory B cells and impaired isotype expression after rituximab therapy for post-transplant EBV-associated autoimmune hemolytic anemia.	Eur J Haematol.	75(6)	527-529	2005
Matsumoto,R., Shimizu,C., Nagai,S., Taniguchi,S., Umetsu,M., Kimura,Y., Atsumi,T., Yoshioka,N., Kubo,M., Koike,T.	Cat-eye syndrome with isolated idiopathic hypogonadotropic hypogonadism.	Internal Med	44(10)	1069-1073	2005
Takahata, M., Bohgaki, M., Tsukiyama, T., Kondo, T., Asaka, M., Hatakeyama, S.	Ro52 functionally interacts with IgG1 and regulates its quality control via the ERAD system	Mol Immunol			in press
Bohgaki, M., Tsukiyama, T., Nakajima, A., Maruyama, S., Watanabe, M. Koike T., Hatakeyama, S.	Involvement of Ymer in suppression of NF- $\kappa$ B activation by regulated interaction with lysine-63-linked polyubiquitin chain	BBA-Mol Cell Res			in press
Maruyama, S., Miyajima, N., Bohgaki, M., Tsukiyama, T., Shigemura, M., Nonomura, K., Hatakeyama, S.	Ubiquitylation of $\epsilon$ -COP by PIRH2 and regulation of the secretion of PSA	Mol Cell Biochem	307(1-2)	73-82	2007

Sakane, A., Hatakeyama, S., Sasaki, T.	Involvement of Rabring7 in EGF receptor degradation as an E3 ligase	Biochem Biophys Res Commun	357(4)	1058-1064	2007
Nakajima, A., Maruyama, S., Bohgaki, M., Miyajima, N., Tsukiyama, T., Sakuragi, N., Hatakeyama, S.	Ligand-dependent transcription of estrogen receptor $\alpha$ is mediated by the ubiquitin ligase EFP	Biochem Biophys Res Commun	357(1)	245-251	2007
Matsuda, M., Tsukiyama, T., Bohgaki, M., Nonomura, K., Hatakeyama, S.	Establishment of a newly improved detection system for NF- $\kappa$ B activity	Immunol Lett	109(2)	175-181	2007
Watanabe, M., Tsukiyama, T., Hatakeyama, S.	Protection of vincristine-induced neuropathy by WldS expression and the independence of the activity of Nmnat1	Neurosci Lett	411(3)	228-232	2007
Kishi, K., Mawatari, K., Sakai-Wakamatsu, K., Yuasa, T., Wang, M., Ogura-Sawa, M., Nakaya, Y., Hatakeyama, S., Ebina, Y.	APS-mediated Ubiquitination of the Insulin Receptor Enhances its Internalization, but does not Induce its Degradation	Endocr J	54(1)	77-88	2007
Makino, Y., Tsuda, M., Ichihara, S., Watanabe, T., Sawa, H., Nagashima, K., Hatakeyama, S., Tanaka, S	Elmo1 inhibits ubiquitylation of Dock180	J Cell Sci	119(1)	923-932	2006
Hiramatsu, Y., Kitagawa, K., Suzuki, T., Uchida, C., Hattori, T., Kikuchi, H., Oda, T., Hatakeyama, S., Nakayama, K-i., Yamamoto, T., Konno, H., Kitagawa, M.	Degradation of Tob1 mediated by SCFSkp2-dependent ubiquitination	Cancer Res	66(17)	8477-8483	2006
Hatakeyama, S., Matsumoto, M., Nakayama, K-i.	Mapping of ubiquitination sites on target proteins	Methods Enzymol	399	277-286	2005
Yogosawa, S., Hatakeyama, S., Nakayama, K-i., Miyoshi, H., Kohsaka, S., Akazawa, C.	Ubiquitylation and degradation of polo-like kinase SNK by hVPS18, a RING-H2 type ubiquitin ligase	J Biol Chem	280(50)	41619-41627	2005
Kaneko-Oshikawa, C., Nakagawa, T., Yamada, M., Yoshikawa, H., Matsumoto, M., Yada, M., Hatakeyama, S., Nakayama, K., Nakayama, K-i.	Mammalian E4 is required for cardiac development and maintenance of the nervous system	Mol Cell Biol	25(24)	10953-10964	2005
Hatakeyama, S., Watanabe, M., Fujii, Y., Nakayama, K-i.	Targeted destruction of c-Myc by an engineered ubiquitin ligase suppresses cell transformation and tumor formation	Cancer Res	65(17)	7874-7879	2005
Pushkarsky, T., Yurchenko, V., Vanpouille, C., Brichacek, B., Vaisman, I., Hatakeyama, S., Nakayama, K.I., Sherry, B., Bukrinsky M.I.	Cell surface expression of CD147/emmprin is regulated by cyclophilin 60	J Bio Chem	280(30)	27866-27871	2005
Matsumoto, M., Hatakeyama, S., Oyamada, K., Oda, Y., Nishimura, T., Nakayama, K-i.	Large-scale analysis of the human ubiquitin-related proteome	Proteomics	5(16)	4145-4151	2005

Iwanami, K., Matsumoto, I., Watanabe, Y., Miura, M., Ohsugi, Y., Mamura, M., Goto, D., Ito, S., Tsutsumi, A., Kishimoto, T., and Sumida, T.	Crucial role of IL-6/IL-17 cytokine axis in the induction of arthritis by glucose-6-phosphate-isomerase.	Arthritis Rheum.			in press
Matsui, H., Tsutsumi, A., Sugihara, M., Suzuki, T., Iwanami, K., Kohno, M., Goto, D., Matsumoto, I., Ito, S., and Sumida, T.	Expression of Visfatin (pre-B cell colony-enhancing factor) gene in patients with rheumatoid arthritis.	Ann. Rheum. Dis.			in press
Nakamura, Y., Wakamatsu, E., Matsumoto, I., Tomiita, M., Kohno, Y., Mori, M., Yokota, S., Goto, D., Ito, S., Tsutsumi, A., and Sumida, T.	High prevalence of autoantibodies to muscarinic 3 acetylcholine receptor in patients with juvenile-onset Sjögren's syndrome.	Ann. Rheum. Dis.	67	136-137	2008
Sugihara, M., Tsutsumi, A., Suzuki, E., Wakamatsu, E., Suzuki, T., Ogishima, H., Hayashi, T., Chino, Y., Ishii, W., Manura, M., Goto, D., Matsumoto, I., Ito, S., and Sumida, T.	Effect of infliximab therapy on gene expression levels of tumor necrosis factor $\alpha$ , tristetraprolin, T cell intracellular antigen 1, and Hu antigen R in patients with rheumatoid arthritis.	Arthritis Rheum.	56	2160-2169	2007
Wakamatsu, E., Nakamura, Y., Matsumoto, I., Goto, D., Ito, S., Tsutsumi, A., and Sumida, T.	DNA microarray analysis of labial salivary glands of patients with Sjögren's syndrome.	Ann. Rheum. Dis.	66	844-845	2007
Kim BG, Li C, Qiao W, Mamura M, Kasprzak B, Anver M, Wolfram L, Hong S, Mushinski E, Potter M, Kim SJ, Fu XY, Deng C, Letterio JJ.	Smad4 signalling in T cells is required for suppression of gastrointestinal cancer.	Nature	441	1015-1019	2006
Wakamatsu, E., Matsumoto, I., Takanori, Y., Naito, Y., Goto, D., Mamura, M., Ito, S., Tsutsumi, A., and Sumida, T.	Overexpression of phosphorylated STAT-1 $\alpha$ in the labial salivary glands of patients with Sjögren's syndrome.	Arthritis Rheum.	54	3476-3484	2006
Naito, Y., Matsumoto, I., Wakamatsu, E., Goto, D., Ito, S., Tsutsumi, A., and Sumida, T.	Altered peptide ligands regulate muscarinic acetylcholine receptor reactive T cells of patients with Sjögren's syndrome.	Ann. Rheum. Dis.	65	269-271	2006
Kullberg MC, Hay V, Cheever AW, Mamura M, Sher A, Letterio JJ, Shevach EM, Piccirillo CA.	TGF-beta1 production by CD4+CD25+ regulatory T cells is not essential for suppression of intestinal inflammation.	Eur J Immunol	35	2886-2895	2005
Naito, Y., Matsumoto, I., Wakamatsu, E., Goto, D., Sugiyama, T., Matsumura, R., Tsutsumi, A., and Sumida, T.	Muscarinic acetylcholine receptor autoantibodies in patients with Sjögren's syndrome.	Ann. Rheum. Dis.	64	510-511	2005
Liu T, Kohsaka H, Suzuki M, Takagi R, hashimoto K, Uemura Y, Ohyama H, and Matsushita S.	Positional effect of amino acid replacement on peptide antigens for the increased IFN-gamma production from CD4 T cells.	Allergol Int	54(1)	6987-6996	2005
Suzuki F, Nanki T, Imai T, Kikuchi H, Hirohata S, Kohsaka H, Miyasaka N.	Inhibition of CX3CL1 (fractalkine) improves experimental autoimmune myositis in SJL/J mice.	J Immunol	175(10)	6987-6996	2005

Sugihara T, Sekine C, Nakae T, Kohyama K, Harigai M, Iwakura Y, Matsumoto Y, Miyasaka N, and Kohsaka H.	A new murine model defines critical mediators in the pathology and treatment of polymyositis	Arthritis Rheum	56(4)	1304-1314	2007
Satoh, J-i., M. Nakanishi, F. Koike, S. Miyake, T. Yamamoto, M. Kawai, S. Kukuchi, K. Nomura, K. Yokoyama, K. Ota, T. Kanda, T. Fukazawa and T. Yamamura	Microarray analysis identifies an aberrant expression of apoptosis and DNA damage-regulatory genes in multiple sclerosis.	Neurobiol. Dis	18	537-550	2005
Chiba, A., S. Kaieda, S. Oki, T. Yamamura and S. Miyake	The involvement of Va14 NKT cells in the pathogenesis of murine models of arthritis	Arthr. Rheumat	52	1941-1948	2005
Oki, S., C. Tomi, T. Yamamura, and S. Miyake	Preferential Th2 polarization by OCH is supported by incompetent NKT cell induction of CD40L and following production of inflammatory cytokines by bystander cells in vivo.	Int. Immunol	17	1619-1629	2005
Miyamoto, K., S. Miyake, M. Mizuno, N. Oka, S. Kusunoki, and T. Yamamura	Selective COX-2 inhibitor celecoxib prevents experimental autoimmune encephalomyelitis through COX-2 independent pathway.	Brain	129(Pt 8):	1984-92	2006
Aranami, T., S. Miyake and T. Yamamura	Differential expression of CD11c by peripheral blood NK cells reflects temporal activity of multiple sclerosis.	J. Immunol.	177	5659-5667	2006
Kaieda, S., S. Oki, C. Tomi, T. Yamamura and S. Miyake	Activation of invariant natural killer T cells by synthetic glycolipid ligands suppresses autoantibody-induced arthritis.	Arthr. Rheumat.	56	1836-1845	2007
Sato, W., T. Aranami, and T. Yamamura	Cutting Edge. Human Th17 cells are identified as bearing CCR2+CCR5-phenotype.	J. Immunol.	178	7525-7529	2007
Sakuishi, K., S. Oki, M. Araki, S.A. Porcelli, S. Miyake, and T. Yamamura	Invariant NKT cells biased for IL-5 production act as crucial regulators of inflammation.	J. Immunol.	179	3452-3462	2007
Yamamura, T	Interleukin 17-producing T-helper cells and autoimmune diseases: Time for a paradigm shift?	Current Rheumatology Reports	9	93-95	2007
荒浪利昌, 山村 隆	多発性硬化症の病態 -免疫調節機構の破綻.	医学のあゆみ	219	5047-5050	2006
山村 隆, 荒浪利昌	MS FRONTIER. 多発性硬化症のバイオマーカー	Current Insights in Neurological Science.	15	10-11	2007
佐藤和貴郎、荒浪利昌、山村 隆	Th17細胞と自己免疫疾患.	神経免疫学	15	227-234	2007
佐藤 和貴郎、荒浪利昌、山村 隆	話題. ヒトTh17細胞におけるケモカインリセプターの発現.	臨床免疫・アレルギー科	49	89-94	2008
Yamamoto K, Okamoto A, Fujio K.	Antigen-specific immunotherapy for autoimmune diseases.	Expert Opin Biol Ther.	7	359-367	2007
Okunishi K, Dohi M, Fujio K, Nakagome K, Tabata Y, Okasora T, Seki M, Shibuya M, Imamura M, Harada H, Tanaka R, Yamamoto K.	Hepatocyte growth factor significantly suppresses collagen-induced arthritis in mice.	J Immunol.	179	5504-5513	2007

Fujio K, Okamura T, Okamoto A, Yamamoto K.	T cell receptor gene therapy for autoimmune diseases.	Ann N Y Acad Sci.	10	222-232	2007
Yamamoto K, Yamada R.	Lessons from a Genomewide Association Study of Rheumatoid Arthritis.	N Engl J Med.	357	1250-1251	2007
Yamaguchi Y, Fujio K, Shoda H, Okamoto A, Tsuno NH, Takahashi K, Yamamoto K.	IL-17B and IL-17C are associated with TNF-alpha production and contribute to the exacerbation of inflammatory arthritis.	J Immunol.	179	7128-7136	2007
Fujio K, Okamoto A, Araki Y, Shoda H, Tahara H, Tsuno NH, Takahashi K, Kitamura T, Yamamoto K.	Gene therapy of arthritis with TCR isolated from the inflamed paw.	J Immunol.	177	8140-8147	2006
Kochi Y, Yamada R, Suzuki A, Harley JB, Shirasawa S, Sawada T, Bae SC, Tokuhiro S, Chang X, Sekine A, Takahashi A, Tsunoda T, Ohnishi Y, Kaufman KM, Kang CP, Kang C, Otsubo S, Yumura W, Mimori A, Koike T, Nakamura Y, Sasazuki T, Yamamoto K.	A functional variant in FCRL3, encoding Fc receptor-like 3, is associated with rheumatoid arthritis and several autoimmunities.	Nature Genet.	37	652	2005
Chang X, Yamada R, Suzuki A, Sawada T, Yoshino S, Tokuhiro S, Yamamoto K.	Localization of peptidylarginine deiminase 4 (PAD4) and citrullinated protein in synovial tissue of rheumatoid arthritis.	Rheumatology.	44	40-50	2005
Kawaida R, Yamada R, Kobayashi K, Tokuhiro S, Suzuki A, Kochi Y, Chang X, Sekine A, Tsunoda T, Sawada T, Furukawa H, Nakamura Y, Yamamoto K.	CUL1, a component of E3 ubiquitin ligase, alters lymphocyte signal transduction with possible effect on rheumatoid arthritis.	Genes Immun.	6	194-202	2005
Sagawa K, Nagatani K, Komagata Y, Yamamoto K.	Angiotensin receptor blockers suppress antigen-specific T cell responses and ameliorate collagen-induced arthritis in mice.	Arthritis Rheum.	52	1920-1928	2005
Suzuki A, Yamada R, Ohtake-Yamanaka M, Okazaki Y, Sawada T, Yamamoto K.	Anti-citrullinated collagen type I antibody is a target of autoimmunity in rheumatoid arthritis.	Biochem Biophys Res Commun.	333	418-426	2005
Tokunaga, M., Fujii, K., Saito, K., Nakayamada, S., Tsujimura, S., Nawata, M., Tanaka, Y	Down-regulation of CD40 and CD80 on B cells in patients with life-threatening systemic lupus erythematosus after successful treatment with rituximab	Rheumatology	44	176-182	2005
Tsujimura, S., Saito, K., Nakayamada, S., Nakano, K., Tanaka, Y.	Clinical relevance of expression of P-glycoprotein on peripheral lymphocytes to steroid-resistance in systemic lupus erythematosus	Arthritis Rheum	52	1676-1683	2005
Nakayamada, S., Kurose, K., Saito, K., Mogami, A., Tanaka, Y.	Small GTP-binding protein rho-mediated signaling promotes proliferation of rheumatoid synovial fibroblasts	Arthritis Res Ther	7	476-484	2005
Tanaka, Y., Okada, Y.	Acro-osteolysis and symphalangism mutations	J Bone Miner Res	20	160	2005
Sakuma-Zenke, M., Sakai, A., Nakayamada, S., Kunugita, N., Uchida, S., Tanaka, S., Mori, T., Tanaka, Y., Nakamura, T.	Reduced expression of platelet endothelial cell adhesion molecule-1 in bone marrow cells in mice after unloading	J Bone Miner Res	20	1002-1010	2005

Sobue, T., Naganawa, T., Xiao, L., Okada, Y., Tanaka, Y., Ito, M., Okimoto, N., Nakamura, T., Coffin, JD., Hurley, MM.	Over-expression of fibroblast growth factor-2 causes defective bone mineralization and osteopenia in transgenic mice	J Cell Biochem	95	83-94	2005
Higashi, T., Tsukada, J., Yoshida, Y., Mizobe, T., Mouri, F., Minami, Y., Morimoto, H., Tanaka, Y.	Constitutive tyrosine and serine phosphorylation of STAT4 in T-cells transformed with HTLV-I	Genes Cells	10	1153-1162	2005
Saito, K., Nawata, M., Iwata, S., Tokunaga, M., Tanaka, Y.	Extremely high titre of antihuman chimeric antibody following re-treatment with rituximab in a patient with active systemic lupus erythematosus	Rheumatology	44	1462-1464	2005
Tsujimura, S., Saito, K., Tokunaga, M., Nakatsuka, K., Nakayamada, S., Nakano, K., Tanaka, Y.	Overcoming treatment unresponsiveness mediated by P-glycoprotein overexpression on lymphocytes in refractory active systemic lupus erythematosus	Mod Rheumatol	15	28-32	2005
Morimoto, H., Tsukada, J., Kominato, Y., Tanaka, Y.	Reduced expression of human mismatch repair genes in adult T-cell leukemia	Am J Hematol	78	100-107	2005
Mine, S., Iida, T., Tabata, T., Kishikawa, H., Tanaka, Y.	Management of symptoms in step-down therapy of gastroesophageal reflux disease	J Gastroenterol Hepatol	20	1365-1370	2005
Tanaka, Y., Nakayamada, S., Okada, Y.	Osteoblasts and osteoclasts in bone remodeling and inflammation	Curr Drug Targets Inflamm Allergy	4	325-328	2005
Soen, S., Tanaka, Y.	Glucocorticoid-induced Osteoporosis - Skeletal Manifestation of Glucocorticoid and 2004 Japan Society for Bone and Mineral Research-Proposed Guideline for Its Management –	Mod Rheumatol	15	163-168	2005
Kishikawa, H., Mine, S., Kawahara, C., Tabata, T., Hirose, A., Okada, Y., Tanaka, Y.	Glycated albumin and cross-linking of CD44 induce scavenger receptor 3 expression and uptake of oxidized LDL in human monocytes	Biochem Biophy Res Commun	339	846-851	2006
Tanaka, Y., Tokunaga, M.	Rituximab reduces both quantity and quality of B cells in SLE	Rheumatology	45	122-123	2006
Mine, S., Okada, Y., Tanikawa, T., Kawahara, C., Tabata, T., Tanaka, Y.	Increased expression levels of monocyte CCR2 and monocyte chemoattractant protein-1 in patients with diabetes mellitus	Biochem Biophy Res Commun	344	780-785	2006
Wang, B., Tsukada, J., Higashi, T., Mizobe, T., Matsuura, A., Mouri, F., Sawamukai, N., Ra, C., Tanaka, Y.	Growth suppression of human mast cells expressing constitutively active c-kit receptors by JNK inhibitor SP600125	Genes Cells	11	983-992	2006
Tsujimura, S., Saito, K., Kohno, K., Tanaka, Y.	Fragmented hyaluronan induces transcriptional up-regulation of the multidrug resistance-1 gene in CD4+ T cells	J Biol Chem	281	38089-38097	2006
Hurley, MM., Okada, Y., Xiao, L., Tanaka, Y., Ito, M., Okimoto, N., Nakamura, T., Rosen, CJ., Doetschman, T., Coffin, JD.	Impaired bone anabolic response to parathyroid hormone in Fgfs-/- and Fgf2+/- mice	Biochem Biophy Res Commun	341	989-994	2006

Tsukamoto, H., Nagafuji, K., Horiuchi, T., Miyamoto, T., Aoki, K., Takase, K., Henzan, H., Himeji, D., Koyama, T., Miyake, K., Inoue, Y., Nakashima, H., Otsuka, T., Tanaka, Y., Nagasawa, K., Harada, M.	A phase I-II trial of autologous peripheral blood stem cell transplantation in the treatment of refractory autoimmune disease	Ann Rheum Dis	65	508-514	2006
Fujii, Y., Fujii, K., Iwata, S., Suzuki, K., Azuma, T., Saito, K., Tanaka, Y.	Abnormal intracellular distribution of NFAT1 in T lymphocytes from patients with systemic lupus erythematosus and characteristic clinical features	Clin Immunol	119	297-306	2006
Fujii, Y., Fujii, K., Tanaka, Y.	Attempt to correct abnormal signal transduction in T lymphocytes from systemis lupuserythematosus patients	Autoimmunity Rev	5	143-144	2006
Hirose, A., Okada, Y., Morita, E., Tanaka, Y.	Benign symmetric lipomatosis associated with alcoholism	Internal Medicine	45	1001-1005	2006
Kishikawa, H., Okada, Y., Hirose, A., Taniakwa, T., Kanda, K., Tanaka, Y.	Successful treatment of insulinoma by a single daily dose of octreotide in two elderly female patients	Endocrine J	53	79-86	2006
Arao, T., Okada, Y., Hirose, A., Tanaka, Y.	A rare case of adult-onset nesidioblastosis treated successfully with diazoxide	Endocrine J	53	95-100	2006
Mine, S., Okada, Y., Kawahara, C., Tabata, T., Tanaka, Y.	Serum hyaluronan concentration as a marker of angiopathy in patients with diabetes mellitus	Endocrine J	53	761-766	2006
Tanaka, Y.	Anti-CD20 and other novel biotherapies for systemic lupus erythematosus	APLAR J Rheumatol	9	413-418	2006
Nakano, K., Saito, K., Mine, S., Matsushida, S., Tanaka, Y.	CD44 signaling up-regulates Fas Ligand expression on T cells leading to activation-induced cell death	Apoptosis	12	45-54	2007
Yamanaka, H., Tanaka, Y., Sekiguchi, N., Inoue, E., Saito, K., Kameda, H., Iikuni, N., Nawata, M., Amano, K., Shinozaki, M., Takeuchi, T.	Retrospective clinical study on the notable efficacy and related factors of infliximab therapy in a rheumatoid arthritis management group in Japan (RECONFIRM)	Mod Rheumatol	17	28-32	2007
Hirai, F., Nakayamada, S., Okada, Y., Saito, K., Kurose, H., Mogami, A., Tanaka, Y.	Small GTPase Rho signaling is involved in $\beta$ 1 integrin-mediated up-regulation of intercellular adhesion molecule 1 and receptor activator of nuclear factor $\kappa$ B ligand on osteoblasts and osteoclast maturation	Biochem Biophy Res Commun	356	279-285	2007
Tokunaga, M., Saito, K., Kawabata, D., Imura, Y., Fujii, T., Nakayamada, S., Tsujimura, S., Nawata, M., Iwata, S., Azuma, T., Mimori, T., Tanaka, Y.	Efficacy of rituximab (anti-CD20) for refractory systemic lupus erythematosus involving the central nervous system	Ann Rheum Dis	66	470-475	2007
Nakano, K., Okada, Y., Saito, K., Tanikawa, R., Sawamukai, N., Sasaguri, Y., Kohro, T., Wada, Y., Kodama, M., Tanaka, Y.	Rheumatoid synovial endothelial cells produce macrophage-colony stimulating factor leading to osteoclastogenesis in rheumatoid arthritis	Rheumatology	46	597-603	2007
Nakayamada, S., Saito, K., Nakano, K., Tanaka, Y.	$\beta$ 1 integrin transduces an activation signal in T cells of patients with systemic lupus erythematosus	Arthritis Rheum	56	1559-1568	2007

Tanaka, Y., Yamamoto, K., Takeuchi, T., Nishimoto, N., Miyasaka, N., Sumida, T., Shima, Y., Takada, K., Matsumoto, I., Saito, K., Koike, T.	A multi-center phase I/II trial of rituximab for refractory systemic lupus erythematosus	Mod Rheumatol	17	191-197	2007
Tabata, T., Mine, S., Okada, Y., Tanaka, Y.	Low molecular weight hyaluronan increases the uptaking of oxidized LDL into monocytes	Endocrine J	54	685-692	2007
Sawamukai, N., Saito, K., Yamaoka, K., Nakayamada, S., Ra, C., Tanaka, Y.	Leflunomide inhibits PDK1/Akt pathway and induces apoptosis of human mast cells	J Immunol	179	6479-6484	2007
Mera, T., Fujihara, H., Sato, J., Kawasaki, M., Hashimoto, H., Saito, T., Shibata, M., Onaka, T., Tanaka, Y., Oka, T., Tsuji, S., Ueta, Y.	Downregulation of prolactin-releasing peptide gene expression in the hypothalamus and brainstem of diabetic rats	Peptides	28	1596-1604	2007
Nakayamada, S., Saito, K., Umehara, H., Ogawa, N., Sumida, T., Ito, S., Minota, S., Nara, H., Kondo, H., Okada, J., Mimori, T., Yoshifiji, H., Sano, H., Hashimoto, N., Sugai, S., Tanaka, Y.	Efficacy and safety of mizoribine for the treatment of Sjögren's syndrome — a multicenter open-label clinical trial	Mod Rheumatol	17	464-469	2007
Eguchi, K., Saito, K., Kondo, M., Hidaka, T., Ueki, Y., Tanaka, Y.	Enhanced effect of high-dose leukocytapheresis using a large filter in rheumatoid arthritis	Mod Rheumatol	17	481-485	2007
Yamaoka, K., Saito, K., Nakayamada, S., Yamamoto, M., Tanaka, Y.	Clinical images: Takayasu's arteritis	Arthritis Rheum	56	2466	2007
Kishikawa, H., Okada, Y., Kawahara, T., Saito, K., Tanaka, Y.	A case of blue rubber nevus syndrome treated by etidronate	J Bone Miner Metabolism	25	138-141	2007
Yamaoka, K., Saito, K., Hanami, K., Nakayamada, S., Nawata, M., Iwata, S., Azuma, T., Tanaka, Y.	A case of life-threatening refractory polychondritis successfully treated with combined intensive immunosuppressive therapy with methotrexate	Mod Rheumatol	17	144-147	2007
Mori, H., Okada, Y., Tanaka, Y.	Etidronate for the treatment of progressive tumoral calcinosis in hemodialysis patients	Internal Medicine	46	1485-1486	2007
Tsujimura, S., Saito, K., Nakayamada, S., Tanaka, Y.	Relevance of multidrug resistance 1 and P-glycoprotein to drug resistance in patients with systemic lupus erythematosus	Histol Histopathol	22	465-468	2007
Mine, S., Tanaka, Y.	Lansoprazole-induced improvement of esophageal submucosal injury	J Clin Biochem Nutr	41	92-96	2007
Tsujimura, S., Saito, K., Nawata, M., Nakayamada, S., Tanaka, Y.	Overcoming drug resistance induced by P-glycoprotein on lymphocytes in patients with refractory rheumatoid arthritis	Ann Rheum Dis			in press
Takeuchi, T., Tatsuki, T., Nogami, N., Ishiguro, N., Tanaka, Y., Yamanaka, H., Harigai, M., Ryu, J., Inoue, K., Kondo, H., Inokuma, S., Kamatani, N., Ochi, T., Koike, T.	Post-marketing surveillance of the safety profile of infliximab in 5,000 Japanese patients with rheumatoid arthritis	Ann Rheum Dis			in press

Mizobe, T., Tsukada, J., Higashi, T., Mouri, F., Matsuurra, A., Tanikawa, R., Minami, Y., Yoshida, Y., Tanaka, Y.	Constitutive association of MyD88 to IRAK in HTLV-I-transformed T cells	Exp Hematology			in press
Mouri, F., Tsukada, J., Mizobe, T., Higashi, T., Yoshida, Y., Minami, Y., Izumi, H., Kominato, Y., Kohno, K., Tanaka, Y.	Intracellular HMGB1 transactivates the human IL-1b gene promoter through association with an Ets transcription factor PU.1	Eur J Haematol			in press
Tanaka, Y., Takeuchi, T., Inoue, E., Saito, K., Sekiguchi, N., Sato, E., Nawata, M., Kameda, H., Iwata, S., Amano, K., Yamanaka, H.	Retrospective clinical study on the notable efficacy and related factors of infliximab therapy in a rheumatoid arthritis management group in Japan: One-year clinical outcomes (RECONFIRM-2)	Mod Rheumatol			in press
Tanikawa, R., Okada, Y., Nakano, K., Tnikawa, t., Hirashima, M., Yamauchi, A., Hosokawa, R., Tanaka, Y.	Interaction of galectin-9 with lipid rafts induces osteoblast proliferation through the c-Src/ERK signaling pathway	J Bone Miner Res			in press
Nishida, K., Okada, Y., Nawata, M., Saito, K., Tanaka, Y.	Induction of hyperadiponectinemia following long-term treatment of patients with rheumatoid arthritis with infliximab (IFX), an anti-TNF-alpha antibody	Endocrine J			in press
Higashi, T., Wakui, M., Nakano, K., Hashimoto, K., Takagi, R., Tanaka, Y., Matsushita, S.	Evaluation of adjuvant activities using human antigen presenting cells in vitro	Allergology Int			in press
Tanaka, Y.	B cell-targeting therapy using anti-CD20 antibody rituximab in inflammatory autoimmune diseases	Internal Medicine			in press
Mitoma,H., Horiuchi,T., Hatta,N., Tsukamoto,H., Harashima,S., Kikuchi,Y., Otsuka,J., Okamura,S., Fujita S., Harada,M.	Infliximab induces potent anti-inflammatory responses by outside-to-inside signals through transmembrane TNF-a.	Gastroenterology	128	376-392	2005
Ishikawa,F., Yasukawa,M., Lyons,B., Yoshida,S., Miyamoto,T., Yoshimoto,G., Watanabe,T., Akashi,K., Shultz,LD., Harada,M.	Development of functional human blood and immune systems in NOD/SCID/IL2 receptor $\gamma$ chainnull mice.	Blood	106	1565 - 1573	2005
Imamura,R., Miyamoto,T., Yoshimoto,G., Kamezaki,K., Ishikawa,F., Henzan,H., Kato,K., Takase,K., Numata,A., Nagafuji,K., Okamura,T., Sata,M., Harada,M., Inaba,S.	Mobilization of human lymphoid progenitors after treatment with granulocyte colony-stimulating factor.	J Immunol	175	2647-2654	2005
Tsukamoto,H., Nagafuji,K., Horiuchi,T., Miyamoto,T., Aoki,K., Takase,K., Henzan,H., Himeji,D., Koyoma,T., Miyake,K., Inoue,Y., Nakashima,H., Otsuka,T., Tanaka,Y., Nagasawa,K., Harada,M.	A phase I-II trial of autologous peripheral blood stem cell transplantation in the treatment of refractory autoimmune disease.	Ann Rheum Dis	65	508-514	2006
Shimoda,S., Ishikawa,F., Kamihira,T., Komori,A., Niino,H., Baba,E., Harada,K., Isse,K., Nakanuma,Y., Ishibashi,H., Gershwin,ME., Harada,M.	Autoreactive T-cell responses in primary biliary cirrhosis are proinflammatory whereas those of controls are regulatory.	Gastroenterology	131	606-618	2006

Ishikawa,F., Shimazu,H., Shultz,L.D., Fukata,M., Nakamura,R., Lyons,B., Shimoda,K., Shimoda,S., Kanemaru,T., Nakamura,K., Ito H., Kaji,Y., Perry,AC., Harada, M.	Purified human hematopoietic stem cells contribute to the generation of cardiomyocytes through cell fusion.	FASEB J	20	950-952	2006
Kunisaki,Y., Tanaka,Y., Sanui,T., Inayoshi, A., Noda,M., Nakayama,T., Harada,M., Taniguchi,M., Sasazuki,T., Fukui,Y.	DOCK2 is required in T cell precursors for development of Valpha14 NK T cells.	J Immunol	176	4640-4645	2007
Sakoda,Y., Hashimoto,D., Asakura,S., Takeuchi,K., Harada,M., Tanimoto,M., Teshima,T.	Donor-derived thymic-dependent T cells cause chronic graft-versus-host disease.	Blood	109	1756-1764	2007
Horiuchi,T., Kiyohara,C., Tsukamoto,H., Sawabe,T., Furugo,I., Yoshizawa,S., Ueda,A., Nakamura,T., Tada,Y., Kimoto,Y., Mitoma,H., Harashima,SI., Yoshizawa,S., Shimoda,T., Okamura,S., Nagasawa,K., Harada,M.	A functional M196R polymorphism of tumor necrosis factor receptor type 2 is associated with systemic lupus erythematosus: A case-control study and a meta-analysis.	Ann Rheum Dis	66	320-324	2007
Mitoma,H., Horiuchi,T., Tsukamoto,H., Tamimoto,Y., Kimoto,Y., Uchino,A., To,K., Harashima,S., Hatta,N., Harada, M.	Mechanism for cytotoxic effects of anti-TNF- $\alpha$ agents on transmembrane TNF-expressing cells: comparison among infliximab, etanercept and adalimumab.	Arthritis Rheum			in press
Koarada, S., Ide, M., Haruta, Y., Tada, Y., Ushiyama, O., Morito, F., Ohta, A., Nagasawa, K.	Two cases of antinuclear antibody negative lupus showing increased proportion of B cells lacking RP105.	J Rheumatology	32	562-564	2005
Nagasawa, K., Tada, Y., Koarada, S., Horiuchi, T., Tsukamoto, H., Murai, K., Ueda, A., Yoshizawa, S., Ohta, A.	Very early development of steroid-associated osteonecrosis of femoral head in systemic lupus erythematosus: prospective study by MRI.	Lupus	14	385-390	2005
Takahashi, K., Hayashi, S., Ushiyama, O., Sueoka, N., Fukuoka, M., Nagasawa, K.	Development of microscopic polyangitis in patients with chronic airway disease.	Lung	183	273-281	2005
Koarada, S., Haruta, Y., Mitamura, M., Morito, F., Tada, Y., Ohta, A., Nagasawa, K.	Ex vivo CD4+ T-cell cytokine expression from patients with Sjogren's syndrome following in vitro stimulation to induce proliferation.	Rheumatology	45	392-399	2006
Nagasawa, K., Tada, Y., Koarada, S., Tsukamoto, H., Horiuchi, T., Yoshizawa, S., Murai, K., Ueda, A., Haruta, Y., Ohta, A.	Prevention of steroid-induced osteonecrosis of femoral head in systemic lupus erythematosus by anti-coagulant.	Lupus	15	354-357	2006
Nakamura, T., Hayashi, S., Fukuoka, M., Sueoka, N., Nagasawa, K.	Pulmonary infarction as the initial manifestation of Takayasu's Arteritis.	Internal Medicine	45	725-728	2006
Tada, Y., Koarada, S., Tomiyoshi, Y., Morito, F., Mitamura, M., Haruta, Y., Ohta, A., Nagasawa, K.	Role of inducible costimulator in the development of lupus in MRL/lpr mice.	Clinical Immunology	120	179-188	2006
Tada, Y., Koarada, S., Haruta, Y., Mitamura, M., Ohta, A., Nagasawa, K.	The association of Behcet's disease with myelodysplastic syndrome in Japan: A review of the literature.	Clin Exp Rheumatol	24(5 Suppl 42)	S115-9	2006

Tadano, SR., Ohta, A., Morito, F., Mitamura, M., Haruta, Y., Koarada, S., Tada, Y., Nagasawa, K., Ozaki, I.	Antifibrotic effects of hepatocyte growth factor on scleroderma fibroblasts and analysis of its mechanism.	Mod Rheumatol	16	364-371	2006
Tsukamoto, H., Nagafuji, K., Horiuchi, T., Miyamoto, T., Aoki, K., Takase, K., Henzan, H., Himeji, D., Koyama, T., Miyake, K., Inoue, Y., Nakashima, H., Otsuka, T., Tanaka, Y., Nagasawa, K., Harada, M.	A phase I-II trial of autologous peripheral blood stem cell transplantation in the treatment of refractory autoimmune disease.	Ann Rheum Dis	65	508-514	2006
Wahio, M., Horiuchi, T., Kiyohara, C., Kodama, H., Tada, Y., Asami, T., Takahashi, H., Kobashi, G., Abe, T., Tanaka, H., Nogami, N., Harada, M., Tsukamoto, H., Ide, S., Nagasawa, K., Ushiyama, O., Hotokebuchi, T., Okamoto, K., Sakamoto, N., Sasaki S., Miyake, Y., Yokoyama, T., Mori, M., Oura, A., Sinomura, Y., Suzuki, H., Yamamoto, M., Inaba, Y., Nagai, M.	Smoking, drinking, sleeping habits, and other lifestyle factors and the risk of systemic lupus erythematosus in Japanese females: findings from the KYSS study.	Mod Rheumatol	16	143-150	2006
Horiuchi, T., Kiyohara, C., Tsukamoto, H., Sawabe, T., Furugo, I., Yoshizawa, S., Ueda, A., Tada, Y., Nakamura, T., Kimoto, Y., Mitoma, H., Harashima, S., Yohizawa, S., Shimoda, T., Okamura, S., Nagasawa, K., Harada, M.	A functional M196R polymorphism of tumor necrosis factor receptor type2 is associated with systemic lupus erythematosus: a case-control study and a meta-analysis.	Ann Rheum Dis	66	320-324	2007
Haruta, Y., Koarada, S., Tada, Y., Mitamura, M., Ohta, A., Fukuoka, M., Hayashi, S., Nagasawa, K.	High expression of Toll-like receptor 4 on CD14+ monocytes in acute infectious diseases.	Scandinavian Journal of Infectious Diseases	39	577-588	2007

免疫疾患に対する  
免疫抑制療法等  
先端的検査法に  
關する研究