

| 発表者氏名   | 論文タイトル名  | 発表誌名            | 巻号  | ページ       | 出版年  |
|---|--|-----------------|-----|-----------|------|
| Oishi H, Mizuki S, Terada M, Kubo M, Araki K, Araki M, Nose M, Takahashi S.   | Increased expression of soluble form of vascular cell adhesion molecule-1 aggravates autoimmune arthritis in MRL-Fas <sup>pr</sup> mice.   | Pathol Int      | 57  | 734-740   | 2007 |
| Ono M, Nose M.  | Persistent expression of an unproductive immunoglobulin heavy chain allele with D <sub>H</sub> -J <sub>H</sub> -γ configuration in peripheral tissues.   | APMIS           | 115 | 1350-1356 | 2007 |
| 能勢眞人、小森浩章、宮崎龍彦、澤崎達也、遠藤弥重太。  | 【無細胞生命科学の創成】膠原病のゲノム解析に基づく疾病関連タンパク質の探索 無細胞タンパク質合成系の応用。  | 生化学             | 79  | 287-295   | 2007 |
| 能勢眞人、小森浩章   | 血管炎の機序-モデルマウスにおけるゲノムの仕組み-  | 腎と透析            | 63  | 23-30     | 2007 |
| Zhang MC, Mitsu N, Furukawa H, Watanabe Y, Terada M, Komori H, Miyazaki T, Nose M, Ono M.   | An epistatic effect of the female specific loci on the development of autoimmune vasculitis and antinuclear autoantibody in murine lupus.  | Ann Rheum Dis   | 65  | 495-500   | 2006 |
| Komori H, Furukawa H, Mori S, Ito MR, Terada M, Zhang MC, Ishii N, Sakuma N, Nose M, Ono M.   | A signal adaptor SLAM-associated protein regulates spontaneous autoimmunity and Fas-dependent lymphoproliferation in MRL-Faslpr lupus mice.  | J Immunol       | 176 | 395-400   | 2006 |
| Yoshida M, Saiga K, Hato T, Iwaki S, Niiya T, Arita N, Komori H, Tsubaki T, Furukawa H, Terada M, Maeyama K, Nemoto K, Nose M, Ono M. | Cappuccino mutation in an autoimmune-prone strain of mice suggests a role of platelet function in the progression of immune complex crescentic glomerulonephritis.                               | Arthritis Rheum | 54  | 2934-43   | 2006 |
| Hasegawa H, Inoue A, Kohno M, Muraoka M, Miyazaki T, Terada M, Nakayama T, Yoshie O, Nose M, Yasukawa M.                              | Antagonist of interferon-inducible protein 10/CXCL10 ameliorates the progression of autoimmune sialadenitis in MRL/lpr mice.   | Arthritis Rheum | 54  | 1174-83   | 2006 |
| Muraoka M, Hasegawa H, Kohno M, Inoue A, Miyazaki T, Terada M, Nose M, Yasukawa M.  | IK cytokine ameliorates the progression of lupus nephritis in MRL/lpr mice.  | Arthritis Rheum | 54  | 3591-600  | 2006 |
| Saiga K, Tokunaka K, Ichimura E, Toyoda E, Abe F, Yoshida M, Furukawa H, Nose M, Ono M.   | NK026680, a novel suppressant of dendritic cell function, prevents the development of rapidly progressive glomerulonephritis and perinuclear antineutrophil cytoplasmic antibody in SGG/Kj mice. | Arthritis Rheum | 54  | 3707-15   | 2006 |
| Sasaki Y, Yamamoto Y, Miyazaki T, Ito MR, Nose M, Watanabe M.   | Augmentation of osteopontin expression in renal tubuli is independent of a histopathological type of glomerular lesions in mouse lupus nephritis.  | Pathol Int      | 56  | 135-43    | 2006 |
| Inoue A, Hasegawa H, Kohno M, Ito MR, Terada M, Imai T, Yoshie O, Nose M, Fujita S.   | Antagonist of fractalkine (CX3CL1) ameliorates the initiation and progression of lupus nephritis in MRL/lpr mice.  | Arthritis Rheum | 52  | 1522-1533 | 2005 |

| 発表者氏名  | 論文タイトル名   | 発表誌名                      | 巻号     | ページ       | 出版年  |
|--|---|---------------------------|--------|-----------|------|
| Sasaki Y, Yamamoto Y, Miyazaki T, Ito MR, Nose M, Watanabe M.  | Augmentation of osteopontin expression in renal tubuli is independent of a histopathological type of glomerular lesions in mouse lupus nephritis.             | Pathol Int                | 56     | 135-43    | 2006 |
| Inoue A, Hasegawa H, Kohno M, Ito MR, Terada M, Imai T, Yoshie O, Nose M, Fujita S.  | Antagonist of fractalkine (CX3CL1) ameliorates the initiation and progression of lupus nephritis in MRL/lpr mice.   | Arthritis Rheum           | 52     | 1522-1533 | 2005 |
| Miyazaki T, Ono M, Qu WM, Zhang MC, Mori S, Nakatsuru S, Nakamura Y, Sawasaki T, Endo Y, Nose M.   | Implication of allelic polymorphism of osteopontin in the development of lupus nephritis in MRL/lpr mice.   | Eur J Immunol             | 35     | 1510-20   | 2005 |
| 能勢眞人.  | 血管炎のポリリンネットワーク.   | 医学のあゆみ                    | 214    | 5-8       | 2005 |
| Chen J, Zhao X, Lai Y, Suzuki A, Tomaru U, Ishizu A, Takada A, Ikeda H, Kasahara M, Yoshiki T.   | Enhanced production of p24 Gag protein in HIV-1-infected rat cells fused with uninfected human cells.   | Exp Mol Pathol            | 83(1)  | 125-130   | 2007 |
| 斉藤真由子, 山本元久, 小原美琴子, 鈴木知佐子, 苗代康可, 山本博幸, 高橋裕樹, 篠村恭久, 石津明洋  | 腹部 CT 上の大動脈壁肥厚を契機に診断しえた側頭動脈炎の 1 例.  | 日本内科学会雑誌                  | 96(10) | 2276-2278 | 2007 |
| Baba T, Iwasaki S, Maruoka T, Suzuki A, Tomaru U, Ikeda H, Yoshiki T, Kasahara M, Ishizu A.  | Rat CD4 <sup>+</sup> /CD8 <sup>+</sup> macrophages kill tumor cells through an NKG2D <sup>-</sup> and granzyme/perforin-dependent mechanism.                  | J Immunol (in press)      |        |           | 2008 |
| Baba T, Ishizu A, Iwasaki S, Suzuki A, Tomaru U, Ikeda H, Yoshiki T, Kasaharara M.   | CD4/CD8 double-positive macrophages infiltrating at inflammatory sites: a population of monocytes/macrophages with a cytotoxic phenotype.                     | Blood                     | 107(5) | 2004-2012 | 2006 |
| Miyatake Y, Ikeda H, Ishizu A, Baba T, Ichihashi T, Suzuki A, Tomaru U, Kasahara M, Yoshiki T.   | Role of neuronal IFN- $\gamma$ in the development of myelopathy in rats infected with human T-cell leukemia virus type 1.                                     | Am J Pathol               | 169(1) | 189-199   | 2006 |
| Kajikawa M, Baba T, Tomaru U, Watanabe U, Koganei S, Tsuji-Kawahara S, Matsumoto N, Yamamoto K, Miyazawa M, Maenaka K, Ishizu A, Kasahara M. | MHC class I-like MILL molecule are $\beta$ 2-microglobulin-associated, GPI-anchored glycoproteins that do not require TAP for cell surface expression.        | J Immunol                 | 177(5) | 3108-3115 | 2006 |
| Abe A, Ishizu A, Fugo K, Ikeda H, Yoshiki T.   | Articular tissues expressing the env-pX transgene are required for generation of arthritogenic T cells in human T cell leukemia virus type I transgenic rats. | Clin Exp Rheumatol        | 24(3)  | 313-316   | 2006 |
| Otsuka N, Miyatake Y, Ishizu A, Tanaka S, Yamamoto Y, Ikeda H, Yoshiki T.  | Expression of human endogenous retrovirus-R gene links to differentiation of squamous cells.  | AIDS Res Hum Retroviruses | 22(11) | 1148-1151 | 2006 |

| 発表者氏名   | 論文タイトル名   | 発表誌名               | 巻号     | ページ       | 出版年  |
|---|---|--------------------|--------|-----------|------|
| Ishizu A, Ooka T, Murakami T, Yoshiki T.  | Rupture of the thyro-cervical trunk branch from the subclavian artery in a patient with neurofibromatosis: a case report.   | Cardiovasc Pathol  | 15(3)  | 153-156   | 2006 |
| Tsuji M, Ikeda H, Ishizu A, Miyatake Y, Hayase H, Yoshiki T.  | Altered expression of apoptosis-related genes in osteocytes exposed to high-dose steroid hormones and hypoxic stress.   | Pathobiology       | 73(6)  | 304-309   | 2006 |
| Baba T, Ishizu A, Ikeda H, Miyatake Y, Tsuji T, Suzuki A, Tomaru U, Takashi Y.  | Chronic graft-versus-host disease-like autoimmune disorders spontaneously occurred in rats with neonatal thymus atrophy.  | Eur J Immunol      | 35(6)  | 1731-1740 | 2005 |
| Tsuji T, Ikeda H, Tsuchikawa T, Kikuchi K, Baba T, Ishizu A, Yoshiki T.   | Malignant transformation of thymoma in recipient rats by heterotopic thymus transplantation from HTLV-I transgenic rats.  | Lab Invest         | 85(7)  | 851-861   | 2005 |
| Hayase H, Ishizu A, Ikeda H, Miyatake Y, Baba T, Higuchi M, Abe A, Tomaru U, Yoshiki T.   | Aberrant gene expression by CD25+CD4+ immunoregulatory T cells in autoimmune-prone rats carrying the human T cell leukemia virus type-I gene.                               | Int Immunol        | 17(6)  | 677-684   | 2005 |
| Komuro K, Tada M, Tamoto E, Kawakami A, Matsunaga A, Teramoto K, Shindoh G, Takada M, Murakawa K, Kanai M, Kobayashi N, Fujiwara Y, Nishimura N, Hamada J, Ishizu A, Ikeda H, Kondo S, Katoh H, Moriuchi T, Yoshiki T.                                | Right- and left-sided colorectal cancers display distinct expression profiles and the anatomical stratification allows a high accuracy prediction of lymph node metastasis. | J Surg Res         | 124(2) | 216-224   | 2005 |
| Teramoto K, Tada M, Tamoto E, Abe M, Kawakami A, Komuro K, Matsunaga A, Shindoh G, Takada M, Murakawa K, Kanai M, Kobayashi N, Fujiwara Y, Nishimura N, Shirata K, Takahishi T, Ishizu A, Ikeda H, Hamada J, Kondo S, Katoh H, Moriuchi T, Yoshiki T. | Prediction of lymphatic invasion/lymph node metastasis, recurrence, and survival in patients with gastric cancer by cDNA array-based expression profiling.                  | J Surg Res         | 124(2) | 225-236   | 2005 |
| 石津明洋  | 血管炎のモデル動物   | 医学のあゆみ             | 214(1) | 9-12      | 2005 |
| Nakamura, H. K. Masuko, K. Yudoh, T. Kato, T. Kamada and T. Kawahara.   | Effects of glucosamine administration on patients with rheumatoid arthritis.  | Rheumatol Int.     | 27(3)  | 213-218   | 2007 |
| Shimada S, Nakamura M, Tanaka Y, Tsutsumi K, Katano M, Masuko K, Yudoh K, Koizuka I, Kato T.  | Crosslinking of the CD69 molecule enhances S100A9 production in activated neutrophils.  | Microbiol Immunol. | 51(1)  | 87-98     | 2007 |
| Nakamura, H. K. Masuko, K. Yudoh, T. Kato, T. Kamada and T. Kawahara.   | Effects of celecoxib on human chondrocytes-enhanced production of chemokines.   | Rheumatol Int      | 25(1)  | 11-16     | 2007 |

| 発表者氏名   | 論文タイトル名   | 発表誌名                     | 巻号     | ページ       | 出版年  |
|---|---|--------------------------|--------|-----------|------|
| Masuko, K. M. Murata, H. Nakamura, K. Yudoh, K. Nishioka and T. Kato.   | Sphingosine-1-phosphate attenuates proteoglycan aggrecan expression via production of prostaglandin E2 from human articular chondrocytes.   | BMC Musculoskelet Disord | 8      | 29        | 2007 |
| Okunuki, Y. Y. Usui, M. Takeuchi, T. Kezuka, T. Hattori, K. Masuko, H. Nakamura, K. Yudoh, M. Usui, K. Nishioka, and T. Kato. | Proteomic surveillance of autoimmunity in Behcet's disease with uveitis: Selenium binding protein is a novel autoantigen in Behcet's disease.   | Exp Eye Res              | 84(5)  | 823-831   | 2007 |
| Xiang Y, Matsui T, Matsuo K, Shimada K, Tohma S, Nakamura H, Masuko K, Yudoh K, Nishioka K, Kato T                            | Comprehensive investigation of disease-specific short peptides in sera from patients with systemic sclerosis: Complement C3f-des-arginine, detected predominantly in systemic sclerosis sera, enhances proliferation of vascular endothelial cells. | Arthritis Rheum.         | 56(6)  | 2018-2030 | 2007 |
| Nakamura, H. K. Masuko, K. Yudoh, T. Kato, K. Nishioka, T. Sugihara and M. Beppu.   | Positron emission tomography with (18)F-FDG in osteoarthritic knee.   | Osteoarthritis Cartilage | 15(6)  | 673-681   | 2007 |
| Yudoh K., Shishido K., Murayama H., Yano M., Matsubayashi K., Takada H., Nakamura H., Masuko K., Kato T.                      | Water-soluble fullerene (C60) prevents degeneration of articular cartilage in osteoarthritis (OA): C60 downregulates catabolic activity of chondrocytes and inhibits degeneration of articular cartilage during the development of OA.              | Arthritis Rheum.         | 56(10) | 3307-3318 | 2007 |
| Yamakawa K, Yoshida K, Nishikawa H, Kato T, Iwamoto T.  | Comparative analysis of interindividual variations in the seminal plasma proteome of fertile men with identification of potential markers for azoospermia in infertile patient.   | J Andrology              | 28(6)  | 858-865   | 2007 |
| Masuko K, Murata M, Xiang Y, Nakamura H, Yudoh K, Nishioka K, Beppu M, Kato T.  | Tryptase enhances release of vascular endothelial growth factor from human osteoarthritic chondrocytes.   | Clin Exp Rheumatol.      | 25(6)  | 860-865   | 2007 |
| Tanaka M, Masuko-Hongo K, Kato T, Nishioka K, Nakamura H.   | Suppressive effects of hyaluronan on MMP-1 and RANTES production from chondrocytes.   | Rheumatol Int.           | 26(3)  | 185-190   | 2006 |
| Tanaka Y, Nakamura M, Matsui T, Iizuka N, Kondo H, Tohma S, Masuko K, Yudoh K, Nakamura H, Nishioka K, Koizuka I, Kato T.     | Proteomic surveillance of autoantigens in relapsing polychondritis.   | Microbiol Immunol.       | 50(2)  | 117-126   | 2006 |
| Ishiyama M, Teramura M, Iwabe K, Kato T, Motoji T.  | Clonally expanded T-cells in the peripheral blood of patients with idiopathic Thrombocytopenic purpura and Helicobacter pylori infection.   | Int J Hematol.           | 83(2)  | 147-151   | 2006 |
| Xiang Y, Sekine T, Nakamura H, Imajoh-Ohmi S, Fukuda H, Yudoh K, Masuko-Hongo K, Nishioka K, Kato T.                          | Fibulin-4 is a target of autoimmunity predominantly in patients with osteoarthritis.  | J Immunol.               | 176(5) | 3196-3204 | 2006 |

| 発表者氏名   | 論文タイトル名   | 発表誌名                         | 巻号     | ページ       | 出版年  |
|---|---|------------------------------|--------|-----------|------|
| Dai SM, Shan ZZ, Nakamura H, Masuko-Hongo K, <u>Kato T</u> , Nishioka K, Yudoh K.   | Catabolic stress induces features of chondrocyte senescence through overexpression of caveolin 1: possible involvement of caveolin 1-induced down-regulation of articular chondrocytes in the pathogenesis of osteoarthritis. | Arthritis Rheum.             | 54(39) | 818-831   | 2006 |
| Murata M, Yudoh K, Nakamura H, <u>Kato T</u> , Inoue K, Chiba J, Nishioka K, Masuko-Hongo K.  | Distinct signaling pathways are involved in hypoxia- and IL-1-induced VEGF expression in human articular chondrocytes.  | J Orthop Res                 | 24(7)  | 1544-1554 | 2006 |
| Nakamura H, Tanaka M, Masuko-Hongo K, Yudoh K, <u>Kato T</u> , Beppu M, Nishioka K.   | Enhanced production of MMP-1, MMP-3, MMP-13, and RANTES by interaction of chondrocytes with autologous T cells.   | Rheumatol Int.               | 26(11) | 984-990   | 2006 |
| Takahashi H, Yotsuyanagi H, Yasuda K, Koibuchi T, Suzuki M, <u>Kato T</u> , Nakamura T, Iwamoto A, Nishioka K, Iino S, Koike K, Itoh F. | Molecular epidemiology of hepatitis A virus in metropolitan areas in Japan.   | J Gastroenterol.             | 41(10) | 981-986   | 2006 |
| Xiang Y, Masuko-Hongo K, Sekine T, Nakamura H, Yudoh K, Nishioka K, <u>Kato T</u> .   | Expression of proteinase-activated receptors (PAR)-2 in articular chondrocytes is modulated by IL-1beta, TNF-alpha and TGF-beta.  | Osteoarthritis Cartilage.    | 14(11) | 1163-1173 | 2006 |
| Kosuke Matsuo, Yang Xiang, Hiroshi Nakamura, Kayo Masuko, Kazuo Yudoh, Koji Noyori, Kusuki Nishioka, Tomoyuki Saito, Tomohiro Kato.     | Identification of novel citrullinated autoantigens of synovium in rheumatoid arthritis using a proteomic approach.  | Arthritis Research & Therapy | 8(6)   | R175      | 2006 |
| Matsuoka A, <u>Kato T</u> , Soma Y, Takahama H, Nakamura M, Matsuoka H, Mizoguchi M.  | Analysis of T cell receptor (TCR) BV-gene clonotypes in NC/Nga mice developing dermatitis resembling human atopic dermatitis.   | J. Dermatol. Sci.            | 38(1)  | 17-24     | 2005 |
| Orita M, Masuko-Hongo K, Yotsuyanagi H, Matsui T, Suzuki-Kurokawa M, Nishioka K, <u>Kato T</u> .  | Molecular transplantation: delivery of membranous proteins onto live cells.   | Anal Biochem.                | 340(1) | 184-186   | 2005 |
| Yudoh K, Nakamura H, Masuko-Hongo K, <u>Kato T</u> , Nishioka K.  | Catabolic stress induces expression of hypoxia-inducible factor (HIF)-1 alpha in articular chondrocytes: involvement of HIF-1 alpha in the pathogenesis of osteoarthritis.  | Arthritis Res Ther.          | 7(4)   | R904-914  | 2005 |
| Shibakawa A, Yudoh K, Masuko-Hongo K, <u>Kato T</u> , Nishioka K, Nakamura H.   | The role of subchondral bone resorption pits in osteoarthritis: MMP production by cells derived from bone marrow.   | Osteoarthritis Cartilage.    | 13(8)  | 679-687   | 2005 |

| 発表者氏名   | 論文タイトル名   | 発表誌名                       | 巻号     | ページ       | 出版年      |
|---|---|----------------------------|--------|-----------|----------|
| Du H, Masuko-Hongo K, Nakamura H, Xiang Y, Bao CD, Wang XD, Chen SL, Nishioka K, <u>Kato I</u> .  | The prevalence of autoantibodies against cartilage intermediate layer protein, YKL-39, osteopontin, and cyclic citrullinated peptide in patients with early-stage knee osteoarthritis: evidence of a variety of autoimmune processes. | Rheumatol Int.             | 26(1)  | 35-41     | 2005     |
| Yoshida K, Yonemitsu Y, Tanaka S, Yoshida S, Shibata S, Kondo H, Okano S, Ishikawa F, Akashi K, Inoue M, Hasegawa M, <u>Sueishi K</u> .   | <i>In vivo</i> repopulation of cytoplasmically gene transferred hematopoietic cells by temperature-sensitive mutant of recombinant Sendai viral vector  | Biochem Biophys Res Commun | 361(3) | 811-816   | 2007     |
| Fujii T, Sumiyoshi S, Koga T, Nishizaka M, Matsukawa R, Kuwano H, <u>Sueishi K</u> .  | An autopsy case report of annuloaortic ectasia with cardiac tamponade ruptured from an aneurysm of the right Valsalva sinus   | Pathol Res Pract           | 203(9) | 671-675   | 2007     |
| Ninomiya T, Kubo M, Doi Y, Yonemoto K, Tanizaki Y, Tsuruya K, <u>Sueishi K</u> , Tsuneyoshi M, Iida M, Kiyohara Y.  | Prehypertension increases the risk for renal arteriosclerosis in autopsies: The Hisayama Study  | J Am Soc Nephrol           | 18(7)  | 2135-2142 | 2007     |
| Tanaka S, Yonemitsu Y, Yoshida K, Okano S, Kondo H, Inoue M, Hasegawa M, Masumoto K, Suita S, Taguchi T, <u>Sueishi K</u> .   | Impact of deletion of envelope-related genes of recombinant Sendai viruses on immune responses following pulmonary gene transfer of neonatal mice   | Gene Ther                  | 14(13) | 1017-1028 | 2007     |
| Nakashima Y, Fujii H, Sumiyoshi S, Wight TN, <u>Sueishi K</u> .   | Early human atherosclerosis: Accumulation of lipid and proteoglycans in intimal thickening followed by macrophage infiltration  | Arterioscler Thromb Biol   | 27(5)  | 1159-1165 | 2007     |
| Yoneyama Y, Ueda Y, Akutsu Y, Matunaga A, Shimada H, Kato T, Kubota-Akizawa M, Okano S, Shibata S, <u>Sueishi K</u> , Hasegawa M, Ochiai T, Yonemitsu Y.                              | Development of immunostimulatory virotherapy using non-transmissible Sendai virus-activated dendritic cells   | Biochem Biophys Res Commun | 355(1) | 129-135   | 2007     |
| Kubo M, Hata J, Ninomiya T, Matsuda K, Yonemoto K, Nakano T, Matsushita T, Yamazaki K, Ohnishi Y, Saito S, Kitazono T, Ibayashi S, <u>Sueishi K</u> , Iida M, Nakamura Y, Kiyohara Y. | A nonsynonymous SNP in <i>PRKCH</i> (protein kinase C $\eta$ ) increases the risk of cerebral infarction  | Nature Genetics            | 39(2)  | 212-217   | 2007     |
| Nakashima Y, Wight TN, <u>Sueishi K</u> .   | Early human atherosclerosis: Role of diffuse intimal thickening and extracellular matrix proteoglycans  | Cardiovasc Res             |        |           | in press |
| Murakami Y, Ikeda Y, Yonemitsu Y, Tanaka S, Kondo H, Okano S, Kohno R, Miyazaki M, Inoue M, Hasegawa M, Ishibashi T, <u>Sueishi K</u> .   | Newly developed Sendai virus vector for retinal gene transfer: reduction of innate immune response via deletion of all envelope-related genes   | J Gene Med                 |        |           | in press |

| 発表者氏名   | 論文タイトル名   | 発表誌名                            | 巻号      | ページ         | 出版年  |
|---|---|---------------------------------|---------|-------------|------|
| Fujii T, Yonemitsu Y, Onimaru M, Tani M, Nakano T, Egashira K, Takehara T, Inoue M, Hasegawa M, Kuwano H, Sueishi K.                | Nonendothelial mesenchymal cell-derived MCP-1 is required for FGF-2-mediated therapeutic neovascularization. Critical role of the inflammatory/arteriogenic pathway                       | Arterioscler Thromb Vasc Bi     | 26(11)  | 2483-2489   | 2006 |
| Ikeda Y, Yonemitsu Y, Onimaru M, Nakano T, Miyazaki M, Kohno R, Nakagawa K, Ueno A, Sueishi K, Ishibashi T.                         | The regulation of vascular endothelial growth factors (VEGF-A, -C, and -D) expression in the retinal pigment epithelium   | Exp Eye Res                     | 83(5)   | 1031-1040   | 2006 |
| Shibata S, Okano S, Yonemitsu Y, Onimaru M, Sata S, Nagata-Takeshita H, Inoue M, Shu T, Hasegawa M, Moroi Y, Furue M, Sueishi K.    | Induction of efficient antitumor immunity using dendritic cells activated by recombinant Sendai virus and its modulation by exogenous IFN- $\beta$ gene                                   | J Immunol                       | 177(6)  | 3564-3576   | 2006 |
| Kohno R, Ikeda Y, Yonemitsu Y, Hisatomi T, Yamaguchi M, Miyazaki M, Takeshita H, Ishibashi T, Sueishi K.                            | Sphere formation of ocular epithelial cells in the ciliary body is a reprogramming system for neural differentiation  | Brain Res                       | 1093(1) | 54-70       | 2006 |
| Arima H, Kiyohara Y, Tanizaki Y, Nakabeppu Y, Kubo M, Kato I, Sueishi K, Tsuneyoshi M, Fujishima M, Iida M.                         | Angiotensin I-converting enzyme gene polymorphism modifies the smoking-cancer association: the Hisayama Study   | Eur J Cancer Prev               | 15(3)   | 196-201     | 2006 |
| Kaneko K, Yonemitsu Y, Fujii T, Onimaru M, Jin CH, Inoue M, Hasegawa M, Onohara T, Maehara Y, Sueishi K.                            | A free radical scavenger but not FGF-2-mediated angiogenic therapy rescues myoneurophathic metabolic syndrome in severe hindlimb ischemia   | Am J Physiol Heart Circ Physiol | 290(4)  | H1484-H1492 | 2006 |
| Sumiyoshi S, Nakashima Y, Chen Y-X, Itabe H, Sueishi K.   | Interleukin-10 expression is positively correlated with oxidized LDL deposition and inversely with T-lymphocyte infiltration in atherosclerotic intimas of human coronary arteries        | Pathol Res Pract                | 202(3)  | 141-150     | 2006 |
| Tanii M, Yonemitsu Y, Fujii T, Shikada Y, Kohno R, Onimaru M, Okano S, Inoue M, Hasegawa M, Onohara T, Maehara Y, Sueishi K.        | Diabetic microangiopathy in ischemic limb is a disease of disturbance of the platelet-derived growth factor-BB/protein kinase C axis but not of impaired expression of angiogenic factors | Circ Res                        | 98(1)   | 55-62       | 2006 |
| Kuroda J, Nakagawa K, Yamasaki T, Nakamura K, Takeya R, Kuribayashi F, Imajob-Ohmi S, Igarashi K, Shibata Y, Sueishi K, Sumimoto H. | The superoxide-producing NAD(P)H oxidase Nox4 in the nucleus of human vascular endothelial cells  | Genes to Cells                  | 10(12)  | 1139-1151   | 2005 |
| Shikada Y, Yonemitsu Y, Koga T, Onimaru M, Nakano T, Okano S, Sata S, Nakagawa K, Yoshino I, Maehara Y, Sueishi K.                  | Platelet-derived growth factor-AA is an essential and autocrine regulator of vascular endothelial growth factor expression in non-small cell lung carcinomas                              | Cancer Res                      | 65(16)  | 7241-7248   | 2005 |

| 発表者氏名  | 論文タイトル名  | 発表誌名                          | 巻号       | ページ       | 出版年  |
|--|--|-------------------------------|----------|-----------|------|
| Baba H, Yonemitsu Y, Nakano T, Onimaru M, Miyazaki M, Ikeda Y, Sumiyoshi S, Ueda Y, Hasegawa M, Yoshino I, Maehara Y, <u>Sueishi K.</u>  | Cytoplasmic expression and extracellular deposition of an antiangiogenic factor, pigment epithelium-derived factor, in human atherosclerotic plaques | Arterioscler Thromb Vasc Biol | 25(9)    | 1938-1944 | 2005 |
| Nakano T, Nakashima Y, Yonemitsu Y, Sumiyoshi S, Chen Y-X, Akishima Y, Ishii T, Iida M, <u>Sueishi K.</u>  | Angiogenesis and lymphangiogenesis and expression of lymphangiogenic factors in atherosclerotic intima of human coronary arteries                    | Hum Pathol                    | 36(4)    | 330-340   | 2005 |
| Kiwamu Nakamura, K. <u>Suzuki</u> et al.   | Deoxy nucleic acids from <i>Cryptococcus neoformans</i> activate myeloid dendritic cells via a TLR9-dependent pathway.                               | J. Immunol                    | in press |           | 2008 |
| <u>Kazuo Suzuki</u> , Shigeto Kobayashi, Kazushige Yamazaki, Masaaki Gondo, Kazuo Tomizawa, Yoshihiro Arimura, Kimimasa Nakabayashi, Shoichi Ozaki, Masaharu Yoshida, Toshiharu Yoshida, Norimasa Tsusaka, Eri Muso, Tomio Okazaki, and Hiroshi Hashimoto. | Analysis of risk epitopes of anti-neutrophil antibody MPO-ANCA in vasculitis in Japan population.  | Microbiol. Immunol.           | 51       | 1215-1220 | 2007 |
| Shigehiro Uezono, Yuji Sato, Seiichiro Hara, Shuichi Hisanaga, Keiichi Fukudome, Shouichi Fujimoto, Hiroyuki Nakao, Kazuo Kitamura, Shigeto Kobayashi, <u>Kazuo Suzuki</u> , Hiroshi Hashimoto, Hiroyuki Nunoi.  | Outcome of ANCA-associated primary renal vasculitis in Miyazaki Prefecture.  | Internal Medicine             | 46       | 815-822   | 2007 |
| Akiko Ishida-Okawara, Noriko Nagi-Miura, Toshiaki Oharaseki, Kei Takahashi, Akinori Okumura, Hitoshi Tachikawa, Shin-ichiro Kashiwamura, Haruki Okamura, Naohito Ohno, Hidechika Okada, Peter. A. Ward, <u>Kazuo Suzuki</u> .                              | Neutrophil activation and induced by <i>C. albicans</i> water-soluble mannoprotein- $\beta$ -glucan complex (CAWS)                                   | Exp. Mol. Pathol              | 82       | 220-226   | 2007 |
| Akiyoshi Hoshino, Tomokazu Nagao, Toshiko Ito-Ihara, Akiko Ishida-Okawara, Kazuko Uno, Eri Muso, Noriko Nagi-Miura, Naohito Ohno, Kazuhiro Tokunaka, Shiro Naoe, Hiroshi Hashimoto, Masato Yasuhara, Kenji Yamamoto, <u>Kazuo Suzuki</u> .                 | Trafficking of QD-conjugated MPO-ANCA in Murine Systemic Vasculitis and Glomerulonephritis model mice.   | Microbiol. Immunol.           | 51       | 551-566   | 2007 |

| 発表者氏名  | 論文タイトル名   | 発表誌名                        | 巻号  | ページ        | 出版年  |
|--|---|-----------------------------|-----|------------|------|
| Melissa Goedken, Sally McComick, Kevin G. Leidal, Kazuo Suzuki, Yosuke Kameoka, Joshua M. Astern, Meilan Huang, Artem Cherkasov, William M. Nauseef.                                     | Impact of two novel mutations on the structure and function of human myeloperoxidase. <i>J. Biol. Chem.</i> in press.   | <i>J. Biol. Chem.</i>       | 282 | 27994-8003 | 2007 |
| Tomokazu Nagao, Mimiko Matsumura, Ayako Mabuchi, Akiko Ishida-Okawara, Osamu Koshio, Haruyuki Minamitani, and Kazuo Suzuki.  | Up-regulation of adhesion molecule expression in glomerular endothelial cells by anti-myeloperoxidase antibody.   | <i>Nephrol Dial Transpl</i> | 22  | 77-87      | 2007 |
| 鈴木和男   | 血管炎の病態と好中球  | 臨床検査                        | 51  | 1071-1080  | 2007 |
| Shinohara Hiroyasu, Nagai-Miura Noriko, Ishibashi Ken-ichi, Adachi Yoshiyuki, Akiko Ishida-Okawara, Toshiaki Oharaseki, Kei Takahashi, Shiro Naoe, Kazuo Suzuki, and Naohito Ohno.       | Beta-Mannosyl Linkages Negatively Regulate Anaphylaxis and Vasculitis in Mice, Induced by CAWS, Fungal PAMPs Composed of Mannoprotein-Beta-Glucan Complex Secreted by <i>Candida albicans</i>   | <i>Biol. Pharm. Bull</i>    | 29  | 1854-1861  | 2006 |
| A. S. Persad, Y. Kameoka, S. Kanda, Y. Niho, K. Suzuki.  | Found in a Japanese Patient with Complete Myeloperoxidase Deficiency.   | <i>Gene Expression</i>      | 13  | 67-71      | 2006 |
| N. Nagai-Miura, T. Harada, H. Shinohara, K. Kurihara, Y. Adachi, A. Ishida-Okawara, T. Oharaseki, K. Takahashi, S., Naoe, K. Suzuki and N. Ohno.   | Lethal and severe coronary arteritis in DBA/2 mice induced by fungal Pathogen, CAWS, <i>Candida albicans</i> water-soluble fraction   | <i>Atherosclerosis</i>      | 186 | 310-320    | 2006 |
| Noriko N. Miura, Toshie Harada, Hiroyasu Shinohara, Kiyoshi Kurihara, Yoshiyuki Adachi, Akiko I. Okawara, Toshiaki Oharaseki, Kei Takahashi, Shiro Naoe, Kazuo Suzuki, and Naohito Ohno. | Lethal and Severe Coronary Arteritis in DBA/2 Mice Induced by Fungal Pathogen, CAWS, <i>Candida albicans</i> Water-Soluble Fraction   | <i>Atherosclerosis</i>      | 186 | 186        | 2006 |
| Persad AS, Kameoka Y, Kanda S, Niho Y, Suzuki K.   | Arginine to cysteine mutation (R499C) found in a Japanese patient with complete myeloperoxidase deficiency.   | <i>Gene Expr</i>            | 13  | 67-71      | 2006 |
| Shinohara Hiroyasu, Nagai-Miura Noriko, Ishibashi Ken-ichi, Adachi Yoshiyuki, Akiko Ishida-Okawara, Toshiaki Oharaseki, Kei Takahashi, Shiro Naoe, Kazuo Suzuki, and Naohito Ohno.       | Beta-mannosyl linkages negatively regulate anaphylaxis and vasculitis in mice, induced by CAWS, fungal PAMPs composed of mannoprotein-beta-glucan complex secreted by <i>Candida albicans</i> . | <i>Biol. Pharm. Bull.</i>   | 29  | 1854-1861  | 2006 |

| 発表者氏名   | 論文タイトル名   | 発表誌名  | 巻号  | ページ       | 出版年  |
|---|---|---|-----|-----------|------|
| Shouichi Fujimoto, Shigehiro Uezono, Shuichi Hisanaga, Keiichi Fukudome, Shigeto Kobayashi, Kazuo Suzuki, Hiroshi Hashimoto, Hiroyuki Nakao, Hiroyuki Nunoi.                          | Incidence of ANCA-associated primary renal vasculitis in Miyazaki Prefecture: The first population-based, retrospective epidemiological survey in Japan.  | Clinical Journal of American Society of Nephrology. | 1   | 1016-1022 | 2006 |
| W. Yumura, M. Itabashi, A. Ishida-Okawara, K. Tomizawa, J. Yamashita, Y. Kaneshiro, H. Nihei, and K. Suzuki.  | A Novel Mouse Model for MPO-ANCA-Associated Glomerulonephritis.   | Microbiol. Immunol.                                 | 50  | 149-157   | 2006 |
| Y. Hamano, K. Tsukamoto, M. Abe, G.D. Sun, D. Zhang, H. Fujii, S. Matsuoka, M. Tanaka, A. Ishida-Okawara, H. Tachikawa, H. Nishimura, K. Tokunaka, O. Hino, S. Hirose, and K. Suzuki. | Genetic Dissection of Vasculitis, Myeloperoxidase-Specific Antineutrophil Cytoplasmic Antibody Production, and Related Traits in Spontaneous Crescentic Glomerulonephritis-Forming/Kinjoh Mice. | J. Immunol.   | 176 | 3662-73   | 2006 |
| Yasuaki Aratani, Fumiaki Kura, Haruo Watanabe, Hisayoshi Akagawa, Yukie Takano, Akiko Ishida-Okawara, Kazuo Suzuki, Nobuyo Maeda, and Hideki Koyama.                                  | Contribution of the myeloperoxidase-dependent oxidative system to host defense against <i>Cryptococcus neoformans</i> .   | J. Med. Microbiol.                                  | 55  | 1291-1299 | 2006 |
| H. Yasuda, N. Yoshizawa, K. Suzuki, K. Suzuki, K. Yamamoto and H. Yoshikura.  | Modeling on social spread from immunity. Focusing on Assessment of Risk to Communities in International Symposium on Infectious Agent Transmission Model Building.                              | Jpn. J. Infect. Dis.                                | 58  | S14-15    | 2005 |
| M. Fujieda, K. Suzuki, H. Sato, M. Hattori, N. Wada, M. Tsuchiya, N. Okamoto, T. Murata, M. Matsudaira, M. Shimizu, K. Ohta, K. Naruse, S. Sugihara and H. Wakiguchi.                 | Epitope analysis of myeloperoxidase-specific antineutrophil cytoplasmic autoantibodies (MPO-ANCA) in childhood onset Graves'disease treated with propylthiouracil.                              | Jpn. J. Infect. Dis.                                | 58  | S1-2      | 2005 |
| R. Suzuki, K. Tomizawa, K. Suzuki, M. Tanokura  | MPO-ANCA binding site on MPO molecule estimated from epitope mapping study and molecular modeling.  | Clinical Nephrology                                 | 63  | 437-445   | 2005 |
| T. Ito-Ihara, T. Ono, F. Nogaki, K. Suyama, M. Tanaka, S. Yonemoto, A. Fukatsu, T. Kita, K. Suzuki, and E. Muso.  | Clinical Efficacy of Intravenous Immunoglobulin for Patients with MPO-ANCA-associated Rapidly Progressive Glomerulonephritis.   | Bioimages   | 12  | 85-90     | 2005 |
| T. Matsuki, K. Isoda, R. Horai, A. Nakajima, Y. Aizawa, K. Suzuki, F. Ohsuzu, and Y. Iwakura.   | Involvement of TNF- $\alpha$ in the development of T cell-dependent aortitis in IL-1 receptor antagonist-deficient mice.  | Nephron Clin. Pract.                                | 102 | c35-c42   | 2005 |
|   |   | Circulation   | 112 | 1323-1331 | 2005 |

| 発表者氏名  | 論文タイトル名   | 発表誌名               | 巻号         | ページ     | 出版年  |
|--|---|--------------------|------------|---------|------|
| T. Oharaseki, Y. Kameoka, F. Kura, A.S. Persad, K. Suzuki, S. Naoe.  | Susceptibility loci to coronary arteritis in animal model of Kawasaki disease induced with <i>Candida albicans</i> -derived substances.                                 | Microbiol Immunol. | 49         | 49      | 2005 |
| Kawasaki A, Tsuchiya N, Ohashi J, Murakami Y, Fukazawa T, Kusaoi M, Matsuta K, Hashimoto H, Tokunaga K.                        | Role of APRIL (TNFSF13) polymorphisms in the susceptibility to systemic lupus erythematosus in Japanese.  | Rheumatology       | 46         | 776-782 | 2007 |
| Hitomi Y, Tsuchiya N, Hasegawa M, Fujimoto M, Takehara K, Tokunaga K, Sato S.  | Association of human CD22 gene polymorphism with susceptibility to limited cutaneous systemic sclerosis.  | Tissue Antigens    | 69         | 242-249 | 2007 |
| Furuya T, Hakoda M, Ichikawa N, Higami K, Nanke Y, Yago T, Kobashigawa T, Tokunaga K, Tsuchiya N, Kamatani N, Kotake S.        | Differential association of HLA-DRB1 alleles in Japanese patients with early rheumatoid arthritis in relationship to autoantibodies to cyclic citrullinated peptide.    | Clin Exp Rheumatol | 25         | 219-224 | 2007 |
| Tsuchiya N, Kyogoku C, Miyashita R, Kuroki K.  | Diversity of human immune system multigene families and its implication in the genetic background of rheumatic diseases.  | Curr Med Chem      | 14         | 421-439 | 2007 |
| Kyogoku C, Tsuchiya N.   | A compass that points to lupus: Genetic studies on type I interferon pathway.   | Genes Immun        | 8          | 445-455 | 2007 |
| 土屋尚之   | 全身性エリテマトーデス-疾患感受性遺伝子探索の最近の進歩-   | リウマチ科              | 37         | 203-208 | 2007 |
| 京極千恵子、土屋尚之   | 全身性エリテマトーデスにおけるIRF5多型の意義  | 医学のあゆみ             | 222        | 214-216 | 2007 |
| 土屋尚之   | 関節リウマチ関連遺伝子解析に基づく新規治療法開発の可能性  | BIO Clinica        | 22         | 894-897 | 2007 |
| 土屋尚之、京極千恵子   | SLE発症の分子機序-ゲノム解析による最新の知見  | リウマチ科              | 38         | 103-108 | 2007 |
| 櫻井大祐、川崎綾、小端哲二、土屋尚之   | BAFF, APRILの機能と自己免疫疾患における役割   | 分子リウマチ             | 4          | 307-313 | 2007 |
| 土屋尚之   | 強直性脊椎炎の発症にかかわる遺伝因子  | リウマチ科              | 38         | 409-415 | 2007 |
| Kawasaki A, Kyogoku C, Ohashi J, Miyashita R, Hikami K, Kusaoi M, Tokunaga K, Takasaki Y, Hashimoto H, Behrens TW, Tsuchiya N. | Association of interferon regulatory factor 5 (IRF5) polymorphisms with systemic lupus erythematosus in Japanese: Support for a crucial role of intron 1 polymorphisms. | Arthritis Rheum    | (in press) |         | 2008 |
| Mamegano K, Kuroki K, Miyashita R, Matsuta K, Maenaka K, Colonna M, Ozaki S, Hashimoto H, Takasaki Y, Tokunaga K, Tsuchiya N.  | Association of LILRA2 (IL1I, LIR7) splice site polymorphism with systemic lupus erythematosus and microscopic polyangiitis.   | Genes Immun        | (in press) |         | 2008 |

| 発表者氏名   | 論文タイトル名   | 発表誌名               | 巻号  | ページ       | 出版年  |
|---|---|--------------------|-----|-----------|------|
| Tsuchiya N, Kobayashi S, Hashimoto H, Ozaki S, Tokunaga K.  | Association of HLA-DRB1*0901-DQB1*0303 haplotype with microscopic polyangiitis in Japanese.   | Genes Immun        | 7   | 81-84     | 2006 |
| Miyashita R, Tsuchiya N, Yabe T, Kobayashi S, Hashimoto H, Ozaki S, Tokunaga K.   | Association of killer cell immunoglobulin-like receptor (KIR) genotypes with microscopic polyangiitis.  | Arthritis Rheum    | 54  | 992-997   | 2006 |
| Okaji Y, Tsuno NH, Kitayama J, Sakurai D, Tsuchiya N, Saito S, Takegami K, Tsuchiya T, Kawai K, Yazawa K, Asakage M, Yoneyama S, Yamada J, Tokunaga K, Takahashi K, Nagawa H. | Effects of Id (inhibitor of DNA binding / differentiation) gene down-regulation in human colorectal cancer cells on early steps of haematogenous metastasis.                                      | Eur J Cancer       | 42  | 668-673   | 2006 |
| Tsuchiya N, Honda Z, Tokunaga K.  | Role of B cell inhibitory receptor polymorphisms for systemic lupus erythematosus: a negative times a negative makes a positive.  | J Hum Genet        | 51  | 741-750   | 2006 |
| 土屋尚之  | TOPICS: TNF 阻害薬抵抗性の関節リウマチに対する abatacept (CTLA4-Ig) の有効性。  | 内科                 | 97  | 735-737   | 2006 |
| 土屋尚之  | 関節リウマチ重症度と関連する免疫系機能遺伝子多型。   | リウマチ科              | 36  | 294-298   | 2006 |
| 土屋尚之、宮下リサ   | 顕微鏡的多発血管炎の疾患感受性と KIR-HLA 遺伝子相互作用。   | リウマチ科              | 36  | 514-521   | 2006 |
| Kuroki K, Tsuchiya N, Shiroishi M, Rasubala L, Yamashita Y, Matsuta K, Fukazawa T, Kusaoi M, Murakami Y, Takiguchi M, Juji T, Hashimoto H, Kohda D, Maenaka K, Tokunaga K.    | Extensive polymorphisms of LILRB1 (ILT2, LIR1) and their association with HLA-DRB1 shared epitope negative rheumatoid arthritis.  | Hum Mol Genet      | 14  | 2469-2480 | 2005 |
| Kono H, Kyogoku C, Suzuki T, Tsuchiya N, Honda H, Yamamoto K, Tokunaga K, Honda Z.  | FcγRIIB Ile232Thr transmembrane polymorphism associated with human systemic lupus erythematosus decreases affinity to lipid rafts and attenuates inhibitory effects on B cell receptor signaling. | Hum Mol Genet      | 14  | 2881-2892 | 2005 |
| Tsuchiya N, Kyogoku C.  | Role of Fcγ receptor IIb polymorphism in the genetic background of systemic lupus erythematosus: Insights from Asia.  | Autoimmunity       | 38  | 347-352   | 2005 |
| 土屋尚之  | ANCA関連血管炎疾患感受性遺伝子解析の現状。   | 医学のあゆみ             | 214 | 63-66     | 2005 |
| 重松 宏  | 新しいASOの診療ガイドラインTASC II  | 医学のあゆみ             | 220 | 260-261   | 2007 |
| 重松 宏  | TASC IIにおける運動療法の位置づけ  | Angiology Frontier | 6   | 97-102    | 2007 |
| 松原純一、椎谷紀彦、石田厚、宮田哲郎、重松 宏、小櫃田樹生、進藤俊哉、飛田研二、太田敬、安藤大三、西部俊哉、川崎富夫、八杉巧、小野原俊博  | 日本における閉塞性動脈硬化症 (ASO) 薬物治療の現状調査-11 施設の血管外科で実施したアンケート調査の集計より  | 脈管学                | 47  | 153-162   | 2007 |

| 発表者氏名   | 論文タイトル名   | 発表誌名                        | 巻号  | ページ       | 出版年  |
|---|---|-----------------------------|-----|-----------|------|
| 重松 宏  | TASC II-PAD(ASO)の診療・治療にどう活かすか？  | Vascular Medicine           | 3   | 286-290   | 2007 |
| 重松 宏  | 重症虚血肢に対する最新の診断と治療：<br>2. 疫学：TASC IIより   | 日本外科学会誌                     | 108 | 171-175   | 2007 |
| 重松 宏  | PADの新しい診断診療ガイドライン：TASC II   | Arterial Stiffness          | 12  | 32-36     | 2007 |
| 重松 宏  | アンケータ調査から明らかとなった閉塞性動脈硬化症  | 血栓と循環                       | 15  | 540-541   | 2007 |
| Tsuchida H, Shigematsu H, Ishimaru S, Iwai T, Akaba N, Umezu S.   | Effect of low-density lipoprotein apheresis on patients with peripheral arterial disease. Peripheral Arterial Disease LDL Apheresis Multicenter Study (P-LAS)                       | International Angiology     | 25  | 287-292   | 2006 |
| Hosaka A, Miyata T, Shigematsu H, Deguchi JO, Kimura H, Nagawa H, Sato O, Sakimoto T, and Mochizuki T.  | Spontaneous mesenteric hemorrhage associated with Ehlers-Danlos syndrome.   | J Gastrointest Surg         | 10  | 583-585   | 2006 |
| Miyahara T, Koyama H, Miyata T, Shigematsu H, Inoue J, Takato T, and Nagawa H.  | Inflammatory responses involving tumor necrosis factor receptor-associated factor 6 contribute to in-stent lesion formation in a stent implantation model of rabbit carotid artery. | J Vasc Surg                 | 43  | 592-600   | 2006 |
| Yamamoto K, Miyata T, Momose T, Nagayoshi M, Akagi D, Hosaka A, Miyahara T, Ishii S, Kimura H, Deguchi J, Shigematsu K, Shigematsu H, and Nagawa H. | Reduced vascular reserve measured by stressed single photon emission computed tomography carries a high risk for stroke in patients with carotid stenosis.                          | International Angiology     | 25  | 385-388   | 2006 |
| 古森公浩、重松 宏   | Peripheral arterial disease (PAD)の新しい治療指針—TASC II—  | 心臓                          | 38  | 784-788   | 2006 |
| 内村智生、重松 宏   | 末梢血管疾患と抗血小板療法   | Heart View                  | 10  | 1412-1415 | 2006 |
| Hosaka A, Miyata T, Momose T, Nakazawa T, Shigematsu H, and Nagawa H.   | Evaluation of Cerebral Hypoperfusion by Nuclear Medicine Imaging in a Patient with Takayasu's Arteritis.  | Annals of Vascular Surgery  | 19  | 917-920   | 2005 |
| Hosaka A, Miyata T, Shigematsu H, Shigematsu K, Okamoto H, Ishii S, Miyahara T, Yamamoto K, Akagi D, Nagayoshi M, and Nagawa H.                     | Long-term outcome after surgical treatment of arterial lesions in Behcet disease.   | Journal of Vascular Surgery | 42  | 116-121   | 2005 |
| Miyahara T, Miyata T, Shigematsu H, Shigematsu K, Okamoto H, Nakazawa T, Nagawa H.  | Long-term results of combined iliac endovascular intervention and infrainguinal surgical revascularization for treatment of multilevel arterial occlusive disease                   | International Angiology     | 24  | 340-348   | 2005 |
| Yu P, Hatakeyama T, Aramoto H, Miyata T, Shigematsu H, Nagawa H, Hobson RW, and Duran WN.   | Mitogen-activated protein kinases regulate platelet-activating factor-induced hyperpermeability.  | Microcirculation            | 12  | 637-643   | 2005 |

| 発表者氏名   | 論文タイトル名   | 発表誌名                                   | 巻号     | ページ       | 出版年  |
|---|---|--|--------|-----------|------|
| 折笠秀樹、池田康夫、島田和幸、重松 宏   | 末梢動脈閉塞症(PAD)患者の全身の血管イベントに対するペラプロストナトリウム(経口プロスタグランディン I2 誘導体)の有効性—2つのプラセボ対照無作為比較試験によるメタ解析—   | Mebio                                  | 22     | 115-118   | 2005 |
| 保坂晃弘、重松 宏   | 膠原病とその周辺疾患にみられる血管病変—その病態と治療 ベーチェット病   | リウマチ科                                  | 34     | 59-63     | 2005 |
| Chen Z, Takahashi M, Naruse T, Nakajima T, Chen Y W, Inoue Y, Ishikawa I, Iwai T, Kimura. | A. Synergistic contribution of CD14 and HLA loci in the susceptibility to Buerger disease   | Hum Gnt.                               | 122    | 367-372   | 2007 |
| Chen YW, Iwai T, Umeda M, Nagasawa T, Huang Y, Takeuchi Y, Ishikawa I.                    | Elevated IgG titers to periodontal pathogens related to Buerger disease   | Int J Cardiol                          | 122    | 79-81     | 2007 |
| Iwai. T, Inoue. Y, Umeda. M, Huang Y, Kurihara. N, Koiike. M, Ishikawa. I.                | Oral bacteria in the occluded arteries of patients with Buerger disease   | J Vasc Surg                            | 42     | 107-115   | 2005 |
| Masayuki Arakawa, Masahiro Yasutake, Masaaki Miyamoto, et al                              | Transduction of anti-cell death protein FNK protects isolated rat hearts from myocardial infarction induced by ischemia/reperfusion.  | Life Science                           | 80     | 2076-2084 | 2007 |
| Shuhei Tara, Masaaki Miyamoto, Sadamitsu Asoh, et al.                                     | Transduction of the anti-apoptotic PTD-FNK protein improves the efficiency of transplantation of bone marrow mononuclear cells.   | J of Molecular and Cellular Cardiology | 42     | 489-497   | 2007 |
| Takayuki Aimoto, Eiji Uchida, Akira Matsushita et al,                                     | Controlled release of basic fibroblast growth factor promotes healing of the pancreatico jejunal anastomosis: A novel approach toward zero pancreatic fistula.                | Surgery                                | 142    | 734-740   | 2007 |
| 宮本正章  | 難治性創傷に対するマゴットセラピー   | 日本医事新報                                 | 4360   | 89        | 2007 |
| 宮本正章, 高木 元, 太良修平 他  | マゴットセラピー; そのメリット, その実際  | 月刊ナーシング                                | 27, 9  | 78-85     | 2007 |
| 宮本正章, 高木 元, 高野仁司 他  | 皮膚組織の再生医療   | Medical Science Digest (MSD)           | 34 (3) | 25-28     | 2008 |
| 太良修平, 宮本正章, 水野杏一  | 末梢動脈疾患(PAD), 膠原病による潰瘍・壊疽.   | 看護技術                                   | 54, 2  | 13-16     | 2008 |
| 高木 元, 宮本正章, 水野杏一  | 糖尿病性潰瘍・壊疽.  | 看護技術                                   | 54, 2  | 17-19     | 2008 |
| 宮本正章, 高木 元, 高野仁司 他  | 膠原病による難治性皮膚潰瘍とその対策.   | リウマチ科                                  | 39, 2  | 42-49     | 2008 |
| Gen Takagi, Masaaki Miyamoto, Masahiro Yasutake et al,                                    | A novel therapy using control-released basic fibroblast growth factor in Patients with peripheral artery disease : Comparison with bone marrow mononuclear Cell implantation. | Circulation Supplement                 | II 114 | II-446    | 2006 |

| 発表者氏名   | 論文タイトル名  | 発表誌名                   | 巻号                | ページ                   | 出版年  |
|---|--|------------------------|-------------------|-----------------------|------|
| Takagi Ikuyo, Nejjima Jun, Takagi Gen, et al. | Chronic Direct Stimulation of Adenylyl Cyclase Induces Cardiac Desensitization to Catecholamine and Beta-Adrenergic Receptor Downregulation in Rabbits | J Cardiovasc Pharmacol | 48                | 223-229               | 2006 |
| 藤本啓志, 宮本正章, 高木元 他                             | 医療用ウジを用いた多剤耐性緑膿菌(MDRP)合併糖尿病壊疽治療  | 日本糖尿病学会雑誌              | 49                | 517-521               | 2006 |
| 宮本正章  | なぜ「医療用ウジ治療(MDT)」か?   | Pharma Medica          | 24                | 61-62                 | 2006 |
| 高木元, 宮本正章, 安武正弘 他                             | 難治性虚血肢に対する自己骨髄幹細胞移植血管再生療法  | リウマチ科                  | 39                | 276-281               | 2006 |
| 水野博司, 赤石論史, 小池幸子 他                            | 虚血性難治性皮膚潰瘍に対する骨髄単核球導入コラゲンマトリックスの臨床応用   | 日形外会誌                  | 26                | 426-762               | 2006 |
| 宮本正章, 高木元, 水野博司 他                             | 重症難治性潰瘍に対する医療用ウジ治療と血管再生療法  | Pharma Medica          | 23                | 41-47                 | 2005 |
| 加藤浩司, 宮本正章, 安武正弘, 他                           | 重症難治性虚血肢・心に対する自己骨髄幹細胞移植血管再生療法  | 今日の移植                  | 18                | 259-266               | 2005 |
| 剣持敬, 浅野武秀, 宮本正章 他                             | 臨床に向けた臍島保存の現状  | Organ Biology          | 12                | 101-111               | 2005 |
| 宮本正章  | 全身性強皮症の経過中に肺高血圧をきたし敗血症にて死亡した症例。膠原病に対する血管再生療法   | 内科                     |                   |                       | 2005 |
| 牧野寛史, 森下竜二                                    | 特集：血管新生の臨床 1.末梢動脈 HGF 遺伝子導入による血管新生療法   | 脈管学                    | 第47巻<br>第2号       | 187-193               | 2007 |
| 牧野寛史, 森下竜二                                    | 特集 心血管再生医学の医療への展開<br>HGF 遺伝子導入による重症下肢虚血に対する血管新生療法  | 分子心血管病                 | Vol. 8<br>No. 4   | 54(380)-<br>59(385)   | 2007 |
| 尾崎和成, 森下竜二, 荻原俊男                              | 遺伝子療法による血管再生一米国におけるHGF遺伝子療法の結果を含めて   | 血管医学                   | Vol. 8<br>No. 2   | 165-171               | 2007 |
| 尾崎和成, 森下竜二                                    | 遺伝子治療の現状と展望  | Heart View             | Vol. 11<br>No. 3  | 105-110               | 2007 |
| 江頭健輔, 松原弘明, 小室一成, 森下竜二                        | 臨床応用された心血管再生医療(治療的血管新生) - 現状、問題点と今後の展開 -   | 分子心血管病                 | vol18 no4         | 327-336               | 2007 |
| 牧野寛史, 森下竜二                                    | 遺伝子治療による血管再生療法の基礎  | Heart View             | Vol. 11<br>No. 13 | 15(1335)-<br>20(1340) | 2007 |
| 青木元邦, 森下竜二, 荻原俊男                              | 特集 糖尿病と再生医療 II 糖尿病合併症と再生医療<br>血管新生療法の現状と近未来  | Diabetes Frontier      | Vol. 17<br>No. 3  | 354-358               | 2006 |
| 中川彩, 森下竜二                                     | ②細胞増殖因子を用いた遺伝子治療<br>特集 糖尿病患者における移植・再生医療の現状と展望<br>4. 血管病変への再生医療 - 3) 末梢血管病変への再生医療 -   | 糖尿病                    | 第49巻<br>第12号      | 915-917               | 2006 |

| 発表者氏名   | 論文タイトル名   | 発表誌名                       | 巻号                     | ページ       | 出版年  |
|---|---|----------------------------|------------------------|-----------|------|
| 中川 彩, 森下童二                                    | 特集 糖尿病患者における移植・再生医療の現状と展望<br>4. 血管病変への再生医療 - 3) 末梢血管病変への再生医療 -                          | 糖尿病                        | 第 49 巻<br>第 12 号       | 915-917   | 2006 |
| 中神啓徳, 金田安史, 森下童二                              | 日本心脈管作動物質学会研究奨励賞受賞論文<br>次世代血管新生治療を目指した遺伝子機能スクリーニング                                      | 血管                         | Vol. 29<br>No. 3       | 81-84     | 2006 |
| 尾崎和成、森下童二、荻原俊男                                | 遺伝子治療による血管再生療法  | 実験医学                       | Vol. 24<br>No. 18      | 180-187   | 2006 |
| 尾崎和成、荻原俊男 森下童二                                | 循環制御による分子治療   | 循環制御                       | Vol. 27<br>No. 3       | 216-223   | 2006 |
| 尾崎和成、森下童二、荻原俊男                                | 糖尿病マクロアングリオパシー 閉塞性動脈硬化症   | 日本臨床                       | Vol. 64<br>No. 11      | 2045-2051 | 2006 |
| 白谷卓, 森下童二                                     | HGF (hepatocyte growth factor)  | 血圧                         | vol3 no1               | 118-121   | 2006 |
| 青木元邦, 森下童二                                    | 遺伝子を用いた血管新生療法   | 日本臨床                       | Vol. 64<br>No. 4 (891) | 762-768   | 2006 |
| 森下童二  | HGF   | Angiology Frontier         | Vol. 5<br>No. 1        | 11-18     | 2006 |
| 尾崎和成、森下童二、荻原俊男                                | 糖尿病マクロアングリオパシー 閉塞性動脈硬化症   | 日本臨床                       | Vol. 64<br>No. 11      | 2045-2051 | 2006 |
| 白谷卓, 森下童二                                     | HGF (hepatocyte growth factor)  | 血圧                         | vol3 no1               | 118-121   | 2006 |
| 青木元邦, 森下童二                                    | 遺伝子を用いた血管新生療法   | 日本臨床                       | Vol. 64<br>No. 4 (891) | 762-768   | 2006 |
| 森下童二  | HGF   | Angiology Frontier         | Vol. 5<br>No. 1        | 11-18     | 2006 |
| Morishita R, Aoki M, Ogiwara T.               | Does gene therapy become pharmacotherapy?   | Exp Physiol.               | 90 (3)                 | 307-13    | 2005 |
| Nakagami H, Kaneda Y, Ogiwara T, Morishita R. | Hepatocyte growth factor as potential cardiovascular therapy Expert Rev Cardioasc Ther. | Expert Rev Cardioasc Ther. | 3 (3)                  | 513-9     | 2005 |
| 尾崎和成、森下童二、荻原俊男                                | 糖尿病マクロアングリオパシー 閉塞性動脈硬化症   | 日本臨床                       | Vol. 64<br>No. 11      | 2045-2051 | 2006 |
| 白谷卓, 森下童二                                     | HGF (hepatocyte growth factor)  | 血圧                         | vol3 no1               | 118-121   | 2006 |
| 尾崎和成、森下童二、荻原俊男                                | 糖尿病マクロアングリオパシー 閉塞性動脈硬化症   | 日本臨床                       | Vol. 64<br>No. 11      | 2045-2051 | 2006 |
| 尾崎和成、森下童二、荻原俊男                                | 糖尿病マクロアングリオパシー 閉塞性動脈硬化症   | 日本臨床                       | Vol. 64<br>No. 11      | 2045-2051 | 2006 |

| 発表者氏名  | 論文タイトル名   | 発表誌名                        | 巻号                     | ページ                | 出版年  |
|--|---|-----------------------------|------------------------|--------------------|------|
| 白谷卓, 森下竜二  | HGF (hepatocyte growth factor)  | 血压                          | vol3 no1               | 118-121            | 2006 |
| 青木元邦, 森下竜二   | 遺伝子を用いた血管新生療法   | 日本臨床                        | Vol. 64<br>No. 4 (891) | 762-768            | 2006 |
| 森下竜二   | HGF   | Angiology Frontier          | Vol. 5<br>No. 1        | 11-18              | 2006 |
| Morishita R, Aoki M, Ogiwara T.  | Does gene therapy become pharmacotherapy?   | Exp Physiol.                | 90 (3)                 | 307-13             | 2005 |
| Nakagami H, Kaneda Y, Ogiwara T, Morishita R.  | Hepatocyte growth factor as potential cardiovascular therapy  | Expert Rev Cardiovasc Ther. | 3 (3)                  | 513-9              | 2005 |
| Kunugiza Y, Tomita N, Taniyama Y, Tomita T, Osako MK, Tamai K, Tanabe T, Kaneda Y, Yoshikawa H, Morishita R. | Acceleration of wound healing by combined gene transfer of hepatocyte growth factor and prostacyclin synthase with Shima Jet. | Gene Ther.                  | 13                     | 1143-52            | 2006 |
| Nakagawa A, Makino H, Aoki M, Miyake T, Shiraya S, Nakamura T, Ogiwara T, Kimata Y, Morishita R.             | Improvement of survival of skin flaps by combined gene transfer of hepatocyte growth factor and prostacyclin synthase.        | J Gene Med.                 | 9 (12)                 | 1087-94            | 2007 |
| 森下竜二   | 脈管病治療のトランスレクションナルリサーチ:現状と未来   | 脈管学                         | 第 45 巻<br>第 3 号        | 121-124            | 2005 |
| 森下竜二   | 血管疾患における遺伝子治療 (HGF 遺伝子を用いて)   | 日本血管外科学会雑誌                  | 第 14 巻第<br>2 号         | 79-82              | 2005 |
| 室原豊明, 森下竜二, 松原弘明, 小室一成   | [座談会] 血管新生療法<br>心・血管新生療法の展望   | 治療学                         | Vol. 39<br>No. 7       | 85-93<br>(749-757) | 2005 |
| 森下竜二   | 特集 “遺伝子治療と再生医療”<br>遺伝子治療・再生医療とハイオペンチャー<br>遺伝子治療   | 腎と透析                        | Vol. 59<br>No. 3       | 469-473            | 2005 |
| 牧野寛史, 森下竜二, 荻原俊男   | 閉塞性動脈硬化症 (ASO), Buerger 病の治療<br>図説: 遺伝子治療の実際  | 日本臨床                        | 第 63 巻<br>第 3 号        | 491-497            | 2005 |
| 橋本尚孝, 荻原俊男, 森下竜二   | TREAT-HGF 一HGF 遺伝子を用いた<br>末梢血管疾患に対する遺伝子治療の臨床研究—<br>閉塞性動脈硬化症に対する血管再生遺伝子治療  | 日本臨床                        | 第 63 巻<br>第 3 号        | 370-372            | 2005 |
| 牧野寛史, 森下竜二, 荻原俊男   | 循環器<br>閉塞性動脈硬化症の診断基準・病型分類・重症度<br>Buerger 病に対する遺伝子を用いた血管再生治療   | 脈管学                         | 第 45 巻<br>第 3 号        | 137-143            | 2005 |
| 森下竜二   | 遺伝子治療による血管新生療法 3<br>遺伝子導入による血管新生療法の臨床応用   | 日本透析医学会雑誌                   | Vol. 20<br>No. 1       | 61-67              | 2005 |
| 牧野寛史, 荻原俊男, 森下竜二   |   | 内科                          | Vol. 95<br>No. 6       | 1350-1354          | 2005 |
| 牧野寛史, 荻原俊男, 森下竜二   |   | 医学のあゆみ                      | Vol. 214<br>No. 1      | 121-126            | 2005 |
| 牧野寛史, 荻原俊男, 森下竜二   |   | 治療学                         | Vol. 39<br>No. 7       | 45-48              | 2005 |

| 発表者氏名   | 論文タイトル名   | 発表誌名                  | 巻号                  | ページ           | 出版年  |
|---|---|-----------------------|---------------------|---------------|------|
| 牧野寛史, 森下童二, 荻原俊男  | 閉塞性動脈硬化症に対する血管再生治療  | Coronary Intervention | Vol.1 No.3          | 70-75         | 2005 |
| 牧野寛史, 森下童二, 荻原俊男  | 遺伝子治療と血管再生療法 (VEGF, HGF, bFGF, HIF)   | Pharma Medica         | Vol.23 No.9         | 47-51         | 2005 |
| 青木元邦, 荻原俊男, 森下童二  | 特集 第69回日本循環器学会学術集会<br>5. 心血管病のトランスレシヨナルリサーチ<br>末梢性血管疾患に対する遺伝子治療臨床研究   | 循環器専門医                | 第13巻第2号             | 265-270       | 2005 |
| 牧野寛史, 荻原俊男, 森下童二  | 特集 第69回日本循環器学会学術集会<br>3. 血管新生療法の実状と将来<br>遺伝子を用いた虚血性疾患治療の現状と将来   | 循環器専門医                | 第13巻第2号             | 233-240       | 2005 |
| 中神啓徳, 金田安史, 森下童二  | 遺伝子治療-現状と展望-  | 日本臨床                  | Vol.63              | 577-58        | 2005 |
| 中神啓徳, 森下童二  | II. 各論 血管疾患に対する遺伝子治療 概論<br>特集 遺伝性疾患 ④遺伝子治療  | 日病薬誌                  | Suppl.12<br>第41巻11号 | 1377-1378     | 2005 |
| 牧野寛史, 森下童二, 荻原俊男  | 遺伝子治療-現状と展望-<br>II. 各論 血管疾患に対する遺伝子治療 概論<br>特集 遺伝性疾患 ④遺伝子治療  | 日本臨床                  | Vol.63<br>Suppl.12  | 582-587       | 2005 |
| 谷山義明, 荻原俊男, 森下童二  | HGFと循環器疾患   | 循環器科                  | Vol.57-No.2         | 146-153       | 2005 |
| Suzuki K, Kobayashi S, Yamazaki K, Gondo M, Tomizawa K, Arimura Y, Nakabayashi K, Ozaki S, Yoshida M, Yoshida T, Tsusaka N, Muso E, Okazaki T, Hashimoto H. | Analysis of risk epitopes of anti-neutrophil antibody MPO-ANCA in vasculitis in Japanese population   | Microbiol Immunol     | 51                  | 1215-1220     | 2007 |
| Karube M, Nakabayashi K, Fujioka Y, Yoshihara K, Yamada A, Matsunaga A, Saito T.  | Lipoprotein glomerulopathy-like disease in a patient with type III hyper-lipoproteinemia due to apolipoprotein E2(Arg 158 Cys)/3 heterozygosity | Clin Exp Nephrol      | 11                  | 174-179       | 2007 |
| 中林公正、本田恒雄   | 生涯教育シリーズ-73「腎・泌尿器疾患診療マニユアル 小児から成人まで」. ループス腎炎  | 日本医誌会雑誌特別号            | 136                 | S200~<br>S201 | 2007 |
| 中林公正、池谷紀子   | 生涯教育シリーズ-73「腎・泌尿器疾患診療マニユアル 小児から成人まで」. 二次性糸球体腎炎: その他の膠原病に伴う腎症  | 日本医師会雑誌特別号            | 136                 | S202~<br>S203 | 2007 |
| 福岡利仁、中林公正   | 特集「現代の腎疾患へのアプローチ 腎疾患の新しい考え方と治療のあり方」. 血管炎症候群における腎障害の管理と治療  | Modern physician:     | 27                  | 345~351       | 2007 |
| 吉原 聖、中林公正   | 特集「全身性疾患と腎臓病」. 血管炎と腎疾患  | 総合臨床                  | 56                  | 2093~<br>2100 | 2007 |
| 福岡利仁、中林公正   | DATAで読み解く内科疾患 結節性多発動脈炎  | 総合臨床                  | 56                  | 673~680       | 2007 |

| 発表者氏名   | 論文タイトル名  | 発表誌名                             | 巻号  | ページ     | 出版年  |
|---|--|----------------------------------|-----|---------|------|
| Nakabayashi K, Fukuoka T, Arimura Y, Yamada A, Fujioka Y.                       | Different clinical and pathological disease subsets in patients with rapidly progressive glomerulonephritis associated with pulmonary hemorrhage   | J Am Soc Nephrol                 | 19  | 879A    | 2007 |
| Hayakawa S, Nakabayashi K, Karube M, Arimura Y, Soejima A, Yamada A, Fujioka Y. | Tubulointerstitial immune complex nephritis in a patient with systemic lupus erythematosus. Peritubular capillaritis with immune complex deposit in the pathogenesis of tubulointerstitial nephritis   | Clin Exp Nephrology              | 10  | 146-51  | 2006 |
| Nakabayashi K, Arimura Y, Yamada A, Fujioka Y.                                  | Different pathological mechanisms of tubulointerstitial nephritis between ANCA-associated nephritis and drug-induced tubulointerstitial nephritis: study with immunohistochemical staining   | J Am Soc Nephrol                 | 17  | 797A    | 2006 |
| Endo T, Nakabayashi K, Sekiuchi M, Kuroda T, Soejima A, Yamada A.               | Matrix metalloproteinase-2, matrix metalloproteinase-9, and tissue inhibitor of metalloproteinase-1 in the peripheral blood of patients with various glomerular diseases and their implication in pathogenetic lesions: study based on an enzyme-linked assay and immunohistochemical staining | Clin Exp Nephrol                 | 10  | 253-261 | 2006 |
| Sekiuchi M, Nakabayashi K, Marumo T, Arimura Y, Nagasawa T, Yamada A.           | Concurrent occurrence of allergic granulomatous angiitis and temporal arteritis: a case report and review of literature  | Mod Rheumatol                    | 15  | 126-129 | 2005 |
| 中林公正、大塚貴子   | 新しい診断と治療のABC. 特集「ANCA関連腎炎」: ANCA関連腎症候群   | 最近医学                             | 31  | 80-85   | 2005 |
| 福岡利仁、中林公正   | 特集「血管炎の基礎と臨床」. 顕微鏡的多発血管炎の診断と治療   | 医学のあゆみ                           | 214 | 75-83   | 2005 |
| 福岡利仁、中林公正   | 特集「膠原病とその周辺疾患にみられる血管病変—その病態と治療」. 結節性多発動脈炎—疾患概念の変遷と診断・治療—   | リウマチ科                            | 34  | 1-11    | 2005 |
| 中林公正、小林万寿夫  | 「膠原病の病理診断マニュアル. 臓器病変と鑑別診断」: 腎病変  | 臨床と病理                            | 23  | 72-80   | 2005 |
| Nakabayashi K, Fukuoka K, Arimura Y, Yamada A, Nagasawa T.                      | Three different subsets of pulmonary-renal syndrome associated with MPO-ANCA, anti-GBM antibody or immune complexes and their clinicopathological features   | Kidney & Blood Pressure Research | 28  | 191     | 2005 |

| 発表者氏名  | 論文タイトル名   | 発表誌名   | 巻号       | ページ                | 出版年          |
|--|---|--|----------|--------------------|--------------|
| Arimura Y, Karube M, Yamato T, Nakabayashi K, Yamada A, Nagasawa T, Takashima Y. | Malignancy in MPO-ANCA associated vasculitis  | Kidney & Blood Pressure Research             | 28       | 197                | 2005         |
| 大和恒恵、有村義宏、中林公正、山田 明、神谷康司、末竹寿紀、吉田 博、軽部美穂、中林公正、早川 哲、山田 明                           | 抗 CCP 抗体 (Citruillinated Peptide) 抗体測定試薬の基本性能評価<br>第 17 回腎と脂質研究会 Symposium: リポ蛋白腎症に類似した組織所見を示した、III 型高脂血症によるネフローゼ症候群の 1 例   | 医療と検査機器・試薬<br>Therapeutic Research           | 28<br>26 | 59-63<br>1842-1845 | 2005<br>2005 |
| 福岡利仁、中林公正  | 特集「リウマチ・膠原病の治療における免疫抑制薬の EBM」。MPA 寛解導入療法についての最近の知見—シクロホスファミド連日投与か？ 静注パルスか？—<br>生物学的製剤による骨破壊抑制効果   | リウマチ科  | 34       | 511-521            | 2005         |
| 天野 宏一、亀田秀人、長澤逸人、関口直哉、竹内 勤  | 生物学的製剤のリウマチ患者への適応   | 臨床リウマチ                                       | 19 (2)   | 116 - 122          | 2007         |
| 天野宏一、竹内 勤  | 抗 TNF $\alpha$ メメラ抗体 (インフリキシマブ)   | 臨床整形外科                                       | 42 (4)   | 344-347            | 2007         |
| 天野宏一   |   | 日本臨床   | 65 (7)   | 1197 - 1201        | 2007         |
| Amano K.   | Pulmonary infections in patients with rheumatoid arthritis who have received anti-TNF therapy   | Intern Med                                   | 45       | 991-992            | 2006         |
| Sekiguchi N, Kameda H, Amano K, Takeuchi T.                                      | Efficacy and safety of bucillamine, a D-penicillamine analogue, in patients with active rheumatoid arthritis  | Mod Rheumatol                                | 16       | 85-91              | 2006         |
| Kameda H, Sekiguchi N, Nagasawa H, Amano K, Takei H, Nishi E, Takeuchi T.        | Development and validation of handy rheumatoid activity score with 38 joints (HRAS38) in rheumatoid arthritis patients receiving infliximab                                   | Mod Rheumatol                                | 16       | 381-388            | 2006         |
| 天野宏二、竹内 勤  | 生物学的製剤とその使用法  | カレントセラピー                                     | 24       | 461-465            | 2006         |
| 天野宏二   | 関節リウマチの治療効果判定法  | 臨床リウマチ                                       | 18       | 363-366            | 2006         |
| 天野宏二、竹内 勤  | TNF $\alpha$ 阻害薬による感染症発症の機序と対策  | ホルモンと臨床                                      | 54       | 791-796            | 2006         |
| Takeuchi T, Tsuzaka K, Kameda H, and Amano K.                                    | Therapeutic target of misguided T cells in systemic lupus erythematosus.  | Curr Drug Targets - Inflammation and Allergy | 4        | 295-298            | 2005         |
| Kameda H.  | Combination therapy with corticosteroids, cyclosporine A and intravenous pulse cyclophosphamide for acute / subacute interstitial pneumonia in patients with dermatomyositis. | J Rheumatol                                  | 32       | 1719-1726          | 2005         |
| Ichikawa Y.  | Therapeutic effects of the combination of methotrexate and bucillamine in early rheumatoid arthritis: a multicenter, double-blind, randomized controlled study.               | Mod Rheumatol                                | 15       | 323-328            | 2005         |