


副腎皮質癌			副腎皮質腺腫		
症例		41	症例		54
年齢	0y7m ~ 69y		年齢	21y ~ 83y	
	平均値	35.97y		平均値	48.81y
	中央値	37y		中央値	47y
性別	Male	12	性別	Male	20
	Female	29		Female	34
内分泌学的特徴			内分泌学的特徴		
Cushing syndrome		23	Cushing syndrome		14
Pre-Cushing syndrome		0	Pre-Cushing syndrome		14
Aldosteronism		5	Aldosteronism		25
Virilization		11	Virilization		0
Nonfunctioning		5	Nonfunctioning		1
DOC producing		2	DOC producing		0


(Table.1) 副腎皮質癌 41 症例および副腎皮質腺腫 54 症例




(Fig.1)

(Table.2) 抗体および免疫組織化学の方法


antibody	方法	キット	バッファー	抗原賦活化処理	ブロッキング
VEGFA	avidin-biotin signaling system	Histofine kit (Nichirei)	-	-	1% normal goat serum
VEGF-R2	avidin-biotin signaling system	Histofine kit (Nichirei)	citric acid buffer	microwave	1% normal goat serum
EGFR	polymer signal amplification system	EGFR pharmDx kit (Dako)	citric acid buffer	proteinase	peroxidase
HER2/neu	avidin-biotin signaling system	Histofine kit (Nichirei)	-	-	1% normal goat serum
phospho-p44/42MAPK	avidin-biotin signaling system	Histofine kit (Nichirei)	citric acid buffer	microwave	1% normal goat serum
phospho-Akt	avidin-biotin signaling system	Histofine kit (Nichirei)	citric acid buffer	microwave	1% normal rabbit serum
mTOR	polymer signal amplification system	EnVision kit (Dako)	citric acid buffer	microwave	1% normal goat serum
phospho-p70S6K	avidin-biotin signaling system	Histofine kit (Nichirei)	EDTA	microwave	1% normal rabbit serum
phospho-S6RP	avidin-biotin signaling system	Histofine kit (Nichirei)	citric acid buffer	microwave	1% normal goat serum
phospho-4EBP1	avidin-biotin signaling system	Histofine kit (Nichirei)	citric acid buffer	autoclave	1% normal goat serum



(Fig.2)



(Fig.3) 標的因子ごとの発現(平均値)



(Fig.4) ACCにおける Weiss' criteria との相関(平均値)

IV. 研究成果の刊行に関する一覧表

研究成果刊行に関する一覧表

雑 誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
Fujieda K, Tajima T	Molecular basis of adrenal insufficiency.	Pediatr Res.	57	62R-69R	2005
Tajima T, Tsubaki J, Fujieda K	Two novel mutations in the thyroid peroxidase gene with goitrous hypothyroidism.	Endocr J.	52	643-645	2005
Tajima T, Satoh K, Okuhara K, Tsubaki J, Fujieda K	Hypomagnesemia in a patient with Barth syndrome.	J Pediatr Endocrinol Metab.	18	52	2005
藤枝憲二、向井徳男	新生児スクリーニング対象疾患と最近の話題 先天性副腎過形成症	周産期医学	35 (9)	1245-1248	2005
藤枝憲二	【内科疾患の診断基準 病型分類・重症度】 内分泌 副腎ステロイド合成酵素異常症の診断基準・病型分類・重症度	内科	95 (6)	1835-1839	2005
藤枝憲二、田島敏広、向井徳男	先天性副腎皮質ステロイド合成異常症の分子基盤	医学のあゆみ	213 (5)	401-407	2005
楠田聡、立花克彦、税所純敬、横田一郎、五十嵐良雄、諏訪城三、藤枝憲二	日本小児内分泌学会マスキング委員会報告 新生児マスキングで発見された先天性副腎過形成症(21-水酸化酵素欠損症)の治療指針(1999年改訂)の追加項目経口維持療法における酢酸コルチゾンの使用について	日本小児科学会雑誌	109 (3)	431-432	2005
藤枝憲二、向井徳男	先天性副腎過形成症	周産期医学	35	1245-1248	2005
藤枝憲二、向井徳男	偽性低アルドステロン症	内分泌・糖尿病科	21	603-609	2005
藤枝憲二	副腎ステロイド合成酵素異常症の診断基準・病型分類・重症度	内科	95	1835-1839	2005
Tajima T, Nawate M, Takahashi Y, Mizoguchi Y, Sugihara S, Yoshimoto M, Murakami M, Adachi M, Tachibana K, Mochizuki H, Fujieda K	Molecular analysis of the <i>CLCNKB</i> gene in Japanese patients with classic Bartter syndrome	Endocr J.	53	647-652	2006
Savage MO, Cassorla FG, Gluckman PD, Gruters-Kieslich A, Raghupathy P, Silink M, Czernichow P, Chiarelli F, Rogol AD, Crock PA, Cowell CT, Fujieda K, Arnhold IJ	International Societies for Paediatric Endocrinology: Global inequalities in paediatric endocrine practice:statement of minimal acceptable care. Statement from the International Societies for Paediatric Endocrinology.	Horm Res.	65	111-113	2006
Hughes IA, Houk C, Ahmed SF, Lee PA, LWPES/ESPE Consensus Group (Fujieda K, et al):	Consensus statement on management of intersex disorders.	Arch Dis Child.	91	554-563	2006
藤枝憲二	副腎皮質系機能検査のすすめ方	小児内科	38	1263-1267	2006

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
藤枝憲二、勝又規行	SCC異常症	ホルモンと臨床	54	61-64	2006
藤枝憲二	先天性副腎皮質過形成症	別冊日本臨床	新領域別症候群シリーズ No.1、内分泌症候群(第2版)	692-695	2006
藤枝憲二	リポイド過形成症	別冊日本臨床	新領域別症候群シリーズ No.1、内分泌症候群(第2版)	692-695	2006
藤枝憲二	20, 22デスマラーゼ欠損症	別冊日本臨床	新領域別症候群シリーズ No.1、内分泌症候群(第2版)	693-698	2006
藤枝憲二	副腎性器症候群	別冊日本臨床	新領域別症候群シリーズ No.1、内分泌症候群(第2版)	643-646	2006

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
鈴木滋、藤枝憲二	ステロイドサルファターゼ欠損症	別冊日本臨床	新領域別症候群シリーズ No.3、内分泌症候群(第2版)	944-946	2006
松尾公美浩、藤枝憲二	小児期における男性ホルモン過剰と低身長	CLINICAL CALCIUM	16	450-454	2006
Suzuki S, Makita Y, Mukai T, Matsuo K, Ueda O, Fujieda K	Molecular basis of neonatal diabetes in Japanese patients.	J Clin Endocrinol Metab.	92 (10)	3979-3985	2007
Tajima T, Hattori T, Nakajima T, Okuhara K, Tsubaki J, Fujieda K	A Novel Missense Mutation (P366T) of the LHX4 Gene Causes Severe Combined Pituitary Hormone Deficiency with Pituitary Hypoplasia, Ectopic Posterior Lobe and a Poorly Developed Sella Turcica.	Endocr J.	54(4)	637-641	2007
Makita Y, Narumi Y, Yoshida M, Niihori T, Kure S, Fujieda K, Matsubara Y, Aoki Y	Leukemia in Cardio-facio-cutaneous (CFC) syndrome: a patient with a germline mutation in BRAF proto-oncogene.	J Pediatr Hematol Oncol.	29(5)	287-290	2007
Ogawa H, Suzutani T, Baba Y, Koyano S, Nozawa N, Ishibashi K, Fujieda K, Inoue N, Omori K	Etiology of severe sensorineural hearing loss in children: independent impact of congenital cytomegalovirus infection and GJB2 mutations.	J Infect Dis.	195 (6)	782-788	2007
Okuhara K, Abe S, Kondo T, Fujita K, Koda N, Mochizuki H, Fujieda K, Tajima T	Four Japanese patients with adrenal hypoplasia congenita and hypogonadotropic hypogonadism caused by DAX-1 gene mutations: Mutant DAX-1 failed to repress steroidogenic acute regulatory protein (StAR) and luteinizing hormone β -subunit gene promoter activity.	Endocr. J.		in Press	
Tajima T, Fujiwara F, Sudo A, Saito S, Fujieda K	A Japanese patient of congenital hypothyroidism with cerebellar atrophy.	Endocr J.		in Press	
Adachi M, Asakura Y, Sato Y, Tajima T, Nakajima T, Yamamoto T, Fujieda K	Novel SLC12A1 (NKCC2) Mutations in Two Families with Bartter Syndrome Type 1.	Endocr J.		in Press	
Takemori H, Okamoto M	Regulation of CREB-mediated gene expression by salt inducible kinase.	J Steroid Biochem Mol Biol.	108	287-291	2008

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
Takemori H, Kanematsu M, Kajimura J, Hatano O, Katoh Y, Lin XZ, Min L, Yamazaki T, Doi J, Okamoto M	Dephosphorylation of TORC1 initiates expression of the StAR gene.	Mol Cell Endocrinol	265	196-204	2007
Takemori H, Kajimura J, Okamoto M	TORC-SIK cascade regulates CREB activity through the basic leucine zipper domain.	FEBS-J	274	3202-3029	2007
Ohtani T, Ohta M, Yamamoto K, Mano T, Sakata Y, Nishio M, Takeda Y, Yoshida J, Miwa T, Okamoto M, Masuyama T, Nonaka Y, and Hori M	Elevated cardiac tissue level of aldosterone and mineralocorticoid receptor in diastolic heart failure: Beneficial effects of mineralocorticoid receptor blocker.	Am J Physiol Regul Integr Comp Physiol	292	R946-954	2007
Katoh Y, Takemori H, Lin XZ, Tamura M, Muraoka M, Satoh T, Tsuchiya Y, Min L, Doi J, Miyauchi A, Witters LA, Nakamura H, Okamoto M.	Silencing the constitutive active transcription factor CREB by the LKB1-SIK signaling cascade	FEBS J.	273	2730-2748	2006
Okamoto M, Nonaka Y, Takemori H, Doi J	Molecular identity and gene expression of aldosterone synthase cytochrome P450.	Biochem Biophys Res Commun.	338	325-330	2005
Min L, Strushkevich NV, Harnastai IN, Iwamoto H, Gilep AA, Takemori H, Usanov SA, Nonaka Y, Hori H, Vinson GP, Okamoto M	Molecular identification of adrenal inner zone antigen as a heme-binding protein.	FEBS J.	272	5832-5843	2005
Raza FS, Okamoto M, Takemori H, and Vinson GP	Manganese superoxide dismutase activity in the rat adrenal.	J. Endocrinol.	184	77-84	2005
S. Ishihara and K. Morohashi	Identification of the boundary for histone acetylation between nuclear receptor genes, Ad4BP/SF-1 and GCNF, aligned in tandem.	Biochem. Biophys. Res. Commun.	329	554-562	2005
H. Yoshioka, Y. Ishimaru, N. Sugiyama, N. Tsunekawa, T. Noce, M. Kasahara, and K. Morohashi.	Mesonephric FGF signaling is associated with the development of sexually indifferent gonadal primordium in chick embryos.	Dev. Biol.	280	150-161	2005
M. Matsuyama, H. Mizusaki, A. Shimono, T. Mukai, K. Okumura, K. Abe, K. Shimada, and K. Morohashi	Novel isoform of vinexin, vinexin ζ , regulates Sox9 gene expression through activation of MAPK cascade in mouse fetal gonad.	Genes Cells	10	421-434	2005
Y. Kamei, Y. Aoyama, T. Fujimoto, N. Kenmotsu, C. Kishi, M. Koushi, S. Sugano, K. Morohashi, R. Kamiyama, R. Asakai	A steroidogenic cell line with differentiation potential from mouse granulosa cells, transfected with Ad4BP and SV40 large T antigen genes.	J. Endocrinol.	185	187-195	2005

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
Y. Katoh-Fukui, A. Owaki, Y. Sotoyama, M. Kusaka, Y. Shinohara, M. Maekawa, K. Toshimori, and K. Morohashi	Mouse Polycomb M33 is required for splenic vascular and adrenal gland formation through regulating Ad4BP/SF-1 expression.	Blood	106	1612-1620	2005
Y. Shima, M. Zubair, S. Ishihara, Y. Shinohara, S. Oka, S. Kimura, S. Suita, and K. Morohashi	VMH specific enhancer of Ad4BP/SF-1 gene.	Mol. Endocrinol.	19	2812-2823	2005
T. Baba, J. Mimura, N. Nakamura, N. Harada, M. Yamamoto, K. Morohashi* and Y. Fujii-Kuriyama	Ah (dioxin) receptor as a key factor in the regulation of female reproduction.	Mol. Cell. Biol.	25	10040-10051	2005
Fatchiyah, M. Zubair, Y. Shima, S. Oka, S. Ishihara, Y. Fukui-Katoh, and K. Morohashi.	Differential gene dosage effects of Ad4BP/SF-1 on target tissue development. Biochem. Biophys.	Res. Commun.	341	1036-1045	2006
M. Zubair, S. Ishihara, S. Oka, K. Okumura and K. Morohashi.	Two-step regulation of Ad4BP/SF-1 gene transcription during fetal adrenal development; initiation by a Hox-Pbx1-Prep1 complex and maintenance via autoregulation by Ad4BP/SF-1.	Mol. Cell. Biol.	26	4111-4121	2006
Y. Kojima, S. Sakaki, Y. Hayashi, Y. Umemoto, K. Morohashi, and K. Kohri.	Role of transcription factors Ad4BP/SF-1 and DAX-1 in steroidogenesis and spermatogenesis in human testicular development and idiopathic azospermia.	Int. J. Urol.	13	785-793	2006
M. Fukami, Y. Wada, K. Miyabayashi, I. Nishino, T. Hasegawa, G. Camerino, C. Kretz, A. Buj-Bello, J. Laporte, Gen Yamada, K. Morohashi, and T. Ogata.	CXorf6 is a causative gene for hypospadias.	Nature Genetics	38	1369-1371	2006
N. Sato, Y. Kamachi, H. Kondoh, Y. Shima, K. Morohashi, R. Horikawa and T. Ogata.	Hypogonadotropic hypogonadism in an adult female with a heterozygous hypomorphic mutation of SOX2.	Eur. J. Endocrinol.	156	169-173	2007
D-S. Wang, T. Kobayashi, L-Y. Shou, Y. Ohmuro-Matsuyama, G-J. Guan, S. Ijiri, F. Sakai, M. Matsuda, Y. Shibata, K. Okubo, K. Morohashi, and Y. Nagahama.	Foxl2 up-regulates aromatase gene transcription in a female-specific manner by binding to the promoter as well as interacting with Ad4BP/SF-1.	Mol. Endocrinol.	21	712-725	2007
WQ. Fan, T. Yanase, H. Morinaga, S. Gondo, T. Okabe, M. Nomura, T. Komatsu, K. Morohashi, T. B. Hayes, R. Takayanagi and H. Nawata.	Atrazine-induced aromatase expression is SF-1-dependent: Implications for endocrine disruption in wildlife and reproductive cancers in humans.	Environmental Health Perspective	115	720-727	2007

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
Y. Ohmuro-Matsuyama, K. Okubo, M. Matsuda, S. Ijiri, D. Wang, G. Guan, T. Suzuki, M. Matsuyama, K. Morohashi, and Y. Nagahama	Liver receptor homologue-1 (LRH-1) activates the promoter of brain aromatase (cyp19a2) in a teleost fish, the medaka, <i>Oryzias latipes</i> .	Mol. Repro. Dev.	74	1065-1071	2007
H. Kurokawa, D. Saito, Y. Katoh-Fukui, K. Ohta, T. Baba, K. Morohashi, and M. Tanaka	Germ cells are essential for sexual dimorphism in the medaka gonad.	Pro. Natl. Acad. Sci. USA	104	16958-16963	2007
Y. Ishimaru, T. Komatsu, M. Kasahara, Y. Katoh-Fukui, Y. Toyama, M. Maekawa, K. Toshimori, R. Chandraratna, K. Morohashi, and H. Yoshioka	Mechanism of asymmetric ovarian development in birds.	Development		in Press	
Y. Sato, T. Baba, M. Zubair, K. Miyabayashi, Y. Toyama, M. Maekawa, A. Owaki, H. Mizusaki, T. Sawamura, K. Toshimori, K. Morohashi, Y. Katoh-Fukui	Importance of forkhead transcription factor Fkh18 for development of testicular vasculature.	Mol. Repro. Dev.		in Press	
M. Fukami, Y. Wada, M. Okada, F. Kato, N. Katsumata, T. Baba, K. Morohashi, J. Laporte, M. Kitagawa, and T. Ogata	Mastermind-like domain containing 1 (MAMLD1 or Cxorf6) transactivates the Hes3 promoter, augments testosterone production, and contains the SF1 target sequence.	J. Biol. Chem.		in Press	
T. Baba, Y. Shima, J. Mimura, M. Oshima, Y. Fujii-Kuriyama, and K. Morohashi	Involvement of aryl hydrocarbon receptor (AhR) in maintenance of seminal vesicle through sexually different target gene expression.	Sexual Development		in Press	
Masuhiko, Y., Mezaki, Y., Sakari, M., Takeyama, K., Yoshida, T., Inoue, K., Yanagisawa, J., Hanazawa, S., O'Malley, B. W., Kato, S	Splicing potentiation by growth factor signals via estrogen receptor phosphorylation.	Proc. Natl. Acad. Sci. USA,	102	8126-8131	2005
Fujiki, R., Kim, M., Sasaki, Y., Yoshimura, K., Kitagawa, H., Kato, S.	Ligand-induced transrepression by VDR through association of WSTF with acetylated histones.	EMBO J.	24	3881-3894	2005
Ogawa, S., Oishi, H., Mezaki, Y., Kouzu-Fujita, M., Matsuyama, R., Nakagomi, M., Mori, E., Murayama, E., Nagasawa, H., Kitagawa, H., Yanagisawa, J., Kato, S	Repressive domain of unliganded human estrogen receptor α associates with Hsc70.	Genes to Cells	10	1095-1102	2005

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
Furutani, T., Takeyama, K., Koutoku, H., Ito S., Taniguchi N., Suzuki E., Kudoh, M., Shibasaki, M., Shikama, H., Kato, S	Human expanded polyQ androgen receptor mutants in neurodegeneration as a novel ligand target.	J. Pharm. Experm. Therapeutics		in press	
Furutani, T., Takeyama, K., Koutoku, H., Ito, S., Taniguchi, N., Suzuki, E., Kudoh, M., Shibasaki, M., Shikama, H., Kato, S	A role of androgen receptor protein in cell growth of an androgen-independent prostate cancer cell line.	Biosci. Biotechnol. Biochem.	69	2236-2239	2005
Unno, A., Takada, I., Takezawa, S., Oishi, H., Baba, A., Shimizu, T., Tokita, A., Yanagisawa, J., Kato, S	TRRAP as a hepatic coactivator of LXR and FXR function.	Biochem. Biophys. Res. Commun.	327	933-938	2005
Takada, I., Suzawa M., Kato, S	Nuclear receptors as targets for drug development: crosstalk between peroxisome proliferator-activated receptor γ and cytokines in bone marrow-derived mesenchymal stem cells.	J. Pharamcol. Sci.	87	184-189	2005
Nakagawa, K., Kawaura, A., Kato, S	1 α ,25-dihydroxyvitamin D3 is a preventive factor in the metastasis of lung cancer.	Carcinogenesis	26	429-440	2005
Capuano, P., Radanovic, T., Wagner, C. A., Bacic, D., Kato, S., Uchiyama, Y., St-Arnoud, R., Murer, H., Biber, J	Intestinal and renal adaptation to a low Pi-diet of type II Na-Pi-cotransporters in VDR and 1 α -OHase deficient mice.	Am. J. Physiol. Cell Physiol.	288	C429-C434	2005
Meindl, S., Rot, A., Hoetzenecker, W., Kato, S., Cross, S., Elbe-Burger, A	Vitamin D receptor ablation alters skin architecture and homeostasis of dendritic epidermal T cells.	Br. J. Dermatol.	152	231-241	2005
Wada-Hiraike, O., Yano, T., Nei, T., Matsumoto, Y., Nagasaka, K., Takizawa, S., Oishi, H., Arimoto, T., Nakagawa, S., Yasugi, T., Kato, S., Taketani, Y	The DNA mismatch repair gene hMSH2 is a potent coactivator of oestrogen receptor α .	Br. J. Cancer,	92	2286-2291	2005
Fan, W., Yanase, T., Nomura, M., Okabe, T., Goto, K., Sato, T., Kawano, H., Kato, S., Nawata, H	Androgen receptor null male mice develop late-onset obesity caused by decreased energy expenditure and lipolytic activity but show normal insulin sensitivity with high adiponectin secretion.	Diabetes	54	1000-1008	2005
Saito, H., Maeda, A., Ohtomo, S., Hirata, M., Kusano, K., Kato, S., Ogata, E., Segawa, H., Miyamoto, K., Fukushima N	Circulating FGF-23 is regulated by 1 α ,25-Dihydroxyvitamin D3 and phosphorus in vivo.	J. Biol. Chem.	280	2543-2549	2005

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
Bando, T., Sekine, K., Kobayashi, S., M. Watabe, A., Rump, A., Tanaka, M., Suda, Y., Kato, S., Morikawa, Y., Manabe, T., Miyajima, A	Neuronal leucine-rich repeat protein 4 functions in hippocampus-dependent long-lasting memory.	Mol. Cell. Biol.	25	4166-4175	2005
Nakagawa, K., Sasaki, Y., Kato, S., Kubodera, N., Okano, T	22-Oxa-1a,25-dihydroxyvitamin D3 inhibits metastasis and angiogenesis in lung cancer.	Carcinogenesis	26	1044-1054	2005
Shiina, H., Matsumoto, T., Sato, T., Igarashi, K., Miyamoto, J., Takemasa, S., Sakari, M., Takada, I., Nakamura, T., Metzger, D., Chambon, P., Kanno, J., Yoshikawa, H., Kato, S.	Premature ovarian failure in androgen receptor-deficient mice.	Proc. Natl. Acad. Sci. USA	103	224-229	2006
Oishi, H., Kitagawa, H., Wada, O., Takezawa, S., Tora, L., Kouzu-Fujita, M., Takada, I., Yano, T., Yanagisawa, J., Kato, S.	An hGCN5/TRRAP HAT complex coactivates BRCA1 transactivation function through histone modification.	J. Biol. Chem.	281	20-26	2006
Yamaoka, K., Kim, M.-S., Takada, I., Takeyama, K., Kamimura, T., Kato, S.	Culture serum-induced conversion from agonist to antagonist of a Vitamin D analog, TEI-9647.	J. Steroid Biochem. Mol. Biol.	100	177-183	2006
Kishimoto, M., Fujiki, R., Takezawa, S., Sasaki, Y., Nakamura, T., Yamaoka, K., Kitagawa, H., Kato, S.	Nuclear receptor mediated gene regulation through chromatin remodeling and histone modifications.	Endocrinol. J.	53	157-172	2006
Yamada, T., Kawano, H., Koshizuka, Y., Fukuda, T., Yoshimura, K., Kamekura, S., Saito, T., Ikeda, T., Kawasaki, Y., Azuma, Y., Ikegawa, S., Hoshi, K., Chung, U., Nakamura, K., Kato, S., Kawaguchi, H.	Carminerin contributes to chondrocyte calcification during endochondral ossification.	Nature Medicine	12	665-670	2006
Yamamoto, K., Sokabe, T., Matsumoto, T., Yoshimura, K., Shibata, M., Ohura, N., Fukuda, T., Sato, T., Sekine, K., Kato, S., Isshiki, M., Fujita, T., Masuda, H., Kobayashi, M., Kawamura, K., Kamiya, A., Ando, J.	Impaired flow-dependent control of vascular tone and remodeling in P2X4-deficient mice.	Nature Medicine	12	133-137	2006
Li, M., Hener, P., Zhang, Z., Kato, S., Metzger, D., Chambon, P.	Topical vitamin D3 and low-calcemic analogs induce thymic stromal lymphopoietin in mouse keratinocytes and trigger an atopic dermatitis	Proc. Natl. Acad. Sci. US A	103	11736-11741	2006

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
Tateishi, Y., Sonoo, R., Sekiya, Y., Sunahara, N., Kawano, M., Wayama, M., Hirota, R., Kawabe, Y., Murayama, A., Kato, S., Kimura, K., Yanagisawa, J.	Turning off estrogen receptor beta-mediated transcription requires estrogen-dependent receptor proteolysis.	Mol. Cell. Biol.	26	7966-7976	2006
Katsu, Y., Kohno, S., Oka, T., Mitsui, N., Tooi, O., Santo, N., Urushitani, H., Fukumoto, Y., Kuwabara, K., Ashikaga, K., Minami, S., Kato, S., Ohta, Y., Guilette, L. J. Jr., Iguchi, T.	Molecular cloning of estrogen receptor alpha (ER α ; ESR1) of the Japanese giant salamander, <i>Andrias japonicus</i> .	Mol. Cell. Endocrinol.	257-258	84-94	2006
Ma, Y., Khalifa, B., Yee, Y. K., Lu, J., Memezawa, A., Savkur, R. S., Yamamoto, Y., Chintalacheruvu, S. R., Yamaoka, K., Stayrook, K. R., Bramlett, K. S., Zeng, Q. Q., Chandrasekhar, S., Yu, X. P., Linebarger, J. H., Iturria, S. J., Burris, T. P., Kato, S., Chin, W. W., Nagpal, S.	Identification and characterization of noncalcemic, tissue-selective, nonsteroidal vitamin D receptor modulators.	J. Clin. Invest.	116	892-904	2006
Nakamura T, Imai Y, Matsumoto T, Sato S, Takeuchi K, Igarash K, Harada Y, Azuma Y, Krust A, Yamamoto Y, Nishina H, Takeda S, Takayanagi H, Metzger D, Kanno J, Takaoka K, Martin TJ, Chambon P and Kato S	Estrogen prevents bone loss via estrogen receptor α and induction of Fas ligand in osteoclasts.	Cell	130	811-823	2007
Ohtake F, Baba A, Takada I, Okada M, Iwasaki K, Miki H, Takahashi S, Kouzmenko A, Nohara K, Chiba T, Fujii-Kuriyama Y and Kato S	Dioxin receptor is a ligand-dependent E3 ubiquitin ligase.	Nature	446	562-566	2007
Fukuda T, Yamagata K, Fujiyama S, Matsumoto T, Koshida I, Yoshimura K, Mihara M, Nakamura T, Akimoto C, Yamamoto Y, Katagiri T, Foulds C, Takezawa S, Kitagawa H, Takeyama K, O'Malley BW and Kato S	DEAD-box RNA helicase subunits of the Drosha complex are required for processing of rRNA and a subset of MicroRNAs.	Nat. Cell Biol.	9	604-611	2007

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
Takezawa S, Yokoyama A, Okada M, Fujiki R, Iriyama A, Yanagi Y, Ito H, Takada I, Kishimoto M, Miyajima A, Takeyama K, Umesono K, Kitagawa H and Kato S	A cell cycle-dependent co-repressor for photoreceptor cell-specific nuclear receptor function.	EMBO J.	26	764-774	2007
Miyamoto J, Matsumoto T, Shiina H, Inoue K, Takada I, Ito S, Itoh J, Minematsu T, Sato T, Yanase T, Nawata H, Osamura RY and Kato S	Pituitary function of androgen receptor constitutes a glucocorticoid production circuit.	Mol. Cell. Biol.	27	4807-4814	2007
Kim M-S, Fujiki R, Kitagawa H and Kato S	1 α ,25(OH) $_2$ D $_3$ -induced DNA methylation suppresses the human CYP27B1 gene.	Mol. Cell. Endocrinol.	265-266	168-173	2007
Kim M-S, Fujiki R, Murayama A, Kitagawa H, Yamamoto K, Yamamoto Y, Mihara M, Takeyama K and Kato S	1 α , 25(OH) $_2$ D $_3$ -induced transrepression by vitamin D receptor through E-box-type elements in the human parathyroid hormone gene promoter.	Mol. Endocrinol.	21	334-342	2007
Yamaoka K, Shindo M, Iwasaki K, Yamaoka I, Yamamoto Y, Kitagawa H and Kato S	Multiple co-activator complexes support ligand-induced transactivation function of VDR.	Arch. Biochem. Biophys.	460	166-171	2007
Memezawa A, Takada I, Takeyama K, Igarashi M, Ito S, Aiba S, Kato S and Kouzmenko AP	Id2 Gene targeted crosstalk between Wnt and retinoid signaling regulates proliferation in human keratinocytes.	Oncogene	26	5038-5045	2007
Kimura S, Matsumoto T, Matsuyama R, Shiina H, Sato T, Takeyama K and Kato S	Androgen receptor function in folliculogenesis and its clinical implication in premature ovarian failure.	Trends Endocrinol. Metab.	18	183-189	2007
Kato S, Fujiki R, Kim M-S and Kitagawa H	Ligand-induced transrepressive function of VDR requires a chromatin remodeling complex, WINAC.	J. Steroid Biochem. Mol. Biol.	103	372-380	2007
Matsumoto T, Kawano H, Shiina H, Sato T and Kato S	Androgen receptor functions in male and female reproduction.	Reproductive Med. Biol.	6	38307	2007
Fuse H, Korenaga S, Sakari M, Hiyama T, Ito T, Kimura K and Kato S	Non-steroidal antiandrogens act as AF-1 agonists under conditions of high androgen-receptor expression.	Prostate.	67	630-637	2007
Sato S, Hanada R, Kimura A, Abe T, Matsumoto T, Iwasaki M, Inose H, Ida T, Mieda M, Takeuchi Y, Fukumoto S, Fujita T, Kato S, Kangawa K, Kojima M, Shinomiya K, Takeda S.	Central control of bone remodelling by Neuromedin U: a mediator of the leptin-dependent regulation of bone formation.	Nat. Med.	13	1234-1240	2007

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
Aihara K, Azuma H, Akaike M, Ikeda Y, Sata M, Takamori N, Yagi S, Iwase T, Sumitomo Y, Kawano H, Yamada T, Fukuda T, Matsumoto T, Sekine K, Sato T, Nakamichi Y, Yamamoto Y, Yoshimura K, Watanabe T, Nakamura T, Oomizu A, Tsukada M, Hayashi H, Sudo T, Kato S and Matsumoto T	Strain-dependent embryonic lethality and exaggerated vascular remodeling in heparin cofactor II-deficient mice.	J. Clin. Invest.	117	1514-1526	2007
Yokota K, Shibata H, Kurihara I, Kobayashi S, Suda N, Murai-Takeda A, Saito I, Kitagawa H, A106ato S, Saruta T and Itoh H	Coactivation of the N-terminal transactivation of mineralocorticoid receptor by Ubc9.	J. Biol. Chem.	282	1998-2010	2007
Mezaki Y, Yoshikawa K, Yamaguchi N, Miura M, Imai K, Kato S and Senoo H	Rat hepatic stellate cells acquire retinoid responsiveness after activation in vitro by post-transcriptional regulation of retinoic acid receptor alpha gene expredssion.	Arch. Biochem. Biophys.	465	370-379	2007
Yokota, K., Shibata, H., Kurihara, I., Kobayashi, S., Suda, N., Murai-Takeda, A., Saito, I., Kitagawa, H., Kato, S., Saruta, T., Itoh, H.	Coactivation of the N-terminal transactivation of mineralocorticoid receptor by Ubc9	J. Biol. Chem.	282	2998-2010	2007
Wu Y, Ghosh S, Nishi Y, Yanase T, Nawata H, Hu Y	The orphan nuclear receptor NURR1 and NGFI-B modulate aromatase gene expression in ovarian granulosa cells: A possible mechanism for repression of aromatase expression upon luteinizing hormone surge	Endocrinology	146 (1)	237-246	2005
Nishi Y, Hosoda H, Mori K, Kaiya H, Sato T, Fukue Y, Fukushima N, Yanase T, Nawata H, Kangawa K, Kojima M	Ingested medium-chain fatty acids are directly utilized for the acyl modification of ghreln.	Endocrinology	146 (5)	2255-2264	2005
Fan W, Yanase T, Wei L, Nomura M, Okabe T, Goto K, Harada N, Nawata H	Activation of peroxisome proliferator activated receptor γ and retinoid X receptor inhibits CYP19 transcription through NF- κ B in ovarian granulosa cells.	Endocrinology	146 (1)	85-92	2005
Fan W, Yanase T, Nomura M, Okabe T, Goto K, Sato T, Kawano H, Kato S, Nawata H	Androgen receptor null male mice develop late-onset obesity due to decreased energy expenditure and lypolytic activity but show normal insulin sensitivity with high adiponectin secretion.	Diabetes	54 (4)	1000-1008	2005

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
Ashida K, Goto K, Zhao Y, Okabe T, Yanase T, Takayanagi R, Nomura M, Nawata H	Dehydroepiandrosterone negatively regulates the p38 mitogen-activated protein kinase pathway by a novel PTPN7 locus-derived transcript.	Biochim Biophys Acta (Gene Structure Exper)	1728 (1-2)	84-94	2005
Taniyama M, Tanabe M, Saito H, Ban Y, Nawata H, Yanase T	Subtle 17 α -hydroxylase/17,20-lyase deficiency with homozygous Y201N mutation in an infertile women.	J Clin Endocrinol Metab	90 (5)	2508-2511	2005
Nagasawa E, Abe Y, Nishimura J, Yanase T, Nawata H, Muta K	Pivotal role of proxisome proliferators-activated receptor gamma (PPAR gamma) in regulation of erythroid progenitor cell proliferation and differentiation.	Experimental Hematology	33	857-864	2005
Kawate H, Wu Y, Ohnaka K, Tao RH, Nakamura K, Okabe T, Yanase T, Nawata H, Takayanagi R	Impaired nuclear translocation, nuclear matrix targeting, and intranuclear mobility of mutant androgen receptors carrying amino Acid substitutions in the deoxyribonucleic Acid-binding domain derived from androgen insensitivity syndrome patients.	J Clin Endocrinol Metab.	90	6162-6169	2005
Chen G, Nomura M, Morinaga H, Matsubara E, Okabe T, Goto K, Yanase T, Zheng H, Lu J, Nawata H	Modulation of androgen receptor transactivation by FoxH1. A newly identified androgen receptor corepressor.	J Biol Chem.	280	36355-36363	2005
Fan S, Goto K, Chen G, Morinaga H, Nomura M, Okabe T, Nawata H, Yanase T	Identification of the functional domains of ANT-1, a novel coactivator of the androgen receptor.	Biochem Biophys Res Commun	341	192-201	2006
Liu W, Liu M, Fan W, Nawata H, Yanase T	The Gly 146Ala variation in human SF-1 gene:Its association with insulin resistance and type 2 diabetes in Chinese.	Diabetes Research Clinical Practice	73	322-328	2006
Yanase T, Muta K, Nawata H	Serum concentrations of dehydroepiandrosterone-sulfate(DHEA-S) in oldest old Japanese women correlate with cognitive activity rather than activities of daily living.	Geriatrics and Gerontology International	6	194-198	2006
Yanase T, Nasu S, Mukuta Y, Shimizu Y, Nishihara T, Okabe T, Nomura M, Inoguchi T, Nawata H	Evaluation of a New Carotid Intimal Plus Medial Thickness (IMT) Measurement by B-mode Ultrasonography Using an Innovative Measurement Software, Intimascope.	Am J Hypertension	19	1206-1212	2006
Tanaka T, Okabe T, Gondo S, Fukuda M, Yamamoto M, Umemura T, Tani K, Nomura M, Goto K, Yanase T, Nawata H	Modification of glucocorticoid-sensitivity by MAP kinase signaling pathways in glucocorticoid-induced T-cell apoptosis.	Experimental Hematology	34	1542-1551	2006

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
Fan W, Yanase T, Morinaga H, Gondo S, Okabe T, Nomura M, Komatsu T, Morohashi K, Hayes TB, Takayanagi R, Nawata H	Atrazine-induced aromatase expression is SF-1 dependent: implications for endocrine disruption in wildlife and reproductive cancers in humans.	Environ Health Perspect	115	720-7	2007
Miyamoto J, Matsumoto T, Shiina H, Inoue K, Takada I, Ito S, Itoh J, Minematsu T, Sato T, Yanase T, Nawata H, Osamura YR, Kato S	The pituitary function of androgen receptor constitutes a glucocorticoid production circuit.	Mol Cell Biol	27	4807-14	2007
Fan W, Yanase T, Morinaga H, Gondo S, Okabe T, Nomura M, Hayes TB, Takayanagi R, Nawata H	Herbicide atrazine activates SF-1 by direct affinity and concomitant co-activators recruitments to induce aromatase expression via promoter II.	Biochem Biophys Res Commun	355	1012-8	2007
Saito Y, Yamada N, Shirai K, Sasaki J, Ebihara Y, Yanase T, Fox JC	Effect of rosuvastatin 5-20mg on triglycerides and other lipid parameters in Japanese patients with hypertriglyceridemia.	Atherosclerosis	194	505-11	2007
Fan W, Yanase T, Morinaga H, Okabe T, Nomura M, Daitoku H, Fukamizu A, Kato S, Takayanagi R, Nawata H	Insulin-like growth factor 1/insulin signaling activates androgen signaling through direct interactions of Foxo1 with androgen receptor.	J Biol Chem	282	7329-38	2007
Yamada Y, Sekihara H, Omura M, Yanase T, Takayanagi R, Mune T, Yasuda K, Ishizuka T, Ueshiba H, Miyachi Y, Iwasaki T, Nakajima A, Nawata H	Changes in serum sex hormone profiles after short-term low-dose administration of dehydroepiandrosterone (DHEA) to young and elderly persons.	Endocr J	54	153-62	2007
Goto Y, Nomura M, Tanaka K, Kondo A, Morinaga H, Okabe T, Yanase T, Nawata H, Takayanagi R, Li E	Genetic interactions between activin type IIB receptor and Smad2 genes in asymmetrical patterning of the thoracic organs and the development of pancreas islets.	Dev Dyn	236	2865-74	2007
Tanaka T, Gondo S, Okabe T, Ohe K, Shirohzu H, Morinaga H, Nomura M, Tani K, Takayanagi R, Nawata H, Yanase T	Steroidogenic factor 1/adrenal 4 binding protein transforms human bone marrow mesenchymal cells into steroidogenic cells.	J Mol Endocrinol	39	343-50	2007
Woods DC, Liu HK, Nishi Y, Yanase T, Johnson AL	Inhibition of proteasome activity sensitizes human granulosa tumor cells to TRAIL-induced cell death.	Cancer Lett	260	20-27	2008
柳瀬敏彦	脂質代謝異常と疾病「ステロイドホルモンと生活習慣病」	臨床検査	51	515-522	2007
柳瀬敏彦	特集 アンチエイジングに迫る 4. ホルモン補償からアンチエイジングは可能か?	Life Style Medicine 2007	1	125-132	2007
柳瀬敏彦	クッシング症候群 -私はこちら治療している-	今日の治療指針2007年版		551	2007

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
岡部泰二郎、柳瀬敏彦	アンドロゲン不応症	ゲノム医学	7	53-57	2007
柳瀬敏彦	褐色細胞腫	今日の診断基準		343-344	2007
市野功、柳瀬敏彦	原発性アルドステロン症	今日の診断基準		345-346	2007
柳瀬敏彦	副腎性器症候群	今日の診断基準		347-348	2007
柳瀬敏彦	アンドロゲン受容体、核内受容体コレギュレーターとメタボリックシンドローム	最新医学	69	2353-2359	2007
Ito M, Muraki M, Takahashi Y, Imai M, Tsukui T, Yamakawa N, Nakagawa K, Ohgi S, Horikawa T, Iwasaki W, Iida A, Nishi Y, Yanase T, Nawata H, Miyado K, Kono T, Hosoi Y, Saito H.	Glutathione S-transferase theta 1 expressed in granulosa cells as a biomarker for oocyte quality in age-related infertility.	Fertil Steril		in press	2008
Mottershead DG, Pulkko M, Muggalla P, Pastemach A, Tolone M, Myllymaa S, Korchynskiy O, Nishi Y, Yanase T, Lun S, Juengel J, Laitinen M, Rivos O	Characterization of human growth differentiation factor-9 signaling in ovarian granulosa cells.	Mol Cell Endocrinol		in press	2008
Matoba T, Inoguchi T, Nasu S, Suzuki S, Yanase T, Nawata H, Takayanagi R	Optimal cut-points of waist circumference for the clinical diagnosis of metabolic syndrome in the Japanese population.	Diabetes Care		in press	2008
Kei Ohnuma, Tadanori Yamochi, Masahiko Uchiyama, Kunika Nishibashi, Satoshi Iwata, Osamu Hosono, Hiroshi Kawasaki, Hirotohi Tanaka, Nam H. Dang, and Chikao Morimoto	CD26 Mediates Dissociation of Tollip and IRAK-1 from Caveolin-1 and Induces Upregulation of CD86 on Antigen-Presenting Cells	Mol. Cell. Biol.	25(17)	7743-7757	2005
Kei-ichi Hara, Mayumi Okamoto, Toshihiko Aki, Hideo Yagita, Hirotohi Tanaka, Yoichi Mizukami, Hiroshi Nakamura, Akio Tomoda, Naotaka Hamasaki, Dongchon Kang	Synergistic enhancement of TRAIL- and tumor necrosis factor alpha-induced cell death by a phenoxazine derivative	Mol Cancer Ther	4(7)	1121-1127	2005
Noriaki Shimizu, Rika Ouchida, Noritada Yoshikawa, Tetsuya Hisada, Hajime Watanabe, Kensaku Okamoto, Masatoshi Kusahara, Hiroshi Handa, Chikao Morimoto, and Hirotohi Tanaka	HEXIM1 forms a transcriptionally abortive complex with glucocorticoid receptor without involving 7SK RNA and positive transcription elongation factor b	Proc. Natl. Acad. Sci. USA	102(24)	8555-8560	2005

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
Sasaki T, Iwata S, Okano HJ, Urasaki Y, Hamada J, Tanaka H, Dang NH, Okano H, Morimoto C	Nedd9 protein, a Cas-L homologue, is upregulated after transient global ischemia in rats: possible involvement of Nedd9 in the differentiation of neurons after ischemia	Stroke	36(11)	2457-2462	2005
Iwata S, Souta-Kuribara A, Yamakawa A, Sasaki T, Shimizu T, Hosono O, Kawasaki H, Tanaka H, Dang NH, Watanabe T, Arima N, Morimoto C	HTLV-I Tax induces and associates with Crk-associated substrate lymphocyte type (Cas-L)	Oncogene	24(7)	1262-1271	2005
Hiroshi Nakamura, Yuichi Makino, Kensaku Okamoto, Lorenz Poellinger, Kei Ohnuma, Chikao Morimoto, and Hirotohi Tanaka	TCR Engagement Increases Hypoxia-Inducible Factor-1 Protein Synthesis via Rapamycin-Sensitive Pathway under Hypoxic Conditions in Human Peripheral T Cells	J. Immunol.	174(12)	7592-7599	2005
Noritada Yoshikawa, Keiko Yamamoto, Noriaki Shimizu, Sachiko Yamada, Chikao Morimoto, and Hirotohi Tanaka	The distinct agonistic properties of the phenylpyrazolosteroid cortivazol reveal interdomain communication in the glucocorticoid receptor	Mol. Endocrinol	19(5)	1110-1124	2005
Manotham K, Tanaka T, Ohse T, Kojima I, Miyata T, Inagi R, Tanaka H, Sassa R, Fujita T, Nangaku M	A biologic role of HIF-1 in the renal medulla	Kidney Int	67(4)	1428-1439	2005
Yasuyo Urasaki, Mamoru Nori, Satoshi Iwata, Takahiro Sasaki, Osamu Hosono, Hiroshi Kawasaki, Hirotohi Tanaka, Nam H Dang, Eiji Ikeda, Chikao Morimoto	Roxithromycin specifically inhibits development of collagen induced arthritis and production of proinflammatory cytokines by human T cells and macrophages	J Rheumatol	32(8)	1765-1774	2005
Takuya Fukazawa, Yutaka Maeda, Mary L. Durbin, Toru Nakai, Junji Matsuoka, Hirotohi Tanaka, Yoshio Naomoto, and Noriaki Tanaka	Pulmonary adenocarcinoma-targeted gene therapy by a cancer- and tissue-specific promoter system.	Mol. Cancer Ther.	6(1)	244-252	2007
Inamoto S, Iwata S, Inamoto T, Nomura S, Sasaki T, Urasaki Y, Hosono O, Kawasaki H, Tanaka H, Dang NH, Morimoto C.	Crk-associated substrate lymphocyte type regulates transforming growth factor-beta signaling by inhibiting Smad6 and Smad7.	Oncogene	26(6)	893-904	2007

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版
Sano M, Izumi Y, Helenius K, Asakura M, Rossi DJ, Xie M, Taffet G, Hu L, Pautler RG, Wilson CR, Boudina S, Abel ED, Taegtmeyer H, Scaglia F, Graham BH, Kralli A, Shimizu N, Tanaka H, Makela TP, Schneider MD	Menage-a-Trois 1 Is Critical for the Transcriptional Function of PPARgamma Coactivator 1	Cell Metab	5(2)	129-142	2007
Ohnuma K, Uchiyama M, Yamochi T, Nishibashi K, Hosono O, Takahashi N, Kina S, Tanaka H, Lin X, Dang NH, Morimoto C	Caveolin-1 triggers T-cell activation via CD26 in association with CARMA1	J Biol Chem	282(13)	10117-10131	2007
Makino Y, Uenishi R, Okamoto K, Isoe T, Hosono O, Tanaka H, Kanopka A, Poellinger L, Haneda M, Morimoto C	Transcriptional up-regulation of inhibitory PAS domain protein gene expression by hypoxia-inducible factor 1 (HIF-1): a negative feedback regulatory circuit in HIF-1-mediated signaling in hypoxic cells	J Biol Chem	282(19)	14073-14078	2007
Sano M, Tokudome S, Shimizu N, Yoshikawa N, Ogawa C, Shirakawa K, Endo J, Katayama T, Yuasa S, Ieda M, Makino S, Hattori F, Tanaka H, Fukuda K (equal last authors)	Intramolecular control of protein stability, subnuclear compartmentalization, and coactivator function of PGC-1alpha	J Biol Chem	282(35)	25970-25980	2007
Sola S, Amaral JD, Castro RE, Ramalho RM, Borralho PM, Kren BT, Tanaka H, Steer CJ, Rodrigues CM	Nuclear translocation of UDCA by the glucocorticoid receptor is required to reduce TGF-beta1-induced apoptosis in rat hepatocytes	Hepatology	42(4)	925-934	2007
I.Kurihara, H.Shibata, S.Kobayashi, N.Suda, Y.Ikeda, K.Yokota, A.Murai, I.Saito, W.E Rainey, T.Saruta.	Ubc9 and protein inhibitor of activated STAT1 activate chicken ovalbumin upstream promoter-transcription factor I-mediated human CYP11B2 gene transcription.	J Biol Chem	280	6721-6730	2005
柴田洋孝	アルドステロン関連遺伝子改変動物	日本臨床	63(Suppl)	238-244	2005
柴田洋孝	ステロイドホルモンの昇圧機構	血圧	12	23-28	2005
柴田洋孝、村井彩乃、横田健一、須田徳子、小林佐紀子、栗原 勲、林晃一、齊藤郁夫、猿田享男	高血圧におけるアルドステロン症の診断	慶應保健研究	23	17-28	2005
柴田洋孝	原発性アルドステロン症の病型: 生化学的立場から	内分泌・糖尿病科	21	229-237	2005
柴田洋孝	クッシング症候群	ホルモンと臨床	53	33-37	2005