

| 著者氏名                       | 論文タイトル名                  | 書籍全体の編集者名               | 書籍名                               | 出版社名        | 出版地 | 出版年  | ページ     |
|----------------------------|--------------------------|-------------------------|-----------------------------------|-------------|-----|------|---------|
| 佐藤晃彦, 朝倉 徹,<br><u>下瀬川徹</u> | 脾臓: 急性・慢性脾炎診療における画像      | 跡見 裕                    | 消化器病セミナー<br>100                   | へるす出版       | 東京  | 2005 | 201-217 |
| <u>下瀬川徹</u>                | 脾臓                       | 上西紀夫, 菅野健太郎, 田中雅夫, 滝川 一 | 講義録 消化器学                          | メジカル ビュー社   | 東京  | 2005 | 40-47   |
| <u>下瀬川徹</u>                | 自己免疫性脾炎                  | 矢崎義雄, 菅野健太郎             | 疾患別最新処方 改訂第4版                     | メジカル ビュー社   | 東京  | 2005 | 370-371 |
| <u>下瀬川徹</u>                | 急性脾炎患者を救うためのポイント         | 寺野 彰                    | 腹痛診療のコツと落とし穴                      | 中山書店        | 東京  | 2005 | 190-192 |
| <u>下瀬川徹</u>                | 慢性脾炎 内科的治療               | 戸田剛太郎, 菅野健太郎, 上西紀夫      | 消化器疾患最新の治療 2005-2006              | 南江堂         | 東京  | 2005 | 421-426 |
| 正宗 淳, 木村 洋,<br><u>下瀬川徹</u> | 脾外分泌調節機構                 | 戸田剛太郎, 稲所宏光, 寺野 彰, 幕内雅敏 | Annual Review 消化器 2005            | 中外医学社       | 東京  | 2005 | 118-121 |
| <u>下瀬川徹</u>                | 慢性脾炎                     | 北村 聖                    | 臨床病態学                             | ヌーヴェルヒロカワ   | 東京  | 2006 | 182-186 |
| 正宗 淳、 <u>下瀬川徹</u>          | 脾線維化の分子機構                | 竹井謙之, 川崎誠治              | 医学のあゆみ 別冊消化器疾患 Ver.3              | 医歯薬出版       | 東京  | 2006 | 207-210 |
| 正宗 淳、 <u>下瀬川徹</u>          | 脾星細胞と脾線維化                | 林 紀夫, 日比紀文, 上西紀夫, 下瀬川徹  | Annual Review 消化器 2007            | 中外医学社       | 東京  | 2007 | 226-231 |
| 佐藤晃彦, <u>下瀬川徹</u>          | 急性脾炎<br>診断               | 下瀬川徹                    | 新しい診断と治療のABC 54<br>脾炎・脾癌<br>消化器 8 | 最新医学社       | 大阪  | 2008 | 25-34   |
| 正宗 淳, <u>下瀬川徹</u>          | 慢性脾炎<br>診断               | 下瀬川徹                    | 新しい診断と治療のABC 54<br>脾炎・脾癌<br>消化器 8 | 最新医学社       | 大阪  | 2008 | 80-90   |
| 武田和憲                       | 重症急性脾炎の治療指針と controversy | 竹井謙之, 川崎誠治              | 医学のあゆみ別冊 消化器疾患 Ver.3              | 医歯薬出版       | 東京  | 2006 | 468-472 |
| 武田和憲                       | 急性脾炎<br>定義・概念・疫学         | 下瀬川徹                    | 新しい診断と治療のABC 54<br>脾炎・脾癌<br>消化器 8 | 最新医学社       | 大阪  | 2008 | 9-15    |
| 竹山宜典                       | 急性脾炎<br>管理・治療・予後         | 下瀬川徹                    | 新しい診断と治療のABC 54<br>脾炎・脾癌<br>消化器 8 | 最新医学社       | 大阪  | 2008 | 35-44   |
| 成瀬 達, 石黒 洋                 | 脾外分泌調節機構                 | 戸田剛太郎, 稲所宏光, 寺野 彰, 幕内雅敏 | Annual Review 消化器 2006            | 中外医学社       | 東京  | 2006 | 130-134 |
| 山本泰猛, 西森 功                 | 慢性脾炎の診断と治療方針             | 岡庭 豊                    | Year note 2006                    | Medic Media | 東京  | 2005 | 305-317 |
| 西森 功, 大西三朗                 | 薬剤性脾炎                    | 小俣政男, 千葉 勉              | 専門医のための消化器病学                      | 医学書院        | 東京  | 2005 | 608-612 |
| 山本泰猛, 西森 功                 | 慢性脾炎の診断と治療方針             | 岡庭 豊                    | Year note 2008                    | Medic Media | 東京  | 2007 | 317-330 |

| 著者氏名   | 論文タイトル名                                | 書籍全体の編集者名                  | 書籍名   | 出版社名                        | 出版地 | 出版年  | ページ     |
|--|--|----------------------------|---|-----------------------------|-----|------|---------|
| 峯 徹哉   | ERCP                                   | 峯 徹哉                       | ポケット消化器内視鏡マニュアル                               | 中外医学社                       | 東京  | 2005 | 88-94   |
| 峯 徹哉   | 主な症候を学ぶ<br>腹痛                          | 上西紀夫, 管野健太郎,<br>田中雅夫, 滝川 一 | 講義録<br>消化器学                                   | メジカル<br>レビュー<br>社           | 東京  | 2005 | 143-148 |
| 明石隆吉   | 炎症における酵素系プロテアーゼの制御                     | 吉川敏一                       | プロテアーゼイン<br>ヒビター臨床編                           | 診断と治療社                      | 東京  | 2005 | 54-61   |
| 石黒 洋, 水野伸匡,<br>近藤孝晴  | 慢性脾炎<br>病理・病態生理                        | 下瀬川徹                       | 新しい診断と治療<br>のABC 54<br>脾炎・脾癌<br>消化器 8         | 最新医学<br>社                   | 大阪  | 2008 | 73-79   |
| 奥嶋一武, 芳野純治,<br>乾 和郎, 三好広尚,<br>中村雄太                               | 脾石症の内科的治療の<br>現況と展望                    | 乾 和郎                       | 肝胆脾疾患の診断<br>と治療トピックス<br>2006                  | アークメ<br>ディア                 | 東京  | 2006 | 123-127 |
| 中村雄太, 乾 和郎   | 脾石に対するESWLの<br>有用性は?                   | 跡見 裕, 上村直実,<br>白鳥敬子, 正木尚彦  | 臨床に直結する<br>肝・胆・脾疾患治療<br>のエビデンス                | 文光堂                         | 東京  | 2007 | 267-269 |
| 奥嶋一武, 芳野純治,<br>乾 和郎, 三好広尚,<br>中村雄太                               | 脾石症の内科的治療の<br>現況と展望                    | 乾 和郎                       | 肝胆脾疾患の診断<br>と治療トピックス<br>2006                  | アークメ<br>ディア                 | 東京  | 2006 | 123-127 |
| 大原弘隆, 中沢貴宏   | 自己免疫性脾炎の診断<br>と治療                      | 乾 和郎                       | 肝胆脾疾患の診断<br>と治療トピックス<br>2006                  | アークメ<br>ディア                 | 東京  | 2006 | 116-122 |
| 小泉 勝   | 脾外分泌機能検査法                              | 石井裕正, 朝倉 均,<br>税所宏光, 幕内博康  | 臨床消化器病学                                       | 朝倉書店                        | 東京  | 2005 | 154-156 |
| 小泉 勝   | 脾臓の病気                                  | 小泉 勝                       | 脾臓の病気<br>第6版                                  | 保健同人社                       | 東京  | 2005 | 1-201   |
| 佐田尚宏   | 慢性脾炎<br>外科治療・予後                        | 下瀬川徹                       | 新しい診断と治療<br>のABC 54<br>脾炎・脾癌<br>消化器 8         | 最新医学<br>社                   | 大阪  | 2008 | 100-106 |
| 大橋美穂, 清水京子,<br>白鳥敬子  | 慢性脾炎<br>概念・定義と疫学                       | 下瀬川徹                       | 新しい診断と治療<br>のABC 54<br>脾炎・脾癌<br>消化器 8         | 最新医学<br>社                   | 大阪  | 2008 | 61-72   |
| 宮川宏之, 須賀俊博   | EUS(超音波内視鏡検<br>査)による早期慢性脾炎<br>の診断      | 林 紀夫, 日比紀文<br>上西紀夫, 下瀬川徹   | Annual Review<br>消化器 2008                     | 中外医学<br>社                   | 東京  | 2008 | 191-195 |
| 北村勝哉, 吉田 仁,<br>山崎貴久, 本間 直,<br>今村綱男, 池上覚俊,<br>新川淳一, 田中滋城,<br>井廻道夫 | 重症急性脾炎の重症度<br>判定基準の再検討と新<br>たな予後因子の有用性 | 荒川泰行                       | 消化器病学の進歩<br>2005-モノグラフ<br>肝・胆・脾編              | メディカル<br>レビュー<br>社          | 東京  | 2005 | 161-164 |
| 丹藤雄介, 松本敦史,<br>柳町 幸, 田村綾女,<br>志津野江里, 松橋有紀,<br>田中 光, 中村光男         | 内科部門からの機能評<br>価(脾の外分泌機能)               | <sup>13</sup> C 医学応用研究会編   | <sup>13</sup> C - 呼気試験の<br>実際 生命科学の<br>解明に向けて | <sup>13</sup> C 医学応<br>用研究会 | 東京  | 2007 | 26-31   |

| 著者氏名  | 論文タイトル名                             | 書籍全体の編集者名                | 書籍名                                  | 出版社名       | 出版地 | 出版年  | ページ     |
|---|-------------------------------------|--------------------------|--------------------------------------|------------|-----|------|---------|
| 丹藤雄介, 松橋有紀,<br><u>中村光男</u>  | 脾性糖尿病はどのように治療するのか?                  | 跡見 裕, 上村直実<br>白鳥敬子, 正木尚彦 | 臨床に直結する<br>肝・胆・脾疾患治療のエビデンス           | 文光堂        | 東京  | 2007 | 272-274 |
| 柳町 幸, 丹藤雄介,<br><u>中村光男</u>  | 脾疾患                                 | 医薬出版株式会社                 | 目でみる臨床栄養学 UP DATE                    | 医薬出版株式会社   | 東京  | 2007 | 49-56   |
| <u>能登原憲司</u>  | 自己免疫性脾炎<br>病理                       | 下瀬川徹                     | 新しい診断と治療<br>のABC 54<br>脾炎・脾癌<br>消化器8 | 最新医学社      | 大阪  | 2008 | 129-135 |
| <u>広田昌彦</u>   | 重症急性脾炎と<br>サイトカイン                   | 小俣政男, 千葉 勉               | 専門医のための消化器病学                         | 医学書院       | 東京  | 2005 | 550-552 |
| 広田昌彦, 前田圭介,<br>高森啓史, 金光敬一郎,<br>馬場秀夫                               | 急性脾炎におけるサイトカインの動態とプロテアーゼインヒビターによる制御 | 吉川敏一                     | プロテアーゼイン<br>ヒビター臨床編                  | 診断と治療社     | 東京  | 2005 | 155-160 |
| 広田昌彦, 金光敬一郎,<br>高森啓史, 馬場秀夫  | 急性脾炎の重症度判定法は?                       | 跡見 裕, 上村直実<br>白鳥敬子, 正木尚彦 | 臨床に直結する<br>肝・胆・脾疾患治療のエビデンス           | 文光堂        | 東京  | 2007 | 216-218 |
| 広田昌彦, 馬場秀夫  | 脾炎                                  | 日本薬学会                    | 知っておきたい臨床検査値                         | 東京化学<br>同人 | 東京  | 2007 | 106-109 |
| 広田昌彦, 大村谷昌樹,<br>橋本大輔, 陶山浩一,<br>藤村美憲, 市原敦史,<br>田中 洋, 高森啓史,<br>馬場秀夫 | 急性脾炎<br>病態生理                        | 下瀬川徹                     | 新しい診断と治療<br>のABC 54<br>脾炎・脾癌<br>消化器8 | 最新医学社      | 大阪  | 2008 | 16-24   |
| 藤山佳秀, 五月女隆男   | 急性脾炎の輸液                             | 千葉 勉, 井廻道夫               | 消化器疾患診療実<br>践ガイド                     | 文光堂        | 東京  | 2005 | 254-255 |
| <u>水野伸匡</u> , 山雄健次  | 脾疾患に対する<br>EUS-FNA                  | 竹井謙之, 川崎誠治               | 医学のあゆみ別冊<br>消化器疾患Ver. 3              | 医薬出版       | 東京  | 2006 | 301-303 |

| 発表者氏名   | 論文タイトル名   | 発表誌                           | 巻号 | ページ       | 出版年  |
|---|---|-------------------------------|----|-----------|------|
| Jia DM, Taguchi M, <u>Otsuki M.</u>   | Preventive and therapeutic effects of the protease inhibitor camostat on pancreatic fibrosis and atrophy in CCK-1 receptor-deficient rats.  | Pancreas                      | 30 | 54-61     | 2005 |
| Kihara Y, Yoshikawa H, Honda H, Fukumitsu K, Yamaguchi T, <u>Otsuki M.</u>  | Natural disruption of group 2 phospholipase A2 gene protects against choline-deficient ethionine-supplemented diet-induced acute pancreatitis and lung injury.                              | Pancreas                      | 31 | 48-53     | 2005 |
| Yamaguchi T, Kihara Y, Taguchi M, Nagashio Y, Tashiro M, Nakamura H, <u>Otsuki M.</u>   | Persistent destruction of the basement membrane of the pancreatic duct contributes to progressive acinar atrophy in rats with experimentally induced pancreatitis.                          | Pancreas                      | 31 | 365-372   | 2005 |
| Jia DM, Taguchi M, <u>Otsuki M.</u>   | Synthetic protease inhibitor camostat prevents and reverses dyslipidemia, insulin secretory defects, and histological abnormalities of the pancreas in genetically obese and diabetic rats. | Metabolism                    | 54 | 619-627   | 2005 |
| Taguchi M, Aridome G, Abe S, Kume K, Tashiro M, Yamamoto M, Kihara Y, Nakamura H, <u>Otsuki M.</u>  | A case of autoimmune pancreatitis with IgG4-positive plasma cell infiltration in salivary glands and biliary tract.   | World J Gastroenterol         | 11 | 5577-5581 | 2005 |
| Okazaki K, <u>Kawa S</u> , <u>Kamisawa T</u> , <u>Naruse S</u> , <u>Tanaka S</u> , <u>Nishimori I</u> , <u>Ohara H</u> , <u>Ito T</u> , <u>Kiriyama S</u> , <u>Inui K</u> , <u>Shimosegawa T</u> , <u>Koizumi M</u> , <u>Suda K</u> , <u>Shiratori K</u> , <u>Yamaguchi K</u> , <u>Yamaguchi T</u> , <u>Sugiyama M</u> , <u>Otsuki M.</u> | Clinical diagnostic criteria of autoimmune pancreatitis: revised proposal.  | J Gastroenterol               | 41 | 626-631   | 2006 |
| Takada T, Kawarada Y, Hirata K, Mayumi T, Yoshida M, Sekimoto M, <u>Hirota M</u> , Kimura Y, <u>Takeda K</u> , Isaji S, <u>Koizumi M</u> , <u>Otsuki M</u> , Matsuno S.   | JPN guidelines for the management of acute pancreatitis: cutting-edge information.  | J Hepatobiliary Pancreat Surg | 13 | 2-6       | 2006 |
| Yoshida M, Takada T, Kawarada Y, Hirata K, Mayumi T, Sekimoto M, <u>Hirota M</u> , Kimura Y, <u>Takeda K</u> , Isaji S, <u>Koizumi M</u> , <u>Otsuki M</u> , Matsuno S.   | Health insurance system and payments provided to patients for the management of severe pancreatitis in Japan.   | J Hepatobiliary Pancreat Surg | 13 | 7-9       | 2006 |
| Sekimoto M, Takada T, Kawarada Y, Hirata K, Mayumi T, Yoshida M, <u>Hirota M</u> , Kimura Y, <u>Takeda K</u> , Isaji S, <u>Koizumi M</u> , <u>Otsuki M</u> , Matsuno S.   | JPN guidelines for the management of acute pancreatitis: epidemiology, etiology, natural history, and outcome predictors in acute pancreatitis.   | J Hepatobiliary Pancreat Surg | 13 | 10-24     | 2006 |

| 発表者氏名  | 論文タイトル名   | 発表誌                           | 巻号 | ページ     | 出版年  |
|--|---|-------------------------------|----|---------|------|
| Koizumi M, Takada T, Kawarada Y, Hirata K, Mayumi T, Yoshida M, Sekimoto M, <u>Hirota M</u> , Kimura Y, <u>Takeda K</u> , Isaji S, <u>Otsuki M</u> , Matsuno S.  | JPN guidelines for the management of acute pancreatitis: diagnostic criteria for acute pancreatitis.  | J Hepatobiliary Pancreat Surg | 13 | 25-32   | 2006 |
| Hirota M, Takada T, Kawarada Y, Hirata K, Mayumi T, Yoshida M, Sekimoto M, Kimura Y, <u>Takeda K</u> , Isaji S, <u>Koizumi M</u> , <u>Otsuki M</u> , Matsuno S.  | JPN guidelines for the management of acute pancreatitis: severity assessment of acute pancreatitis.   | J Hepatobiliary Pancreat Surg | 13 | 33-41   | 2006 |
| Takeda K, Takada T, Kawarada Y, Hirata K, Mayumi T, Yoshida M, Sekimoto M, <u>Hirota M</u> , Kimura Y, Isaji S, <u>Koizumi M</u> , <u>Otsuki M</u> , Matsuno S.  | JPN guidelines for the management of acute pancreatitis: medical management of acute pancreatitis.  | J Hepatobiliary Pancreat Surg | 13 | 42-47   | 2006 |
| Isaji S, Takada T, Kawarada Y, Hirata K, Mayumi T, Yoshida M, Sekimoto M, <u>Hirota M</u> , Kimura Y, <u>Takeda K</u> , <u>Koizumi M</u> , <u>Otsuki M</u> , Matsuno S.  | JPN guidelines for the management of acute pancreatitis: surgical management.   | J Hepatobiliary Pancreat Surg | 13 | 48-55   | 2006 |
| Kimura Y, Takada T, Kawarada Y, Hirata K, Mayumi T, Yoshida M, Sekimoto M, <u>Hirota M</u> , <u>Takeda K</u> , Isaji S, <u>Koizumi M</u> , Satake K, <u>Otsuki M</u> , Matsuno S.  | JPN guidelines for the management of acute pancreatitis: treatment of gallstone-induced acute pancreatitis.   | J Hepatobiliary Pancreat Surg | 13 | 56-60   | 2006 |
| Mayumi T, Takada T, Kawarada Y, Hirata K, Yoshida M, Sekimoto M, <u>Hirota M</u> , Kimura Y, <u>Takeda K</u> , Isaji S, <u>Koizumi M</u> , <u>Otsuki M</u> , Matsuno S.  | Management strategy for acute pancreatitis in the JPN guidelines.   | J Hepatobiliary Pancreat Surg | 13 | 61-67   | 2006 |
| Asaumi H, Watanabe S, Taguchi M, Tashiro M, Nagashio Y, Nomiyama Y, Nakamura H, <u>Otsuki M</u> .  | Green tea polyphenol (-)-epigallocatechin-3-gallate inhibits ethanol-induced activation of pancreatic stellate cells.                                 | Eur J Clin Invest             | 36 | 113-122 | 2006 |
| Yamamoto M, <u>Otsuki M</u> .  | Effect of inhibition of $\alpha$ -glucosidase on age-related glucose intolerance and pancreatic atrophy in rats.                                      | Metabolism                    | 55 | 533-540 | 2006 |
| Nishimori I, Tamakoshi A, <u>Kawa S</u> , <u>Tanaka S</u> , Takeuchi K, Kamisawa T, Saisho H, Hirano K, Okamura K, Yanagawa N, <u>Otsuki M</u> . and Research Committee on Intractable Pancreatic Diseases, the Ministry of Health and Welfare of Japan. | Influence of steroid therapy on the course of diabetes mellitus in patients with autoimmune pancreatitis. findings from a nationwide survey in Japan. | Pancreas                      | 32 | 244-248 | 2006 |

| 発表者氏名  | 論文タイトル名   | 発表誌                                     | 巻号           | ページ       | 出版年  |
|--|---|---|--------------|-----------|------|
| Yamamoto M, Otani M, <u>Otsuki M.</u>  | A new model of chronic pancreatitis in rats.  | Am J Physiol Gastrointest Liver Physiol | 291          | G700-G708 | 2006 |
| <u>Otsuki M</u> , Hirota M, Arata S, <u>Koizumi M</u> , Kawa S, <u>Kamisawa T</u> , Takeda K, Mayumi T, Kitagawa M, <u>Ito T</u> , Inui K, <u>Shimosegawa T</u> , Tanaka S, Kataoka K, Saisho H, <u>Okazaki K</u> , Kuroda Y, Sawabu N, Takeyama Y,<br>The Research Committee of Intractable Diseases of Pancreas. | Consensus of primary care in acute pancreatitis in Japan.   | World J Gastroenterol                   | 12           | 3314-3323 | 2006 |
| <u>Maruyama K</u> , <u>Otsuki M.</u>   | Incidence of alcoholic pancreatitis in Japanese alcoholics: survey of male sobriety association members in Japan  | Pancreas                                | 34           | 63-65     | 2007 |
| Nakamura H, Tashiro M, Yamaguchi T, Asaumi H, Nomiyama Y, Watanabe S, Nagashio Y, Miyamoto T, <u>Otsuki M.</u>   | Preferential increase of extracellular matrix expression relative to transforming growth factor $\beta$ 1 in the pancreas during the early stage of acute hemorrhagic pancreatitis in rats. | Pancreas                                | 35           | e23-e29   | 2007 |
| <u>Kamisawa T</u> , Chung JB, Irie H, Nishino T, Ueki T, Takase M, <u>Kawa S</u> , <u>Nishimori I</u> , <u>Okazaki K</u> , Kim MH, <u>Otsuki M.</u>  | Japan-Korea symposium on autoimmune pancreatitis (KOKURA 2007).   | Pancreas                                | 35           | 281-284   | 2007 |
| <u>Otsuki M</u> , Tashiro M.   | Chronic pancreatitis and pancreatic cancer, lifestyle-related diseases.   | Intern Med                              | 46           | 109-113   | 2007 |
| <u>Otsuki M.</u>   | Chronic pancreatitis: current problems of the diagnostic criteria.  | J Gastroenterol                         | 42 Suppl. 17 | 52-54     | 2007 |
| <u>Otsuki M.</u>   | Autoimmune pancreatitis: a message from Japan.  | J Gastroenterol                         | 42 Suppl. 18 | 1-5       | 2007 |
| <u>Nishimori I</u> , Tamakoshi A, <u>Otsuki M.</u> and the research committee on intractable diseases of the pancreas, ministry of health, labour, and welfare of Japan.   | Prevalence of autoimmune pancreatitis in Japan from a nationwide survey in 2002.  | J Gastroenterol                         | 42 Suppl. 18 | 6-8       | 2007 |
| <u>Ito T</u> , <u>Nishimori I</u> , Inoue N, Kawabe K, Gibo J, Arita Y, <u>Okazaki K</u> , Takayanagi R, <u>Otsuki M.</u>  | Treatment for autoimmune pancreatitis: consensus on the treatment for patients with autoimmune pancreatitis in Japan.   | J Gastroenterol                         | 42 Suppl. 18 | 50-58     | 2007 |
| <u>Ito T</u> , <u>Otsuki M</u> , Itoi T, <u>Shimosegawa T</u> , <u>Funakoshi A</u> , <u>Shiratori K</u> , <u>Naruse S</u> , <u>Kuroda Y</u> , and The Research Committee of Intractable Diseases of the Pancreas.  | Pancreatic diabetes in a follow-up survey of chronic pancreatitis in Japan.   | J Gastroenterol                         | 42           | 291-297   | 2007 |

| 発表者氏名  | 論文タイトル名   | 発表誌                                     | 巻号           | ページ       | 出版年      |
|--|---|---|--------------|-----------|----------|
| Asaumi H, Watanabe S, Taguchi M, Tashiro M, <u>Otsuki M.</u>   | Externally applied pressure activates pancreatic stellate cells through the generation of intracellular reactive oxygen species.                  | Am J Physiol Gastrointest Liver Physiol | 293          | G972-G978 | 2007     |
| Nagashio Y, <u>Otsuki M.</u>   | Action of antiproteases on fibrosis in experimental chronic pancreatitis.   | JOP                                     | 8 Suppl. 4   | 495-500   | 2007     |
| <u>Maruyama K</u> , Harada S, Yokoyama A, <u>Naruse S</u> , <u>Hirota M</u> , <u>Nishimori I</u> , <u>Otsuki M.</u>                              | Association analysis among polymorphisms of the various genes and chronic alcoholic pancreatitis.   | J Gastroenterol Hepatol                 |              |           | in press |
| Kojima M, <u>Ito T</u> , Oono T, Hisano T, Igarashi H, Arita Y, Kawabe K, Coy DH, Jensn RT, Nawata H.  | VIP attenuation of the severity of experimental pancreatitis is due to VPAC1 receptor-mediated inhibition of cytokine production.                 | Pancreas                                | 30           | 62-70     | 2005     |
| Gibo J, <u>Ito T</u> , Kawabe K, Hisano T, Inoue M, Fujimori N, Oono T, Arita Y, Nawata H.   | Camostat mesilate attenuates pancreatic fibrosis via inhibition of monocytes and pancreatic stellate cells activity.                              | Lab Invest                              | 85           | 75-89     | 2005     |
| Zhao HF, <u>Ito T</u> , Gibo J, Kawabe K, Oono T, Kaku T, Arita Y, Zhao QW, Usui M, Egashira K, Nawata H.  | Anti-monocyte chemoattractant protein 1 gene therapy attenuates experimental chronic pancreatitis induced by dibutyltin dichloride in rats.       | Gut                                     | 54           | 1759-1767 | 2005     |
| Honda K, Itaba S, Mizutani T, Sumida Y, Kanayama K, Higuchi N, Yoshinaga S, Akiho H, Kawabe K, Arita Y, <u>Ito T</u> , Nakamura K, Takayanagi R. | An increase in the serum amylase level in patients after peroral double-balloon enteroscopy: an association with the development of pancreatitis. | Endoscopy                               | 38           | 1040-1043 | 2006     |
| Honda K, Mizutani T, Nakamura K, Higuchi N, Kanayama K, Sumida Y, Yoshinaga S, Itaba S, Akiho H, Kawabe K, Arita Y, <u>Ito T</u> .               | Acute pancreatitis associated with peroral double-balloon enteroscopy: a case report.   | World J Gastroenterol                   | 12           | 1802-1804 | 2006     |
| Kawabe K, <u>Ito T</u> , Arita Y, Nakamuta M, Nawata H, Takayanagi R.  | Successful treatment of advanced-stage autoimmune pancreatitis-related sclerosing cholangitis.  | Pancreas                                | 33           | 434-437   | 2006     |
| Kawabe K, <u>Ito T</u> , Arita Y, Sadamoto Y, Harada N, Yamaguchi K, Tanaka M, Nakano I, Nawata H, Takayanagi R.                                 | Pancreatic pseudocyst after acute organophosphate poisoning.  | Fukuoka Acta Medica                     | 97           | 123-129   | 2006     |
| <u>Ito T</u> .   | Can measurement of chemokines become useful biological and functional markers of early-stage chronic pancreatitis?                                | J Gastroenterol                         | 42 Suppl. 17 | 72-77     | 2007     |
| <u>Ito T</u> , Kawabe K, Arita Y, Hisano T, Igarashi H, Funakoshi A, Sumii T, Yamanaka T, Takayanagi R.  | Evaluation of pancreatic endocrine and exocrine function in patients with autoimmune pancreatitis.  | Pancreas                                | 34           | 254-259   | 2007     |

| 発表者氏名  | 論文タイトル名  | 発表誌                                | 巻号         | ページ       | 出版年      |
|--|--|------------------------------------|------------|-----------|----------|
| Kaku T, Oono T, Zhao H, Gibo J, Kawabe K, <u>Ito T</u> , Takayanagi R.   | IS-741 attenuates local migration of monocytes and subsequent pancreatic fibrosis in experimental chronic pancreatitis induced by dibutyltin dichloride in rats. | Pancreas                           | 34         | 299-309   | 2007     |
| Gonzalez N, Moody TW, Igarashi H, <u>Ito T</u> , Jensen RT.  | Bombesin-related peptides and their receptors: recent advances in their role in physiology and disease states.   | Curr Opin Endocrinol Diabetes Obes | 15         | 1-7       | in press |
| Igarashi H, <u>Ito T</u> , Kuwano-Kojima M, Takayanagi R, Coy DH, Jensen RT.   | Involvement of VPAC1 and VPAC2 receptors for increasing in local pancreatic blood flow in anaesthetized rats.  | Pancreas                           |            |           | in press |
| Ishibashi T, Zhao H, Kawabe K, Oono T, Egashira K, Suzuki K, Nawata H, Takayanagi R, <u>Ito T</u> .  | Blocking of monocyte chemoattractant protein-1 (MCP-1) activity attenuates the severity of acute pancreatitis in rats.   | J Gastroenterol                    |            |           | in press |
| <u>Okazaki K.</u>  | Autoimmune pancreatitis: etiology, pathogenesis clinical findings and treatment.the Japanese experience.   | JOP                                | 6 Suppl. 1 | 89-96     | 2005     |
| Taniguchi T, <u>Okazaki K</u> , Okamoto M, Seko S, Nagashima K, Yamada Y, Iwakura T, Seino Y.  | Autoantibodies against the exocrine pancreas in fulminant type 1 diabetes.   | Pancreas                           | 30         | 191-192   | 2005     |
| Fukui T, <u>Okazaki K</u> , Yoshizawa H, Ohashi S, Tamaki H, Kawasaki K, Matsuura M, Asada M, Nakase H, Nakashima Y, Nishio A, Chiba T.  | A case of autoimmune pancreatitis associated with sclerosing cholangitis, retroperitoneal fibrosis and Sjögren's syndrome.                                       | Pancreatology                      | 5          | 86-91     | 2005     |
| <u>Okazaki K</u> , Uchida K, Matsushita M, Takaoka M.  | Autoimmune pancreatitis.   | Intern Med                         | 44         | 1215-1223 | 2005     |
| Ohashi S, Nishio A, Nakamura H, Kido M, Kiriya K, Asada M, Tamaki H, Fukui T, Kawasaki K, Watanabe N, Yodoi J, <u>Okazaki K</u> , Chiba T.   | Clinical significance of serum thioredoxin1 levels in patients with acute pancreatitis.  | Pancreas                           | 32         | 264-270   | 2006     |
| Asada M, Nishio A, Uchida K, Kido M, Ueno S, Uza N, Kiriya K, Inoue S, Kitamura H, Ohashi S, Tamaki H, Fukui T, Matsuura M, Kawasaki K, Nishi T, Watanabe N, Nakase H, Chiba T, <u>Okazaki K</u> . | Identification of a novel autoantibody against pancreatic secretory trypsin inhibitor in patients with autoimmune pancreatitis.                                  | Pancreas                           | 33         | 20-26     | 2006     |
| Takamido S, Kataoka Y, Tanano A, Cui Y, Ikeura T, Shimatani M, Kubota Y, <u>Okazaki K</u> , Yamada H.  | Intrapancreatic axonal hyperbranching of dorsal root ganglia neurons in chronic pancreatitis model rats and its relation to pancreatic pain.                     | Pancreas                           | 33         | 268-279   | 2006     |
| Sakaguchi Y, Inaba M, Kusafuka K, <u>Okazaki K</u> , Ikehara S.  | Establishment of animal models for three types of pancreatitis and analyses of regeneration mechanisms.  | Pancreas                           | 33         | 371-381   | 2006     |

| 発表者氏名  | 論文タイトル名   | 発表誌                                     | 巻号           | ページ       | 出版年      |
|--|---|---|--------------|-----------|----------|
| Ohashi S, Nishio A, Nakamura H, Kido M, Ueno S, Uza N, Inoue S, Kitamura H, Kiriya K, Asada M, Tamaki H, Matsuura M, Kawasaki K, Fukui T, Watanabe N, Nakase H, Yodoi J, <u>Okazaki K</u> , Chiba T. | Protective roles of redox-active protein thioredoxin-1 for severe acute pancreatitis.   | Am J Physiol Gastrointest Liver Physiol | 290          | G772-G781 | 2006     |
| <u>Okazaki K</u> , Uchida K, Matsushita M, Takaoka M.  | How to diagnose autoimmune pancreatitis by the revised Japanese clinical criteria.  | J Gastroenterol                         | 42 Suppl. 18 | 32-38     | 2007     |
| Uchida K, Satoi S, Miyoshi H, Hachimine D, Ikeura T, Shimatani M, Matsushita M, Takaoka M, Takai S, Ashida K, <u>Okazaki K</u> .   | Inflammatory pseudotumors of the pancreas and liver with infiltration of IgG4-positive plasma cells.  | Intern Med                              | 46           | 1409-1412 | 2007     |
| Ikeura T, Kataoka Y, Wakabayashi T, Mori T, Takamori Y, Takamido S, <u>Okazaki K</u> , Yamada H.   | Effects of sensory denervation by neonatal capsaicin administration on experimental pancreatitis induced by dibutyryl tin dichloride.         | Med Mol Morphol                         | 40           | 141-149   | 2007     |
| Miyoshi H, Uchida K, Taniguchi T, Yazumi S, Matsushita M, Takaoka M, <u>Okazaki K</u> .  | Circulating naive and CD4+CD25 high regulatory T cells in patients with autoimmune pancreatitis.  | Pancreas                                |              |           | in press |
| Kanemitsu D, Sakagami J, Motoyoshi T, Nakajima T, <u>Kataoka K</u> .   | Effects of the cholecystokinin a receptor antagonist loxiglumide on the proliferation and cell cycle time of pancreatic acinar cells in rats. | Pancreas                                | 32           | 190-196   | 2006     |
| <u>Kataoka K</u> .   | Specialized nutrition support corresponding to pathophysiological changes in acute and chronic pancreatitis.                                  | J Kyoto Pref Univ Med                   | 115          | 625-647   | 2006     |
| <u>Kamisawa T</u> , Egawa N, Nakajima H, Tsuruta K, Okamoto A, Hayashi Y, Funata N.  | Gastrointestinal findings in patients with autoimmune pancreatitis.   | Endoscopy                               | 37           | 1127-1130 | 2005     |
| <u>Kamisawa T</u> , Egawa N, Nakajima H, Tsuruta K, Okamoto A.   | Extrapancreatic lesions in autoimmune pancreatitis.   | J Clin Gastroenterol                    | 39           | 904-907   | 2005     |
| <u>Kamisawa T</u> .  | Clinical subtypes of autoimmune pancreatitis.   | Intern Med                              | 44           | 785-786   | 2005     |
| <u>Kamisawa T</u> , Egawa N, Tsuruta K, Okamoto A, Funata N.   | Primary sclerosing cholangitis may be overestimated in Japan.   | J Gastroenterol                         | 40           | 318-319   | 2005     |
| <u>Kamisawa T</u> , Egawa N, Tsuruta K, Okamoto A.   | Gallbladder carcinoma associated with pancreaticobiliary maljunction presenting as severe acute pancreatitis.                                 | J Gastroenterol                         | 40           | 659-660   | 2005     |
| <u>Kamisawa T</u> , Egawa N, Tsuruta K, Okamoto A, Matsukawa M.  | Pancreatitis associated with congenital abnormalities of the pancreaticobiliary system.   | Hepato-gastroenterology                 | 52           | 223-229   | 2005     |
| <u>Kamisawa T</u> , Matsukawa M, Yoshiike M, Egawa N, Nakajima H, Tsuruta K, Okamoto A.  | Chronic pancreatitis progressing from segmental lesions.  | Hepato-gastroenterology                 | 52           | 1255-1258 | 2005     |
| <u>Kamisawa T</u> .  | Angiographic findings in patients with autoimmune pancreatitis.   | Radiology                               | 236          | 371-372   | 2005     |

| 発表者氏名   | 論文タイトル名   | 発表誌                           | 巻号 | ページ       | 出版年  |
|---|---|-------------------------------|----|-----------|------|
| <u>Kamisawa T</u> , Egawa N, Shimizu M, Igari T.  | Autoimmune dorsal pancreatitis.   | Pancreas                      | 30 | 93-94     | 2005 |
| <u>Kamisawa T</u> , Okamoto A, Funata N.  | Clinicopathological features of autoimmune pancreatitis in relation to elevation of serum IgG4.   | Pancreas                      | 31 | 28-31     | 2005 |
| <u>Kamisawa T</u> , Matsukawa M, Ohkawa M.  | Autoimmune pancreatitis associated with retroperitoneal fibrosis.   | JOP                           | 6  | 260-263   | 2005 |
| <u>Kamisawa T</u> , Yoshiike M, Egawa N, Nakajima H, Tsuruta K, Okamoto A.              | Treating patients with autoimmune pancreatitis: results from a long-term follow-up study.   | Pancreatology                 | 5  | 234-240   | 2005 |
| <u>Kamisawa T</u> , Egawa N, Matsumoto G, Tsuruta K, Okamoto A, Okamoto T.              | Pancreatographic findings in idiopathic acute pancreatitis.   | J Hepatobiliary Pancreat Surg | 12 | 99-102    | 2005 |
| <u>Kamisawa T</u> .   | Is it time to reconsider autoimmune pancreatitis?   | J Gastroenterol               | 41 | 1240-1241 | 2006 |
| <u>Kamisawa T</u> , Okamoto A.  | Autoimmune pancreatitis: proposal of IgG4-related sclerosing disease.   | J Gastroenterol               | 41 | 613-625   | 2006 |
| <u>Kamisawa T</u> , Nakajima H, Egawa N, Funata N, Tsuruta K, Okamoto A.                | IgG4-related sclerosing disease incorporating sclerosing pancreatitis, cholangitis, sialadenitis and retroperitoneal fibrosis with lymphadenopathy. | Pancreatology                 | 6  | 132-137   | 2006 |
| <u>Kamisawa T</u> , Wakabayashi T, Sawabu N.  | Autoimmune pancreatitis in young patients.  | J Clin Gastroenterol          | 40 | 847-850   | 2006 |
| <u>Kamisawa T</u> , Nakajima H, Hishima T.  | Close correlation between chronic sclerosing sialadenitis and immunoglobulin G4.  | Intern Med J                  | 36 | 527-529   | 2006 |
| <u>Kamisawa T</u> , Tu Y, Egawa N, Nakajima H, Tsuruta K, Okamoto A.                    | Involvement of pancreatic and bile ducts in autoimmune pancreatitis.  | World J Gastroenterol         | 12 | 612-614   | 2006 |
| <u>Kamisawa T</u> , Tu Y, Nakajima H, Egawa N, Tsuruta K, Okamoto A.                    | usefulness of biopsying the major duodenal papilla to diagnose autoimmune pancreatitis: a prospective study using IgG4-immunostaining.              | World J Gastroenterol         | 12 | 2031-2033 | 2006 |
| <u>Kamisawa T</u> , Chen PY, Tu Y, Nakajima H, Egawa N, Tsuruta K, Okamoto A, Kamata N. | MRCP and MRI findings in 9 patients with autoimmune pancreatitis.   | World J Gastroenterol         | 12 | 2919-2922 | 2006 |
| <u>Kamisawa T</u> , Chen PY, Tu Y, Nakajima H, Egawa N.                                 | Autoimmune pancreatitis metachronously associated with retroperitoneal fibrosis with IgG4-positive plasma cell infiltration.                        | World J Gastroenterol         | 12 | 2955-2957 | 2006 |
| <u>Kamisawa T</u> , Tu Y, Nakajima H, Egawa N, Tsuruta K, Okamoto A, Horiguchi S.       | Sclerosing cholecystitis associated with autoimmune pancreatitis.   | World J Gastroenterol         | 12 | 3736-3739 | 2006 |
| <u>Kamisawa T</u> , Nakamura T, Nakajima H, Egawa N, Tsuruta K, Okamoto A.              | Digestion and absorption of patients with autoimmune pancreatitis.  | Hepato-gastroenterology       | 53 | 138-140   | 2006 |
| <u>Kamisawa T</u> , Egawa N, Nakajima H, Tsuruta K, Okamoto A, Kamata N, Funata N.      | Comparison of radiological and histological findings in autoimmune pancreatitis.  | Hepato-gastroenterology       | 53 | 953-956   | 2006 |

| 発表者氏名  | 論文タイトル名  | 発表誌                     | 巻号           | ページ       | 出版年  |
|--|--|-------------------------|--------------|-----------|------|
| Kamisawa T.  | IgG4-related sclerosing disease.   | Intern Med              | 45           | 125-126   | 2006 |
| Kamisawa T., Tu Y., Egawa N., Tsuruta K., Okamoto A.   | Clinical implications of incomplete pancreas divisum.  | JOP                     | 7            | 625-630   | 2006 |
| Kamisawa T., Okamoto A.  | Biliopancreatic and pancreaticobiliary refluxes in case with and without pancreaticobiliary maljunction: diagnosis and clinical implications.                        | Digestion               | 73           | 228-236   | 2006 |
| Kamisawa T., Tu Y., Nakajima H., Egawa N., Tsuruta K., Okamoto A., Matsukawa M.                                  | Acute pancreatitis and a long common channel.  | Abdom Imaging           | 32           | 365-369   | 2007 |
| Kamisawa T., Okamoto A.  | Prognosis of autoimmune pancreatitis.  | J Gastroenterol         | 42 Suppl. 18 | 59-62     | 2007 |
| Kamisawa T., Matsukawa M.  | Possibility of diagnosing early-stage chronic pancreatitis by endoscopic retrograde pancreatography.   | J Gastroenterol         | 42 Suppl. 18 | 103-107   | 2007 |
| Kamisawa T., Tu Y., Sasaki R., Egawa N., Kamata N., Sasaki T.  | The relationship of salivary gland function to elevated serum IgG4 in autoimmune pancreatitis.   | Intern Med              | 46           | 435-439   | 2007 |
| Kamisawa T., Tu Y., Egawa N., Nakajima H., Tsuruta K., Okamoto A.  | The incidence of pancreatic and extrapancreatic cancers in Japanese patients with chronic pancreatitis.  | Hepato-gastroenterology | 54           | 1579-1581 | 2007 |
| Uehara T., Hamano H., Kawa S., Sano K., Honda T., Ota H.   | Distinct clinicopathological entity 'autoimmune pancreatitis-associated sclerosing cholangitis'  | Pathol Int              | 55           | 405-411   | 2005 |
| Komatsu K., Hamano H., Ochi Y., Takayama M., Muraki T., Yoshizawa K., Sakurai A., Ota M., Kawa S.                | High prevalence of hypothyroidism in patients with autoimmune pancreatitis.  | Dig Dis Sci             | 50           | 1052-1057 | 2005 |
| Hamano H., Kawa S., Uehara T., Ochi Y., Takayama M., Komatsu K., Muraki T., Umino J., Kiyosawa K., Miyagawa S.   | Immunoglobulin G4-related lymphoplasmacytic sclerosing cholangitis that mimics infiltrating hilar cholangiocarcinoma: part of a spectrum of autoimmune pancreatitis? | Gastrointest Endosc     | 62           | 152-157   | 2005 |
| Muraki T., Hamano H., Ochi Y., Arakura N., Takayama M., Komatsu K., Komiyama Y., Kawa S., Uehara T., Kiyosawa K. | Corticosteroid-responsive pancreatic cyst found in autoimmune pancreatitis.  | J Gastroenterol         | 40           | 761-766   | 2005 |
| Muraki T., Hamano H., Ochi Y., Komatsu K., Komiyama Y., Arakura N., Yoshizawa K., Ota M., Kawa S., Kiyosawa K.   | Autoimmune pancreatitis and complement activation system.  | Pancreas                | 32           | 16-21     | 2006 |
| Okubo K., Maruyama M., Nagaya T., Tomita T., Kamijo H., Kobayashi N., Mochizuki T., Okubo H., Kawa S.            | Spontaneous excretion of a pancreatic stone found in a patient with pancreas divisum.  | Pancreas                | 33           | 203-205   | 2006 |
| Umemura T., Ota M., Hamano H., Katsuyama Y., Kiyosawa K., Kawa S.  | Genetic association of Fc receptor-like 3 polymorphisms with autoimmune pancreatitis in Japanese patients.   | Gut                     | 55           | 1367-1368 | 2006 |

| 発表者氏名   | 論文タイトル名  | 発表誌                | 巻号           | ページ       | 出版年      |
|---|--|--------------------|--------------|-----------|----------|
| Hamano H, <u>Kawa S.</u>  | Are there any other organs in which autoimmune pancreatitis-associated lesions remain to be identified?  | Intern Med         | 45           | 883-884   | 2006     |
| Tanabe T, Tsushima K, Yasuo M, Urushihata K, Hanaoka M, Koizumi T, Fujimoto K, Kubo K, Uehara T, Shigematsu S, Hamano H, <u>Kawa S.</u> | IgG4-associated multifocal systemic fibrosis complicating sclerosing sialadenitis, hypophysitis, and retroperitoneal fibrosis, but lacking pancreatic involvement. | Intern Med         | 45           | 1243-1247 | 2006     |
| Hamano H, Arakura N, Muraki T, Ozaki Y, Kiyosawa K, <u>Kawa S.</u>  | Prevalence and distribution of extrapancreatic lesions complicating autoimmune pancreatitis.   | J Gastroenterol    | 41           | 1197-1205 | 2006     |
| <u>Nishimori I</u> , Kohsaki T, Onishi S, Shuin T, Kohsaki S, Ogawa Y, Matsumoto M, Hiroi M, Hamano H, <u>Kawa S.</u>                   | IgG4-related autoimmune prostatitis: two cases with or without autoimmune pancreatitis.  | Intern Med         | 46           | 1983-1989 | 2007     |
| Matsuda M, Hamano H, Yoshida T, Gono T, Uehara T, <u>Kawa S.</u> , Ikeda S.   | Seronegative Sjögren syndrome with asymptomatic autoimmune sclerosing pancreatitis.  | Clin Rheumatol     | 26           | 117-119   | 2007     |
| Hamed G, Tsushima K, Yasuo M, Kubo K, Yamazaki S, <u>Kawa S.</u> , Hamano H, Yamamoto H.  | Inflammatory lesions of the lung, submandibular gland, bile duct and prostate in a patient with IgG4-associated multifocal systemic fibrosclerosis.                | Respirology        | 12           | 455-457   | 2007     |
| Ota M, Katsuyama Y, Hamano H, Umemura T, Kimura A, Yoshizawa K, Kiyosawa K, Fukushima H, Bahram S, Inoko H, <u>Kawa S.</u>              | Two critical genes ( <i>HLA-DRB1</i> and <i>ABCF1</i> ) in the HLA region are associated with the susceptibility to autoimmune pancreatitis.                       | Immunogenetics     | 59           | 45-52     | 2007     |
| Tsushima K, Kubo K, <u>Kawa S.</u> , Hamano H.  | IgG4-associated multifocal systemic fibrosis presenting with fever of unknown origin.  | QJM                | 100          | 141-142   | 2007     |
| Hamano H, Umemura T, Uehara T, <u>Kawa S.</u> , Kiyosawa K.   | IgG4-related sclerosing cholangitis should be included as an exclusion criterion for the diagnosis of primary sclerosing cholangitis.                              | Am J Gastroenterol | 102          | 691-692   | 2007     |
| <u>Kawa S.</u> , Hamano H.  | Clinical features of autoimmune pancreatitis.  | J Gastroenterol    | 42 Suppl. 18 | 9-14      | 2007     |
| Umemura T, Zen Y, Hamano H, <u>Kawa S.</u> , Nakanuma Y, Kiyosawa K.  | Immunoglobulin G4-hepatopathy: association of immunoglobulin G4-bearing plasma cells in liver with autoimmune pancreatitis.  | Hepatology         | 46           | 463-471   | 2007     |
| <u>Kawa S.</u> , Hamano H, Umemura T, Kiyosawa K, Uehara T.   | Sclerosing cholangitis associated with autoimmune pancreatitis.  | Hepatology Res     | 37 Suppl. 3  | S487-S495 | 2007     |
| Umemura T, Ota M, Hamano H, Katsuyama Y, Muraki T, Arakura N, <u>Kawa S.</u> , Kiyosawa K.  | Association of autoimmune pancreatitis with cytotoxic T-lymphocyte antigen 4 gene polymorphism in Japanese patients.   | Am J Gastroenterol |              |           | in press |

| 発表者氏名   | 論文タイトル名  | 発表誌                                     | 巻号          | ページ       | 出版年      |
|---|--|---|-------------|-----------|----------|
| Ozaki Y, Oguchi K, Hamano H, Arakura N, Muraki T, Kiyosawa K, Momose M, Kadoya M, Miyata K, Aizawa T, Kawa S.                   | Differentiation of autoimmune pancreatitis from suspected pancreatic cancer by FDG-PET.  | J Gastroenterol                         |             |           | in press |
| Masamune A, Kikuta K, Satoh M, Suzuki N, Shimosegawa T.   | Green tea polyphenol epigallocatechin-3-gallate blocks PDGF-induced proliferation and migration of rat pancreatic stellate cells.        | World J Gastroenterol                   | 11          | 3368-3374 | 2005     |
| Masamune A, Satoh M, Kikuta K, Suzuki N, Shimosegawa T.   | Activation of JAK-STAT pathway is required for platelet-derived growth factor-induced proliferation of pancreatic stellate cells.        | World J Gastroenterol                   | 11          | 3385-3391 | 2005     |
| Masamune A, Satoh M, Kikuta K, Suzuki N, Satoh K, Shimosegawa T.  | Endothelin-1 stimulates contraction and migration of rat pancreatic stellate cells.  | World J Gastroenterol                   | 11          | 6144-6151 | 2005     |
| Kanno A, Satoh K, Kimura K, Masamune A, Asakura T, Unno M, Matsuno S, Moriya T, Shimosegawa T.                                  | Autoimmune pancreatitis with hepatic inflammatory pseudotumor.   | Pancreas                                | 31          | 420-423   | 2005     |
| Satoh A, Gukovskaya AS, Edderkaoui M, Daghighian MS, Reeve JR Jr, Shimosegawa T, Pandol SJ.                                     | Tumor necrosis factor- $\alpha$ mediates pancreatitis responses in acinar cells via protein kinase C and proline-rich tyrosine kinase 2. | Gastroenterology                        | 129         | 639-651   | 2005     |
| Masamune A, Satoh M, Kikuta K, Suzuki N, Satoh K, Shimosegawa T.  | Ellagic acid blocks activation of pancreatic stellate cells.   | Biochem Pharmacol                       | 70          | 869-878   | 2005     |
| Kume K, Masamune A, Mizutamari H, Kaneko K, Kikuta K, Satoh M, Satoh K, Kimura K, Suzuki N, Nagasaki Y, Horii A, Shimosegawa T. | Mutations in the serine protease inhibitor Kazal Type 1 (SPINK1) gene in Japanese patients with pancreatitis.                            | Pancreatology                           | 5           | 354-360   | 2005     |
| Masamune A, Kikuta K, Satoh M, Suzuki N, Shimosegawa T.   | Protease-activated receptor-2-mediated proliferation and collagen production of rat pancreatic stellate cells.                           | J Pharmacol Exp Ther                    | 312         | 651-658   | 2005     |
| Shimosegawa T, Kume K, Masamune A.  | SPINK1 gene mutations and pancreatitis in Japan.   | J Gastroenterol Hepatol                 | 21 Suppl. 3 | S47-S51   | 2006     |
| Kume K, Masamune A, Kikuta K, Shimosegawa T.  | [ $-215G>A$ ; IVS3+2T>C] mutation in the SPINK1 gene causes exon 3 skipping and loss of the trypsin binding site.                        | Gut                                     | 55          | 1214      | 2006     |
| Kikuta K, Masamune A, Satoh M, Suzuki N, Satoh K, Shimosegawa T.  | Hydrogen peroxide activates activator protein-1 and mitogen-activated protein kinases in pancreatic stellate cells.                      | Mol Cell Biochem                        | 291         | 11-20     | 2006     |
| Masamune A, Satoh M, Hirabayashi J, Kasai K, Satoh K, Shimosegawa T.  | Galectin-1 induces chemokine production and proliferation in pancreatic stellate cells.  | Am J Physiol Gastrointest Liver Physiol | 290         | G729-G736 | 2006     |

| 発表者氏名  | 論文タイトル名   | 発表誌                                     | 巻号           | ページ       | 出版年  |
|--|---|---|--------------|-----------|------|
| Masamune A, Suzuki N, Kikuta K, Satoh M, Satoh K, Shimosegawa T.   | Curcumin blocks activation of pancreatic stellate cells.  | J Cell Biochem                          | 97           | 1080-1093 | 2006 |
| Kanno A, Satoh K, Kimura K, Masamune A, Asakura T, Egawa S, <u>Sunamura M</u> , Watanabe M, <u>Shimosegawa T</u> . | Acute pancreatitis due to pancreatic arteriovenous malformation: 2 case reports and review of the literature.                         | Pancreas                                | 32           | 422-425   | 2006 |
| Masamune A, Kume K, <u>Shimosegawa T</u> .   | Differential roles of the SPINK1 gene mutations in alcoholic and nonalcoholic chronic pancreatitis.                                   | J Gastroenterol                         | 42 Suppl. 17 | 135-140   | 2007 |
| Masamune A, Watanabe T, Kikuta K, Satoh K, <u>Shimosegawa T</u> .  | NADPH oxidase plays a crucial role in the activation of pancreatic stellate cells.  | Am J Physiol Gastrointest Liver Physiol | 294          | G99-G108  | 2007 |
| Masamune A, Kume K, Takagi Y, Kikuta K, Satoh K, Satoh A, <u>Shimosegawa T</u> .                                   | N34S mutation in the SPINK1 gene is not associated with alternative splicing.   | Pancreas                                | 34           | 423-428   | 2007 |
| Takeda K, Mikami Y, Fukuyama S, Egawa S, <u>Sunamura M</u> , Ishibashi T, Sato A, Masamune A, Matsuno S.           | Pancreatic ischemia associated with vasospasm in the early phase of human acute necrotizing pancreatitis.                             | Pancreas                                | 30           | 40-49     | 2005 |
| Mikami Y, <u>Takeda K</u> , Matsuda K, Qiu-Feng H, Fukuyama S, Egawa S, <u>Sunamura M</u> , Matsuno S.             | Rat experimental model of continuous regional arterial infusion of protease inhibitor and its effects on severe acute pancreatitis.   | Pancreas                                | 30           | 248-253   | 2005 |
| Mikami Y, <u>Takeda K</u> , Omura N, Abe H, Fukuyama S, Motoi F, Egawa S, <u>Sunamura M</u> , Matsuno S.           | New strategy for acute necrotizing pancreatitis: continuous regional arterial infusion (CRAI) therapy.                                | Roczn Akad Med Bialymst                 | 50           | 101-105   | 2005 |
| Matsuda K, Mikami Y, <u>Takeda K</u> , Fukuyama S, Egawa S, <u>Sunamura M</u> , Maruyama I, Matsuno S.             | The cannabinoid 1 receptor antagonist, AM251, prolongs the survival of rats with severe acute pancreatitis.                           | Tohoku J Exp Med                        | 207          | 99-107    | 2005 |
| <u>Takeda K</u> .  | Antiprotease in the treatment of acute necrotizing pancreatitis: continuous regional arterial infusion.                               | JOP                                     | 8            | 526-532   | 2007 |
| <u>Takeyama Y</u> .  | Significance of apoptotic cell death insystemic complications with severe acute pancreatitis.   | J Gastroenterol                         | 40           | 1-10      | 2005 |
| Yasuda T, Ueda T, <u>Takeyama Y</u> , Shinzeiki M, Sawa H, Nakajima T, Ajiki T, Fujino Y, Suzuki Y, Kuroda Y.      | Significant increase of serum high-mobility group box chromosomal protein 1 levels in patients with severe acute pancreatitis.        | Pancreas                                | 33           | 359-363   | 2006 |
| Yasuda T, <u>Takeyama Y</u> , Ueda T, Shinzeiki M, Sawa H, Nakajima T, <u>Kuroda Y</u> .                           | Breakdown of intestinal mucosa via accelerated apoptosis increases intestinal permeability in experimental severe acute pancreatitis. | J Surg Res                              | 135          | 18-26     | 2006 |

| 発表者氏名  | 論文タイトル名  | 発表誌                           | 巻号  | ページ       | 出版年  |
|--|--|-------------------------------|-----|-----------|------|
| Ueda T, Takeyama Y, Yasuda T, Matsumura N, Sawa H, Nakajima T, Ajiki T, Fujino Y, Suzuki Y, Kuroda Y.                          | Significant elevation of serum interleukin-18 levels in patients with acute pancreatitis.  | J Gastroenterol               | 41  | 158-165   | 2006 |
| Yamasaki M, Takeyama Y, Shinkai M, Ohyanagi H.   | Pancreatic and bile duct obstruction exacerbates rat caerulein-induced pancreatitis: a new experimental model of acute hemorrhagic pancreatitis.                   | J Gastroenterol               | 41  | 352-360   | 2006 |
| Sawa H, Ueda T, Takeyama Y, Yasuda T, Matsumura N, Nakajima T, Ajiki T, Fujino Y, Suzuki Y, Kuroda Y.                          | Elevation of plasma tissue factor levels in patients with severe acute pancreatitis.   | J Gastroenterol               | 41  | 575-581   | 2006 |
| Takeyama Y.  | Recurrent acute pancreatitis: is it possible to exclude chronic pancreatitis?  | J Gastroenterol               | 41  | 722-723   | 2006 |
| Ueda T, Takeyama Y, Yasuda T, Shinzeki M, Sawa H, Nakajima T, Ajiki T, Fujino Y, Suzuki Y, Kuroda Y.                           | Immunosuppression in patients with severe acute pancreatitis.  | J Gastroenterol               | 41  | 779-784   | 2006 |
| Ueda T, Takeyama Y, Yasuda T, Matsumura N, Sawa H, Nakajima T, Kuroda Y.   | Vascular endothelial growth factor increases in serum and protects against the organ injuries in severe acute pancreatitis.  | J Surg Res                    | 134 | 223-230   | 2006 |
| Sawa H, Ueda T, Takeyama Y, Yasuda T, Shinzeki M, Nakajima T, Kuroda Y.  | Blockade of high mobility group box-1 protein attenuates experimental severe acute pancreatitis.   | World J Gastroenterol         | 12  | 7666-7670 | 2006 |
| Sawa H, Ueda T, Takeyama Y, Yasuda T, Shinzeki M, Matsumura N, Nakajima T, Matsumoto I, Fujita T, Ajiki T, Fujino Y, Kuroda Y. | Treatment outcome of selective digestive decontamination and enteral nutrition in patients with severe acute pancreatitis.   | J Hepatobiliary Pancreat Surg | 14  | 503-508   | 2007 |
| Nakajima T, Ueda T, Takeyama Y, Yasuda T, Shinzeki M, Sawa H, Kuroda Y.  | Protective effects of vascular endothelial growth factor on intestinal epithelial apoptosis and bacterial translocation in experimental severe acute pancreatitis. | Pancreas                      | 34  | 410-416   | 2007 |
| Yasuda T, Ueda T, Shinzeki M, Sawa H, Nakajima T, Takeyama Y, Kuroda Y.  | Increase of high-mobility group box chromosomal protein 1 in blood and injured organs in experimental severe acute pancreatitis.                                   | Pancreas                      | 34  | 487-488   | 2007 |
| Shinzeki M, Ueda T, Takeyama Y, Yasuda T, Sawa H, Nakajima T, Matsumoto I, Fujita T, Ajiki T, Fujino Y, Kuroda Y.              | Serum immunosuppressive acidic protein levels in patients with severe acute pancreatitis.  | Pancreas                      | 35  | 327-333   | 2007 |
| Ueda T, Takeyama Y, Yasuda T, Shinzeki M, Sawa H, Nakajima T, Matsumoto I, Ajiki T, Fujino Y, Kuroda Y.                        | Lactate dehydrogenase-to-lymphocyte ratio for the prediction of infection in acute necrotizing pancreatitis.   | Pancreas                      | 35  | 378-380   | 2007 |

| 発表者氏名  | 論文タイトル名   | 発表誌                            | 巻号           | ページ         | 出版年      |
|--|---|--------------------------------|--------------|-------------|----------|
| Matsumura N,<br><u>Takeyama Y</u> , Ueda T,<br>Yasuda T, Shinzeki M,<br>Sawa H, Nakajima T,<br><u>Kuroda Y</u> .   | Decreased expression of toll-like receptor 2 and 4 on macrophages in experimental severe acute pancreatitis.  | Kobe J Med Sci                 | 53           | 219-227     | 2007     |
| Sawa H, Ueda T,<br><u>Takeyama Y</u> , Yasuda T,<br>Shinzeki M, Nakajima T,<br><u>Kuroda Y</u> .   | Role of toll-like receptor 4 in the pathophysiology of severe acute pancreatitis in mice.   | Surg Today                     | 37           | 867-873     | 2007     |
| Ueda T, <u>Takeyama Y</u> ,<br>Yasuda T, Matsumura N,<br>Sawa H, Nakajima T,<br>Ajiki T, Fujino Y,<br>Suzuki Y, <u>Kuroda Y</u> .                              | Simple scoring system for the prediction of the prognosis of severe acute pancreatitis.   | Surgery                        | 141          | 51-58       | 2007     |
| Ueda T, <u>Takeyama Y</u> ,<br>Yasuda T, Shinzeki M,<br>Sawa H, Nakajima T,<br>Takase K, Matsumoto I,<br>Fujita T, Ajiki T,<br>Fujino Y, <u>Kuroda Y</u> .     | Serum interleukin-15 level is a useful predictor of the complications and mortality in severe acute pancreatitis.   | Surgery                        | 142          | 319-326     | 2007     |
| Yasuda T, <u>Takeyama Y</u> ,<br>Ueda T, Shinzeki M,<br>Kishi S, Sawa H,<br>Nakajima T, <u>Kuroda Y</u> .  | Protective effect of caspase inhibitor on intestinal integrity in experimental severe acute pancreatitis.   | J Surg Res                     | 138          | 300-307     | 2007     |
| Yasuda T, Ueda T,<br><u>Takeyama Y</u> ,<br>Shinzeki M, Sawa H,<br>Nakajima T,<br>Matsumoto I, Fujita T,<br>Sakai T, Ajiki T,<br>Fujino Y, <u>Kuroda Y</u> .   | Treatment strategy against infection: clinical outcome of continuous regional arterial infusion, enteral nutrition, and surgery in severe acute pancreatitis. | J Gastroenterol                | 42           | 681-689     | 2007     |
| Sawa H, Ueda T,<br><u>Takeyama Y</u> , Yasuda T,<br>Shinzeki M,<br>Matsumura N,<br>Nakajima T, <u>Kuroda Y</u> .   | Expression of toll-like receptor 2 and 4 in intestinal mucosa in experimental severe acute pancreatitis.  | Hepato-gastroenterol           |              |             | in press |
| Yasuda T, Ueda T,<br><u>Takeyama Y</u> ,<br>Shinzeki M, Sawa H,<br>Nakajima T, <u>Kuroda Y</u> .   | Prevention of life-threatening complications in severe acute pancreatitis: results of our research.   | Pancreatitis Research Advances |              |             | in press |
| Yasuda T, Ueda T,<br><u>Takeyama Y</u> ,<br>Shinzeki M, Sawa H,<br>Nakajima T, <u>Kuroda Y</u> .   | Long-term outcome of severe acute pancreatitis.   | J Hepatobiliary Pancreat Surg  |              |             | in press |
| Hamada H, <u>Ishiguro H</u> ,<br>Yamamoto A,<br>Shimano-Futakuchi S,<br>Ko SBH, Yoshikawa T,<br>Goto H, Kitagawa M,<br>Hayakawa T, Seo T,<br><u>Naruse S</u> . | Dual effects of n-alcohols on fluid secretion from guineapig pancreatic duct cells.   | Am J Physiol Cell Physiol      | 288          | C1431-C1439 | 2005     |
| <u>Naruse S</u> , <u>Ishiguro H</u> ,<br>Ko SBH, Yoshikawa T,<br>Yamamoto T,<br>Yamamoto A,<br>Futakuchi S, Goto H,<br>Saito Y, Takahashi S.                   | Fecal pancreatic elastase: a reproducible marker for severe exocrine pancreatic insufficiency.  | J Gastroenterol                | 41           | 901-908     | 2006     |
| <u>Naruse S</u> , Fujiki K,<br><u>Ishiguro H</u> .   | Is genetic analysis helpful for diagnosing chronic pancreatitis in its early stage?   | J Gastroenterol                | 42 Suppl. 17 | 60-65       | 2006     |

| 発表者氏名  | 論文タイトル名   | 発表誌                     | 巻号           | ページ       | 出版年  |
|--|---|-------------------------|--------------|-----------|------|
| <u>Naruse S</u> , <u>Ishiguro H</u> ,<br>Shirota K, Nakakuki M,<br>Yamamoto A, Kondo T.  | Sweat chloride measurement with a highly sensitive electrode.   | Pancreas                | 33           | 100       | 2006 |
| <u>Ishiguro H</u> , Steward M,<br><u>Naruse S</u> .  | Cystic fibrosis transmembrane conductance regulator and SLC26 transporters in $\text{HCO}_3^-$ secretion by pancreatic duct cells.                      | Sheng Li Xue Bao        | 59           | 465-476   | 2007 |
| Ko SBH, <u>Naruse S</u> ,<br><u>Ishiguro H</u> , Yoshikawa T,<br>Yamamoto T,<br>Futakuchi S, Goto H.   | Allochronic biliary stricturesappeared in the different regions of the bile duct tree in a patient with autoimmune pancreatitis.                        | Pancreas                | 34           | 479-481   | 2007 |
| <u>Nishimori I</u> , Miyaji E,<br>Morimoto K, Nagao K,<br>Kamada M, Onishi S.  | Serum antibodies to carbonic anhydrase IV in patients with autoimmune pancreatitis.   | Gut                     | 54           | 274-281   | 2005 |
| <u>Suda K</u> , <u>Nishimori I</u> ,<br>Takase M, Oi I,<br>Ogawa M.  | Autoimmune pancreatitis canbe classified into early and advanced stages.  | Pancreas                | 33           | 345-350   | 2006 |
| <u>Okabayashi T</u> ,<br><u>Nishimori I</u> ,<br>Kobayaashi M,<br>Sugimoto T, Kohsaki T,<br>Okamoto K, Ito S,<br>Moriki T, Araki K,<br>Onishi S. | Xanthogranulomatous pancreatic abscess secondary to acute pancreatitis:two case reports.  | Hepato-gastroenterology | 54           | 1648-1651 | 2007 |
| Miyasaka K, Ohta M,<br>Takano S, Hayashi H,<br>Higuchi S, <u>Maruyama K</u> ,<br>Tando Y, Nakamura T,<br>Tanaka Y, <u>Funakoshi A</u> .          | Carboxylester lipase gene polymorphism as a risk of alcohol-induced pancreatitis.   | Pancreas                | 30           | e87-e91   | 2005 |
| Nakamura Y, Ohmori T,<br>Higuchi S, <u>Maruyama K</u> .  | Certain background factorsexhibit an association with an increased risk forpancreatic calcification among Japanese male alcoholics.                     | Pancreas                | 31           | 225-231   | 2005 |
| Nakamura Y, Higuchi S,<br><u>Maruyama K</u> .  | Pancreatic volume associated with endocrine and exocrine function of the pancreas among Japanese alcoholics.  | Pancreatology           | 5            | 422-431   | 2005 |
| <u>Mine T</u> .  | Is post-endoscopic retrograde cholangiopancreatography pancreatitis the same as acute clinical pancreatitis?  | J Gastroenterol         | 42           | 265-266   | 2007 |
| Okushima K, Yoshino J,<br><u>Inui K</u> , Miyoshi H,<br>Nakamura Y.  | Short-term metal stenting for treatment of main pancreatic duct strictures associated with chronic pancreatitis.  | Dig Endosc              | 17           | 230-234   | 2005 |
| <u>Inui K</u> , Tazuma S,<br>Yamaguchi T, <u>Ohara H</u> ,<br>Tsiji T, Miyagawa H,<br>Igarashi Y, Nakamura Y,<br>Atomi Y.                        | Treatment of pancreatic stones with extracorporeal shock wave lithotripsy : results of a multicenter survey.  | Pancreas                | 30           | 26-30     | 2005 |
| Sato S, <u>Irisawa A</u> ,<br>Shio K, Takagi T,<br>Ohira H.  | Case of an elderly man with associated henoch-schönlein purpura during treatment of acute pancreatitis.   | Fukushima J Med Sci     | 52           | 135-142   | 2006 |
| Imamura H, <u>Irisawa A</u> ,<br>Takagi T, Shibukawa G,<br>Wakatsuki T,<br>Takahashi Y, Sato A,<br>Hikichi T, Obara K,<br>Ohira H.               | Two cases of pancreatic abscess associated with penetration to the gastrointestinal tract during treatment using endoscopic ultrasound-guided drainage. | Fukushima J Med Sci     | 53           | 39-49     | 2007 |
| <u>Irisawa A</u> , Katakura K,<br>Ohira H, Bhutani MS,<br>Hernandez LV,<br>Koizumi M.  | Usefulness of endoscopicultrasound to diagnose the severity of chronic pancreatitis.  | J Gastroenterol         | 42 Suppl. 17 | 90-94     | 2007 |

| 発表者氏名  | 論文タイトル名  | 発表誌                     | 巻号           | ページ       | 出版年      |
|--|--|-------------------------|--------------|-----------|----------|
| Irisawa A, Sato A, Hernandez LV, Katakura K, Bhutani MS, Yamao K, Koizumi M, Ohira H.                | Role of EUS in the diagnosis of early chronic pancreatitis.  | Pancreas                |              |           | in press |
| Nakazawa T, Ohara H, Sano H, Ando T, Aoki S, Kobayashi S, Okamoto T, Nomura T, Joh T, Itoh M.        | Clinical differences between primary sclerosing cholangitis and sclerosing cholangitis with autoimmune pancreatitis.                         | Pancreas                | 30           | 20-25     | 2005     |
| Okamoto T, Yamada T, Kuno A, Ogawa K, Tang M, Sano H, Ohara H, Nakao H, Kataoka H, Shirai T, Itoh M. | FTY720, an immunosuppressant, attenuates chronic pancreatitis in rats by suppressing T-cell infiltration.                                    | Pancreas                | 30           | e64-e70   | 2005     |
| Ohara H, Nakazawa T, Sano H, Ando T, Okamoto T, Takada H, Hayashi K, Kitajima Y, Nakao H, Joh T.     | Systemic extrapancreatic lesions associated with autoimmune pancreatitis.  | Pancreas                | 31           | 232-237   | 2005     |
| Aoki S, Nakazawa T, Ohara H, Sano H, Nakao H, Joh T, Murase T, Eimoto T, Itoh M.                     | Immunohistochemical study of autoimmune pancreatitis using anti-IgG4 antibody and patients' sera.  | Histopathology          | 47           | 147-158   | 2005     |
| Ohara H, Nakazawa T, Sano H, Joh T, Takahashi S.   | Histopathologic similarities of inflammatory pseudotumor to autoimmune pancreatitis: a morphologic and immunohistochemical study of 4 cases. | Pancreas                | 32           | 115-117   | 2006     |
| Nakazawa T, Ohara H, Sano H, Ando T, Joh T.  | Schematic classification of sclerosing cholangitis with autoimmune pancreatitis by cholangiography.  | Pancreas                | 32           | 229       | 2006     |
| Ohara H, Nakazawa T, Ando T, Joh T.  | Systemic extrapancreatic lesions associated with autoimmune pancreatitis.  | J Gastroenterol         | 42 Suppl. 18 | 15-21     | 2007     |
| Nakazawa T, Ohara H, Sano H, Ando T, Imai H, Takada H, Hayashi K, Kitajima Y, Joh T.                 | Difficulty in diagnosing autoimmune pancreatitis by imaging findings.  | Gastrointest Endosc     | 65           | 99-108    | 2007     |
| Hayashi K, Nakazawa T, Ohara H, Ando T, Takada H, Tanaka H, Sasaki M, Kataoka H, Nakao H, Joh T.     | Autoimmune sclerosing cholangiopancreatitis with little pancreatic involvements by imaging findings.   | Hepato-gastroenterology | 54           | 2146-2151 | 2007     |
| Kitagawa M, Hayakawa T.  | Antiproteases in the treatment of acute pancreatitis.  | JOP                     | 8 Suppl. 4   | 518-525   | 2007     |
| Kitagawa M, Kataoka M, Saito M, Takahashi A.   | The relation of visceral adipose tissue to the metabolic syndrome.   | 名古屋学芸大学健康・栄養研究所年報       | 1            | 35-39     | 2007     |
| Yasuda T, Ueda T, Fujino Y, Matsumoto I, Nakajima T, Sawa H, Fujita T, Ajiki T, Suzuki Y, Kuroda Y.  | Pancreaticobronchial fistula associated with chronic pancreatitis: report of a case.   | Surg Today              | 37           | 338-341   | 2007     |

| 発表者氏名  | 論文タイトル名   | 発表誌                 | 巻号              | ページ       | 出版年      |
|--|---|---------------------|-----------------|-----------|----------|
| Sata N, Koizumi M,<br>Nagai H.   | Alcoholic pancreatopathy: a proposed new diagnostic category representing the preclinical stage of alcoholic pancreatic injury.   | J Gastroenterol     | 42 Suppl.<br>17 | 131-134   | 2007     |
| Miyakawa H, Suga K,<br>Okamura K.  | Usefulness of endoscopic ultrasonography for the diagnosis of chronic pancreatitis.   | J Gastroenterol     | 42 Suppl.<br>17 | 85-89     | 2007     |
| Suda K, Takase M,<br>Fukumura Y, Ogura K,<br>Ueda A, Matsuda T,<br>Suzuki F.   | Histopathologic characteristics of autoimmune pancreatitis based on comparison with chronic pancreatitis.   | Pancreas            | 30              | 355-358   | 2005     |
| Fukumura Y,<br>Kumasaka T, Mitani K,<br>Karita K, Suda K.  | Expression of transforming growth factor $\beta 1$ , $\beta 2$ and $\beta 3$ , in chronic, cancer-associated, obstructive pancreatitis.   | Arch Pathol Lab Med | 130             | 356-361   | 2006     |
| Suda K, Fukumura Y,<br>Takase M, Kashiwagi S,<br>Izumi M, Kumasaka T,<br>Suzuki F.   | Activated perilobular, not periacinar, pancreatic stellate cells contribute to fibrogenesis in chronic alcoholic pancreatitis.  | Pathol Int          | 57              | 21-25     | 2007     |
| Suda K, Takase M,<br>Fukumura Y,<br>Kashiwagi S.   | Pathology of autoimmune pancreatitis and tumor-forming pancreatitis.  | J Gastroenterol     | 42 Suppl.<br>18 | 22-27     | 2007     |
| Miyauchi M, Suda K,<br>Kuwayama C, Abe H,<br>Kakinuma C.   | Role of fibrosis-related genes and pancreatic duct obstruction in rat pancreatitis models: implications for chronic pancreatitis.   | Histol Histopathol  | 22              | 1119-1127 | 2007     |
| Fukumura Y, Suda K,<br>Mitani K, Takase M,<br>Kumasaka T.  | Expression of transforming growth factor $\beta$ by small duct epithelium in chronic, cancer-associated, obstructive pancreatitis: an in situ hybridization study and review of the literature. | Pancreas            | 35              | 353-357   | 2007     |
| Takase M, Suda K,<br>Nobukawa B,<br>Fukumura Y, Suzuki F,<br>Fujii H.  | Is IgG4-positive plasma cell specific in autoimmune pancreatitis?   | Pancreas            |                 |           | in press |
| Zhang L, Notohara K,<br>Levy MJ, Chari ST,<br>Smyrk TC.  | IgG4-positive plasma cell infiltration in the diagnosis of autoimmune pancreatitis.   | Modern Pathology    | 20              | 23-28     | 2007     |
| Maeda K, Hirota M,<br>Kimura Y, Ichihara A,<br>Ohmura M, Sugita H,<br>Ogawa M.   | Proinflammatory role of trypsins and protease-activated receptor-2 in a rat model of acute pancreatitis.  | Pancreas            | 31              | 54-62     | 2005     |
| Ohmura M, Hirota M,<br>Araki M, Mizushima N,<br>Matsui M, Mizumoto T,<br>Haruna K, Kume S,<br>Takeya M, Ogawa M,<br>Araki K, Yamamura K. | Autophagic cell death of pancreatic acinar cells in serine protease inhibitor kazal type 3-deficient mice.  | Gastroenterology    | 129             | 696-705   | 2005     |
| Hirota M, Ohmura M,<br>Baba H.   | Genetic background of pancreatitis.   | Postgrad Med J      | 82              | 775-778   | 2006     |
| Hirota M, Shibata M,<br>Baba H.  | Significance of elevated serum IL-18 levels in patients with acute pancreatitis.  | J Gastroenterol     | 41              | 182-183   | 2006     |
| Hirota M, Ohmura M,<br>Baba H.   | The role of trypsin, trypsin inhibitor, and trypsin receptor in the onset aggravation of pancreatitis.  | J Gastroenterol     | 41              | 832-836   | 2006     |

| 発表者氏名  | 論文タイトル名  | 発表誌                                     | 巻号           | ページ       | 出版年      |
|--|--|---|--------------|-----------|----------|
| Maeda K, <u>Hirota M</u> , Ichihara A, Ohmura M, Hashimoto D, Sugita H, Takamori H, Kanemitsu K, Baba H.                 | Applicability of disseminated intravascular coagulation parameters in the assessment of the severity of acute pancreatitis.          | Pancreas                                | 32           | 87-92     | 2006     |
| Ohmura M, <u>Hirota M</u> , Araki K, Baba H, Yamamura K.   | Enhanced trypsin activity in pancreatic acinar cells deficient for serine protease inhibitor kazal type3.                            | Pancreas                                | 33           | 104-106   | 2006     |
| Fujimura Y, <u>Hirota M</u> , Ichihara A, Takamori H, Baba H.  | Platelet count as a sensitive and convenient parameter for assessing the prognosis in acute pancreatitis.                            | Pancreas                                |              |           | in press |
| Saotome T, Endo Y, Sasaki T, Tabata T, Hamamoto T, Fujino K, Andoh A, Eguchi Y, Tani T, <u>Fujiyama Y</u> .              | A case of severe acute pancreatitis treated with CTR-001 direct hemoperfusion for cytokine apheresis.                                | Ther Apher Dial                         | 9            | 367-371   | 2005     |
| Inatomi O, Andoh A, Yagi Y, Ogawa A, Hata K, Shiomi H, Tani T, Takayanagi A, Shimizu N, <u>Fujiyama Y</u> .              | Matrix metalloproteinase-3 secretion from human pancreatic periacinar myofibroblasts in response to inflammatory mediators.          | Pancreas                                | 34           | 126-132   | 2007     |
| Nishida A, Andoh A, Shioya M, Kim-Mitsuyama S, Takayanagi A, <u>Fujiyama Y</u> .   | Phosphatidylinositol 3-Kinase/Akt signaling mediates interleukin-32 {alpha} induction in human pancreatic periacinar myofibroblasts. | Am J Physiol Gastrointest Liver Physiol | Jan 31; Epub |           | in press |
| Miyasaka K, Kanai S, Ohta M, <u>Funakoshi A</u> .  | Stimulatory effect of ethanol on pancreatic secretion in conscious rats requires CCK-A receptor.                                     | Pancreas                                | 30           | e22-e28   | 2005     |
| Miyasaka K, Hosoya H, Takano S, Ohta M, Sekime S, Kanai S, Matsui T, <u>Funakoshi A</u> .                                | Difference in ethanol ingestion between cholecystokinin-A receptor deficient and -B receptor deficient mice.                         | Alcohol alcohol                         | 40           | 176-180   | 2005     |
| Yamao K, Sawaki A, <u>Mizuno N</u> , Shimizu Y, Yatabe Y, Koshikawa T.   | Endoscopic ultrasound-guided fine-needle aspiration biopsy (EUS-FNAB) : past, present, and future.                                   | J Gastroenterol                         | 40           | 1013-1023 | 2005     |
| Takahashi K, Yamao K, Okubo K, Sawaki A, <u>Mizuno N</u> , Ashida R, Koshikawa T, Ueyama Y, Kasugai K, Hase S, Kakumu S. | Differential diagnosis of pancreatic cancer and focal pancreatitis by using EUS-guided FNA.  | Gastrointest Endosc                     | 61           | 76-79     | 2005     |