

Kawabata R, Wada H, Isobe M, Saika T, Sato S, Uenaka A, Miyata H, Yasuda T, Doki Y, Noguchi Y, Kumon H, Tsuji K, <u>Iwatsuki K</u> , Shiku H, Ritter G, Murphy R, Hoffman E, Old LJ, Monden M, Nakayama E	Antibody response against NY-ESO-1 in CHP-NY-ESO-1 vaccinated patients	Int J Cancer	2007, Epub ahead of print
Yamamoto T, Tsuji K, Suzuki D, Morizane S, <u>Iwatsuki K</u>	A novel, noninvasive diagnostic probe for hydroa vacciniforme and related disorders: Detection of latency-associated Epstein-Barr virus transcripts in the crusts	J Microbiol Methods	68: 403-407, 2007
Takahashi S, Tsuji K, Fujii K, Okazaki F, Takigawa T, Ohtsuka A, <u>Iwatsuki K</u>	Prospective study of clinical symptoms and skin test reactions in medical students exposed to formaldehyde gas	J Dermatol	34:283-289, 2007
Uenaka A, Wada H, Isobe M, Saika T, Tsuji K, Sato E, Sato S, Noguchi Y, Kawabata R, Yasuda T, Doki Y, Kumon H, <u>Iwatsuki K</u> , Shiku H, Monden M, Jungbluth AA, Ritter G, Murphy R, Hoffman E, Old LJ and Nakayama E	T cell immunomonitoring and tumor responses in patients immunized with a complex of cholesterol-bearing hydrophobized pilluan (CHP) and NY-ESO-1 protein	Cancer Immunity 7	7: 9-19, 2007
Yamada A, Yamasaki O, Asagoe K, Tsuji K, Hamada T, Ota Y, <u>Iwatsuki K</u>	Recovery from Sezary syndrome following Mycobacterium avium spondylitis	Br J Dermatol	2007, Epub ahead of print
Sugiyama H, Asagoe K, Morizane S, Oono T, Okazaki F, <u>Iwatsuki K</u>	Leukocyte common antigen-negative, aggressive cutaneous anaplastic large cell lymphoma with prominent pseudocarcinomatous hyperplasia	Eur J Dermatol	18(1):74-7, 2008
Miyazaki M, Hardjo M, Masaka T, Tomiyama K, Mahmut N, Medina RJ, Niida A, Sonegawa H, Du G, Yong R, Takaishi M, Sakaguchi M, <u>Huh NH</u>	Isolation of a bone marrow-derived stem cell line with high proliferation potential and its application for preventing acute fatal liver failure	Stem Cells	25(11):2855-63, 2007
Edamura K, Nasu Y, Takaishi M, Kobayashi T, Abarzua F, Sakaguchi M, Kashiwakura Y, Ebara S, Saika T, Watanabe M, <u>Huh NH</u> , Kumon H	Adenovirus-mediated REIC/Dkk-3 gene transfer inhibits tumor growth and metastasis in an orthotopic prostate cancer model	Cancer Gene Ther	14:765-772, 2007
Abarzua F, Sakaguchi M, Tanimoto R, Sonegawa H, Li DW, Edamura K, Kobayashi T, Watanabe M, Kashiwakura Y, Kaku H, Saika T, Nakamura K, Nasu Y, Kumon H, <u>Huh NH</u>	Heat shock proteins play a crucial role in tumor-specific apoptosis by REIC/Dkk-3	Int J Mol Med	20:37-43, 2007
Tomiyama K, Miyazaki M, Nukui M, Takaishi M, Nakao A, Shimizu N, <u>Huh NH</u>	Limited contribution of cells of intact extrahepatic tissue origin to hepatocyte regeneration in transplanted rat liver	Transplantation	83:624-630, 2007

Tanimoto R, Abarzua F, Sakaguchi M, Takaishi M, Nasu Y, Kumon H, <u>Huh NH</u>	REIC/Dkk-3 as a potential gene therapeutic agent against human testicular cancer	Int J Mol Med	19:363-368, 2007
Tsuru K, Hayakawa S, Shiroasaki Y, Okayama T, Kataoka K, <u>Huh NH</u> , Osaka A	reparation of porous organically-modified silicate hybrid cell culture matrix	Key Engineering Materials	330-332:1177-1180, 2007
Nukui T, Ehama R, Sakaguchi M, Sonegawa H, Katagiri C, Hibino T, <u>Huh NH</u>	S100A11, a dual mediator for growth regulation of human keratinocytes	J Cell Biochem	in press
Sakaguchi M, Sonegawa H, Murata H, Kitazoe M, Futami JI, Kataoka K, Yamada H, <u>Huh NH</u>	S100A11, a dual mediator for growth regulation of human keratinocytes	Mol Biol Cell	2007 Oct 31
Sakaguchi M, Murata H, Sonegawa H, Sakaguchi Y, Futami JI, Kitazoe M, Yamada H, <u>Huh NH</u>	Truncation of annexin A1 is a regulatory lever for linking EGF signaling with cytosolic phospholipase A2 in normal and malignant squamous epithelial cells	J Biol Chem	2007 Oct 10
Sonegawa H, Nukui T, Li DW, Takaishi M, Sakaguchi M, <u>Huh NH</u>	Involvement of deterioration in S100C/A11-mediated pathway in resistance of human squamous cancer cell lines to TGFb-induced growth suppression	J Mol Med	85:753-762, 2007
Ishiura N, <u>Komine M</u> , Kadono T, Kikuchi K, Tamaki K	A case of milia en plaque successfully treated with oral etretinate	Br J Dermatol	157(6):1287-9,2007
Kuwano Y, Fujimoto M, Watanabe R, Ishiura N, Nakashima H, <u>Komine M</u> , Hamazaki TS, Tamaki K, Okochi H	The involvement of Gab1 and PI 3-kinase in beta1 integrin signaling in keratinocytes	Biochem Biophys Res Commun	361(1):224-9,2007
Fujita H, Asahina A, <u>Komine M</u> , Tamaki K	ERK inhibitor PD98059 promotes the phenotypic and functional maturation of murine resident Langerhans cells	J Dermatol	34(6):403-6,2007
Fujita H, Asahina A, <u>Komine M</u> , Tamaki K	The direct action of 1alpha,25(OH)2-vitamin D3 on purified mouse Langerhans cells	Cell Immunol	245(2):70-9
Komine M, Karakawa M, Takekoshi T, Sakurai N, Minatani Y, Mitsui H, Tada Y, Saeki H, Asahina A, Tamaki K	Early inflammatory changes in the "perilesional skin" of psoriatic plaques: is there interaction between dendritic cells and keratinocytes?	J Invest Dermatol	127(8):1915-22,2007
Saeki H, Hosono S, Tsunemi Y, Sasaki K, Kadono T, Ihn H, <u>Komine M</u> , Asahina A, Kikuchi K, Tamaki K	Psoriasis vulgaris associated with superior vena cava syndrome due to lung cancer metastasis	J Dermatol	34(5):356-9,2007

Kikuchi K, <u>Komine M</u> , Takekoshi T, Tamaki K	Serum uric acid levels in patients with vitiligo receiving narrowband ultraviolet B phototherapy	Clin Exp Dermatol	32:107-8, 2007
Masui Y, Sugaya M, Kagami S, Fujita H, Yano S, Nagao M, <u>Komine M</u> , Saeki H, Ihn H, Kikuchi K, Tamaki K	Sezary syndrome treated with narrowband ultraviolet B: time-course measurement of serum levels of CCL17/CCL27	Clin Exp Dermatol	32:57-9, 2007
小宮根真弓	ケラチノサイトの生物学 ストレスとケラチノサイト	日本皮膚科学会雑誌	117(13):2420-2421,2007
横倉英人, 若旅功二, 山田朋子, 小宮根真弓, 村田哲, 大槻マミ太郎	急速に増大する下眼瞼皮下腫瘍を形成した症例	皮膚病診療	29(12)1407-1410,2007
福地修, 太田有史, 石地尚興, 本田まりこ, 上出良一, 中川秀己, 小宮根真弓, 長谷川友紀	乾癬の臨床評価におけるSelf-Administered PASIの有用性とQOL指標との関連性	日本皮膚科学会雑誌	117(12)1969-1976,2007
小宮根真弓	以前から使われている薬剤の新しい使い方・問題点 マクロライド系抗生物質	皮膚科の臨床	49(10)1227-1230,2007
小宮根真弓	全身にみられる皮疹 内臓悪性腫瘍に伴う皮膚疾患	診断と治療	95(9):1530-1536,2007
小宮根真弓	臨床研究から痒みに迫る 乾癬はなぜ痒い	Visual Dermatology	6(7):Page710-712,2007
小宮根真弓, 常深祐一郎, 佐々木苗胤, 玉置邦彦, 花川靖, 橋本公二, 大河内仁志	表皮細胞における変異 ケラチンK1の作用	角化症研究会記録集	21: 18-20,2007
常深祐一郎, 嶋津苗胤, 服部尚子, 白井明, 佐伯秀久, 小宮根真弓, 玉置邦彦	イトラコナゾール400mgパルス療法開始後肝胆道系酵素値上昇頻度の検討 パルス療法開始前肝胆道系酵素値異常の有無による比較	皮膚科の臨床	49(1) : 45-47,2007
Komine M, Karakawa M, Takekoshi T, Sakurai N, Minatani Y, Mitsui H, Tada Y, Saeki H, Asahina A, Tamaki K	Early inflammatory changes in the "perilesional skin" of psoriatic plaques: is there interaction between dendritic cells and keratinocytes?	J Invest Dermatol	127(8):1915-22,2007
Abe R, Hirayama T, <u>Shimizu H</u>	Disseminated subcutaneous nodules alone as manifestations of Churg-Strauss syndrome	Int J Dermatol	in press
Abe R, Murase S, Nomura Y, Natsuga K, Tateishi Y, Tomita Y, Tsuji-Abe Y, Matsumura T, <u>Shimizu H</u>	A case of acquired perforating dermatosis manifesting as elastosis perforans serpiginosa and perforating folliculitis	Clin Exp Dermatol	in press

Akiyama M, Sakai K, Ogawa M, McMillan JR, Sawamura D, <u>Shimizu H</u>	Novel duplication mutation in the patatin domain of adipose triglyceride lipase (PNPLA2) in neutral lipid storage disease with severe myopathy	Muscle Nerve	36(6):856-9,2007
Aoyagi S, Akiyama M, Mashiko M, Shibaki A, <u>Shimizu H</u>	Extensive proliferative nodules in a case of giant congenital naevus	Clin Exp Dermatol	33(2):125-7,2008
Natsuga K, Akiyama M, Kato N, Sakai K, Sugiyama-Nakagiri Y, Nishimura M, Hata H, Abe M, Arita K, Tsuji-Abe Y, Onozuka T, Aoyagi S, Kodama K, Ujiie H, Tomita Y, <u>Shimizu H</u>	Novel ABCA12 Mutations Identified in Two Cases of Non-Bullous Congenital Ichthyosiform Erythroderma Associated with Multiple Skin Malignant Neoplasia	J Invest Dermatol	127(11):2669-73,2007
Olasz EB, Roh J, Yee CL, Arita K, Akiyama M, <u>Shimizu H</u>	Vogel JC, Yancey KB: Human Bullous Pemphigoid Antigen 2 Transgenic Skin Elicits Specific IgG in Wild-Type Mice	J Invest Dermatol	in press
Shinkuma S, Nishie W, Shibaki A, Sawamura D, Ito K, Tsuji-Abe Y, Natsuga K, Chan P, <u>Amagai M, Shimizu H</u>	Cutaneous type pemphigus vulgaris with skin manifestations similar to the classical mucocutaneous type: a case report and review of the literature	Clin Exp Dermatol	in press
Tsubota A, Akiyama M, Sakai K, Yanagi T, McMillan J, Higashi A, <u>Shimizu H</u>	Congenital ichthyosiform erythroderma mimicking ichthyosis bullosa of Siemens	Br J Dermatol	in press
Yasukawa K, Sawamura D, Goto M, Nakamura H, <u>Shimizu H</u>	Histone deacetylase inhibitors preferentially augment transient transgene expression in human dermal fibroblasts	Br J Dermatol	157(4):662-9,2007
Abe M, Sawamura D, Goto M, Nakamura H, Nagasaki A, Nomura Y, Kawasaki H, Isogai R, <u>Shimizu H</u>	ITGB4 missense mutation in a transmembrane domain causes non-lethal variant of junctional epidermolysis bullosa with pyloric atresia	J Dermatol Sci	47:165-7, 2007
Akiyama M, Sakai K, Arita K, Nomura Y, Ito K, Kodama K, McMillan JR, Kobayashi K, Sawamura D, <u>Shimizu H</u>	A novel GJB2 mutation p.Asn54His in a patient with palmoplantar keratoderma, sensorineural hearing loss and knuckle pads	J Invest Dermatol	127:1540-3, 2007
Akiyama M, Sakai K, Sato T, McMillan JR, Goto M, Sawamura D, <u>Shimizu H</u>	Compound heterozygous ABCA12 mutations including a novel nonsense mutation underlie harlequin ichthyosis	Dermatology	215:155-9, 2007
Akiyama M, Titeux M, Sakai K, McMillan JR, Tonasso L, Calvas P, Jossic F, Hovnanian A, <u>Shimizu H</u>	DNA-based prenatal diagnosis of harlequin ichthyosis and characterization of ABCA12 mutation consequences	J Invest Dermatol	127:568-73, 2007

Arita K, Jacyk WK, Wessagowit V, van Rensburg EJ, Chaplin T, Mein CA, Akiyama M, Shimizu H, Happel R, McGrath JA	The South African "bathing suit ichthyosis" is a form of lamellar ichthyosis caused by a homozygous missense mutation, p.R315L, in transglutaminase 1	J Invest Dermatol	127:490-3, 2007
Chen KR, Sakamoto M, Ikemoto K, Abe R, Shimizu H	Granulomatous arteritis in cutaneous lesions of Churg-Strauss syndrome	J Cutan Pathol	34:330-7, 2007
Hoshina D, Akiyama M, Hamasaki K, Shimizu H	An infantile case of pityriasis lichenoides et varioliformis acuta	Br J Dermatol	157:194-6, 2007
Hoshina D, Akiyama M, Hata H, Aoyagi S, Sato-Matsumura KC, Shimizu H	Eccrine porocarcinoma and Bowen's disease arising in a seborrhoeic keratosis	Clin Exp Dermatol	32:54-6, 2007
Hoshina D, Sawamura D, Nomura T, Tanimura S, Abe M, Onozuka T, Kodama K, Akiyama M, Shimizu H	Epidermolysis bullosa acquisita associated with psoriasis vulgaris	Clin Exp Dermatol	32:516-8, 2007
Hoshina D, Shibaki A, Aoyagi S, Kimura K, Shimizu H	Giant dermatofibroma: a rare variant of dermatofibroma preferentially developing on the lower limbs	Clin Exp Dermatol	32:132-134, 2007
Ito H, Akiyama M, Nakagawa H, Uematsu R, Deguchi K, McMillan JR, Nishimura S, Shimizu H	N-Linked neutral oligosaccharides in the stratum corneum of normal and ichthyotic skin	Arch Dermatol Res	298:403-7, 2007
McMillan JR, Akiyama M, Rouan F, Mellerio JE, Lane EB, Leigh IM, Owaribe K, Wiche G, Fujii N, Uitto J, Eady RA, Shimizu H	Plectin defects in epidermolysis bullosa simplex with muscular dystrophy	Muscle Nerve	35:24-35, 2007
McMillan JR, Akiyama M, Tanaka M, Yamamoto S, Goto M, Abe R, Sawamura D, Shimomura M, Shimizu H	Small-diameter porous poly (epsilon-caprolactone) films enhance adhesion and growth of human cultured epidermal keratinocyte and dermal fibroblast cells	Tissue Eng	13:789-98, 2007
Moriuchi R, Shibaki A, Yasukawa K, Onozuka T, Sato T, Kaneda M, Iguchi A, Kobayashi R, Shimizu H	Neonatal vesiculopustular eruption of the face: a sign of trisomy 21-associated transient myeloproliferative disorder	Br J Dermatol	156:1373-4, 2007
Motoda N, Akiyama M, Aoyagi S, Sawamura D, Shimizu H	Low-grade myxofibrosarcoma invaded into the underlying skeletal muscle	J Dermatol	34:561-4, 2007
Natsuga K, Abe R, Ujiie H, Shibaki A, Sawamura D, Nishio M, Fujimoto K, Koike T, Shimizu H	Non-Hodgkin lymphoma preceded by recalcitrant eczema	Eur J Haematol	79:369-370, 2007

Natsuga K, Sawamura D, Homma E, Nomura T, Abe M, Muramatsu R, Mochizuki T, Koike T, <u>Shimizu H</u>	Amicrobial pustulosis associated with IgA nephropathy and Sjogren's syndrome	J Am Acad Dermatol	57:523-6, 2007
Nemoto I, Shimizu T, Fujita Y, Tateishi Y, Tsuji-Abe Y, <u>Shimizu H</u>	Tumour-like muscular sarcoidosis	Clin Exp Dermatol	32:298-300, 2007
Nishie W, Sawamura D, Goto M, Ito K, Shibaki A, McMillan JR, Sakai K, Nakamura H, Olasz E, Yancey KB, Akiyama M, <u>Shimizu H</u>	Humanization of autoantigen	Nat Med	13:378-83, 2007
Nomura T, Sandilands A, Akiyama M, Liao H, Evans AT, Sakai K, Ota M, Sugiura H, Yamamoto K, Sato H, Palmer CN, Smith FJ, McLean WH, <u>Shimizu H</u>	Unique mutations in the filaggrin gene in Japanese patients with ichthyosis vulgaris and atopic dermatitis	J Allergy Clin Immunol	119:434-40, 2007
Sawamura D, Goto M, Sakai K, Nakamura H, McMillan JR, Akiyama M, Shirado O, Oyama N, Satoh M, Kaneko F, Takahashi T, Konno H, <u>Shimizu H</u>	Possible involvement of exon 31 alternative splicing in phenotype and severity of epidermolysis bullosa caused by mutations in PLEC1	J Invest Dermatol	127:1537-40, 2007
Tsubota A, Akiyama M, Sakai K, Goto M, Nomura Y, Ando S, Abe M, Sawamura D, <u>Shimizu H</u>	Keratin 1 gene mutation detected in epidermal nevus with epidermolytic hyperkeratosis	J Invest Dermatol	127:1371-4, 2007
Yamanaka Y, Akiyama M, Sugiyama-Nakagiri Y, Sakai K, Goto M, McMillan JR, Ota M, Sawamura D, <u>Shimizu H</u>	Expression of the keratinocyte lipid transporter ABCA12 in developing and reconstituted human epidermis	Am J Pathol	171:43-52, 2007
Yamane N, Sawamura D, Nishie W, Abe M, Kodama K, Adachi K, Nakamura H, Ishii N, <u>Hashimoto T, Shimizu H</u>	Anti-p200 pemphigoid in a 17-year-old girl successfully treated with systemic corticosteroid and dapsone	Br J Dermatol	156:1075-8, 2007
Yaosaka M, Abe R, Ujiie H, Abe Y, <u>Shimizu H</u>	Unilateral periorbital oedema due to sarcoid infiltration of the eyelid: an unusual presentation of sarcoidosis with facial nerve palsy and parotid gland enlargement	Br J Dermatol	157:200-202, 2007
Yasukawa K, Sawamura D, Goto M, Nakamura H, <u>Shimizu H</u>	Histone deacetylase inhibitors preferentially augment transient transgene expression in human dermal fibroblasts	Br J Dermatol	157:662-9, 2007
Morita S, Shirakata Y, Shiraishi A, I Kadota Y, <u>Hashimoto K, Higashiyama S, Ohashi Y</u>	Human corneal epithelial cell proliferation by epiregulin and its cross-induction by other EGF family members	Molecular Vision	13:2119-2128, 2007

Dai X, Sayama K, Shirakata Y, Tokumaru S, Yang L, Tohyama M, Hirakawa S, Hanakawa Y, Hashimoto K	PPARgamma is an important transcription factor in 1alpha,25-dihydroxyvitamin D3-induced involucrin expression	J Dermatol Sci	50:53-60,2008
永井弥生, 萩野幸子, 石川 治, 是枝哲, 宮地良樹, 藤本晃英, 竹原和彦, 宮脇さおり, 橋本公二, 六戸亜希子, 花田勝美	アトピーセラーME-01の臨床効果および基礎的検討	臨床皮膚科	61 : 286-295, 2007
青木恵美, 永松将吾, 中岡啓喜, 大塚壽, 橋本公二	皮膚に原発して紡錘形細胞型有棘細胞癌の1例	形成外科	50 : 89-96, 2007
井上有紀子, 八幡陽子, 村上信司, 橋本公二	好酸球增多症候群に伴い多発性指尖潰瘍を生じた1例	皮膚科の臨床	49 : 179-183, 2007
白石 研, 村上信司, 橋本公二	減汗症を伴ったコリン性蕁麻疹の1例	西日本皮膚科	4 : 359-364, 2007
藤山幹子, 橋本公二	【薬剤アレルギーの病態・診断・治療】中毒性表皮壊死剥離症とは?	Q&Aでわかるアレルギー疾患	3 : 77-78, 2007
橋本公二	薬剤性過敏症候群 (DIHS) -その発見と展開-	マルホ皮膚科セミナー	186 : 4-6, 2007
橋本公二	【重症蕁疹】重症蕁疹とは	アレルギー・免疫	14 : 414-421, 2007
藤山幹子, 橋本公二	【特集／広がる蕁疹の世界 最新の概念・病態・治療】DIHSの診断におけるHHV-6再活性化の意義 HS, DRESS, DIHSの疾患概念	医学のあゆみ	220 : 885-888, 2007
橋本公二, 竹田 潔	皮膚と自然免疫	皮膚アレルギーフロンティア	2 : 98-105, 2007
Dai X, Sayama K, Shirakata Y, Hanakawa Y, Yamasaki K, Tokumaru S, Yang L, Wang X, Hirakawa S, Tohyama M, Yamauchi T, Takashi K, Kagechika H, Hashimoto K	STAT5a/PPAR gamma pathway regulates involucrin expression in keratinocyte differentiation	J Invest Dermatol	127:1728-1735, 2007
Nagai H, Tokumaru S, Sayama K, Shirakata Y, Hanakawa Y, Hirakawa S, Dai X, Tohyama M, Yang L, Hashimoto K	Suppressor of cytokine signaling 3 negative regulation of signal transducer and activator of transcription 3 in platelet-derived growth factor-induced fibroblast migration	J Dermatol	34:523-530, 2007
Nanba D, Inoue H, Shigemi Y, Shirakata Y, Hashimoto K, Higashiyama S	An intermediary role of proHB-EGF shedding in growth factor-induced c-Myc gene expression	J Cell Physiol	214(2):465-73,2008
Tohyama M, Hashimoto K, Yasukawa M, Kimura H, Horikawa T, Nakajima K, Urano Y, Matsumoto K, Iijima M, Shear NH	Association of human herpesvirus 6 reactivation with the flaring and severity of drug-induced hypersensitivity syndrome	Br J Dermatol	157(5)934-40,2007

Tohyama M, Sayama K, Komatsuzawa H, Hanakawa Y, Shirakata Y, Dai X, Yang L, Tokumaru S, Nagai H, Hirakawa S, Sugai M, <u>Hashimoto K</u>	CXCL 16 is a novel mediator of the innate immunity of epidermal keratinocytes	Int Immunol	19:1095-1102, 2007
Shiraishi K, Yamasaki K, Nanba D, Inoue H, Hanakawa Y, Shirakata Y, <u>Hashimoto K</u> , Higashiyama S	Pre-B-cell leukemia transcription factor 1 is a major target of promyelocytic leukemia zinc-finger-mediated melanoma cell growth suppression	Oncogene	26:339-48, 2007
Shirakata Y, Kishimoto J, Tokumaru S, Yamasaki K, Hanakawa Y, Tohyama M, Sayama K, <u>Hashimoto K</u>	Epiregulin, a member of the EGF family, is over-expressed in psoriatic epidermis	J Dermatol Sci	45:69-72, 2007
Ehama R, Ishimatsu-Tsuji Y, Iriyama S, Ideta R, Soma T, Yano K, Kawasaki C, Suzuki S, Shirakata Y, <u>Hashimoto K</u> , Kishimoto J	Hair follicle regeneration using grafted rodent and human cells	J Invest Dermatol	127:2106-15, 2007
Saga, K., Tamai, K., Kawachi, M., Shimbo, T., Fujita, H., Yamazaki, T., and <u>Kaneda, Y</u>	Functional modification of Sendai virus by siRNA	J. Biotechnology	133:386-394,2008
Otsuru, S., Tamai, K., Yamazaki, T., Yoshikawa, H., and <u>Kaneda, Y</u>	Circulating bone marrow-derived osteoblast progenitor cells are recruited to the bone-forming site by CXCR4/SDF1 pathway	Stem Cells	26(1):223-34,2008
Takami, Y., Nakagami, H., Morishita, R., Katsuya, T., m Cui, T=X, Ichikawa, T., Saito, Y., Hayashi, H., Kikuchi, Y., Nishikawa, T., Baba, Y., Yasudda, O., Rakugi, H., Ogihara, T., and <u>Kaneda, Y</u>	Ubiquitin carboxy-terminal hydrolase L1, a novel deubiquitinating enzyme in the vasculature, attenuates NF- $\kappa$ B activation	Arterioscler. Thromb. Vasc. Biol	27:2184-2190, 2007
Shimizu, N., Azuma, N., Nishikawa, T., Hirata, S., Morishita, R., <u>Kaneda, Y</u> , and Sasajima, T	Effect on vein graft intimal hyperplasia of nuclear factor- $\kappa$ B decoy transfection using the second generation of HVJ vector	The Journal of Cardiovascular Surgery	48, 463-470, 2007
Son, G., Iimuro, Y., Seki, E., Hirano, T., <u>Kaneda, Y</u> , and Fujimoto, J	Selective inactivation of NF- $\kappa$ B in the liver using NF- $\kappa$ B decoy suppresses CCL4-induced liver injury and fibrosis	Am. J. Phys. Gast. Liver Phys	293, G631-639, 2007
Shimbo, T., Kawachi, M., Saga, K., Fujita, H., Yamazaki, T., <u>Tamai, K</u> , and <u>Kaneda, Y</u>	Development of a transferrin receptor-targeting HVJ-E vector	Biochem. Biophys. Res. Comm	364(3):423-8,2007
Kawachi, M., <u>Tamai, K</u> , Saga, K., Yamazaki, T., Fujita, H., Shimbo, T., Nimura, K., Nishifuji, K., <u>Amagai, M</u> , Uitto, J., and <u>Kaneda, Y</u>	Development of tissue-targeting HVJ envelope vector for successful delivery of therapeutic gene to mouse skin	Human Gene Therapy	18, 881-894, 2007

Hayashi, H., Nakagami, H., Takami, Y., Sato, N., Saito, Y., Nishikawa, T., Mori, M., Koriyama, H., <u>Tamai, K.</u> , Morishita, R., and <u>Kaneda, Y</u>	Involvement of g-secretase in postnatal angiogenesis	Biochem. Biophys. Res. Comm	in press
Kawano, H., Komaba, S., Kanamori, T., and <u>Kaneda, Y</u>	A new therapy for highly effective tumor eradication using HVJ-E combined with chemotherapy	BMC Medicine	in press
Saito, Y., Nakagami, H., Kurooka, M., Takami, Y., Kikuchi, Y., Hayashi, H., Nishikawa, T., Tamai, K., Morishita, R., Azuma, N., Sasajima, T., and <u>Kaneda, Y</u>	Cold shock domain protein A represses angiogenesis and lymphangiogenesis via inhibition of serum response element	Oncogene	in press
Fujihara, A., Kurooka, M., Miki, T., and <u>Kaneda, Y</u>	Intratumoral injection of inactivated Sendai virus particles elicits strong antitumor activity by enhancing local CXCL10 expression and systemic NK cell activation	Cancer Immunology Immunotherapy	57(1):73-84,2008
Kawano, H., Komaba, S., Yamasaki, T., Maeda, M., Kimura, Y., Maeda, A., and <u>Kaneda, Y</u>	New potential therapy for orthotopic bladder carcinoma by combining HVJ envelope with doxorubicin	Cancer Chemother. Pharmacol	in press
Izumo, T., Otsuru, A., Tokunaga, Y., Namba, H., <u>Kaneda, Y</u> , Nagata, I., and Yamashita, S	Epstein-Barr virus-based vector improves the tumor cell killing effect of pituitary tumor in HVJ-liposome-mediated transcriptional targeting suicide gene therapy	Int J Oncol	31(2):379-87,2007
Yasuoka, E., Oshima, K., <u>Tamai, K.</u> , Kubo, T., and <u>Kaneda, Y</u>	Needleless intranasal administration of HVJ-E containing allergen attenuates experimental allergic rhinitis	J. Mol. Medicne	85 279-288, 2007
Okada, M., Kita, Y., Nakajima, T., Kanamaru, N., Hashimoto, S., Nagasawa, T., <u>Kaneda, Y</u> , et al	Evaluation of a novel vaccine (HVJ-liposome/HSP65 DNA+IL-12 DNA) against tuberculosis using the cynomolgus monkey model of TB	Vaccine	25(16):2990-3,2007
Hayashi, M., Nimura, K., Kashiwagi, K., Harada, T., Takaoka, K., Kato, H., <u>Tamai, K.</u> , and <u>Kaneda, Y</u>	Comparative Roles of Twist-1 and Id-1 in Transcriptional Regulation by BMP Signaling	J. Cell Sci	120, 1350-1357, 2007
Umegaki, N., <u>Tamai, K.</u> , Nakano, H., Moritsugu, R., Yamazaki, T., Hanada, H., Katayama, I., and <u>Kaneda, Y</u>	Differential regulation of karyopherin alpha2 expression by TGF- $\beta$ 1 and IFN- $\gamma$ in normal human keratinocytes: evident contribution of KPNA2 for nuclear translocation of IRF-1	J. Invest. Dermatol	127, 1456-1464, 2007
Otsuru, S., <u>Tamai, K.</u> , Yamazaki, T., Yoshikawa, H., and <u>Kaneda, Y</u>	Bone marrow-derived osteoblast progenitor cells in circulating blood contribute to ectopic bone formation in mice	Biochem. Biophys. Res. Comm	354, 453-458, 2007

Kurooka, M. and <u>Kaneda, Y</u>	Inactivated Sendai virus particles eradicate tumors by inducing immune responses through blocking regulatory T cells	Cancer Research	67, 227–236, 2007
Kikuchi Y, <u>Tamai K</u> , <u>Kaneda Y</u>	Cutaneous gene delivery	J Dermatol Sci	2007
Suvanasuthi, S., <u>Tamai, K.</u> and <u>Kaneda, Y</u>	Rapid transport of plasmid DNA into the nucleolus via actin depolymerization using HVJ envelope vector	J. Gene Medicine	9, 55-62, 2007
Jayawardana ST, Ushio H, Niyonsaba F, Gondokaryono SP, Takenaka H, <u>Ikeda S</u> , Okumura K, Ogawa H	Monomeric IgE and lipopolysaccharide synergistically prevent mast-cell apoptosis	Biochem Biophys Res Commun	2007 Oct 30
Hasegawa T, Suga Y, Mizoguchi M, Muramatsu S, Mizuno Y, Haruna K, <u>Ikeda S</u> , Kuroyanagi Y, Ogawa H	Intractable venous leg ulcer treated successfully with allogeneic cultured dermal substitute	Scand J Plast Reconstr Surg Hand Surg	1-3,2007
Zheng Y, Niyonsaba F, Ushio H, Nagaoka I, <u>Ikeda S</u> , Okumura K, Ogawa H	Cathelicidin LL-37 induces the generation of reactive oxygen species and release of human alpha-defensins from neutrophils	Br J Dermatol	2007 Oct 4
Ng W, Nishiyama C, Mizoguchi M, Nakano N, Suga Y, <u>Ikeda S</u> , Itoh S, Kinoshita K, Okumura K, Ogawa H	Human umbilical cord epithelial cells express Notch1: Implications for its epidermal-like differentiation	J Dermatol Sci	2007 Sep 10
Okuma K, Mitsuishi K, Hasegawa T, Tsuchihashi H, Ogawa H, <u>Ikeda S</u>	A Case Report of Steroid and Immunosuppressant-resistant Pyoderma Gangrenosum Successfully Treated by Granulocytapheresis	Ther Apher Dial	11(5):387-90,2007
Hasegawa T, Matsukura T, Suga Y, Muramatsu S, Mizuno Y, Tsuchihashi H, Haruna K, Ogawa H, <u>Ikeda S</u>	Case of acne conglobata successfully treated by CO(2) laser combined with topical tretinoin therapy	J Dermatol	34(8):583-5,2007
Jiang J, Kuhara T, Ueki R, Zheng Y, Suto H, <u>Ikeda S</u> , Ogawa H	Inhibitory effects of paroxetine on the development of atopic dermatitis-like lesions in NC/Nga mice	J Dermatol Sci	47(3):244-7,2007
Takagi A, Nishiyama C, Maeda K, Tokura T, Kawada H, Kanada S, Niwa Y, Nakano N, Mayuzumi N, Nishiyama M, <u>Ikeda S</u> , Okumura K, Ogawa H	Role of Sp1 in Transcription of Human ATP2A2 Gene in Keratinocytes	J Invest Dermatol	2007 Jun 28
Hasegawa T, Suga Y, Ikejima A, Muramatsu S, Mizuno Y, Tsuchihashi H, Haruna K, Ogawa H, <u>Ikeda S</u>	Suction blister grafting with CO(2) laser resurfacing of the graft recipient site for vitiligo	J Dermatol	34(7):490-2,2007

Gondokaryono SP, Ushio H, Niyonsaba F, Hara M, Takenaka H, Jayawardana ST, <u>Ikeda S</u> , Okumura K, Ogawa H	The extra domain A of fibronectin stimulates murine mast cells via toll-like receptor 4	J Leukoc Biol	82(3):657-65,2007
Hasegawa T, Sumiyoshi K, Tsuchihashi H, <u>Ikeda S</u> , Nakao A, Ogawa H	FK506 inhibits the enhancing effects of TGF-beta on wound healing in a rabbit dermal ulcer model	J Dermatol Sci	47(1):37-40,2007
Hasegawa T, Mizoguchi M, Haruna K, Mizuno Y, Muramatsu S, Suga Y, Ogawa H, <u>Ikeda S</u>	Amnia for intractable skin ulcers with recessive dystrophic epidermolysis bullosa: report of three cases	J Dermatol	34(5):328-32,2007
Ng W, Kikuchi Y, Chen X, Hira K, Ogawa H, <u>Ikeda S</u>	Pseudocysts of the auricle in a young adult with facial and ear atopic dermatitis	J Am Acad Dermatol	56(5):858-61,2007
Haruna K, Suga Y, Mizuno Y, Kourou K, Muramatsu S, Hasegawa T, Inoue A, Ogawa H, <u>Ikeda S</u> , Lakhmiri M, Seto A	A Moroccan patient with Sjogren-Larsson syndrome	J Dermatol	34(2):153-5,2007
Chen X, Niyonsaba F, Ushio H, Hara M, Yokoi H, Matsumoto K, Saito H, Nagaoka I, <u>Ikeda S</u> , Okumura K, Ogawa H	Antimicrobial peptides human beta-defensin (hBD)-3 and hBD-4 activate mast cells and increase skin vascular permeability	Eur J Immunol	37(2):434-44,2007
Tsuchihashi H, Hasegawa T, Sumiyoshi K, Ogawa H, <u>Ikeda S</u> , Ando T, Nakao A, Okumura K	TWEAK inhibits TGF-beta-induced contraction of normal and keloid fibroblast-embedded collagen gel	J Dermatol Sci	45(3):216-8,2007
Haruna K, Suga Y, Mizuno Y, Hasegawa T, Kourou K, Matsuba S, Muramatsu S, <u>Ikeda S</u>	R156C mutation of keratin 10 causes mild form of epidermolytic hyperkeratosis	J Dermatol	34(8):545-8,2007
Kohroh K, Suga Y, Mizuno Y, Ishii N, Hashimoto T, <u>Ikeda S</u>	Case of localized bullous pemphigoid with unique clinical manifestations in the lower legs	J Dermatol	34(7):482-5,2007
山本明美	Cornified cell envelope	日本皮膚科学会雑誌	117 : 137-141,2007
山本明美	免疫組織染色・蛍光抗体法所見の読み方	Visual Dermatology	6(8), 834-839, 2007
Ishida-Yamamoto A, Kishibe M, Takahashi H, Iizuka H	Rab11 is associated with epidermal lamellar granules	J Invest Dermatol	127(9):2166-70. 2007
Magnúsdóttir E, Kalachikov S, Mizukoshi K, Savitsky D, <u>Ishida-Yamamoto A</u>	Panteleyev AA, Calame K. Epidermal terminal differentiation depends on B lymphocyte-induced maturation protein-1	Proc Natl Acad Sci U S A	104(38):14988-93. 2007

Zeeuwen PL, <u>Ishida-Yamamoto A</u> , van Vlijmen-Willems IM, Cheng T, Bergers M, Iizuka H, Schalkwijk J	Colocalization of cystatin M/E and cathepsin V in lamellar granules and corneodesmosomes suggests a functional role in epidermal differentiation	J Invest Dermatol	127(1):120-8. 2007
Basel-Vanagaite L, Attia R, <u>Ishida-Yamamoto A</u> , Rainshtein L, Ben Amitai D, Lurie R, Pasmanik-Chor M, Indelman M, Zvulunov A, Saban S, Magal N, Sprecher E, Shohat M	Autosomal recessive ichthyosis with hypotrichosis caused by a mutation in ST14, encoding type II transmembrane serine protease matriptase	Am J Hum Genet	80(3):467-77. 2007
Kishibe M, Bando Y, Terayama R, Namikawa K, Takahashi H, Hashimoto Y, <u>Ishida-Yamamoto A</u> , Jiang YP, Mitrovic B, Perez D, Iizuka H, Yoshida S	Kallikrein 8 is involved in skin desquamation in cooperation with other kallikreins	J Biol Chem	282(8):5834-41. 2007
Lin Y, Kikuchi S, Tamakoshi A, Yagyu K, Obata Y, Inaba Y, <u>Kurosawa M</u> , et al	Obesity, physical activity and the risk of pancreatic cancer in a large Japanese cohort	Int J Cancer	120(12):2665-71, 2007
Uchiyama T, <u>Kurosawa M</u> , Inaba Y	MMR-Vaccine and Regression in Autism Spectrum Disorders: Negative Results Presented from Japan	Autism Dev Disord	37(2):210-7, 2007
Fukumoto T, Shiroyama Y, <u>Niizeki H</u> , et al	Paraneoplastic pemphigus presenting as erythrodermic lichenoid dermatitis with concomitant features of pemphigus foliaceus	J Dermatol	34: 645-9, 2007
宮川幸子、 <u>新関寛徳</u> 、榎本美生、吉田さやか	特集「小児の膠原病」 新生児エリテマトーデス	皮膚病診療	29:538-542, 2007
北村華奈、 <u>新関寛徳</u> 、吉林郁乃、福本隆也、浅田秀夫、宮川幸子、村上伸介、玉置伸二、木村弘	間質性肺炎を伴ったAmyopathic Dermatomyositisの1例	皮膚の科学	6(3): 255-260, 2007
<u>新関寛徳</u>	水疱症の診断と治療 自己免疫性水疱症 2) 炎症の強い天疱瘡：痘疹状天疱瘡、増殖性天疱瘡、腫瘍相伴性天疱瘡の診断と治療	Monthly Derma	in press
Saito-Katsuragi M, Asada H, <u>Niizeki H</u> , Katoh F, Masuzawa M, Tsutsumi M, Kuniyasu H, Ito A, Nojima H, Miyagawa S	Role for connexin 26 in metastasis of human malignant melanoma: communication between melanoma and endothelial cells via connexin 26	Cancer	110(5): 1162-72, 2007
馬渕智生、梅澤慶紀、 <u>小澤 明</u>	乾癬	皮膚病診療	29: 801-804, 2007
T. Mabuchi, A. Oka, M. Iizuka, Y. Umezawa, T. Matsuyama, Y. Kubota, J. Nakayama, M. Ozawa, T. Terui, S. Yasumoto, T. Hashimoto, S. Ikeda, Y. Matsumoto, H. Sueki, M. Iijima, J.K. Kulski and <u>A. Ozawa</u>	Fine mapping of psoriasis-susceptibility locus within the HLA class II region by using microsatellite markers in an association study of Japanese cases and controls	Tokai J Exp Clin Med	32: 6-13, 2007

Okuyama R, Ogawa E, Nagoshi H, Yabuki M, Kurihara A, <u>Terui T</u> , Aiba S, Obinata M, Tagami H, Ikawa S	p53 homologue, p51/p63, maintains the immaturity of keratinocyte stem cells by inhibiting Notch1 activity	Oncogene	2007 Jan 22
Kusakari Y, Okuyama R, Hashimoto A, Ichinohasama R, <u>Terui T</u> , Tagami H, Aiba S	Recurrent classic Kaposi's sarcoma in a Japanese man: detection of human herpesvirus 8 infection by PCR and immunostaining	J Eur Acad Dermatol Venereol	21(1):112-3,2007
Nakajima K, <u>Tamai K</u> , Yamazaki T, Toyomaki Y, Nakano H, Uitto J, Sawamura D	Identification of Skn-1n, a Splice Variant Induced by High Calcium Concentration and Specifically Expressed in Normal Human Keratinocytes	J Invest Dermatol	in press
Yamamoto C, <u>Tamai K</u> , Nakano H, Matsuzaki Y, Kaneko T, Sawamura D	Vitamin D(3) inhibits expression of bullous pemphigoid antigen 1 through post-transcriptional mechanism without new protein synthesis	J Dermatol Sci	2008
玉井克人	骨髓由来末梢循環細胞による組織再生	実験医学	2007
Nakano H, Toyomaki Y, Ohashi S, Nakano A, Jin H, Munakata T, Akita N, <u>Tamai K</u> , Mitsuhashi Y	Novel COL7A1 mutations in a Japanese family with transient bullous dermolysis of the newborn associated with pseudosyndactyly	Br J Dermatol	157(1):179-82,2007
Mabuchi E, Umegaki N, Murota H, Nakamura T, <u>Tamai K</u> and Katayama I	Oral steroid improves bullous pemphigoid-like clinical manifestations in non-Herlitz junctional epidermolysis bullosa with COL17A1 mutation	Br J Dermatol	157(3):596-8,2007
米田耕造、窪田泰夫	表皮細胞：疾患とユビキチン化	日本皮膚科学会雑誌	in press
<u>Yoneda K</u> , Demitsu T, Matsuda Y and Kuboata Y	Possible molecular mechanisms for sebaceous hyperplasia overlying dermatofibroma	Br J Dermatol	in press
Demitsu T, <u>Yoneda K</u> , Umemoto N, Azuma R, Kakurai M, Nishida J, Sadahira C and Kubota Y	Agminated mollusca contagiosa with attenuated ubiquitination of molluscum bodies as an initial sign of malignant lymphoma	J Eur Acad Dermatol and Venereol	21: 691- 692, 2007
Matsuoka Y, <u>Yoneda K</u> , Katsuura J, Morie T, Nakai K, Sadahira C, Yokoi I, Nibu N, Demitsu T and Kubota Y	Successful treatment of follicular cutaneous T-cell lymphoma without mucinosis treated with narrow-band UVB irradiation	J Eur Acad Dermatol and Venereol	21: 1121-1122, 2007
<u>Yoneda K</u> , Bandoh S, Kanaji N, Morie T, Katsuura J, Matsuoka Y, Nakai K, Demitsu T, Ishida T and Kubota Y	Eosinophilic pustular folliculitis associated with pulmonary infiltration with eosinophilia	J Eur Acad Dermatol and Venereol	21: 1122- 1124, 2007
Morie T, <u>Yoneda K</u> , Katsuura J, Matsuoka Y, Nakai K, Yokoi I, Matsuda Y, Nibu N, Miyamoto I, Demitsu T and Kubota Y	Planar xanthomas due to cholestasis in graft versus host disease	Br J Dermatol	156: 1374-1376, 2007

Yoneda K, Katsuura J, Matsuoka Y, Moriwaki S, Morie T, Nakai K, Yokoi I, Nibu N, Demitsu T and Kubota Y	Xeroderma pigmentosum group G in association with malignant melanoma	Eur J Dermatol	17: 540-541, 2007
Demitsu T, Kakurai M, Iida E, Takada M, Hiratsuka Y, Azuma R and <u>Yoneda K</u>	A case of nodular cystic fat necrosis with systemic lupus erythematosus presenting the multiple subcutaneous nodules on the extremities	J Eur Acad Dermatol and Venereol	in press
Demitsu T, Kakurai M, Azuma R, Haratsuka Y, Umemoto N, Ozaki K and <u>Yoneda K</u>	Long-lasting, urticaria-like erythema associated with IgA monoclonal gammopathy of undetermined significance	J Dermatol	in press
Nakai K, <u>Yoneda K</u> , Morie T, Matsuoka Y, Yokoi I, Nibu N and Kubota Y	Fabry disease masquerading as multiple leg ulcers	J Eur Acad Dermatol and Venereol	22:382-383, 2008
Demitsu T, <u>Yoneda K</u> , Iida E, Takada M, Azuma R, Umemoto N, Hiratsuka Y, Yamada T and Kakurai M	Urticular vasculitis with hemorrhagic vesicles successfully treated with reserpine: report of a case.	J Eur Acad Dermatol and Venereol	in press
<u>Yoneda K</u> , Demitsu T, Matsuda Y and Kuboata Y	Possible molecular mechanisms for sebaceous hyperplasia overlying dermatofibroma	Br J Dermatol	in press
Kubota Y, <u>Yoneda K</u> , Nakai K, Morie T, Morie J and Yokoi I	DRESS in a patient taking a dietary supplement containing phenobarbital purchased by internet shopping	Eur J Dermatol	in press
Morie T, <u>Yoneda K</u> , Morie J, Matsuoka Y, Nakai K, Yokoi I, Matsuda Y, Nibu N, Miyamoto I and Kubota Y	Simple therapeutic strategy for ingrown toenail with super elastic wire	Dermatol Surg	in press
Demitsu T, Kakurai M, Azuma R, Hiratsuka Y, Yamada T and <u>Yoneda K</u>	Recalcitrant pemphigus foliaceus with Kaposi's varicelliform eruption: report of a fatal case	Clin Exp Dermatol	in press
<u>Yoneda K</u> , Demitsu T, Matsuoka Y, Morie T, Nakai K, Kushida Y, Haba R and Kubota Y	Subcellular activation site of caspase 3 in apoptotic keratinocytes observed in lichenoid tissue reaction	Br J Dermatol	in press
Kubota Y, <u>Yoneda K</u> , Nakai K, Morie T, Matsuoka Y, Yokoi I and Ohya Y	Open-label pilot study of topical sequential applications with corticosteroids and tacrolimus of pediatric atopic dermatitis	J Am Acad Dermatol	in press
Nakai K, <u>Yoneda K</u> , Morie T, Kosaka H and Kubota Y	Angiotensin II enhanced cell proliferation and EGF receptor expression levels via ROS formation in HaCaT cells	J Dermatol Sci	in press
Morie T, Igarashi J, <u>Yoneda K</u> , Nakai K, Kosaka H and Kubota Y	Sphingosine-1-phosphate attenuates H2O2-induced apoptosis in cultured vascular endothelial cells: roles of caspase-3 and p38 MAP kinase	Biochem Biophys Res Commun	368:852-857, 2008

米田耕造、窪田泰夫	角化症をどのように診るか	Clinical Dermatology	8: 3-6, 2007
米田耕造、窪田泰夫	表皮細胞：疾患とユビキチン化	日本皮膚科学会雑誌	117: 2422-2424, 2007
中井浩三、米田耕造、横井郁美、丹生名都子、宮本 泉、松田保史、松岡由恵、森上徹也、串田吉生、羽場礼次、窪田泰夫	アトピー性皮膚炎に合併したアミロイド苔癬の1例	皮膚科の臨床	49:1528-1529, 2007
宮本 泉、米田耕造、松田保史、丹生名都子、松岡由恵、横井郁美、中井浩三、森上徹也、窪田泰夫	インフリキシマブ投与により改善したアトピー性皮膚炎の1例	皮膚科の臨床	49:984-985, 2007
横井郁美、米田耕造、窪田泰夫	Zosteriform lichen planusの1例	皮膚科の臨床	49:986-987, 2007
丹生名都子、横井郁美、森上徹也、森上純子、松岡由恵、中井浩三、定平知江子、宮本 泉、松田保史、米田耕造、窪田泰夫	前治療抵抗性アトピー性皮膚炎に対するTh2サイトカイン阻害薬の有用性の検討-QOL評価を加えて-	皮膚の科学	6: 33-37, 2007
窪田泰夫、森上徹也、中井浩三、松岡由恵、横井郁美、丹生名都子、宮本 泉、松田保史、米田耕造	患者主体の評価を基にしたベシル酸ベボタステン（タリオン錠）の慢性蕁麻疹患者に対する臨床的有用性と患者QOLに及ぼす影響-慢性蕁麻疹の症状はどのように改善されるか-	西日本皮膚科	69: 554-560, 2007
窪田泰夫、森上徹也、森上純子、松岡由恵、中井浩三、横井郁美、丹生名都子、宮本 泉、松田保史、米田耕造	そう痒性皮膚疾患に対するロラタジンロ腔内速溶錠（クラリチンレディタブ錠）の服用性及び有用性の検討-患者主体の評価を中心にして-	西日本皮膚科	69: 653-659, 2007
松田保史、松岡由恵、宮本 泉、米田耕造、窪田泰夫	脂腺の過形成を認めた皮膚線維腫の1例	皮膚科の臨床	in press
窪田泰夫、横井郁美、米田耕造	糖尿病合併皮膚潰瘍に対するLipo PGE1 製剤の有用性と患者QOLに及ぼす影響	診療と新薬	in press
奥田容子 新田悠紀子 小池文美香 大野俊之 黒木のぞみ 倉橋直子 青山裕美	線状IgA IgG水疱症の男児例	臨床皮膚科	in press

## 2. 単行本

著者名	論文題目	書名	巻：頁、西暦年号
北島康雄（分担）	類天疱瘡（南光堂）		2006、印刷中
北島康雄（分担）	天疱瘡の病態（順天堂大学）		2006、印刷中
橋本 隆	水疱症	臨床診断に苦渋する100の外来皮膚疾患。 編集：宮地良樹、メディカルビュー社	pp. 230-231、2005 年
橋本 隆	尋常性天疱瘡	日本医師会雑誌 特別号「実践 皮膚病 変のみかた」	134(特別号(2))、 S118
橋本 隆	尋常性天疱瘡	日本医師会雑誌 特別号「実践 皮膚病 変のみかた」	134(特別号(2))、 S119
橋本 隆	12. 水疱症	日本皮膚科白書、第2版（第103回日本皮 膚科学会総会記念改訂版）発行人 理事 長 玉置邦彦、日本皮膚科学会、金原出 版	pp135
岩月啓氏、山崎 修	細菌感染症	皮膚科領域の感染症-診断と治療指針- マッキンゼン・ヘルスケア：大阪	pp91-129, 2005
川島 貞、岩月啓氏、 安元慎一郎、三石剛	ウイルス感染症	皮膚科領域の感染症-診断と治療指針- マッキンゼン・ヘルスケア：大阪	pp51-63, 2005
大野貴司、岩月啓氏	ステロイド外用薬が無効なとき次に提起する 治療法は	てこずる外来皮膚疾患100の対処法。宮地 編、メディカルレビュー社：東京	pp120-121, 2005
1. 大野貴司、秋山尚 範、岩月啓氏	細菌感染症	皮膚免疫ハンドブック。玉置・塩原編、 中外医学社：東京	pp365-366, 2005
新闖寛徳	先天性表皮水疱症	「今日の小児治療方針」第14版、医学書 院	印刷中
照井 正	膿疱性疾患の診断に必要な検査と鑑別疾患	実践。外来に必要な皮膚科検査法ハンド ブック。編集企画 原田敬之、編集主幹 飯島正文、塩原哲夫。全日本病院出版会	pp109-117, 2004.
照井 正	好中球	皮膚免疫ハンドブック。改訂2版 編著 玉置邦彦、塩原哲夫。中外医学社	pp63-70. 2005
照井 正	掌蹠膿疱症	改訂第4版 疾患別最新処方。メディカル ビュー社（東京）監修者：矢崎義雄、菅 野健太郎	pp756-757, 2005
照井 正	皮膚の免疫機能	化粧品・外用薬研究者のための皮膚科学。 編著 宮地良樹、長沼雅子、文光堂（東 京）	pp30-35.

著者名	論文題目	雑誌名	巻：頁、西暦年号
北島康雄（分担）	自己免疫水疱症；I 天疱瘡 a)病態難治性皮膚疾患の病態と治療	小川秀興編集（第102回日本皮膚科学会総会記念出版）	1-5, 2005
北島康雄（分担）	類天疱瘡：XI水疱症. 皮膚疾患最新の治療2007-2008	瀧川雅浩・渡辺晋一編集（南江堂）	115-117, 2006
橋本 隆、石井文人	IgA天疱瘡—臨床像と抗原解析を中心に、皮膚疾患の最新医療	先端医療シリーズ38, 先端医療技術研究所	pp.127-130, 2006.2.27
橋本 隆	類天疱瘡、体の悩み 聞いて効く	産経新聞	pp.3, 2006.2.22
橋本 隆	IgA pemphigus	難治性皮膚疾患の病態と治療、第2版、編集：小川秀興	2005.12.1
石井文人、濱田尚宏、安元慎一郎、橋本 隆	臨床的にpeeling skin syndromeを疑った1例	第20回角化症研究会記録集（東京商工会議所）	pp. 96-98, 2006
辛島正志、橋本 隆	BPAG1(BP230)と中間径線維との細胞生物学的相互作用の検討	第20回角化症研究会記録集（東京商工会議所）、協和企画	pp.12-15, 2006
橋本 隆	増える「水疱性類天疱瘡」を見逃すな	日経メディカルオンライン	2006.4.3
橋本 隆	類天疱瘡の治療薬の副作用が心配	きょうの健康、連載：なんでも健康相談	pp.135, 2006.7
橋本 隆	自己免疫性水疱症の全身療法	皮膚科のコツと落とし穴、編集：西岡 清	2006.6.15
橋本 隆	自己免疫性水疱症の血清診断	皮膚科のコツと落とし穴、編集：西岡 清	pp.156-57, 2006.9.5
小宮根真弓	かゆみに奏功する可能性のある既存薬	かゆみ最前線、宮地良樹、生駒晃彦編、メディカルレビュー社	pp.134-137, 2006
照井 正	掌蹠膿疱症	皮膚疾患最新の治療 2007-2008. 編集：瀧川雅浩、渡辺晋一	121, 2006
青山裕美（分担）	天疱瘡の落とし穴—非典型例を見逃さない：水疱症、膿疱症、角化症；2疾患 I	皮膚科診療のコツと落とし穴：西岡清編集（中山書店）	142-143, 2006

著者名	論文題目	書籍名	頁、西暦年号
<u>Kitajima Y, Aoyama Y</u>	Desmosome assembly, disassembly and signaling in keratinocytes : Lessons from pemphigus, a desmosome-remodeling disease	Pathophysiology of Desmosome (RESEARCH SIGNPOST)	in press
北島康雄（分担）	1. 水疱症2. 非感染性膿皮症	図説臨床看護医学（同朋舎メディアプラン）	in press
北島康雄（分担）	角化異常症・汗孔角化症・急性痘瘡状苔癬状扁糠疹・黒色表皮腫・ジベルバラ色・扁糠疹・尖圭紅色苔癬・ダリエー病・頭部扁糠疹・連圈状扁糠疹（遠山）・播種性・汗孔角化症・反転性毛包角化症・砒素角化症・ヘブラ紅色扁糠疹・扁平苔癬・滴状・類乾癬毛孔性紅色扁糠疹・類乾癬（17項目）	医学大辞典第2版（医学書院）	in press
市來善郎、北島康雄（分担）	皮膚のしくみ	皮膚の事典（朝倉書店）	in press
橋本 隆	自己免疫性皮膚疾患	目で見るアレルギー性皮膚疾患（南山堂）	250-261、2007
橋本 隆	尋常性天疱瘡、増殖性天疱瘡	目で見るアレルギー性皮膚疾患（南山堂）	262-266、2007
橋本 隆	CD20抗体による自己免疫性水疱症の治療	目で見るアレルギー性皮膚疾患（南山堂）	436-438、2007
橋本 隆	天疱瘡	看護のための最新医学講座[第2版] 19皮膚疾患（中山書店）	96-102、2007
岩月啓氏、山本剛伸、辻和英	EBウイルスとT/NK細胞増殖症	新しい診断と治療のABC／血液5 潜伏感染ウイルスによる血液疾患（最新医学社）	75-81、2007
岩月啓氏、辻 和英	シックハウス症候群	目で見るアレルギー性皮膚疾患（南山堂）	354-364、2007
小宮根真弓	ここまでわかった乾癬の病態	WHAT'S NEW IN 皮膚科学2008-2009（メディカルレビュー社）	2007
小宮根真弓	女性と乾癬	P-PAT Letter 第12号	2008
小宮根真弓	ジベルバラ色ひこう疹	看護のための最新医学講座第二版第19巻皮膚科疾患（中山書店）	125-127,2007
小宮根真弓	毛孔性紅色ひこう疹	看護のための最新医学講座第二版第20巻皮膚科疾患（中山書店）	123-125,2007
山本明美	毛孔性苔癬、顔面毛包性紅斑黒皮症	皮膚疾患最新の治療2007-2008（南江堂）	138、 2007
新関寛徳、宮川幸子	皮膚筋炎	皮膚科診療カラーアトラス、第8巻 内臓疾患と皮膚（講談社）	in press

新関寛徳	乾癬性紅皮症	皮膚科診療カラーアトラス、第2巻 角化異常症（非遺伝性）（講談社）	in press
米田耕造、窪田泰夫	ケラチン病-最近の進歩	WHAT'S NEW in 皮膚科学(メジカルビュー社)	30-31, 2007
米田耕造、窪田泰夫	乾皮症	スキンケア最前線(メジカルビュー社)	in press
青山裕美（分担）	落葉状天疱瘡	目で見るアレルギー性皮膚疾患（南山堂）	267-275, 2007

## IV 別添資料 1

### 要点スライド形式

### 目 次

1. 天疱瘡……………別添資料 1～6
2. 脓疱性乾癬……………別添資料 7～13
3. 先天性表皮水疱症……………別添資料14～17
4. 水疱型先天性魚鱗癖様紅皮症……………別添資料18～20