



図3 第12染色体および第17染色体上に存在するSta-1およびSta-2の連鎖解析結果 図中のLod score 1.4、2.6、3.7 を示す線はそれぞれ、suggestive, significant, highly-significant linkageの水準を示す。

## 研究成果の刊行に関する一覧

## 主任研究者 富野康日己

- Nakayama K, Ohsawa I, Maeda-Ohtani A, Murakoshi M, Horikoshi S, Tomino Y., Prediction of diagnosis of immunoglobulin a nephropathy prior to renal biopsy and correlation with urinary sediment findings and prognostic grading. *J Clin Lab Anal.* 2008 Mar;22(2):114-118
- Hidaka T, Suzuki Y, Yamashita M, Shibata T, Tanaka Y, Horikoshi S, Tomino Y., Amelioration of Crescentic Glomerulonephritis by RhoA Kinase Inhibitor, Fasudil, through Podocyte Protection and Prevention of Leukocyte Migration. *Am J Pathol.* 2008 Mar;172(3):603-14.
- Suzuki Y, Tomino Y., Potential immunopathogenic role of the mucosa-bone marrow axis in IgA nephropathy: insights from animal models. *Semin Nephrol.* 2008 Jan;28(1):66-77.
- Suzuki H, Moldoveanu Z, Hall S, Brown R, Vu HL, Novak L, Julian BA, Tomana M, Wyatt RJ, Edberg JC, Alarcón GS, Kimberly RP, Tomino Y, Mestecky J, Novak J., IgA1-secreting cell lines from patients with IgA nephropathy produce aberrantly glycosylated IgA1. *J Clin Invest.* 2008 Feb;118(2):629-39.
- Wong MG, Suzuki Y, Tanifugi C, Akiba H, Okumura K, Sugaya T, Yamamoto T, Horikoshi S, Tan SY, Pollock C, Tomino Y., Peritubular ischemia contributes more to tubular damage than proteinuria in immune-mediated glomerulonephritis. *J Am Soc Nephrol.* 2008 Feb;19(2):290-7.
- Sakamoto-Ihara T, Suzuki Y, Kurusu A, Yamashita M, Horikoshi S, Tomino Y. Possible involvement of mast cells in renal fibrosis in patients with IgA nephropathy. *Inflamm Res.* 2007 Oct;56(10):421-7.
- Asanuma K, Yanagida-Asanuma E, Takagi M, Kodama F, Tomino Y. The role of podocytes in proteinuria. *Nephrology (Carlton).* 2007 Dec;12 Suppl 3:S15-20. Review.
- Yanagida-Asanuma E, Asanuma K, Kim K, Donnelly M, Young Choi H, Hyung Chang J, Suetsugu S, Tomino Y, Takenawa T, Faul C, Mundel P. Synaptosomal protein 53 protects against proteinuria by disrupting Cdc42:IRS-2:Mena signaling complexes in kidney podocytes. *Am J Pathol.* 2007 Aug;171(2):415-27.
- Suzuki H, Suzuki Y, Aizawa M, Yamanaka T, Kihara M, Pang H, Horikoshi S, Tomino Y. Th1 polarization in murine IgA nephropathy directed by bone marrow-derived cells. *Kidney Int.* 2007 Aug;72(3):319-27.
- Aizawa M, Suzuki Y, Suzuki H, Pang H, Kihara M, Yamaji K, Horikoshi S, Tomino Y. Roles of bone marrow, mucosa and lymphoid tissues in pathogenesis of murine IgA nephropathy. *Contrib Nephrol.* 2007;157:164-8.
- Yamashita M, Chintalacharuvu SR, Kobayashi N, Nedrud JG, Lamm ME, Tomino Y, Emancipator SN. Analysis of innate immune responses in a model of IgA nephropathy induced by Sendai virus. *Contrib Nephrol.* 2007;157:159-63. Review.
- Suzuki H, Moldoveanu Z, Hall S, Brown R, Julian BA, Wyatt RJ, Tomana M, Tomino Y, Novak J, Mestecky J. IgA nephropathy: characterization of IgG antibodies specific for galactose-deficient

IgA1. Contrib Nephrol. 2007;157:129-33. Review.

- Suzuki Y, Tomino Y. The mucosa-bone-marrow axis in IgA nephropathy. Contrib Nephrol. 2007;157:70-9. Review.
- Buren M, Yamashita M, Suzuki Y, Tomino Y, Emancipator SN. Altered expression of lymphocyte homing chemokines in the pathogenesis of IgA nephropathy. Contrib Nephrol. 2007;157:50-5. Review.
- Tomino Y. Pathogenesis of IgA nephropathy. Contrib Nephrol. 2007;157:1-7. Review.
- Onda K, Ohi H, Tamano M, Ohsawa I, Wakabayashi M, Horikoshi S, Fujita T, Tomino Y. Hypercomplementemia in adult patients with IgA nephropathy. J Clin Lab Anal. 2007;21(2):77-84.
- 富野康日己、IgA腎症に対する扁桃摘出術の適応は？ JOHNS, 23:408-411(2007)
- 富野康日己、IgA腎症に関する国際的・国内的な取り組み、腎臓、29:164-166(2007)
- 富野康日己、IgA腎症の治療ガイドー成人、腎と透析、増大号、62:470-473(2007)
- 富野康日己、IgA腎症、DATAで読み解く内科疾患、総合臨牀 2007 増刊、56:1272-1277(2007)
- 金丸 裕、富野康日己、IgA腎症、総合臨牀 2007 特集 全身性疾患と腎臓病、56:2063-2069(2007)
- 小林則善、富野康日己、IgA腎症 その成因と病態の解明から新たな治療法を探る、疾患解説 Overview、実験医学、25:2203-2208(2007)
- 山中貴博、玉内秀一、鈴木祐介、富野康日己、Th2細胞と IgA腎症の発症について—免疫寛容破綻の観点から—、：臨床免疫・アレルギー科 特集 I IgA の產生をめぐって、47:647-651(2007)

## IgA腎症分科会

- Ueda H, Miyazaki Y, Matsusaka T, Utsunomiya Y, Kawamura T, Hosoya T, Ichikawa I. Bmp in Podocytes Is Essential for Normal Glomerular Capillary Formation. J Am Soc Nephrol. 2008 Feb 13
- Ishii T, Kawamura T, Tsuboi N, Ogura M, Utsunomiya Y, Hosoya T. Prospective trial of combined therapy with heparin/warfarin and renin-angiotensin system inhibitors in progressive IgA nephropathy. Contrib Nephrol. 2007;157:114-9.
- 片渕律子、腎生検診断 Navi, メディカルビュー社、 2007年10月
- 片渕律子、腎盂腎炎(急性、慢性)pyelonephritis, 今日の治療指針-私はこう治療している-2008年版 p 463-464
- 片渕律子, IgA腎症 : 成人 b.ステロイド療法の適応と実際, 腎疾患・透析最新の治療 2008-2010 : 122-127
- 片渕律子, IgA腎症における組織傷害の評価と予後の予測-組織評価の問題点, 腎臓 29 : 188-195, 2007
- 波多江 健、小野山さがの、宗 秀典、緒方 怜奈、 原田達生、土本晃裕、平方秀樹、片渕律子、 藤野 歩, 係蹄壁に IgG と IgA の顆粒状沈着を認めたメザンギウム増殖性腎炎

の1例、日本小児腎臓病学会雑誌 20 220-225、2007

- 城 謙輔、田口 尚、小林 豊、佐藤 博、西 慎一、片渕律子、の村信介、横野博史、斉藤喬雄、重松秀一、足細胞陷入糸球体症に関する国内調査中間報告、日本腎臓学会誌 49 : 61-69, 2007
- Sanai T, Okuda S, Yoshimitsu T, Oochi N, Kumagai H, Katafuchi R, Harada A, Chihara J, Abe T, Nakamoto M, Hirakata H, Onoyama K, Iida M. Nodular glomerulosclerosis in patients without any manifestation of diabetes mellitus. *Nephrology* 12:69-73, 2007
- Sanai T, Watanabe I, Hirano T, Nakayama M, Sakai H, Uesugi N, Masutani K, Katafuchi R, Hirakata H, Iida M. Successful steroid treatment in a patient with membranoproliferative glomerulonephritis associated with hepatitis C virus. *Int Urol Nephrol*. Published online: 12 February 2008
- 城 謙輔、小池健太郎、北村博司、小此木英男、宇都宮保典、川村哲也、IgA腎症病理診断の標準化、IgA腎症病理診断の標準化。
- 城 謙輔、代表的腎生検の病理診断。腎疾患を外来で診る、編集。林松彦、飯野靖彦。診断と治療社 東京、pp 252-275, 2007
- Joh K. Pathology of glomerular deposition diseases. *Pathol Int* 57:551-565, 2007
- Joh K, Koike K, Kitamura H, Imasawa T, Nakazato T, Histological lesions as predictors for clinical prognosis and effectiveness of steroid therapy in IgA nephropathy; Uni- and multivariate analysis on 275 adult patients. *Nephrol Frontier*, 6:314-315, 2007
- Joh K, Koike K, Kitamura H, Imasawa T, Nakazato T. Histological scoring predicts progression of renal failure in adult IgA nephropathy patients without steroid therapy. *Contr Nephrol* 157:195-196, 2007
- Walker PD, Ferrario F, Joh K, Bonsib S M. Dense deposit disease is not a membranoproliferative glomerulonephritis. *Modern Pathology* 20, 605 - 616, 2007
- Joh K. Pathology of glomerular deposition diseases and fibrillary glomerulopathies associated with paraproteinemia and haematopoietic disorder. *Nephrology* 12, s21-24, 2007
- Kitamura H, Udagawa J, Imasawa T, Koike K, Kurayama H, Joh K. Response of the steroid therapy and histological parameters of childhood IgA nephropathy. *Contr Nephrol* 157:210-211, 2007
- Koike K, Nakazato T, Imasawa T, Kitamura H, Joh K. Receiver operating characteristic (ROC) curve analysis selects histological parameters and determines their severity for renal functional impairment of IgA nephropathy. *Contr Nephrol* 157:196-197, 2007
- Horita Y, Tadokoro M, Taura K, Ashida R, Hiu M, Taguchi T, Furusu A, Kohno S., Prednisolone co-administered with losartan confers renoprotection in patients with IgA nephropathy. *Ren Fail.* 2007;29(4):441-6.
- Alique M, Lucio-Cazaña FJ, Moreno V, Xu Q, Konta T, Nakayama K, Furusu A, Sepulveda JC, Kitamura M., Upregulation of cyclooxygenases by retinoic acid in rat mesangial cells.

Pharmacology. 2007;79(1):57-64.

- Furusu A, Nakayama K, Xu Q, Konta T, Kitamura M, MAP kinase-dependent, NF-kappaB-independent regulation of inhibitor of apoptosis protein genes by TNF-alpha. J Cell Physiol. 2007 Mar;210(3):703-10.
- 古巣朗、宮崎正信、河野茂、IgA 腎症、炎症と免疫 15(3):97-105, 2007
- CattranDC, Alexopoulos E, Heering P, Hoyer PF, Johnston A, Meyrier A, Ponticelli C, Saito T, Choukroun G, Nachman P, Praga M, YoshikawaN, Cyclosporin in idiopathic glomerular disease associated with the nephrotic syndrome : Workshop recommendations. Kidney Int, 72: 1429-1447, 2007
- Yoshikawa N, Nakanishi K, Ishikura K, Hataya H, Iijima K, Honda M. Combination therapy with mizofibine for severe childhood IgA nephropathy: A pilot study. Pediatr Nephrol, in press
- Yata N, Nakanishi K, Shima Y, Togawa H, Obana M, Sako M, Nozu K, Tanaka R, Iijima K, Yoshikawa N. Improved renal survival in Japanese children with IgA nephropathy. Pediatr Nephrol, in press

### 急速進行性糸球体腎炎分科会

- 山縣邦弘, 急速進行性糸球体腎炎, 内科学第 9 版, 朝倉書店, 2007
- 山縣邦弘, 慢性糸球体腎炎, 内科学第 9 版, 朝倉書店, 2007
- 山縣邦弘, 微熱と全身倦怠感を訴えて来院した 64 歳男性, New 専門医を目指すケースメソッドアプローチ 5 腎臓疾患, 日本醫事新報社, 2007
- 山縣邦弘, CKD の検査と意義 検尿, 日本醫事新報 4362: 80-83,2007
- 山縣邦弘, 社会における CKD の位置付け 医療経済的側面から, 臨牀と研究 84(11): 1530-1534, 2007
- 荒川洋、山縣邦弘, 感染症関連糸球体腎炎 MRSA 関連腎症, 日本医師会雑誌 136(2): S170-S171, 2007
- 松尾清一、飯野靖彦、内田俊也、井関邦敏、今井圓裕、木村健二郎、塚本雄介、新田孝作、原茂子、松山健、守山敏樹、山縣邦弘、渡辺毅、安田宜成、安藤康宏、伊藤貞嘉、上村治、加藤哲夫、木村玄次郎、中尾俊之、服部元史、深川雅史、堀尾勝、御手洗哲也, CKD 診療ガイド, 日本腎臓学会誌 49(7): 755-870, 2007
- 山縣邦弘, CKD と検尿, 医学のあゆみ 222(10): 779-783, 2007
- 菱田明、井関邦敏、山縣邦弘, 尿蛋白結果と血清クレアチニン値の診かた 慢性腎臓病診療における基本検査の実際, カレントテラピー 25(9): 787-795, 2007
- 山縣邦弘, 腎臓 急速進行性糸球体腎炎, 総合臨床 56 増刊号 1361-1368, 2007
- 楊景堯、山縣邦弘, 一次性ネフローゼ症候群の疫学, Nephrology Frontier 6(2): 140-144, 2007
- 斎藤知栄、山縣邦弘, 腎臓 多尿・頻尿 原因を予測し速やかに対応することで多尿を安全に管理することができる, 内科 99(6): 1262-1263, 2007

- 斎藤知栄、山縣邦弘, 腎臓 多尿・頻尿 腎不全の回復期に認める多尿には十分な補液が必要である, 内科 99(6): 1265-1265, 2007
- 斎藤知栄、山縣邦弘, 腎臓 多尿・頻尿 高齢男性の頻尿の原因は多様である, 内科 99(6): 1266, 2007
- 山縣邦弘, ANCA 関連血管炎における腎障害, リウマチ科 38(1): 78-85, 2007
- 山縣邦弘、臼井丈一, 急速進行性腎炎, 総合臨床増刊号, 2008 in press
- Yamagata K, Iseki K, Nitta K, Imai E, Iino Y, Matsuo S, Makino H, Hishida A, Chronic kidney disease perspective in Japan and the importance of urinalysis screening. Clin Exp Nephrol 12(1): 1-8, 2008
- Imai E, Horio M, Nitta K, Yamagata K, Iseki K, Tsukamoto Y, Ito S, Makino H, Hishida A, Matsuo S, Modification of the modification of diet in renal disease (MDRD) study equation for Japan. Am J Kidney Dis 50(6): 927-937, 2007
- Nakai S, Masakane I, Akiba T, Iseki K, Watanabe Y, Itami N, Kimata N, Shigematsu T, Shinoda T, Syoji T, Suzuki T, Tsuchida K, Nakamoto H, Hamano T, Marubayashi S, Morita O, Morozumi K, Yamagata K, Yamashita A, Wakai K, Wada A, Tsubakihara Y, Overview of regular dialysis treatment in Japan (as of 31 December 2005). Ther Apher Dial 11(6): 411-441, 2007
- Hagiwara M, Yamagata K, Matsunaga T, Arakawa Y, Usui J, Shimizu Y, Aita K, Nagata M, Koyama A, Zhang B, Matsunaga A, Saku K, Saito T, A novel apolipoprotein E mutation, ApoE Tsukuba (Arg 114 Cys), in lipoprotein glomerulopathy. Nephrol Dial Transplant 23(1): 381-384, 2007
- Imai E, Yamagata K, Iseki K, Iso H, Horio M, Makino H, Hishida A, Matsuo S, Kidney disease screening program in Japan: history, outcome, and perspectives. Clin J Am Soc Nephrol 2(6): 1360-1366, 2007
- Ebihara I, Sato T, Hirayama K, Seki M, Enami T, Kawahara H, Niwayama J, Miyahara T, Shibata M, Maeda N, Kurosawa T, Yamagata K, Sanaka T, Blood flow analysis of the head and lower limbs by the laser Doppler blood flowmeter during LDL apheresis. Ther Apher Dial 11(5): 325-330, 2007
- Imai E, Horio M, Iseki K, Yamagata K, Watanabe T, Hara S, Ura N, Kiyoohara Y, Hirakata H, Moriyama T, Ando Y, Nitta K, Inaguma D, Narita I, Iso H, Wakai K, Yasuda Y, Tsukamoto Y, Ito S, Makino H, Hishida A, Matsuo S, Prevalence of chronic kidney disease (CKD) in the Japanese general population predicted by the MDRD equation modified by a Japanese coefficient. Clin Exp Nephrol 11(2): 156-163, 2007
- Shimizu Y, Seki M, Kaneko S, Hagiwara M, Yoh K, Yamagata K, Koyama A, Patients with IgA nephropathy respond strongly through production of IgA with low avidity against staphylococcus aureus. Contrib Nephrol 157: 139-143, 2007
- 木野村賢、佐田憲映、横野博史, 日常よく遭遇する腎疾患の診断「ループス腎炎、膠原病に伴う腎疾患」, 腎臓病を外来で診る p74-81, 2007

- 佐田憲映、楳野博史, 膜原病, 腎不全治療マニュアル p152-157, 2007
- 楳野博史, 関節リウマチ, 内科学 p1229-1231, 2007
- 楳野博史, ループス腎炎の新分類に基づいた治療戦略, 日本国内科学会雑誌 96(9): 2039-2045, 2007
- 杉山斎、楳野博史, 全身性疾患としての腎臓病の考え方, 総合臨床 56(6), 2014-2018, 2007
- 高沢有紀、佐田憲映、楳野博史, 腎疾患の新しい考え方と治療のあり方 ループス腎炎の動向と今後の治療戦略の考え方, Modern Physician 27(3): 352-355, 2007
- 佐田憲映、楳野博史, SLE と動脈硬化, リウマチ科 38(2): 195-198, 2007
- Omori K, Shikata Y, Sarai K, Watanabe N, Wada J, Goda N, Kataoka N, Shikata K, Makino H, Edaravone mimics sphingosine-1-phosphate-induced endothelial barrier enhancement in human microvascular endothelial cells. Am J Physiol Cell Physiol 293(5), C1523-31, 2007
- Hirokoshi K, Maeshima Y, Kobayashi K, Matsuura E, Sugiyama H, Yamasaki Y  
Masuyama H, Hiramatsu Y, Makino H, Elevated Serum sFlt-1/Ang-2 Ratio in Women with Preeclampsia. Nephron Clin Pract 106: c43-c50, 2007
- Maruyama M, Sugiyama H, Sada K, Kobayashi M, Mashima Y, Yamasaki Y, Makino H, Desmin as a marker of proteinuria in early stages of membranous nephropathy in Elderly patients. Clinical Nephrology 68(2): 73-80, 2007
- 有村義宏, 抗好中球細胞質抗体(ANCA), 透析患者の検査値の読み方 p289-291, 2007
- 有村義宏, 半月体形成性腎炎, 看護のための最新医学講座第2版 腎疾患と高血圧 p243-251, 2007
- 有村義宏, 腎疾患で生じる主な症状, 新体系看護学全書第20巻成人看護学⑦p20-40, 2007
- 有村義宏, 血管炎に伴う腎症, 腎疾患・透析 最新の治療 p198-201, 2007
- 軽部美穂、有村義宏, MPO-ANCA 関連血管炎と悪性腫瘍, Annual Review 腎臓 2007p69-75, 2007
- 有村義宏, 急速進行性糸球体腎炎 Goodpasture 症候群, 日本医師会雑誌 136(2): S192-S193, 2007
- 吉原 堅, 有村義宏, 半月体形成性腎炎 (抗 GBM 抗体腎炎, ANCA 関連腎炎), 内科 97(6): 1070-1071, 2006
- 有村義宏, ANCA 関連腎炎, 総合臨床 56(6) : 2057-2062, 2007
- 有村義宏, 半月体形成性腎炎, 腎と透析 62(1): 38-40, 2007
- 有村義宏, 血管炎に基づく腎疾患治療ガイド, 腎と透析 62(3): 541-545, 2007
- 武曾恵理, X II 生体防御異常が誘発する難知性疾患 53 血管炎の病態と治療, 生体防御医学事典 p277-282, 2007
- 武曾恵理、小野孝彦, IgA 腎症に対する抗血小板・抗凝固療法 特集 IgA 腎症の最近の進歩, 腎と透析 64(1): 92-98, 2008
- 糟野健司、武曾恵理, 腎疾患の病態生理: 急性腎不全編 1. 腎虚血再灌流障害とレドック

ス発現、腎と透析 63(3): 299-303, 2007

- 武曾恵理、猪原登志子、古宮俊幸, ANCA 関連腎炎に伴う血管病変, 腎と透析 63(1): 31-34, 2007
- 武曾恵理, 研修医必修 よくある症状 35 の鑑別診断チャート 32 血尿, 臨床研修プラクティス 4(2): 72-73, 2007
- 武曾恵理、鈴木進子、中川権史、辻井知美、古宮俊幸、米本智美、塚本達雄、魚瀬優、中村武志、猪原登志子、鈴木和男、宇野賀津子, MPO-ANCA 関連腎炎顕微鏡的多発血管炎に合併する悪性疾患症例の解析と INF- $\alpha$  產生能からの考察, PASKEN JOURNAL 19: 7-11, 2007
- 猪原登志子、宇野賀津子、古宮俊幸、辻井知美、田中真理、田原佐知子、塚本達雄、小野孝彦、柳田素子、深津敦司、北徹、鈴木和男、武曾恵理, ANCA 関連血管炎における IL-12,IL-23,IL-18 の動態, Pharma Medica 25(5): 181-184, 2007
- Ito-Ihara T, Muso E, Kobayashi S, Uno K, Tamura N, Yamanishi Y, Fukatsu A, Watts R.A, Scott D, Jayne D, Suzuki K, Hashimoto H:Comparison of diagnostic accuracy of enzyme-linked immunosorbent assay (ELISA) kits for anti neutrophil cytoplasmic autoantibodies available in Japan and Europe. Clin Exp Rheumatol in press
- Joh K, Muso E, Shigematsu H, Nose M, Nagata M, Arimura Y, Yumura W, Wada T, Nitta K, Makino H, Taguma Y, Kaneoka H, Suzuki Y, Kobayashi M, Koyama A, Usui J, Ozaki S, Tomino Y, Hashimoto H, Yamagata, Pathology of ANCA-related vasculitis: Proposal for standardization of pathological diagnosis in Japan. Clin Exp Nephrol in press
- Suzuki K, Kobayashi S, Yamazaki K, Gondo M, Tomizawa K, Arimura Y, Nakabayashi K, Ozaki S, Yoshida M, Yoshida T, Tsusaka N, Muso E, Okazaki T, Hashimoto H, Analysis of Risk Epitopes of Anti-Neutrophil Antibody MPO-ANCA in Vasculitis in Japanese Population. Microbiol Immunol 51(12): 1215-1220, 2007
- Ogawa N, Yano S, Yamane Y, Nishiki M, Yamaguchi T, Tanaka M, Tsukamoto T, Muso E, Sugimoto T, A case of MPO-ANCA positive IgA nephropathy successfully treated with tonsillectomy. Clin Exp Nephrol 11(4): 326-331, 2007
- Hoshino A, Nagao T, Ito-Ihara T, Ishida-Okawara A, Uno K, Muso E, Nagi-Miura N, Ohno N, Tokunaka K, Naoe S, Hashimoto H, Yasuhara M, Yamamoto K, Suzuki K, Trafficking of QD-conjugated MPO-ANCA in Murine Systemic Vasculitis and Glomerulonephritis model mice. Microbiol Immunol 51(5): 551-66, 2007
- Hashimoto M, Nogaki F, Oida E, Tanaka M, Ito-Ihara T, Nomura K, Liu N, Muso E, Fukatsu A, Kita T, Ono T.:Glomerulonephritis induced by methicillin-resistant Staphylococcus aureus infection that progressed during puerperal period. Clin Exp Nephrol 11(1): 92-6, 2007
- Muso E, M. Mune, N. Yorioka, Y. Nishizawa, T. Hirano, M. Hattori, S. Sugiyama, T. Watanabe, K. Kimura, H. Yokoyama, H. Sato and T. Saito, Beneficial effect of Low-Density Lipoprotein

Apheresis (LDL-A) on Refractory Nephrotic Syndrome (NS) due to Focal Glomerulosclerosis (FGS). Clinical Nephrology 67(6): 341-344, 2007

- Ito-Ihara T, Ono T, Nogaki F, Suyama K, Tanaka M, Yonemoto S, Fukatsu A, Kita T, Suzuki K, Muso E, Clinical Efficacy of Intravenous Immunoglobulin for Patients with MPO-ANCA-Associated Rapidly Progressive Glomerulonephritis. Nephron Clin Pract 102(1): c35-c42, 2006.
- Shimosawa M, Liu N, Uemura K, Muso E, Yoshida H, Ono T, Exacerbating mechanisms mediated by LPS-induced activation of coagulation system in IgA nephropathy model mouse HIGA. Nephrology 11: A58, 2006
- Tanaka M, Tsujii T, Komiya T, Iwasaki Y, Sugishita T, Yonemoto S, Tsukamoto T, Fukui S, Takasu A, Muso E: Clinicopathological Influence of Obesity in IgA Nephropathy: Comparative Study of 74 Patients. Contrib Nephrol 157: 90-93, 2007
- 板橋美津世、新田孝作, MPO-ANCA 関連血管炎の臨床病理学的検討, 日本腎臓学会誌, 2008 in press
- 板橋美津世、新田孝作, ANCA 関連血管炎の疫学, Nephrological Frontier, 2008 in press
- Wada T, Matsushima K, Kaneko S, Chemokines and the kidney. Progress in Chemokine Research, 179-186, 2007
- Sakai N, Wada T, Yokoyama H, Lipp M, Ueda S, Matsushima K, Kaneko S, Secondary lymphoid tissue chemokine (SLC/CCL21)/CCR7 signaling regulates fibrocytes in renal fibrosis. PNAS 103, 14098-14103, 2006
- Wada T, Sakai N, Matsushima K, Kaneko S, Fibrocytes: a new insight into kidney fibrosis. Kidney Int 72: 269-273, 2007
- Wada T, Matsushima K, Kaneko S, The role of chmokines in glomerulonephritis. Frontiers in Bioscience 13: 3966-3974, 2008
- Sakai N, Wada T, Matsushima K, Bucala R, Iwai M, Horiuchi M, Kaneko S, The renin-angiotensin system contributes to renal fibrosis through regulation of fibrocytes. J Hypert in press

### 難治性ネフローゼ症候群分科会

- 斎藤喬雄, 慢性腎臓病と各種疾患 : 高脂血症, 日本国内科学会誌 96 (5) : 910-915, 2007
- 兼岡秀俊、安野哲彦、森口彩夏、東さやか、小島薫、徳安智子、田中 守、清水 明、向野義人、斎藤喬雄, スポーツ血尿に潜在する横紋筋融解症の遺伝要因とそのマススクリーニング, 福岡大学医学紀要 34 (3) : 223-231, 2007
- 上野雅代、山内淳史、小河原悟、斎藤喬雄、二神幸次郎、首藤英樹、片岡泰文, 難治性ネフローゼ症候群患者に対するシクロスボリンの最適投与法, 医療薬学 33 (10) : 831-839, 2007

- 斎藤喬雄, リポ蛋白糸球体症, 日本医師会雑誌 136 特別号(2):S 229-230, 2007
- 斎藤喬雄, 腎障害因子としての高脂血症, 腎臓 30(2):151-156, 2007
- 伊藤建二、福島隆生、中下尚登、玉井路加子、木脇祐聰、安部泰弘、小河原悟、村田敏晃、斎藤喬雄, メシル酸ナファモスタット過敏症を発症した血液透析患者の2例—既報35例との比較, 日本透析医学会雑誌 40(11):913-918, 2007
- Muso E, Mune M, Yorioka N, Nishizawa Y, Hirano T, Hattori M, Sugiyama S, Watanabe T, Kimura K, Yokoyama H, Sato H, Saito T, Beneficial effect of Low-Density Lipoprotein Apheresis on Refractory Nephrotic Syndrome due to Focal Glomerulosclerosis. Clinical Nephrology 67(6):341-344, 2007
- Karube M, Nakabayashi M, Fujioka Y, Yoshihara K, Yamada A, Matsunaga A, Saito T, Lipoprotein glomerulopathy-like disease in a patient with type III hyperlipoproteinemia due to apolipoprotein E2(Arg158Cys)/3 hetelozygosity. Clinical and Experimental Nephrology 11(2):174-179, 2007
- Matsumae T, Abe Y, Murakami G, Ishihara M, Ueda K, Saito T, Determinants of arterial walls and peripheral artery occlusive disease in nondiabetic hemolysis patients. Hypertension Research 30(5):377-385, 2007
- Cattran DC, Alexopoulos E, Heering P, Hoyer PF, Johnston A, Meyrier A, Ponticelli C, Saito T, Choukroun G, Nachman P, Praga M, Yoshikawa N, Cyclosporin in idiopathic glomerular disease associated with the nephrotic syndrome (INS): workshop recommendations. Kidney International 72(12):1429-1447, 2007
- Hagiwara M, Yamagata K, Matsunaga T, Arakawa Y, Usui J, Shimizu Y, Aita K, Nagata M, Koyama A, Zhang B, Matsunaga A, Saku K, Saito T, A novel apolipoprotein E mutation, apo E Tsukuba (Arg114Cys), in lipoprotein glomerulopathy. Nephrology Dialysis Transplantation 23(1):381-384, 2008
- Kinomura M, Sugiyama H, Saito T, Matsunaga A, Sada K, Kanzaki M, Takazawa, Maeshima Y, Yanai H, Makino H, A novel variant apolipoprotein E Okayama in a patient with lipoprotein glomerulopathy. Nephrology Dialysis Transplantation 23(2):751-756, 2008
- Yoshimoto S, Nakatani K, Iwano M, et al, Elevated levels of fractalkine expression and accumulation of CD16<sup>+</sup> monocytes in glomeruli of active lupus nephritis. Am J Kidney Dis 50(1):47-58, 2007
- Nakatani K, Qu WM, Iwano M, et al, A genetic locus controlling aging-sensitive regression of B lymphopoiesis in an autoimmune-prone MRL/lpr strain of mice. Scan J Immunol 66(6):654-661, 2007
- Higgins DF, Kimura K, Iwano M, et al. Hypoxia promotes fibrogenesis in vivo via HIF-1 stimulation of epithelial-to-mesenchymal transition. J Clin Invest 117(12):3810-3820, 2007

- 岩野正之, 腎予後予測マーカーとしての FSP1, Annual Review 腎臓 2007
- 岩野正之, IgA 腎症, IL-6 Bench to Bedside, 2007
- 岩野正之, FSP1, 腎と透析 63(10), 2007
- Ohisa N, Kanemitsu K, Matsuki R, Suzuki H, Miura H, Ohisa Y, Yoshida K, Kaku M, Sato H: Evaluation of hematuria using the albumin-to-total protein ratio to differentiate glomerular and nonglomerular bleeding. *Clin Exp Nephrol*, 11: 61-65, 2007
- Tanemoto M, Abe M, Sato F, Abe T, Sato H, Ito S: Mesangial proliferative glomerulonephritis with aldosterone-producing adenoma. *Clin Exp Nephrol*, 11: 164-167, 2007
- 松原光伸、真田覚、佐藤博、鈴木昌幸. VEGF (Vascular endothelial growth factor) 刺激による特異的な腎血管病変. 腎と透析, 63: 91-95, 2007
- 佐藤博、伊藤貞嘉、斎藤喬雄、相馬淳、黒澤孝成、京極芳夫. Collagenofibrotic glomerulonephropathy. 医学と薬学, 58: 405-408, 2007
- 横山 仁, 奥山 宏, B 全身性疾患に伴う糸球体疾患 1 ループス腎炎, 腎疾患・透析最新の治療 2008-2010, 145-149, 2007.
- 横山 仁, ネフローゼ症候群, 第九版 内科学, 2007. 1216-1220
- H.Yokoyama, T.Wada, W.Zhang, H.Yamaya, M.Asaka, Advances in apheresis therapy for glomerular diseases. *Clin Exp Nephrol*, 11, 122-127, 2007.
- I.Nakaya, T.Wada, K.Furuichi, N.Sakai, K.Kitagawa, H.Yokoyama, Y.Ishida, T.Kondo, T.Sugaya, H.Kawachi, F.Shimizu, S.Narumi, M.Haino, C.Gerard, K.Matsushima, S.Kaneko, Blockade of IP-10/CXCR3 promotes progressive renal fibrosis, *Nephron Exp. Nephrol*.107, e12-e21, 2007.
- Y.Iwata, T.Wada, H.Yokoyama, T.Toyama, S.Kitajima, T.Okumura, A.Hara, J.Yamahana, I.Nakaya, M.Kobayashi, K.Kitagawa, S.Kokubo, K.Yoshimoto, K.Shimizu, N.Sakai, K.Furuichi, Y.Koshino, S.Takeda, K.Takasawa, S.Ohta, M.Takaeda, C.Takaeda, S.Kaneko, Effect of sevelamer hydrochloride on markers of bone turnover in Japanese dialysis patients with low biointact PTH levels. *Intern. Med.*, 447-452, 2007.
- 横山 仁, 和田隆志, 腎炎-検査と治療の進歩 膜性腎症, 腎と透析, 62(1), 47-51, 2007.
- 横山 仁, 膜性腎症における病理所見の有用性, 腎と透析, 62(2), 320-324, 2007.
- 横山 仁, C型肝炎ウィルス (HCV)関連腎炎, *Nephrol. Fronti.* 6, 158-162, 2007.
- 浅香充宏, 今村秀嗣, 横山 仁, 呼吸器疾患と腎臓, 総合臨床, 56(6), 2118-2122, 2007.
- 山谷秀喜, 左古ひとみ, 横山 仁, 腎臓病の治療 食事療法 ③ネフローゼ症候群, からだの科学, 255, 128-132, 2007.
- 横山 仁, 浅香充宏, 山谷秀喜, 和田隆志, ネフローゼ症候群治療の進歩-成人領域, 日腎会誌, 49(2), 108-112, 2007.
- T.Nishie, O.Miyaishi, H.Azuma, A.Kameyama, C.Naruse, N.Hashimoto, H.Yokoyama, H.Narimatsu, T.Wada, M.Asano, Development of immunoglobulin a nephropathy-like disease in  $\beta$ -1,4-galactosyltransferase-i-deficient mice. *Am. J. Pathol.* 170(2), 2007

- 松本紘一, Chylomicron accelerates C3 Tick-Over by regulating the role of factor H, leading to overproduction of acylation stimulating protein. *J Clin Lab Anal* 21: 14-23, 2007
- 松本紘一, A case report of hemodialysis intolerance with eosinophilia. *Ther Apher Dial* 11(1): 70-73, 2007
- 松本紘一, Chimeric DNA-RNA hammerhead ribozyme targeting transforming growth factor-beta1 mRNA ameliorates renal injury in hypertensive rats. *J Hypertens* 25(3): 671-678, 2007
- 松本紘一, Quantitative nested real-time PCR assay for assessing the clinical course of tuberculous meningitis. *J Neurol Sci* 255(1-2): 69-76, 2007
- 松本紘一, Postprandial plasma lipid levels are influenced by the interaction of functional polymorphisms in the microsome triglyceride transfer protein and beta3 adrenergic receptor genes. *Med Sci Moint* 13(5) BR112-118, 2007
- 松本紘一, A case report of acute renal failure and fluminant hepatitis associated with edaravone administration in a cerebral infarction patient. *Ther Apher Dial* 11(3): 280-287, 2007
- 松本紘一, Plasma insulin is removed by hemodialysis: evaluation of the relation between plasma insulin and glucose by using a dialysate with or without glucose. *Ther Apher Dial* 11(4): 280-287, 2007
- 松本紘一, Evaluation of the hemodialysis-induced changes in plasma glucose and insulin concentrations in diabetic patients: comparison between the hemodialysis and non-hemodialysis days. *Ther Apher Dial* 11(4): 288-295, 2007
- 松本紘一, Complement 3 is involved in changing the phenotype of human glomerular masangial cells. *J Cell Physiol*, 213(2): 495-501,2007
- 松本紘一, Association between prostaglandin E2 receptor gene and essential hypertension. *Prostaglandins Leukot Essent Fatty Acids* 77(1): 15-20, 2007
- 松本紘一, Effect of age at menopayse on blood pressure in postmenopausal woman. *Am J Hypertens* 20(10): 1045-1050, 2007
- 松本紘一, Combination therapy of pioglitazone with voglibose improves glucemic control safely and rapidly in Jananese Type 2-diabetic patients on hemodialysis. *Clin Nephrol* 68(5): 287-294, 2007
- 松本紘一, Losartan improves formation and function of endothelial progenitor cells in hypertension via an antioxidant effect. *Hypertens Res* 30: 1119-1128, 2007
- 松本紘一, Evaluation of serum fetuin-A relationships with biochemical parameters in patients on hemodialysis. *Clin Exp Nephrol* 11(4): 304-308, 2007
- 松本紘一, Complement 3 activates the KLF5 gene in rat vascular smooth muscle cells. *Biochem Biophys Res Commun* 367(2): 468-473, 2008
- 松本紘一, Effects of an ARB on endothelial progenitor cell function and cardiovascular oxidation in hypertension. *Am J Hypertens* 21(1): 72-77, 2008

- Y.Nagayama, H. Morita, D.Komukai, S. Watanabe and A. yoshimura, Type B insulin resistance syndrome induced by increased activity of systemic lupus erythematosus in a hemodialysis patient. Clinical Nephrology, 69(2), 130-034, 2008
- Kiyotaka Akiyama, Hiroyuki Morita, Shiro Suetsugu, Seiko Kuraba, Yasuharu Numata, Yoshihisa Yamamoto, Kiyoko Inui, Terukuni Ideura, Noriko Wakisaka, Kiyoko Nakano, Hiroaki Oniki, Tadaomi Takenawa, Mutsushi Matsuyama, Ashio Yoshimura, Actin-related protein 3(Arp3) is mutated in proteinuric BUF/Mna rats. Mamm Genome 19(1)41-50, 2008
- H Morita, A Yoshimura and K Kimata, The role of heparan sulfate in the glomerular basement membrane. Kidney International 73:247-248
- Saeki T, Nishi S, Ito T, Yamazaki H, Miyamura S, Emura I, Imai N, Ueno M, Saito A, Gejyo F, Renal lesions in IgG4-related systemic disease. Intern Med :46:1365-1371, 2007
- 西 慎一, 下条文武, 扁桃摘出術+ステロイドパルス療法の効果. Current Therapy :25:47-49, 2007
- 尾形聰, 岩崎幸恵, 松田正裕, 森雅弘, 松木暁, 辰川自光, 賴岡徳在, 都道府県別透析導入患者生存率に影響を与える因子について. 日本透析会誌 40巻3号,255-257, 2007
- 高柳麻紀, 坂本佳銘子, 賴岡徳在, 洗浄法による出口部ケアの効果 The effect of the exit-site cleansing on the peritoneal dialysis catheter related infections. NPO 日本医工学治療学会機関誌 医工学治療 19巻4号,2007
- 賴岡 徳在、上野 敏憲, 腹膜透析中に排液混濁、腹痛をきたした33歳男性. NEW 専門医を目指すケース・メソッド・アプローチ 5 腎臓疾患 KIDNEY DISEASES 5巻,2007、(横野博史 編)
- 賴岡徳在, 伊藤孝史, 慢性腎臓病 腹膜透析療法. 看護のための最新医学講座〔第2版〕 腎疾患と高血圧 6巻, 403-414, 2007, 佐々木 成 編
- 賴岡徳在, 中島歩, 碓井公治,  $\gamma$ -GTP,LAP. 透析患者の検査値の読み方 改訂第2版, 112-114, 2007, (黒川清 監督) (深川雅史, 山田明, 秋澤忠男, 鈴木正司 編)
- 中島歩, 碓井公治, 賴岡徳在, コリンエステラーゼ(ChE). 透析患者の検査値の読み方 改訂第2版, 115-117, 2007 (黒川清 監督) (深川雅史, 山田明, 秋澤忠男, 鈴木正司 編)
- 賴岡徳在, 高血圧. (社)日本透析医学会 専門医試験問題解説集(改訂第5版),184-189, 2007
- 賴岡徳在, 腹膜透析方法の選択はどのように行うべきか?2008-2009 EBM 透析療法,129-134, 2007, 深川雅史・秋澤忠男 編
- 賴岡徳在, 悪性腫瘍と腎障害. 第九版 内科学 第九版,1243-1245, 2007, 杉本恒明・矢崎義雄 総編集
- 田邊恒則、賴岡徳在, I . 透析の基本 Q16 透析液供給装置とはどういうものですか?ナーシングケア Q&A これだけは知っておきたい 透析ナーシング Q&A 第18号,34-35, 2007, 富野康日己 編集
- 田邊恒則、賴岡徳在, I . 透析の基本 Q17 多人数用と個人用の透析液供給装置の役割は何

ですか？ナーシングケア Q&A これだけは知っておきたい 透析ナーシング Q&A 第 18 号,36-37, 2007, 富野康日己 編集

- 田邊恒則、頼岡徳在, I. 透析の基本 Q18 透析液脱気装置とはどういうものですか? ナーシングケア Q&A これだけは知っておきたい 透析ナーシング Q&A 第 18 号,39, 2007、富野康日己 編集
- 土井 俊樹, 頼岡 徳在, 微小変化群の治療ガイド. 腎と透析 62 卷 3 号,483-487, 2007
- 頼岡 徳在, 腹膜透析における合併症－腹膜劣化の対策を考える. 週刊 日本医事新報 No.4336,57-62, 2007
- 頼岡徳在, 慢性腎臓病での漢方治療. Current Therapy 25 卷 9 号,59-62, 2007
- Masahira Katsutani, Takafumi Ito, Takao Masaki, Nobuoki Kohno, and Noriaki Yorioka, Glucose-Based PD Solution, But Not Icodextrin-Based PD Solution, Induces Plasminogen Activator Inhibitor-1 and Tissue-Type Plasminogen Activator in Human Peritoneal Mesothelial Cells via ERK1/2. Therapeutic Apheresis and Dialysis 11 卷 2 号,94-100, 2007
- Tetsuya Babazono, Hidetomo Nakamoto, Kenji Kasai, Satoru Kuriyama, Tokuichiro Sugimoto, Masaaki Nakayama, Chieko Hamada, Ryuichi Furuya, Hirofumi Hasagawa, Masato Kasahara, Misaki Moriishi, Tadashi Tomo, Masanobu Miyazaki, Manaka Sato, Noriaki Yorioka, Yoshindo Kawaguchi, for the Japanese Extraneal Collaborated Study Group, Effects of Icodextrin on Glycemic and Lipid Profiles in Diabetic Patients Undergoing Peritoneal Dialysis. American Journal of Nephrology 27 卷,409-415, 2007
- Shigehiro Doi, Takao Masaki, Tetsuji Arakawa, Toru Kawai, Ayumu Nakashima, Takayuki Naito, Nobuoki Kohno, and Noriaki Yorioka, Protective Effects of Peroxisome Proliferator-Activated Receptor  $\gamma$ Ligand on Apoptosis and Hepatocyte Growth Factor Induction in Renal Ischemia-Reperfusion Injury. Transplantation 84 卷 2 号,207-213, 2007
- Masatoshi Kuratsune, Takao Masaki, Takayuki Hirai, Kei Kiribayashi, Yukio Yokoyama, Tetsuji Arakawa, Noriaki Yorioka, and Nobuoki Kohno, Signal transducer and activation of transcription 3 involvement in the development of renal interstitial fibrosis after unilateral ureteral obstruction. Nephrology 12 卷 6 号,565-571, 2007

## 多発性囊胞腎分科会

- 奴田原紀久雄、東原英二, 常染色体優性多発性囊胞腎. 日本医師会雑誌第 136 卷特別号(2), 2007
- 東原英二, 囊胞性疾患と内視鏡下手術 各科にわたる囊胞性疾患に対応するために. 日本国際外科学会雑誌 12 (5) : 481, 2007
- 加藤司顯、小田金哲広、桶川隆嗣、奴田原紀久雄、東原英二, 囊胞性疾患と内視鏡下手術 多発性囊胞腎・単純性腎囊胞に対する内視鏡下手術. 日本国際外科学会雑誌 12 (5) : 535-540, 2007

- 東原英二, 泌尿器科領域の歩み 多発性嚢胞腎. 日本腎臓学会創立 50 周年記念誌 83, 2008
- Takei R, Ubara Y, Takichi K, et al, Percutaneous Transcatheter Hepatic Artery Embolization for patients with polycystic liver Disease. Am J Kidney Dis, 2007, 49(6):744-52
- 五十嵐辰男, 内視鏡画像のパノラマ化と立体表示 管腔臓器の展開画像による全体画像. Mebio 2008 年 1 月号
- 五十嵐辰男, 内視鏡画像のパノラマ化と立体表示 内視鏡画像の立体化. Mebio 2008 年 2 月号
- 香村衡一、首村守俊、小林克樹, 多発性嚢胞腎の尿路トラブル. 腎と透析 63 卷 8 号、2007
- Hamazaki K., Sawasaki S., Itomura M., Huan M., Shibahara N., Kawakita T., Kobayashi S., Hamazaki T. : No effect of a traditional Chinese medicine, Hochu-ekki-to, on antibody titer after influenza vaccination in man: A randomized, placebo-controlled, double-blind trial. Phytomedicine, 14:11-14, 2007.
- Terashima Y., Hamazaki K., Itomura M., Huan M., Shibahara N., Kobayashi S., Hamazaki T. trial. : Effect of traditional Chinese medicine, maobushisaishinto, on the antibody titer after influenza vaccination. J. trad. Med. 24:59-66, 2007.
- 寺島嘉宏, 浜崎智仁, :魚油の行動に対する生理活性と応用. Food Style 21, 5 月号 42-44, 2007.

### 遺伝子操作動物による進行性腎障害疾病モデル開発に関する研究

- Takase O, Marumo T, Hishikawa K, Fujita T, Quigg RJ, Hayashi M. NF-kappaB-dependent genes induced by proteinuria and identified using DNA microarrays. Clinical & Experimental Nephrology. 2008 (in press)
- Takase O, Minto AW, Puri TS, Cunningham PN, Jacob A, Hayashi M, Quigg RJ. Inhibition of NF-kappaB-dependent Bcl-xL expression by clusterin promotes albumin-induced tubular cell apoptosis. Kidney International 73(5):567-77, 2008.
- Yoshino J, Monkawa T, Tsuji M, Inukai M, Itoh H, Hayashi M. Snail1 is involved in the renal epithelial-mesenchymal transition. Biochemical and Biophysical Research Communications 362(1):63-8, 2007.
- Tsuji M, Monkawa T, Yoshino J, Asai M, Fukuda S, Kawachi H, Shimizu F, Hayashi M, Saruta T. Microarray analysis of a reversible model and an irreversible model of anti-Thy-1 nephritis. Kidney International 69(6):996-1004, 2006.
- Marumo T, Uchimura H, Hayashi M, Hishikawa K, Fujita T, Aldosterone impairs bone marrow-derived progenitor cell formation. Hypertension 48(3):490-6, 2006.
- Ichihara A, Suzuki F, Nakagawa T, Kaneshiro Y, Takemitsu T, Sakoda M, Nabi AH, Nishiyama A, Sugaya T, Hayashi M, Inagami T, Prorenin receptor blockade inhibits development of glomerulosclerosis in diabetic angiotensin II type 1a receptor-deficient mice. Journal of the

American Society of Nephrology 17(7):1950-61, 2006.

- Ichihara A, Kaneshiro Y, Takemitsu T, Sakoda M, Suzuki F, Nakagawa T, Nishiyama A, Inagami T, Hayashi M. Nonproteolytic Activation of Prorenin Contributes to Development of Cardiac Fibrosis in Genetic Hypertension. *Hypertension* 47 (5): 894-900, 2006.
- Kaneshiro Y, Ichihara A, Takemitsu T, Sakoda M, Suzuki F, Nakagawa T, Hayashi M, Inagami T. Increased expression of cyclooxygenase-2 in the renal cortex of human prorenin receptor gene-transgenic rats. *Kidney International* 70(4): 641-646, 2006.
- Uchimura H, Marumo T, Takase O, Kawachi H, Shimizu F, Hayashi M, Saruta T, Hishikawa K, Fujita T. Intrarenal injection of bone marrow-derived angiogenic cells reduces endothelial injury and mesangial cell activation in experimental glomerulonephritis. *Journal of the American Society of Nephrology* 16(4): 997-1004, 2005.
- Hishikawa K, Marumo T, Miura S, Nakanishi A, Matsuzaki Y, Shibata K, Ichiyangagi T, Kohike H, Komori T, Takahashi I, Takase O, Imai N, Yoshikawa M, Inowa T, Hayashi M, Nakaki T, Nakauchi H, Okano H, Fujita T. Musculin/MyoR is expressed in kidney side population cells and can regulate their function. *the Journal of Cell Biology* 169(6): 921-928, 2005.
- Takase O, Marumo T, Imai N, Hirahashi J, Takayanagi A, Hishikawa K, Hayashi M, Shimizu N, Fujita T, Saruta T. NF- $\kappa$ B-dependent increase in intrarenal angiotensin II induced by proteinuria. *Kidney International* 68(2): 464-473, 2005.

### 疫学に関する調査研究班

- Yano N, Suzuki D, Endoh M, Zhao TC, Padbury JF, Tseng YT. A novel phosphoinositide 3-kinase-dependent pathway for angiotensin II/AT-1 receptor-mediated induction of collagen synthesis in MES-13 mesangial cells. *J Biol Chem.* 2007 Jun 29;282(26):18819-30.
- 遠藤正之、IgA腎症の最近の進歩—IgA腎症の疫学、腎と透析 64:57-61,2008/03/29
- 今井裕一、吉野雅文、ループス腎炎、総合臨床 56:461-465,2007
- 管憲広、今井裕一、血液疾患と腎臓、総合臨床 56:2101-2105,2007
- 鈴木啓介、三浦直人、今井裕一、腎不全患者の貧血の診かた、治療 89:2489-2493.2007
- 今井裕一、西川和裕、腎臓専門医への紹介のタイミング[成人] 腎・泌尿器疾患診療マニュアルー小児から成人まで、日本医師会雑誌 136:128-129,2007
- 今井裕一、山田晴生、膜性腎症 腎・泌尿器疾患診療マニュアルー小児から成人まで、日本医師会雑誌 136:152-153,2007

### 難病特別研究班

- Nakamura K, Hirai H, Torashima T, Miyazaki T, Tsurui H, Xiu Y, Ohtsuji M, Lin QS, Tsuakamoto K, Nishimura H, Ono M, Watanabe M and Hirose S. CD3 and immunoglobulin G Fc receptor regulate cerebellar functions. *Mol. Cell Biol.* 27: 5128-5134, 2007.

- Shiroiwa W, Tsukamoto K, Ohtsuji M, Lin QS, Ida A, Kodera S, Ohtsuji N, Nakamura K, Tsurui H, Kinoshita K, Nishimura H, Shirai T and Hirose S. IL-4Ralpha polymorphism in regulation of IL-4 synthesis by T cells: implication in susceptibility to a subset of murine lupus. *Int. Immunol.* 19: 175-183, 2007