

III 研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表(平成17-19年度)

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Iwanami, K., Matsumoto, I., Watanabe, Y., Mihara, M., Ohsugi, Y., Mamura, M., Goto, D., Ito, S., Tsutsumi, A., Kishimoto, T., and Sumida, T.	Crucial role of IL-6/IL-17 cytokine axis in the induction of arthritis by glucose-6-phosphate isomerase.	Arthritis Rheum.			in press
Matsui, H., Tsutsumi, A., Sugihara, M., Suzuki, T., Iwanami, K., Kohno, M., Goto, D., Matsumoto, I., Ito, S., and Sumida, T.	Expression of Visfatin (pre-B cell colony-enhancing factor) gene in patients with rheumatoid arthritis.	Ann. Rheum. Dis.			in press
Nakamura, Y., Wakamatsu, E., Tomiita, , Kohno, Y., Yokoka, J., Goto, D., Ito, S., Matsumoto I., Tsutsumi, A., and Sumida, T.	High prevalence of autoantibodies to muscarinic 3 acetylcholine receptor in patients with juvenile Sjogren's syndrome.	Ann. Rheum. Dis.	67	136-137	2008
Sugihara, M., Tsutsumi, A., Suzuki, E., Wakamatsu, E., Suzuki, T., Ogishima, H., Hayashi, T., Chino, Y., Ishii, W., Manura, M., Goto, D., Matsumoto, I., Ito, S., and Sumida, T.	Effects of infliximab therapy on gene expression levels of TNF α , TTP, TIA-1 and HuR in patients with rheumatoid arthritis.	Arthritis Rheum.	56	2160-2169	2007
Wakamatsu, E., Nakamura, Y., Matsumoto, I., Goto, D., Ito, S., Tsutsumi, A., and Sumida, T.	DNA microarray analysis of labial salivary glands of patients with Sjogren's syndrome.	Ann. Rheum. Dis.	66	844-845	2007
Wakamatsu, E., Matsumoto, I., Yasukochi, T., Naito, Y., Goto, D., Mamura, M., Ito, S., Tsutsumi, A., and Sumida, T.	Overexpression of phosphorylated STAT-1 α in the labial salivary glands of patients with Sjogren's syndrome.	Arthritis Rheum.	54	3476-3484	2006
Ohnishi, Y., Tsutsumi, A., Matsumoto, I., Goto, D., Ito, S., Kuwana, M., Uemura, Y., Nishimura, Y., and Sumida, T.	Altered peptide ligands control type II collagen-reactive T cells from rheumatoid arthritis patients.	Mod. Rheumatol.	16	226-228	2006
Naito, Y., Matsumoto, I., Wakamatsu, E., Goto, D., Ito, S., Tsutsumi, A., and Sumida, T.	Altered peptide ligands regulate muscarinic acetylcholine receptor reactive T cells of patients with Sjogren's syndrome.	Ann. Rheum. Dis.	65	269-271	2006
Kori, Y., Matsumoto, I., Zhang, H., Yasukochi, T., Hayashi, T., Iwanami, K., Goto, D., Ito, S., Tsutsumi, A. and Sumida, T.	Characterization of Th1/Th2 type, glucose-6-phosphate isomerase reactive T cells in the generation of rheumatoid arthritis.	Ann. Rheum. Dis.	65	968-969	2006
Naito, Y., Matsumoto, I., Wakamatsu, E., Goto, D., Sugiyama, T., Matsumura, R., Ito, S., Tsutsumi, A., and Sumida, T.	Muscarinic acetylcholine receptor autoantibodies in patients with Sjogren's syndrome.	Ann. Rheum. Dis	64	510-511	2005
Takahashi, R., Tsutsumi, A., Ohtani, K., Muraki, Y., Goto, D., Matsumoto, I., Wakamiya, N., and Sumida, T.	Association of mannose-binding lectin (MBL) gene polymorphism and serum MBL concentration with characteristics and progression of systemic lupus erythematosus.	Ann. Rheu. Dis.	64	311-314	2005
Ohnishi, Y., Tsutsumi, A., Goto, D., Itoh, S., Matsumoto, I., Taniguchi, M., and Sumida, T.	TCR V α 14+ NKT cells function as effector T cells in mice with collagen-induced arthritis.	Clin. Exp. Immunol.	141	47-53	2005

Matsumoto, I., Hua, Z., Muraki, Y., Hayashi, T., Yasukochi, T., Kori, Y., Goto, D., Ito, S., Tsutsumi, A., and Sumida, T.	A functional variant of Fcγ receptor IIIA is associated with rheumatoid arthritis in individuals who are positive for anti-glucose-6-phosphate isomerase antibodies.	Arthritis Res. Ther.	7	1183-1188	2005
Yamamoto K, Okamoto A, Fujio K.	Antigen-specific immunotherapy for autoimmune diseases.	Expert Opin Biol Ther.	7	359-367	2007
Okunishi K, Dohi M, Fujio K, Nakagome K, Tabata Y, Okasora T, Seki M, Shibuya M, Imamura M, Harada H, Tanaka R, Yamamoto K.	Hepatocyte growth factor significantly suppresses collagen-induced arthritis in mice.	J. Immunol.	179	5504-5513	2007
Fujio K, Okamura T, Okamoto A, Yamamoto K.	T cell receptor gene therapy for autoimmune diseases.	Ann.NY Acad.Sci.	10	222-232	2007
Yamamoto K, Yamada R.	Lessons from a Genomewide Association Study of Rheumatoid Arthritis.	N.Engl.J.Med.	357	1250-1251	2007
Yamaguchi Y, Fujio K, Shoda H, Okamoto A, Tsuno NH, Takahashi K, Yamamoto K.	IL-17B and IL-17C are associated with TNF-alpha production and contribute to the exacerbation of inflammatory arthritis.	J. Immunol.	179	7128-7136	2007
Fujio K, Okamoto A, Araki Y, Shoda H, Tahara H, Tsuno NH, Takahashi K, Kitamura T, Yamamoto K.	Gene therapy of arthritis with TCR isolated from the inflamed paw.	J. Immunol.	177	8140-8147	2006
Nagatani K, Dohi M, To Y, Tanaka R, Okunichi K, Nakagome K, Sagawa K, Tanno Y, Komagata Y, Yamamoto K.	Splenic dendritic cells induced by oral antigen administration are important for the transfer of oral tolerance in an experimental model of asthma.	J. Immunol.	176	1481-1489	2006
Kochi Y, Yamada R, Suzuki A, Harley JB, Shirasawa S, Sawada T, Bae SC, Tokuhiko S, Chang X, Sekine A, Takahashi A, Tsunoda T, Ohnishi Y, Kaufman KM, Kang CP, Kang C, Otsubo S, Yumura W, Mimori A, Koike T, Nakamura Y, Sasazuki T, Yamamoto K.	A functional variant in FCRL3, encoding Fc receptor-like 3, is associated with rheumatoid arthritis and several autoimmunities.	Nature Genet.	37	652	2005
Chang X, Yamada R, Suzuki A, Sawada T, Yoshino S, Tokuhiko S, Yamamoto K.	Localization of peptidylarginine deiminase 4 (PADI4) and citrullinated protein in synovial tissue of rheumatoid arthritis.	Rheumatology.	44	40-50	2005
Kawaida R, Yamada R, Kobayashi K, Tokuhiko S, Suzuki A, Kochi Y, Chang X, Sekine A, Tsunoda T, Sawada T, Furukawa H, Nakamura Y, Yamamoto K.	CUL1, a component of E3 ubiquitin ligase, alters lymphocyte signal transduction with possible effect on rheumatoid arthritis.	Genes Immun.	6	194-202	2005
Sagawa K, Nagatani K, Komagata Y, Yamamoto K.	Angiotensin receptor blockers suppress antigen-specific T cell responses and ameliorate collagen-induced arthritis in mice.	Arthritis Rheum.	52	1920-1928	2005
Suzuki A, Yamada R, Ohtake-Yamanaka M, Okazaki Y, Sawada T, Yamamoto K.	Anti-citrullinated collagen type I antibody is a target of autoimmunity in rheumatoid arthritis.	Biochem. Biophys. Res. Commun.	333	418-426	2005

Ohata J, Miura T, Hori S, Ziegler SF, Kohsaka H	Enhanced efficacy of regulatory T cell transfer by elevated Foxp3 expression against increasing resistance induced in arthritic hosts	Arthritis Rheum.	56	2947-2956	2007
Murakami Y, Kohsaka H, Kitasato H, and Akahoshi T.	Lipopolysaccharide-induced up-regulation of triggering receptor expressed on myeloid cells-1 expression on macrophages is regulated by endogenous Prostaglandin E2.	J. Immunol.	178	1144-1150	2007
Liu T, Kohsaka H, Suzuki M, Takagi R, hashimoto K, Uemura Y, Ohyama H, and Matsushita S.	Positional effect of amino acid replacement on peptide antigens for the increased IFN-gamma production from CD4 T cells.	Allergol Int	54	117-122	2005
Suzuki F, Nanki T, Imai T, Kikuchi H, Hirohata S, Kohsaka H, Miyasaka N.	Inhibition of CX3CL1 (fractalkine) improves experimental autoimmune myositis in SJL/J mice	J. Immunol.	175	6987-6996	2005
Tsukamoto, H., Irie, A., Senju, S., Hatzopoulos, A.K., Wojnowski, L. and Nishimura, Y.	B-Raf-mediated signaling pathway regulates T cell development.	Eur. J. Immunol.			in press
Senju, S., Suemori, H., Zembutsu, H., Uemura, Y., Hirata, S., Fukuma, D., Matsuyoshi, H., Shimomura, M., Haruta, M., Fukushima, S., Matsunaga, Y., Katagiri, T., Nakamura, Y., Furuya, M., Nakatsuji, N., and Nishimura, Y.	Genetically manipulated human embryonic stem cell-derived dendritic cells with immune regulatory function.	Stem cells	25	2720-2729	2007
Yokomine, K., Nakatsura, T., Senju, S., Nakagata, N., Minohara, M, Kira, J., Motomura, Y., Kubo, T., Sasaki, Y., and Nishimura, Y.	Regression of intestinal adenomas by vaccination with heat shock protein 105-pulsed bone marrow-derived dendritic cells in ApcMin/+ mice.	Cancer Sci.	98	1930-1935	2007
Hirata, S., Matsuyoshi, H., Fukuma, D., Kurisaki, A., Uemura, Y., Nishimura, Y.* and Senju, S.* (*equal contribution)	Involvement of regulatory T cells in the experimental autoimmune encephalomyelitis- preventive effect of dendritic cells expressing myelin oligodendrocyte glycoprotein plus TRAIL	J. Immunol.	178	918-925	2007
千住 寛, 西村 泰治	MHCとは何か	アニテックス 特集「動物MHC」(研成社, 東京)	19(2)	3-8	2007
Motomura, Y., Senju, S., Nakatsura, T., Matsuyoshi, H., Hirata, S., Monji, M., Komori, H., Fukuma, D., Baba, H., and Nishimura, Y.	Embryonic stem cell-derived dendritic cells expressing Glypican-3, a recently identified oncofetal antigen, induce protective immunity against highly metastatic mouse melanoma, B16-F10.	Cancer Res.	66	2414-2422	2006
Hirata S., Senju S., Matsuyoshi H., Fukuma D. Uemura Y. and Nishimura Y.	Prevention of EAE Through Induction of Treg Cells by Transfer of ES-DC-TRAIL/MOG.	J. Neuroimmunol	178	120	2006
Hirata, S., Senju, S., Matsuyoshi, H., Fukuma, D., Uemura, Y. and Nishimura, Y.	Prevention of experimental autoimmune encephalomyelitis by transfer of ES cell-derived dendritic cells expressing MOG peptide along with TRAIL or PD-L1.	J. Immunol.	174	1888-1897	2005
Fukuma, D., Matsuyoshi, H., Hirata, S., Kurisaki, A., Yoshitake, Y., Sinohara, M., Nishimura, Y., and Senju, S.	Anti-cancer immunotherapy with semi-allogeneic embryonic stem cell-derived dendritic cells genetically engineered to express a model tumor antigen.	Biochem. Biophys. Res. Commun.	335	5-13	2005

Matsuyoshi, H., Hirata, S., Yoshitake, Y., Motomura, Y., Fukuma, D., Kurisaki, A., Nakatsura, T., Nishimura, Y., and Senju, S.	Therapeutic effect of α -galactosylceramide-loaded dendritic cells genetically engineered to express SLC/CCL21 along with tumor antigen against peritoneally disseminated tumor cells.	Cancer Sci.	96	889-896	2005
Yano, T., Yamada, K., Kimura, A., Takeshita, T., Minohara, M., Kira, J-I, Senju, S., Nishimura, Y., and Tanihara, H.	Autoimmunity against neurofilament protein and its possible association with HLA-DRB1*1502 allele in glaucoma.	Immunol. Lts.	100	164-169	2005
平田真哉, 壬住 登, 西村泰治	樹状細胞の移入による免疫抑制療法	臨床免疫	43(5)	603-607	2005
平田真哉, 壬住 登, 西村泰治	抗原提示細胞をターゲットとした免疫抑制療法	分子リウマチ	2 (1)	47-54	2005
松吉秀武, 壬住 登, 門司幹男, 西村泰治	HLA不適合と拒絶反応	臨床免疫学(上)	63(4)	621-631	2005
Kaieda S, Tomi C, Oki S, Yamamura T, Miyake S.	Activation of invariant natural killer T cells by synthetic glycolipid ligands suppresses autoantibody-induced arthritis.	Arthritis. Rheum.	56	1836-1845	2007
Sato W, Aranami T, Yamamura T.	Cutting Edge: Human Th17 cells are identified as bearing CCR2+CCR5-phenotype.	J. Immunol.	178	7525-7529	2007
Sakuishi K, Oki S, Araki M, Porcelli SA, Miyake S, Yamamura T.	Invariant NKT cells biased for IL-5 production act as crucial regulators of inflammation.	J. Immunol.	179	3452-3462	2007
Ambrosino E, Terabe M, Halder RC, Peng J, Takaku S, Miyake S, Yamamura T, Kumar V, Berzofsky JA.	Cross-regulation between type I and type II NKT cells in regulating tumor immunity: A new immunoregulatory axis.	J. Immunol.	179	5126-5136	2007
Yamamura T., K. Sakuishi, Zs. Illes, and S. Miyake	Understanding the behavior of invariant NKT cells in autoimmune diseases.	J. Neuroimmunol	191	8-15	2007
Pyz E, Naidenko O, Miyake S, Yamamura T, Berberich I, Cardell S, Kronenberg M, Herrmann T.	The complementarity determining region 2 of BV8S2 (V beta 8.2) contributes to antigen recognition by rat invariant NKT cell TCR.	J. Immunol.	176(12)	7447-7455	2006
Miyamoto K, Miyake S, Mizuno M, Oka N, Kusunoki S and Yamamura T.	Selective COX-2 inhibitor celecoxib prevents experimental autoimmune encephalomyelitis through COX-2 independent pathway.	Brain	129	1984-1992	2006
Croxford JL, Miyake S, Huang Y-Y, Shimamura M and Yamamura T.	Invariant Va19i T cells regulate autoimmune inflammation.	Nat. Immunol.	7(9)	987-994	2006
Aranami T, Miyake S and Yamamura T.	Differential expression of CD11c by peripheral blood NK cells reflects temporal activity of multiple sclerosis.	J. Immunol.	177(8)	5659-5667	2006
Satoh J-i, Nakanishi M, Koike F, Onoue H, Aranami T, Yamamoto T, Kawai M, Kikuchi S, Nomura K, Yokoyama K, Ota K, Saito T, Ohta M, Miyake S, Kanda T, Fukazawa T and Yamamura T.	T cell gene expression profiling identifies distinct subgroups of Japanese multiple sclerosis patients.	J. Neuroimmunol.	174(1)	108-118	2006

Oki S, Tomi C, Yamamura T, Miyake S.	Preferential Th2 polarization by OCH is supported by incompetent NKT cell induction of CD40L and following production of inflammatory cytokines by bystander cells in vivo.	Int. Immunol.	17(12)	1619-1629	2005
Ueno Y, Tanaka S, Sumii M, Miyake S, Tazuma S, Taniguchi M, Yamamura T, Chayama K	Single dose of OCH improves mucosal Th1/Th2 cytokine balance and prevents experimental colitis in the presence of V α 14 NKT cells in mice.	Inflamm. Bowel Disease	11(1)	35-41	2005
Hashimoto D, Asakura S, Miyake S, Yamamura T, van Kaer L, Liu C, Tanimoto M and Teshima T.	Stimulation of host natural killer T cells by synthetic glycolipid regulates acute graft-versus-host disease by inducing Th2 polarization of donor T cells.	J.Immunol.	174(1)	551-6	2005
Murata K, Toba T, Nakanishi K, Takahashi B, Yamamura T, Miyake S and Annoura H.	Total synthesis of an immunosuppressive glycolipid, (2S,3S,4R)-1-O-(α -D-galactosyl)-2- tetracosanoylamino-1,3,4-nonanetriol.	J.Org.Chem.	70(6)	2398-401	2005
Yu KO, Im JS, Molano A, Dutrone Y, Illarionov PA, Forestier C, Fujiwara N, Arias I, Miyake S, Yamamura T, Chang YT, Besra GS, and Porcellii SA.	Modulation of CD1d-restricted NKT cell responses by using N-acylvariants of α -galactosylceramides.	Proc.Natl.Acad.Sci.U.S.A.	102(9)	3383-3388	2005
Ota T, Takeda K, Akiba H, Hayakawa Y, Ogasawara K, Ikarashi Y, Miyake S, Wakasugi H, Yamamura T, Kronenberg M, Raulet DH, Kinoshita K, Yagita H, Smyth MJ, Okumura K.	IFN- γ -mediated negative feedback regulation of NKT cell function by CD94/NKG2.	Blood	106(1)	184-92	2005
Chiba A, Kaieda S, Oki S, Yamamura T and Miyake S.	The involvement of Va14 NKT cells in the pathogenesis of arthritis in murine models .	Arthritis Rheum.	52	1941-8	2005
Toba T, Murata K, Yamamura T, Miyake S and Annoura H.	A concise synthesis of (3S,4S,5R)-1-(α -D-galactopyranosyl)-3-tetracosanoylamino-4,5-decanediol, a C-glycoside analogue of immunomodulating α -galactosylceramide OCH.	Tetrahedron Letters	46	5043-7	2005
Ronet C, Darce S, de Moraes ML, Miyake S, Yamamura T, Louis JA, Kasper LH, Buzoni-Gatel D.	NKT Cells Are Critical for the Initiation of an Inflammatory Bowel Response against Toxoplasma gondii.	J.Immunol.	175(2)	899-908	2005
Miyake S and Yamamura T.	Therapeutic potential of glycolipid ligands for natural killer (NK) T cells in the suppression of autoimmune diseases.	Curr Drug Targets Immune Endocr Metabol Disord.	5 (3)	315-22	2005
村上孝作, 藤井隆夫, 三森経世	リウマトイド因子・抗CCP抗体が陽性・陰性の臨床的意義	medicina	45(1)	64-67	2008
三森経世	関節リウマチ	Suzuken Pharma	10(6)	6	2007
三森経世	関節リウマチ	Suzuken Medical	10(6)	4-6	2007
金哲雄, 三森経世, 岡崎俊明, 梅原久範	特集:T細胞レセプターからのシグナル伝達 T細胞の活性化とraftiにおけるスフィンゴミエリンの役割	臨床免疫・アレルギー科	48(1)	8-13	2007

湯川 尚一郎, 三森 経世	次世代のB細胞ブロッカー:リツキシマブ	Mebio	24(12)	92-99	2007
三森 経世	低活動性を目標に厳格な診療介入を:治療効果が認められない患者には生物学的製剤使用	The Mainichi Medical Journal	3(8)	625	2007
三森 経世	免疫抑制薬の種類と作用機序	炎症と免疫	15(3)	329-333	2007
湯川 尚一郎, 三森 経世	関節リウマチにおける抗CD抗体の臨床効果	CLINICAL CALCIUM	17(4)	569-576	2007
Tokunaga M, Saito K, Kawabata D, Imura Y, Fujii T, Nakayamada S, Tsujimura S, Nawata M, Iwata S, Azuma T, Mimori T, Tanaka Y.	Efficacy of rituximab (anti-CD20) for refractory systemic lupus erythematosus involving the central nervous system	Ann. Rheum. Dis.	66(4)	470-5	2007
Fujita Y, Fujii T, Takeda N, Tanaka M, Mimori T.	Successful treatment of primary Sjögren's syndrome with chronic natural killer lymphocytosis by high-dose prednisolone and indomethacin farnesil.	Intern. Med.	46(5)	251-4	2007
Hirakata M, Suwa A, Takada T, Sato S, Nagai S, Genth E, Song YW, Mimori T, Targoff IN.	Clinical and immunogenetic features of patients with autoantibodies to asparaginyl-transfer RNA synthetase	Arthritis Rheum.	56(4)	1295-303	2007
Murakami K, Fujii T, Yukawa N, Yoshifuji H, Kawabata D, Tanaka M, Usui T, Mimori T	Successful treatment of a patient with refractory adult Still's disease by tacrolimus	Mod. Rheumatol.	17(2)	167-70	2007
Ito Y, Kawabata D, Yukawa N, Yoshifuji H, Usui T, Tanaka M, Fujii T, Mimori T.	Severe subcutaneous generalized edema in a patient with dermatomyositis	Mod. Rheumatol.	17(2)	171-3	2007
Handa T, Nagai S, Miki S, Ueda S, Yukawa N, Fushimi Y, Ito Y, Ohta K, Mimori T, Mishima M, Izumi T.	Incidence of pulmonary hypertension and its clinical relevance in patients with interstitial pneumonias: comparison between idiopathic and collagen vascular disease associated interstitial pneumonias	Intern. Med.	46(12)	831-7	2007
Mimori T, Imura Y, Nakashima R, Yoshifuji H.	Autoantibodies in idiopathic inflammatory myopathy: an update on clinical and pathophysiological significance	Curr. Opin. Rheumatol.	19(6)	523-9	2007
Nakayamada S, Saito K, Umehara H, Ogawa N, Sumida T, Ito S, Minota S, Nara H, Kondo H, Okada J, Mimori T, Yoshifuji H, Sano H, Hashimoto N, Sugai S, Tanaka Y.	Efficacy and safety of mizoribine for the treatment of Sjögren's syndrome: a multicenter open-label clinical trial	Mod. Rheumatol.	17(6)	464-9	2007
三森 経世	関節リウマチ	薬局(病気と薬の説明ガイド)	57(増刊号)	1035-1043	2006
吉藤元, 三森 経世	関節リウマチの血清学的検査の進歩	Current Therapy	24(5)	406-410	2006
川端 大介, 三森 経世	抗リウマチ薬の現状	治療学	40(7)	765-768	2006
大村 浩一郎, 三森 経世	抗シトルリン化蛋白抗体(抗CCP抗体)	リウマチ科	35(1)	8-15	2006
野島 崇樹, 三森 経世	自己抗体	Medical Practice	23(4)	605-609	2006
三森 経世	抗リウマチ薬(DMARDs)の種類と選び方	治療	89(2)	272-276	2007
三森 経世	関節リウマチの最新治療ガイドライン	Mebio	23(12)	16-21	2006
三森 経世	関節リウマチと抗シトルリン化蛋白抗体.	BIO Clinica	21(10)	901-907	2006
三森 経世	関節リウマチの早期診断とその有用性.	日本医師会雑誌	135(5)	1038-1042	2006
三森 経世	治療薬の使い方とピットフォール 免疫抑制薬.	内科	97(4)	641-645	2006
三森 経世, 橋本 求	抗シトルリン化蛋白抗体	内科	97(4)	721-723	2006

Miyachi K, Hosaka H, Nakamura N, Miyakawa H, Mimori T, Shibata M, Matsushima S, Chinoh H, Horigome T, Hankins RW, Zhang M, Fritzler MJ	Anti-p97/VCP antibodies: an autoantibody marker for a subset of primary biliary cirrhosis patients with milder disease?	Scand J Immunol	63(5)	376-382	2006
Yoshifuji H, Fujii T, Kobayashi S, Imura Y, Fujita Y, Kawabata D, Usui T, Tanaka M, Nagai S, Umehara H, Mimori T	Anti-aminoacyl-tRNA synthetase antibodies in clinical course prediction of interstitial lung disease complicated with idiopathic inflammatory myopathies.	Autoimmunity	39(3)	233-241	2006
三森経世	関節リウマチ早期診断と抗CCP抗体	リウマチ科	34(3)	244-249	2005
川端大介, 三森経世	抗リウマチ薬総論	medicina	42(5)	786-788	2005
三森経世	関節リウマチ薬物療法のガイドライン	日本内科学会雑誌	94(8)	183-189	2005
藤井隆夫, 三森経世	シェーグレン症候群の自己抗体と血清検査	シェーグレン症候群へのStrategy	2	30-34	2005
三森経世, 川端大介	新しい抗リウマチ薬	臨床リウマチ	17(4)	229-235	2005
藤井隆夫, 三森経世	自己反応性T細胞ワクチネーション	分子リウマチ	2(3)	46-50	2005
川端大介, 三森経世	《膠原病治療薬の使い方と副作用に対する対策》抗リウマチ薬 (DMARDs)	内科	95(3)	483-486	2005
川端大介, 三森経世	関節リウマチの新たな薬物療法への展望	月刊薬事	47(3)	405-410	2005
藤井隆夫, 三森経世	RA治療の基本 抗リウマチ薬の使い方とその副作用対策	Medical Practice	22(3)	460-464	2005
Ichikawa Y, Saito T, Yamanaka H, Akizuk M, Kondo H, Kobayashi S, Oshima H, Kawai S, Hama N, Yamada H, Mimori T, Amano K, Tanaka Y, Matsuoka Y, Yamamoto S, Matsubara T, Murata N, Asai T, Suzuki Y	Therapeutic effects of the combination of methotrexate and bucillamine in early rheumatoid arthritis: a multicenter, double-blind, randomized controlled study	Mod. Rheumatol.	16	323-328	2005
Sato S, Nogawa S, Hirakata M, Iizuka H, Suwa A, Mimori M, Ikeda Y	Sensorimotor polyneuropathy as an initial clinical manifestation of sarcoidosis	Mod. Rheumatol.	16	144-147	2005
Hirakata M, Suwa A, Kuwana M, Sato S, Mimori T, Hardin JA	Association between autoantibodies to the Ku protein and DPB1*	Arthritis Rheum.	52(2)	668-669	2005
Sato S, Hirakata M, Kuwana M, Suwa A, Inada S, Mimori T, Nishikawa T, Oddis CV, Ikeda Y	Autoantibodies to a 140-kd polypeptide, CADM-140, in Japanese patients with clinically amyopathic dermatomyositis.	Arthritis Rheum.	52(5)	1571-1576	2005
Handa T, Nagai S, Kawabata D, Nagao T, Tkemura M, Kitaichi M, Izumi T, Mimori T, Mishima M	Long-term clinical course of a patient with anti-PL-12 antibody accompanied by interstitial pneumonia and severe pulmonary hypertension.	Intern. Med.	44(4)	319-325	2005
Sato S, Hirakata M, Kuwana M, Nakamura K, Suwa A, Inada S, Mimori T, Ikeda Y	Clinical characteristics of Japanese patients with anti-PL-7(anti-thereonyl-tRNA synthetase) autoantibodies.	Clin Exp Rheumatol	23(5)	609-615	2005
Matsukawa H, Kanai T, Naganuma M, Kamada N, Hisamatsu T, Takaishi H, Ogata H, Mukai M, Ishii H, Mimori T, Watanabe M, Hibi T	A novel apoptosis-inducing monoclonal antibody (anti-LHK) against a cell surface antigen on colon cancer cells.	J Gastroenterol	40(10)	945-955	2005
Yoshifuji H, Umehara H, Maruyama H, Itoh M, Tanaka M, Kawabata D, Fujii T, Mimori T	Amelioration of experimental arthritis by a calpain-inhibitory compound: regulation of cytokine production by E-64-d in vivo and in vitro	Int. Immunol.	23(5)	609-615	2005

Miyaji M, Jin ZX, Yamaoka S, Amakawa R, Fukuhara S, Sato SB, Kobayashi T, Domaie N, Mimori T, Bloom ET, Okazaki T, Umehara H	Role of membrane sphingomyelin and ceramide in platform formation for Fas-mediated apoptosis.	J. Exp. Med	202(2)	249-259	2005
Mimori T	Clinical significance of anti-CCP antibodies in rheumatoid arthritis.	Intern. Med.	44(11)	1122-1126	2005
Iwanami K, Matsumoto I, Tanaka-Watanabe Y, Inoue A, Mihara M, Ohsugi Y, Mamura M, Goto D, Ito S, Tsutsumi A, Kishimoto T, Sumida T.	Crucial role of IL-6/IL-17 cytokine axis in the induction of arthritis by glucose-6-phosphate-isomerase.	Arthritis Rheum.			in press
Ishii W, Ito S, Kondo Y, Tsuboi H, Mamura M, Goto D, Matsumoto I, Tsutsumi A, Okoshi Y, Hasegawa Y, Kojima H, Sakashita S, Aita K, Noguchi M, Sumida T.	Intravascular large B-cell lymphoma with acute abdomen as a presenting symptom in a patient with systemic lupus erythematosus.	J. Clin. Oncol.			in press
Matsui H, Tsutsumi A, Sugihara M, Suzuki T, Iwanami K, Kohno M, Goto D, Matsumoto I, Ito S, Sumida T.	Visfatin(pre-B cell colony-enhancing factor) gene expression in patients with rheumatoid arthritis.	Ann. Rheum. Dis.			in press
Kohno M, Tsutsumi A, Matsui H, Sugihara M, Suzuki T, Mamura M, Goto D, Matsumoto I, Ito S, Suguro T, Sumida T.	Interleukin 17 gene expression in patients with rheumatoid arthritis.	Mod.Rheumatol.	18	15-22	2008
Nakamura Y, Wakamatsu E, Matsumoto I, Tomiita M, Kohno Y, Mori M, Yokota S, Goto D, Ito S, Tsutsumi A, Sumida T.	High prevalence of autoantibodies to muscarinic-3 acetylcholine receptor in patients with juvenile-onset Sjogren's syndrome.	Ann. Rheum. Dis.	67	136-137	2008
Hayashi T, Matsumoto I, Yasukochi T, Mamura M, Goto D, Ito S, Tsutsumi A, Sumida T.	Biased usage of synovial immunoglobulin heavy chain variable region 4 by the anti-glucose-6-phosphate isomerase antibody in patients with rheumatoid arthritis.	Int. J. Mol. Med.	20	247-253	2007
Enami T, Suzuki T, Ito S, Yoshimi A, Sugihara M, Mamura M, Hayashi T, Goto D, Matsumoto I, Tsutsumi A, Sumida T.	Cyclosporine treatment in the refractory thrombotic thrombotic thrombolytic purpura associated with systemic lupus erythematosus.	Intern. Med.	46	1033-1037	2007
Tanaka Y, Yamamoto K, Takeuchi T, Nishimoto N, Miyasaka N, Sumida T, Shima Y, Takada K, Matsumoto I, Saito K, Koike T.	A multi-center phase I/II trial of rituximab for refractory systemic lupus erythematosus	Mod.Rheumatol.	17	191-197	2007
Sugihara M, Tsutsumi A, Suzuki E, Suzuki T, Ogishima H, Hayashi T, Chino Y, Ishii W, Mamura M, Goto D, Matsumoto I, Ito S, Sumida T.	The gene expressions of TNF α TTP, TIA-1 and HuR in the peripheral blood mononuclear cells of patients with rheumatoid arthritis before and after infliximab therapy.	Arthritis Rheum.	56	2160-2169	2007
Matsuyama M, Suzuki T, Tsuboi H, Ito S, Mamura M, Goto D, Matsumoto I, Tsutsumi A, Sumida T.	Anti-interleukin-6 receptor antibody (tocilizumab) treatment of multicentric Castleman's disease.	Intern. Med.	46	771-774	2007

Yamada H, Ishii W, Ito S, Iwanami K, Ogishima H, Suzuki T, Mamura M, Goto D, <u>Matsumoto I</u> , Tsutsumi A, Sumida T.	Sarcoid myositis with muscle weakness as a presenting symptom	Mod. Rheumatol.	17	243-246	2007
Wakamatsu E, Nakamura Y, <u>Matsumoto I</u> , Goto D, Ito S, Tsutsumi A, Sumida T.	DNA microarray analysis of labial salivary gland of patients with Sjogren's syndrome.	Ann. Rheum. Dis.	66	844-845	2007
Ohnishi Y, Tsutsumi A, <u>Matsumoto I</u> , Goto D, Ito S, Kuwana M, Uemura Y, Nishimura Y, Sumida T.	Altered peptide ligands control typeII collagen-reactive T cells from RA patients.	Mod.Rheumatol.	16	226-228	2006
Tsutsumi A, Hayashi T, Chino Y, Goto D, <u>Matsumoto I</u> , Ito S, Sumida T.	Significance of antiprothrombin antibodies in patients with systemic lupus erythematosus: clinical evaluation of the antiprothrombin assay and the antiphosphatidylserine/prothrombin assay, and comparison with other phospholipids antibody assays.	Mod.Rheumatol.	16	158-164	2006
Kori Y, <u>Matsumoto I</u> , Zhang H, Yasukochi T, Hayashi T, Iwanami K, Goto D, Ito S, Tsutsumi A, Sumida T.	Characterization of Th1/Th2 type, glucose-6-phosphate isomerase reactive T cells in the generation of rheumatoid arthritis.	Ann. Rheum. Dis.	65	968-969	2006
Kai S, Shibuya K, Wang Y, Kameta H, Kameyama T, Tahara-Hanaoka S, Miyamoto A, Honda S, <u>Matsumoto I</u> , Koyama A, Sumida T, Shibuya A.	Critical role of M. tuberculosis for dendritic cell maturation to induce collagen-induced arthritis in H-2b background of C57Bl/6 mice.	Immunology	118	233-239	2006
Ito S, Sugihara M, Suzuki T, Mamura M, Goto D, <u>Matsumoto I</u> , Tsutsumi A, Sumida T.	Diagnosis of Chlamydia-induced reactive arthritis.	Intern. Med.	45	37	2006
Suzuki E, Tsutsumi A, Goto D, <u>Matsumoto I</u> , Ito S, Otsu M, Onodera M, Takahashi S, Sato Y, Sumida T.	Gene transduction of tristetraprolin or its active domain reduces TNF- α production in Jurkat T cells.	Int.J.Mol.Med.	17	801-809	2006
Naito Y, <u>Matsumoto I</u> , Wakamatsu E, Goto D, Ito S, Tsutsumi A, Sumida T.	Altered peptide ligands regulate muscarinic acetylcholine receptor reactive T cells of patients with Sjogren's Syndrome.	Ann. Rheum. Dis.	65	269-271	2006
Chino Y, Murata H, Goto D, <u>Matsumoto I</u> , Tsutsumi A, Sakamoto T, Ohtsuka M, Sekisawa K, Ito S, Sumida T.	T cell receptor BV gene repertoire of lymphocytes in bronchoalveolar lavage fluid of polymyositis/dermatomyositis patients with interstitial pneumonitis.	Int. J. Mol. Med.	17	101-109	2006
Kitagawa M, Goto D, Mamura M, <u>Matsumoto I</u> , Ito S, Tsutsumi A, Sumida T.	Identification of three novel peptides that inhibit CD40-CD154 interaction.	Mod. Rheumatol.	15	423-426	2005
Ohnishi Y, Tsutsumi A, Goto D, Itoh S, <u>Matsumoto I</u> , Taniguchi M, Sumida T.	TCR Valpha14 natural killer T cells function as effector T cells in mice with collagen-induced arthritis.	Clin. Exp. Immunol.	141	47-53	2005
<u>Matsumoto I</u> , Zhang H, Muraki Y, Hayashi T, Yasukochi T, Kori Y, Goto D, Ito S, Tsutsumi A, Sumida T.	A functional variant of Fc γ receptor IIIA is associated with rheumatoid arthritis in anti-glucose-6-phosphate isomerase antibodies-positive individuals.	Arthritis. Res. Ther.	7	1183-1188	2005

Matsumoto J, Muraki Y, Yasukochi T, Zhang H, Kori Y, Hayashi T, Goto D, Ito S, Tsutsumi A, Ikeda K, Sumichika H, Sumida T.	The exploration of joint-specific immunoreactions on immunoglobulins G of anti-glucose-6-phosphate isomerase antibody-positive patients with rheumatoid arthritis.	Int. J. Mol. Med.	16	793-800	2005
Hayashi T, Matsumoto J, Muraki Y, Takahashi R, Chino Y, Goto D, Ito S, Tsutsumi A, Sumida T.	Clinical characteristics of anti-glucose-6-phosphate isomerase antibodies positive Japanese patients with rheumatoid arthritis.	Mod. Rheumatol.	15	258-263	2005
Suzuki T, Muraki Y, Yasukochi T, Zhang H, Kori Y, Hayashi T, Wakamatsu E, Goto D, Ito S, Tsutsumi A, Sumichika H, Sumida T, Matsumoto J.	Intraarticular injection of IgG from anti-glucose-6-phosphate isomerase antibodies positive patients with rheumatoid arthritis induces synovitis in cynomolgus monkeys.	Autoimmunity Reviews	4	475-478	2005
Tomoo T, Tsutsumi A, Yasukochi T, Ikeda T, Ochiai N, Ozawa K, Shibana Y, Ito S, Matsumoto J, Goto D, Sumida T.	Analysis of abnormally expressed genes in synovium from patients with rheumatoid arthritis using a column gel electrophoresis-coupled subtractive hybridization technique.	Int. J. Mol. Med.	15	453-457	2005
Naito Y, Matsumoto J, Wakamatsu E, Goto D, Sugiyama T, Matsumura R, Ito S, Tsutsumi A, Sumida T.	Muscarinic acetylcholine receptor auto antibodies in patients with Sjogren's Syndrome.	Ann. Rheum. Dis.	64	510-511	2005
Takahashi R, Tsutsumi A, Ohtani K, Muraki Y, Goto D, Matsumoto J, Wakamiya N, and Sumida T.	Association of mannose-binding lection(MBL) gene polymorphism and serum MBL concentration with characteristics and progression of systemic lupus erythematosus.	Ann. Rheum. Dis	64	311-314	2005
松本 功, 住田孝之	抗GPI(glucose-6-phosphate isomerase)抗体	リウマチ科	36	81-87	2006
松本 功	抗glucose-6-phosphate isomerase抗体の病原性	臨床免疫	45	640-644	2006
松本 功	関節炎における自己抗体と炎症性サイトカインの関係	臨床免疫	45	292-296	2006
松本 功	関節リウマチにおける抗glucose-6-phosphate isomerase (GPI) 抗体	分子リウマチ	3	21-27	2006
松本 功	自己抗体誘導性関節炎モデル	内科	97	355-358	2006
松本 功	関節リウマチにおける自己抗体の産生機序と病因性	日本臨床免疫学会雑誌	28	365-371	2005
松本 功, 住田孝之	抗GPI抗体と関節炎	炎症と免疫	13	626-632	2005
Nishio M, Endo T, Nakao S, Sato N, Koike T.	Reversible cardiomyopathy due to secondary hemochromatosis with multitransfusions for severe aplastic anemia after successful non-myeloablative stem cell transplantation.	Int. J. Cardiol.			in press
Kataoka H, Atsumi T, Hashimoto T, Horita T, Yasuda S, Koike T.	Polymyalgia rheumatica as the manifestation of unclassified aortitis.	Mod. Rheumatol.	18(1)	105-108	2007
Bohgaki T, Atsumi T, Koike T	Multiple autoimmune diseases after autologous stem-cell transplantation	New Engl J Med	357(26)	2734-2736	2007

Chida D, Nakagawa S, Nagai S, Sagara H, Katsumata H, Imaki T, Suzuki H, Mitani F, Ogishima T, Shimizu C, Kotaki H, Kakuta S, Sudo K, Koike T, Kubo M, Iwakura Y	Melanocortin 2 receptor is required for adrenal gland development, steroidogenesis, and neonatal gluconeogenesis.	Proc. Natl. Acad. Sci. U. S. A.	104(46)	18205-18210	2007
Gatanaga H, Hayashida T, Tsuchiya K, Yoshino M, Kurwahara T, Tsukada H, Fujimoto K, Sato I, Ueda M, Horiba M, Hamaguchi M, Yamamoto M, Takata N, Kimura A, Koike T, Gejyo F, Matsushita S, Shirasaka T, Kimura S, Oka S	Successful efavirenz dose reduction in HIV type 1-infected individuals with cytochrome P450 2B6 *6 and *26.	Clin. Infect. Dis.	45(9)	1230-1237	2007
Ieko M, Nakabayashi T, Tarumi T, Naito S, Yoshida M, Kanazawa K, Mizukami K, Koike T	Soluble fibrin monomer degradation products as a potentially useful marker for hypercoagulable states with accelerated fibrinolysis	Clin. Chim. Acta.	386(1-2)	38-45	2007
Yasuda S, Stevens RL, Terada T, Takeda M, Hashimoto T, Fukae J, Horita T, Kataoka H, Atsumi T, Koike T	Defective expression of ras guanyl nucleotide-releasing protein 1 in a subset of patients with systemic lupus erythematosus.	J. Immunol.	179(7)	4890-4900	2007
Atsumi T, Cho YR, Leng L, McDonald C, Yu T, Danton C, Hong EG, Mitchell RA, Metz C, Niwa H, Takeuchi J, Onodera S, Umino T, Yoshioka N, Koike T, Kim JK, Bucala R	The proinflammatory cytokine macrophage migration inhibitory factor regulates glucose metabolism during systemic inflammation.	J. Immunol.	179(8)	5399-5406	2007
Atsumi T, Chiba H, Yoshioka N, Bucala R, Koike T	Increased fructose 2,6-bisphosphate in peripheral blood mononuclear cells of patients with diabetes	Endocr J	57(4)	517-520	2007
Natsuga K, Sawamura D, Homma E, Nomura T, Abe M, Muramatsu R, Mochizuki T, Koike T, Shimizu H	Amicrobial pustulosis associated with IgA nephropathy and Sjögren's syndrome	J. Am. Acad. Dermatol.	57	523-526	2007
Horita T, Ichikawa K, Kataoka H, Yasuda S, Atsumi T, Koike T	Human monoclonal antibodies against the complex of phosphatidylserine and prothrombin from patients with the antiphospholipid antibodies	Lupus	16(7)	509-516	2007
Amengual O, Atsumi T, Komano Y, Kataoka H, Horita T, Yasuda S, Koike T	A polymorphism in human platelet antigen 6b and risk of thrombocytopenia in patients with systemic lupus erythematosus	Arthritis Rheum.	56(8)	2803-2809	2007
Masuda H, Atsumi T, Fujisaku A, Shimizu C, Yoshioka N, Koike T	Acute onset of type 1 diabetes accompanied by acute hepatitis C: the potential role of proinflammatory cytokine in the pathogenesis of autoimmune diabetes	Diabetes Res Clin Pract.	75(3)	357-361	2007
Nishio M, Fujimoto K, Yamamoto S, Endo T, Sakai T, Obara M, Kumano K, Yamaguchi K, Takeda Y, Goto H, Sato N, Koizumi K, Mukai M, Koike T	Delayed redistribution of CD27, CD40 and CD80 positive B cells and the impaired in vitro immunoglobulin production in patients with non-Hodgkin lymphoma after rituximab treatment as an adjuvant to autologous stem cell transplantation	Br. J. Haematol.	137(4)	349-354	2007

Minauchi K, Nishio M, Itoh T, Yamamoto S, Fujimoto K, Sato N, <u>Koike T</u>	Hepatosplenic alpha/beta T cell lymphoma presenting with cold agglutinin disease	Ann Hematol	86(2)	155-157	2007
Nakamura A, Shimizu C, Nagai S, Taniguchi S, Umetsu M, Atsumi T, Wada N, Yoshioka N, Ono Y, Sasano H, <u>Koike T</u>	Unilateral adrenalectomy improves insulin resistance and polycystic ovaries in a middle-aged woman with virilizing adrenocortical adenoma complicated with Cushing's syndrome	J Endocrinol Invest	30	65-69	2007
<u>Koike T</u> , Atsumi T	"Resurrection of thrombin" in the pathophysiology of the antiphospholipid syndrome.	Arthritis Rheum.	56(2)	393-394	2007
Miyakis S, Lockshin MD, Atsumi T, Branch DW, Brey RL, Cervera R, Derksen RHWM, de Groot PG, <u>Koike T</u> , Meroni PL, Reber G, Shoenfeld Y, Tincani A, Vlachoyiannopoulos PG, Kritis SA.	International consensus statement on an update of the classification criteria for definite antiphospholipid syndrome	J Thromb Haemost	4	295-306	2006
Mizumoto H, Maihara T, Hiejima E, Shiota M, Hata A, Seto S, Atsumi T, <u>Koike T</u> , Hata D.	Transient antiphospholipid antibodies associated with acute infections in children: a report of three cases and a review of the literature.	Eur J Pediatr.	165	484-488	2006
Nakamura A, Shimizu C, Nagai S, Taniguchi S, Umetsu M, Atsumi T, Wada N, Yoshioka N, Ono Y, Tanizawa Y, <u>Koike T</u> .	A novel mutation of <i>WFS1</i> gene in a Japanese man of Wolfram syndrome with positive diabetes-related antibodies.	Diabetes Res Clin Pract.	73(2)	215-217	2006
Nagai S, Shimizu C, Kimura Y, Umetsu M, Taniguchi S, Takeuchi J, Atsumi T, Yoshioka N, Kubo M, <u>Koike T</u> .	A case of reversed pituitary dysfunction with intrasellar mass.	J Endocrinol Invest	29(4)	367-372	2006
Amengual O, Atsumi T, <u>Koike T</u> .	Pathophysiology of the antiphospholipid syndrome: roles of anticardiolipin antibodies in thrombosis and fibrinolysis.	APLAR J Rheumatol.	9	377-386	2006
Mizukami K, Nakabayashi T, Naitoh S, Takeda M, Tarumi T, Mizoguchi I, Ieko M, <u>Koike T</u> .	One novel and one recurrent mutation in the <i>PROS1</i> gene cause type I protein S deficiency in patients with pulmonary embolism associated with deep vein thrombosis.	Am. J. Hematol.	81	787-797	2006
Ieko M, Tarumi T, Nakabayashi T, Yoshida M, Naito S, <u>Koike T</u> .	Factor Xa inhibitors: new anti-thrombotic agents and their characteristics.	Frontiers in Bioscience.	11	232-248	2006
Furusaki A, Judo S, Yamashita Y, Amasaki Y, Atsumi T, <u>Koike T</u>	TRAIL-mediated cytotoxicity: Impacts of sTRAIL and vTRAIL microvesicles.	J Biol Sci.	6(1)	150-159	2006
Niwa H, Koumoto C, Shiga T, Takeuchi J, Mishima S, Segawa T, Atsumi T, Shimizu C, <u>Koike T</u> , Yoshioka N.	Clinical analysis of cognitive function in diabetic patients by MMSE and SPECT.	Diabetes Res Clin Pract.	72	142-147	2006
Hashimoto T, Nishio M, Sakai T, Fujimoto K, Sato N, Endo T, <u>Koike T</u> .	Acute schizophrenic symptoms as the initial manifestation of HIV infection that respond to highly active antiretroviral therapy.	Clinical Infectious Diseases.	42	1653-1655	2006

Furukawa S, Yasuda S, Amengual O, Horita T, Atsumi T, Koike T.	Protective effect of pravastatin on vascular endothelium in patients with System Sclerosis: a pilot study.	Ann. Rheum. Dis.	65(8)	1118-1120	2006
Nishio M, Fujimoto K, Yamamoto S, Endo T, Sakai T, Obara M, Kumano K, Minauchi K, Yamaguchi K, Takeda Y, Sato N, Koizumi K, Mukai M, Koike T.	Hypogammaglobulinemia with a selective delayed recovery in memory B cells and an impaired isotype expression after rituximab administration as an adjuvant to autologous stem cell transplantation for non-Hodgkin lymphoma.	Eur J Haematol.	77	226-232	2006
Yasuda S, Atsumi T, Matsuura E, Kaihara K, Yamamoto D, Ichikawa K, Koike T.	Significance of valine/leucine ²⁴⁷ polymorphism of β 2-glycoprotein I in antiphospholipid syndrome: increased reactivity of anti- β 2-glycoprotein I autoantibodies to the valine ²⁴⁷ β 2-glycoprotein I variant.	Arthritis Rheum.	52:1	212-218	2005
Kataoka H, Takahashi S, Takase K, Yamasaki S, Yokosuka T, Koike T, Saito T.	CD25 ⁺ CD4 ⁺ regulatory T cells exert in vitro suppressive activity independent of CTLA-4.	Int. Immunol.	17:04	421-427	2005
Jodo S, Pidiyar VJ, Xiao S, Furusaki A, Sharma R, Koike T, Jusztos Z.	Cutting Edge: Fas Ligand (CD178) Cytoplasmic Tail Is a Positive Regulator of Fas Ligand-Mediated Cytotoxicity.	J. Immunol.	174	4470-4474	2005
Nishio S, Hatano M, Nagata M, Horie S, Koike T, Tokuhisa T, Mochizuki T.	Pkd1 regulates immortalized proliferation of renal tubular epithelial cells through p53 induction and JNK activation.	J. Clin. Invest.	115:4	910-918	2005
Kochi Y, Yamada R, Suzuki A, Harley JB, Shirasawa S, Sawada T, Bae SC, Tokuhira S, Chang X, Sekine A, Takahashi A, Tsunoda T, Ohnishi Y, Kaufman KM, Kang CP, Kang C, Otsubo S, Yumura W, Mimori A, Koike T, Nakamura Y, Sasazuki T, Yamamoto K.	A functional variant in FCRL3, encoding Fc receptor-like 3, is associated with rheumatoid arthritis and several autoimmunities.	Nat. Genet.	37:5	478-485	2005
Imai Y, Chou T, Tobinai K, Tanosaki R, Morishima Y, Ogura M, Shimazaki C, Taniwaki M, Hirakawa A, Tanimoto M, Koike T, Kogawa K, Hirai H, Yoshida T, Tamura K, Kishi K, Hotta T.	CliniMACS Study Group. Isolation and transplantation of highly purified autologous peripheral CD34 ⁺ progenitor cells: purging efficacy, hematopoietic reconstitution in non-Hodgkin's lymphoma (NHL): results of Japanese phase II study.	Bone Marrow Transpl	35:5	479-487	2005
Bando H, Atsumi T, Nishio T, Niwa H, Mishima S, Shimizu C, Yoshioka N, Bucala R, Koike T.	Phosphorylation of the 6-phosphofructo-2-kinase/fructose 2,6-bisphosphatase/PFKFB3 family of glycolytic regulators in human cancer.	Clin. Cancer Res	11	5784-5792	2005
Atsumi T, Furukawa S, Amengual O, Koike T.	Antiphospholipid antibody associated thrombocytopenia and the paradoxical risk of thrombosis.	Lupus	14	499-504	2005
Bohgaki T, Amasaki Y, Nishimura N, Bohgaki M, Yamashita Y, Nishio M, Kawada KI, Jodo S, Atsumi T, Koike T.	Up regulated expression of tumour necrosis factor α converting enzyme in peripheral monocytes of patients with early systemic sclerosis.	Ann. Rheum. Dis.	64	1165-1173	2005

Atsumi,T., Amengual,O., Yasuda,S., Matsuura,E., Koike.T.	Research around β 2-glycoprotein I: A major target for antiphospholipid antibodies.	Autoimmunity.	38(5)	377-381	2005
Fukae,J., Amasaki,Y., Yamashita,Y., Bohgaki,T., Yasuda,S., Jodo,S., Atsumi,T., Koike.T.	Butyrate suppresses tumor necrosis factor α production by regulating specific messenger RNA degradation mediated through a cis-acting AU-rich element.	Arthritis Rheum.	52(9)	2697-2707	2005
Koike.T., Atsumi,T.	Antiphospholipid antibodies and cell activation: crucial role of p38 MAPK pathway.	Lupus	14(10)	799-801	2005
Atsumi,T., Nisho,T., Niwa,H., Takeuchi,J., Bando,H., Shimizu,C., Yoshioka,N., Bucala,R., Koike.T.	Expression of inducible 6-Phosphofructo-2-Kinase/Fructose-2,6-Bisphosphatase/PFKFB3 isoforms in adipocytes and their potential role in glycolytic regulation.	Diabetes	54(12)	3349-3357	2005
Kasahara,H., Matsuura,E., Kaihara,K., Yamamoto,D., Kobayashi,K., Inagaki,J., Ichikawa,K., Tsumi,A., Yasuda,S., Atsumi,T., Yasuda,T., Koike.T.	Antigenic structures recognized by anti-B2-glycoprotein I auto-antibodies	Int. immunol.	17(12)	1533-1542	2005
Yasuda,S., Bohgaki,M., Atsumi,T., Koike.T.	Pathogenesis of antiphospholipid antibodies: impairment of fibrinolysis and monocyte activation via the p38 mitogen-activated protein kinase pathway.	Immunobiology	210	775-780	2005
Nakabayashi,T., Mizukami,K., Naitoh,S., Takeda,M., Shikamoto,Y., Nakagawa,T., Kaneko,H., Tarumi,T., Mizoguchi,I., Mizuno,H., Ieko,M., Koike.T.	Protein C Sapporo (protein C Glu 25 \rightarrow Lys): A heterozygous missense mutation in the Gla domain provides new insight into the interaction between protein C and endothelial protein C receptor.	Thromb Haemost	94	942-950	2005
Goto,H., Nishio,M., Endo,T., Sato,N., Koizumi,K., Fujimoto,K., Sakai,T., Kumano,K., Obara,M., Koike.T.	Effective in vivo purging with rituximab and autologous peripheral blood stem cell transplantation in a woman with CD5 positive primary cutaneous diffuse large B-cell lymphoma.	Eur. J. Haematol.	74	526-528	2005
Nakamura,A., Simizu,C., Nagai,S., Taniguchi,S., Umetsu,M., Atsumi,T., Yoshioka,N., Ono,Y., Tajima,T., Kubo,M., Koike.T.	A rare case of Gitelman's syndrome presenting with hypocalcemia and osteopenia.	J Endocrinol Invest	28	464-468	2005
Nishio,M., Endo,T., Fujimoto,K., Sato,N., Sakai,T., Obara,M., Kumano,K., Minauchi,K., Koike.T.	Persistent panhypogammaglobulinemia with selected loss of memory B cells and impaired isotype expression after rituximab therapy for post-transplant EBV-associated autoimmune hemolytic anemia.	Eur. J. Haematol.	75(6)	527-529	2005
Matsumoto,R., Shimizu,C., Nagai,S., Taniguchi,S., Umetsu,M., Kimura,Y., Atsumi,T., Yoshioka,N., Kubo,M., Koike.T.	Cat-eye syndrome with isolated idiopathic hypogonadotropic hypogonadism.	Intern. Med.	44(10)	1069-1073	2005
Seta, N., Okazaki, Y., and Kuwana, M.	Human circulating monocytes can express receptor activator of nuclear factor- κ B ligand and differentiate into functional osteoclasts without exogenous stimulation.	Immunol. Cell Biol.			in press

Yasuoka, H., Yamaguchi, Y., Mizuki, N., Nishida, T., Kawakami, Y., and Kuwana, M.	Preferential activation of circulating CD8 ⁺ and $\gamma\delta$ T cells in patients with active Behçet's disease and HLA-B51.	Clin. Exp. Rheumatol.			in press
Hamaguchi, Y., Hasegawa, M., Fujimoto, M., Matsushita, T., Komura, K., Kaji, K., Kondo, M., Nishijima, C., Hayakawa, I., Ogawa, F., Kuwana, M., Takehara, K., and Sato, S.	The clinical relevance of serum antinuclear antibodies in Japanese patients with systemic sclerosis.	Brit. J. Dermatol.	158	487-495	2008
Sato, S., Katsuki, Y., Kimura, N., Kaneko, Y., Suwa, A., Hirakata, M., and Kuwana, M.	Long-term effect of intermittent cyclical etidronate therapy on corticosteroid-induced osteoporosis in Japanese connective tissue disease patients: seven year follow-up.	J. Rheumatol.	35	142-146	2008
Yamaguchi, Y., Seta, N., Kaburaki, J., Kobayashi, K., Matsuura, E., and Kuwana, M.	Excessive exposure to anionic surfaces maintains autoantibody response to β_2 -glycoprotein I in patients with antiphospholipid syndrome.	Blood	110	4312-4318	2007
Kobayashi, K., Tada, K., Itabe, H., Ueno, T., Liu, P.H., Tsutsumi, A., Kuwana, M., Yasuda, T., Shoenfeld, Y., de Groot, P.G., and Matsuura, E.	Distinguished effects of antiphospholipid antibodies and anti-oxidized LDL antibodies on oxidized LDL uptake by macrophages.	Lupus	16	929-938	2007
Nishimagi, E., Tochimoto, A., Kawaguchi, Y., Satoh, T., Kuwana, M., Takagi, K., Ichida, H., Kanno, T., Soejima, M., Baba, S., Kamatani, N., and Hara, M.	Characteristics of patients with early systemic sclerosis and severe gastrointestinal involvement.	J. Rheumatol.	34	2050-2055	2007
Suzuki, S., Utsugisawa, K., Nagane, Y., Satoh, T., Terayama, Y., Suzuki, N., and Kuwana, M.	Classification of myasthenia gravis based on autoantibody status.	Arch. Neurol.	64	1121-1124	2007
Kuwana, M., Iki, S., and Urabe, A.	The role of autoantibody-producing plasma cells in immune thrombocytopenic purpura refractory to rituximab.	Am. J. Hematol.	82	846-848	2007
Seta, N., and Kuwana, M.	Human circulating monocytes as multipotential progenitors.	Keio J. Med.	56	41-47	2007
Matsushita, T., Hasegawa, M., Fujimoto, M., Hamaguchi, Y., Komura, K., Hirano, T., Horikawa, M., Kondo, M., Orito, H., Kaji, K., Saito, Y., Matsushita, Y., Kawara, S., Yasui, M., Seishima, M., Ozaki, S., Kuwana, M., Ogawa, F., Sato, S., and Takehara, K.	Clinical evaluation of anti-aminoacyl tRNA synthetase antibodies in Japanese patients with dermatomyositis.	J. Rheumatol.	34	1012-1018	2007
Sato, S., Kuwana, M., and Hirakata, M.	Clinical characteristics of Japanese patients with anti-OJ (anti-isoleucyl-tRNA synthetase) autoantibodies.	Rheumatology	46	842-845	2007

Ogawa, Y., Razaque, M.S., Kameyama, K., Hasegawa, G., Shimmura, S., Kawai, M., Okamoto, S., Ikeda, Y., Tsubota, K., Kawakami, Y., and Kuwana, M.	Role of heat shock protein 47, a collagen-binding chaperon, in lacrimal gland pathology in patients with cGVHD.	Invest. Ophth. Vis. Sci.	48	1079-1086	2007
Yasuoka, H., and Kuwana, M.	Autoantibody response against a novel testicular antigen protein highly expressed in testis (PHET) in SSC patients.	Autoimmun. Rev.	6	228-231	2007
Nagata, E., Hamada, J., Shimizu, T., Shibata, M., Suzuki, S., Osada, T., Takaoka, R., Kuwana, M., and Suzuki, N.	Altered levels of serotonin in lymphoblasts derived from migraine patients.	Neurosci. Res.	57	179-183	2007
Takahashi, H., Amagai, M., Tanikawa, A., Suzuki, S., Ikeda, Y., Nishikawa, T., Kawakami, Y., and Kuwana, M.	T helper 2-biased natural killer cell phenotype in patients with pemphigus vulgaris.	J. Invest. Dermatol.	127	324-330	2007
Kajihara, M., Okazaki, Y., Kato, S., Ishii, H., Kawakami, Y., Ikeda, Y., and Kuwana, M.	Evaluation of platelet kinetics in patients with liver cirrhosis: Similarity to idiopathic thrombocytopenic purpura.	J. Gastroen. Hepatol.	22	112-118	2007
Kuwana, M., Okazaki, Y., Kodama, H., Satoh, T., Kawakami, Y., and Ikeda, Y.	Endothelial differentiation potential of human monocyte-derived multipotential cells.	Stem Cells	24	2733-2743	2006
Kuwana, M., and Ikeda, Y.	Helicobacter pylori and immune thrombocytopenic purpura: unsolved questions and controversies.	Int. J. Hematol.	84	309-315	2006
Asahi, A., Kuwana, M., Suzuki, H., Hibi, T., Kawakami, Y., and Ikeda, Y.	Effects of <i>Helicobacter pylori</i> eradication regimen on anti-platelet autoantibody response in infected and uninfected patients with idiopathic thrombocytopenic purpura.	Haematologica	91	594-600	2006
Kuwana, M.	Potential benefit of statins for vascular disease in systemic sclerosis.	Curr. Opinion. Rheumatol.	18	594-600	2006
Yamazaki, R., Kuwana, M., Mori, T., Okazaki, Y., Kawakami, Y., Ikeda, Y., and Okamoto, S.	Prolonged thrombocytopenia after allogeneic haematopoietic stem cell transplantation: Associations with impaired platelet production and increased platelet turnover.	Bone. Marrow. Transplant.	38	377-384	2006
Ohnishi, Y., Tsutsumi, A., Matsumoto, I., Goto, D., Ito, S., Kuwana, M., Uemura, Y., Nishimura, Y., and Sumida, T.	Altered peptide ligands control type II collagen-reactive T cells from rheumatoid arthritis patients.	Mod. Rheumatol.	16	226-228	2006
Kuwana, M., Kurata, Y., Fujimura, K., Fujisawa, K., Wada, H., Nagasawa, T., Nomura, S., Kojima, T., Yagi, H., and Ikeda, Y.	Preliminary laboratory-based diagnostic criteria for immune thrombocytopenic purpura: Evaluation by multi-center prospective study.	Thromb. Haemost.	4	1936-1943	2006
Kuwana, M., Kaburaki, J., Okazaki, Y., Miyazaki, H., and Ikeda, Y.	Two types of autoantibody-mediated thrombocytopenia in patients with systemic lupus erythematosus.	Rheumatology	45	851-854	2006
Kuwana, M., Kaburaki, J., Okazaki, Y., Yasuoka, H., Kawakami, Y., and Ikeda, Y.	Increase in circulating endothelial precursors by atorvastatin in patients with systemic sclerosis.	Arthritis Rheum.	54	1946-1951	2006

Namboodiri, A.M., Rocca, K.M., <u>Kuwana, M.</u> , and Pandey, J.P.	Antibodies to human cytomegalovirus protein UL83 in systemic sclerosis.	Clin. Exp. Rheumatol.	24	176-178	2006
Kodama, H., Inoue, T., Watanabe, R., Yasutomi, D., Kawakami, Y., Ogawa, S., Mikoshiba, K., Ikeda, Y., and <u>Kuwana, M.</u>	Neurogenic potential of progenitors derived from human circulating CD14 ⁺ monocytes.	Immunol. Cell Biol.	84	209-217	2006
Nakamura, M., Tanaka, Y., Satoh, T., Kawai, M., Hirakata, M., Kaburaki, J., Kawakami, Y., Ikeda, Y., and <u>Kuwana, M.</u>	Autoantibody to CD40 ligand in systemic lupus erythematosus: association with thrombocytopenia, but not thromboembolism.	Rheumatology	45	150-156	2006
Kodama, H., Inoue, T., Watanabe, R., Yasuoka, H., Kawakami, Y., Ogawa, S., Ikeda, Y., Mikoshiba, K., and <u>Kuwana, M.</u>	Cardiomyogenic potential of mesenchymal progenitors derived from human circulating CD14 ⁺ monocytes.	Stem Cells Dev.	14	676-686	2005
Suzuki, S., Satoh, T., Yasuoka, H., Hamaguchi, Y., Tanaka, K., Kawakami, Y., Suzuki, N., and <u>Kuwana, M.</u>	Novel autoantibodies to a voltage-gated potassium channel K _v 1.4 in a severe form of myasthenia gravis.	J. Neuroimmunol.	170	141-149	2005
Ogawa, Y., Kodama, H., Kameyama, K., Yamazaki, K., Yasuoka, H., Okamoto, S., Inoko, H., Kawakami, Y., and <u>Kuwana, M.</u>	Donor fibroblast chimerism in the lacrimal gland of human chronic graft-versus-host disease.	Invest. Ophth. Vis. Sci.	46	4519-4527	2005
Sato, S., Hirakata, M., <u>Kuwana, M.</u> , Nakamura, K., Suwa, A., Inada, S., Mimori, T., and Ikeda, Y.	Clinical characteristics of Japanese patients with anti-PL-7 (anti-threonyl-tRNA synthetase) autoantibodies.	Clin. Exp. Rheumatol.	23	609-615	2005
<u>Kuwana, M.</u> , Okazaki, Y., Satoh, T., Asahi, A., Kajihara, M., and Ikeda, Y.	Initial laboratory findings useful for predicting the diagnosis of idiopathic thrombocytopenic purpura.	Am. J. Med.	118	1026-1033	2005
Satoh, T., Okano, T., Matsui, T., Watabe, H., Ogasawara, T., Kubo, K., <u>Kuwana, M.</u> , Fertig, N., Oddis, C.V., Kondo, H., and Akahoshi, T.	Novel autoantibodies against 7SL RNA in patients with polymyositis/dermatomyositis.	J. Rheumatol.	32	1727-1733	2005
<u>Kuwana, M.</u> , Okano, Y., Pandey, J.P., Silver, R.M., Fertig, N., and Medsger, T.A. Jr.	Enzyme-linked immunosorbent assay for detection of anti-RNA polymerase III antibody: analytical accuracy and clinical associations in systemic sclerosis.	Arthritis Rheum.	52	2425-2432	2005
Suzuki, S., Shimoda, M., Kawamura, M., Sato, H., Nogawa, S., Tanaka, K., Suzuki, N., and <u>Kuwana, M.</u>	Myasthenia gravis accompanied by alopecia areata: clinical and immunogenetic aspects.	Eur. J. Neurol.	12	566-570	2005
Okada, T., Noji, S., Goto, Y., Iwata, T., Fujita, T., Okada, T., Matsuzaki, Y., <u>Kuwana, M.</u> , Hirakata, M., Horii, A., Matsuno, S., Sunamura, M., and Kawakami, Y.	Immune responses to DNA mismatch repair enzymes hMSH2 and hPMS1 in patients with pancreatic cancer, dermatomyositis and polymyositis.	Int. J. Cancer.	116	925-933	2005
Sato, S., Hirakata, M., <u>Kuwana, M.</u> , Suwa, A., Inada, S., Mimori, T., Nishikawa, T., Oddis, C.V., and Ikeda, Y.	Autoantibodies to a 140-kD polypeptide, CADM-140, in Japanese patients with clinically amyopathic dermatomyositis.	Arthritis Rheum.	52	1571-1576	2005

Hudson, L.L., Rocca, K.M., Kuwana, M., and Pandey, J.P.	Interleukin-10 genotypes are associated with systemic sclerosis and influenza disease-associated autoimmune responses.	Genes Immun.	6	274-278	2005
Sato, N., Kamata, T., Akiyama, N., Kuwana, M., and Kanda, T.	Acute inflammatory sensorimotor polyradiculoneuropathy associated with immune thrombocytopenic purpura.	J. Intern. Med.	257	473-477	2005
桑名正隆	血栓止血の臨床-研修医のために-: ITPの診断と治療	血栓止血学会誌	19		印刷中
桑名正隆	強皮症の病態とそのマネージメント: 強皮症患者のケアにおける現状と問題点-診断基準、病型分類、活動性の評価、臓器障害の評価について	リウマチ科	39		印刷中
桑名正隆	連載講座: 炎症と免疫における分子標的治療の新展開; CD40LとBLyS	炎症と免疫	16	86-91	2008
桑名正隆	血液疾患の免疫病態とその治療; 特発性血小板減少性紫斑病	血液・腫瘍科	55	628-633	2007
佐藤隆司、桑名正隆	遺伝子分析-リスクファクターの推定; 膠原病、自己免疫疾患	臨床検査	5	1542-1546	2007
桑名正隆	TNFファミリー分子の分子リウマチ学-基礎から臨床へ; CD40L/CD40と自己免疫疾患	分子リウマチ	4	38244	2007
桑名正隆	膠原病の呼吸器病変: 最近の進歩; 全身性強皮症	呼吸器科	12	209-216	2007
小村一浩、SangJae Bae、小川文秀、竹中基、加治賢三、藤本学、桑名正隆、佐藤伸一	抗hUBF抗体陽性の全身性強皮症の1例	日本皮膚科学会雑誌	117	1621-1624	2007
桑名正隆	血小板と血管病変-最近の話題; 免疫性血小板減少症の発症メカニズム	Angiology Frontier	6	38-44	2007
桑名正隆	SLEの発症機序と新たな治療法の探索; SLEの血小板減少における抗トロンボポエチン受容体抗体	リウマチ科	38	146-151	2007
桑名正隆	自己免疫疾患に伴う血管・血液病変-分子病態と治療-; 血小板の自己免疫学の進歩	分子リウマチ	4	45-51	2007
桑名正隆	クリニカルトピックス; <i>Helicobacter pylori</i> の除菌によるITP(特発性血小板減少症紫斑病)の治療	BIO Clinica	22	79-83	2007
桑名正隆	膠原病のプライマリケア-早期診断と治療指針; ベーチェット病	総合臨床	56	524-529	2007
桑名正隆	自己免疫疾患; 特発性血小板減少性紫斑病とピロリ感染	BIO Clinica	21	39-43	2006
桑名正隆	解説; 抗血小板膜糖蛋白抗体	リウマチ科	36	95-102	2006
桑名正隆	話題の疾患と治療; <i>H. pylori</i> 感染症と特発性血小板減少性紫斑病	感染・炎症・免疫	36	70-71	2006
桑名正隆	免疫能から血液疾患病態を探る; 自己免疫疾患の病態と自己反応性T細胞	Sysmex Journal	29	21-26	2006
桑名正隆	自己免疫疾患のアレルギーのトピックス; 特発性血小板減少性紫斑病	Medicina	43	944-946	2006
香月有美子、鈴木重明、高橋勇人、佐藤隆司、野川茂、田中耕太郎、鈴木則宏、桑名正隆	症例報告; 重症筋無力症を伴うGood症候群の一例: 免疫評価機能に関する検討	日本臨床免疫学会会誌	29	102-106	2006
桑名正隆	けんさ質問箱; <i>Helicobacter pylori</i> の除菌で特発性血小板減少症が軽減する?	検査と技術	34	485-487	2006
桑名正隆	治療/膠原病治療のポイントと実際; 強皮症(全身性強皮症)	Medical Practice	23	669-673	2006

桑名正隆	Topics; 特発性血小板減少性紫斑病と <i>Helicobacter pylori</i>	日本ヘリコバクター学会誌	7	55-61	2006
桑名正隆, 池田康夫	総説; 特異的検査法を取り入れた新しいITP の診断基準	日本血栓止血学会誌	16	607-613	2005
古屋善章, 桑名正隆	膠原病と血栓; 膠原病における血管内皮機 能の異常	血栓と循環	13	24-28	2005
桑名正隆	線維化と疾患, 病態とその制御; 肺線維症	Medical Science Digest	31	14-17	2005
桑名正隆, 朝日厚子, 池田康夫	トピックス臨床シリーズ; ITPと <i>Helicobacter pylori</i> 感染	日本検査血液学会雑誌	6	325-331	2005
桑名正隆	医学用語解説; 自己反応性T細胞-自己免 疫疾患における役割-	炎症と免疫	13	114-116	2005
小川葉子, 桑名正隆, 河上裕	眼科医のための先端医療; 造血幹細胞移植 後のGVHDによるドライアイの病態解析-病 的線維化病変におけるドナー由来線維芽 細胞の関与-	あたらしい眼科	22	1233- 1234	2005
安岡秀剛, 桑名正隆	病因・病態; ペーチュット病病態形成におけ るTリンパ球細胞の役割	医学のあゆみ	215	28-32	2005
桑名正隆	<i>Helicobacter pylori</i> 感染とITP-除菌治療 反応例の機序解明に迫る-; <i>Helicobacter pylori</i> 感染とITPの関連を解析する-抗 GPIIb/IIIa抗体産生B細胞より-	Helicobacter Research	9	13-18	2005
桑名正隆	免疫学的検査 - 自己抗体; 抗Sc1-70抗体 (抗トポイソメラーゼI抗体)	日本臨床	63	499-501	2005
桑名正隆	免疫学的検査 - 自己抗体; 抗RNAポリメ ラーゼ抗体	日本臨床	63	491-494	2005
桑名正隆, 池田康夫	自己免疫疾患の概念と知見; 特発性血小 板減少性紫斑病	最新医学	60	231-240	2005
桑名正隆	自己免疫疾患の概念と知見; 強皮症	最新医学	60	145-154	2005
桑名正隆, 池田康夫	病態解析と治療の進歩 - ITP	総合臨床	54	1871- 1875	2005
桑名正隆	診断メモ - アレルギー性肉芽腫性血管炎	内科	95	1469	2005
桑名正隆	診断メモ - 顕微鏡的血管炎	内科	95	1468	2005
桑名正隆	膠原病; 強皮症の診断基準・病型分類・重 症度	内科	95	1445- 1449	2005
桑名正隆	特集「血栓症の分子病態とその治療」より; 免疫性血小板減少性紫斑病患者に対するヒ ト化抗CD154抗体単回投与の血小板特異 的自己免疫応答に対する効果	分子細胞治療	4	76-77	2005
桑名正隆	自己免疫疾患としての血液病〜どこまで解 明されたか〜; 自己免疫性血小板減少症	血液フロンティア	15	53-62	2005
桑名正隆	膠原病に負けない; 強皮症・混合性結合組 織病	毎日ライフ	36	23-31	2005