

```

<xs:complexType name="POCD_MT000040.AssociatedEntity">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="id" type="II" minOccurs="0" maxOccurs="unbounded"/>
        <xs:element name="code" type="CE" minOccurs="0"/>
        <xs:element name="addr" type="AD" minOccurs="0" maxOccurs="unbounded"/>
        <xs:element name="telecom" type="TEL" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="associatedPerson" type="POCD_MT000040.Person"
minOccurs="0"/>
        <xs:element name="scopingOrganization" type="POCD_MT000040.Organization"
minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="classCode" type="RoleClassAssociative" use="required"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.Authenticator">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="time" type="TS"/>
        <xs:element name="signatureCode" type="CS"/>
        <xs:element name="assignedEntity" type="POCD_MT000040.AssignedEntity"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="typeCode" type="ParticipationType" use="optional"
fixed="AUTHEN"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.Author">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="functionCode" type="CE" minOccurs="0"/>
        <xs:element name="time" type="TS"/>
        <xs:element name="assignedAuthor" type="POCD_MT000040.AssignedAuthor"/>
    </xs:sequence>

```

```

<xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
<xs:attribute name="typeCode" type="ParticipationType" use="optional"
fixed="AUT"/>
    <xs:attribute name="contextControlCode" type="ContextControl" use="optional"
fixed="OP"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.AuthoringDevice">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="code" type="CE" minOccurs="0"/>
        <xs:element name="manufacturerModelName" type="SC" minOccurs="0"/>
        <xs:element name="softwareName" type="SC" minOccurs="0"/>
        <xs:element name="asMaintainedEntity"
type="POCD_MT000040.MaintainedEntity" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="classCode" type="EntityClassDevice" use="optional"
fixed="DEV"/>
        <xs:attribute name="determinerCode" type="EntityDeterminer" use="optional"
fixed="INSTANCE"/>
        </xs:complexType>
        <xs:complexType name="POCD_MT000040.Authorization">
            <xs:sequence>
                <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
                <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
                <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
                <xs:element name="consent" type="POCD_MT000040.Consent"/>
            </xs:sequence>
            <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
            <xs:attribute name="typeCode" type="ActRelationshipType" use="optional"
fixed="AUTH"/>
        </xs:complexType>
        <xs:complexType name="POCD_MT000040.Birthplace">
            <xs:sequence>
                <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
                <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
                <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
                <xs:element name="place" type="POCD_MT000040.Place"/>
            </xs:sequence>
        </xs:complexType>
    </xs:sequence>
</xs:complexType>

```

```

</xs:sequence>
<xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
<xs:attribute name="classCode" type="RoleClass" use="optional"
fixed="BIRTHPL"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.ClinicalDocument">
<xs:sequence>
<xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="typeId"
type="POCD_MT000040.InfrastructureRoot.typeId"/>
<xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="id" type="II"/>
<xs:element name="code" type="CE"/>
<xs:element name="title" type="ST" minOccurs="0"/>
<xs:element name="effectiveTime" type="TS"/>
<xs:element name="confidentialityCode" type="CE"/>
<xs:element name="languageCode" type="CS" minOccurs="0"/>
<xs:element name="setId" type="II" minOccurs="0"/>
<xs:element name="versionNumber" type="INT" minOccurs="0"/>
<xs:element name="copyTime" type="TS" minOccurs="0"/>
<xs:element name="recordTarget" type="POCD_MT000040.RecordTarget"
maxOccurs="unbounded"/>
<xs:element name="author" type="POCD_MT000040.Author"
maxOccurs="unbounded"/>
<xs:element name="dataEnterer" type="POCD_MT000040.DataEnterer"
minOccurs="0"/>
<xs:element name="informant" type="POCD_MT000040.Informant12"
minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="custodian" type="POCD_MT000040.Custodian"/>
<xs:element name="informationRecipient"
type="POCD_MT000040.InformationRecipient" minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="legalAuthenticator"
type="POCD_MT000040.LegalAuthenticator" minOccurs="0"/>
<xs:element name="authenticator" type="POCD_MT000040.Authenticator"
minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="participant" type="POCD_MT000040.Participant1"
minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="inFulfillmentOf" type="POCD_MT000040.InFulfillmentOf"
minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="documentationOf" type="POCD_MT000040.DocumentationOf"
minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="relatedDocument" type="POCD_MT000040.RelatedDocument"
minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="authorization" type="POCD_MT000040.Authorization"
minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="componentOf" type="POCD_MT000040.Component1"
minOccurs="0"/>

```

```

        <xs:element name="component" type="POCD_MT000040.Component2"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="classCode" type="ActClinicalDocument" use="optional"
fixed="DOCCLIN"/>
        <xs:attribute name="moodCode" type="ActMood" use="optional" fixed="EVN"/>
    </xs:complexType>
    <xs:complexType name="POCD_MT000040.Component1">
        <xs:sequence>
            <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
            <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="encompassingEncounter"
type="POCD_MT000040.EncompassingEncounter"/>
        </xs:sequence>
        <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
        <xs:attribute name="typeCode" type="ActRelationshipHasComponent" use="optional"
fixed="COMP"/>
    </xs:complexType>
    <xs:complexType name="POCD_MT000040.Component2">
        <xs:sequence>
            <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
            <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:choice>
                <xs:element name="nonXMLBody" type="POCD_MT000040.NonXMLBody"/>
                <xs:element name="structuredBody"
type="POCD_MT000040.StructuredBody"/>
            </xs:choice>
        </xs:sequence>
        <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
        <xs:attribute name="typeCode" type="ActRelationshipHasComponent" use="optional"
fixed="COMP"/>
        <xs:attribute name="contextConductionInd" type="bl" use="optional"
fixed="true"/>
    </xs:complexType>
    <xs:complexType name="POCD_MT000040.Component3">
        <xs:sequence>
            <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
            <xs:element name="templateId" type="II" minOccurs="0"

```

```

maxOccurs="unbounded"/>
    <xs:element name="section" type="POCD_MT000040.Section"/>
</xs:sequence>
<xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
<xs:attribute name="typeCode" type="ActRelationshipHasComponent" use="optional"
fixed="COMP"/>
    <xs:attribute name="contextConductionInd" type="bl" use="optional"
fixed="true"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.Component4">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="sequenceNumber" type="INT" minOccurs="0"/>
            <xs:element name="seperableInd" type="BL" minOccurs="0"/>
            <xs:choice>
                <xs:element name="act" type="POCD_MT000040.Act"/>
                <xs:element name="encounter" type="POCD_MT000040.Encounter"/>
                <xs:element name="observation"
type="POCD_MT000040.Observation"/>
                    <xs:element name="observationMedia"
type="POCD_MT000040.ObservationMedia"/>
                    <xs:element name="organizer" type="POCD_MT000040.Organizer"/>
                    <xs:element name="procedure" type="POCD_MT000040.Procedure"/>
                    <xs:element name="regionOfInterest"
type="POCD_MT000040.RegionOfInterest"/>
                    <xs:element name="substanceAdministration"
type="POCD_MT000040.SubstanceAdministration"/>
                        <xs:element name="supply" type="POCD_MT000040.Supply"/>
                    </xs:choice>
                </xs:sequence>
                <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
                <xs:attribute name="typeCode" type="ActRelationshipHasComponent" use="optional"
fixed="COMP"/>
                <xs:attribute name="contextConductionInd" type="bl" use="optional"
fixed="true"/>
            </xs:complexType>
<xs:complexType name="POCD_MT000040.Component5">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
    </xs:sequence>

```

```

        <xs:element name="section" type="POCD_MT000040.Section"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="typeCode" type="ActRelationshipHasComponent" use="optional"
fixed="COMP"/>
        <xs:attribute name="contextConductionInd" type="bl" use="optional"
fixed="true"/>
    </xs:complexType>
    <xs:complexType name="POCD_MT000040.Consent">
        <xs:sequence>
            <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
            <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
                <xs:element name="id" type="II" minOccurs="0" maxOccurs="unbounded"/>
                <xs:element name="code" type="CE" minOccurs="0"/>
                <xs:element name="statusCode" type="CS"/>
        </xs:sequence>
        <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
        <xs:attribute name="classCode" type="ActClass" use="optional" fixed="CONS"/>
        <xs:attribute name="moodCode" type="ActMood" use="optional" fixed="EVN"/>
    </xs:complexType>
    <xs:complexType name="POCD_MT000040.Consumable">
        <xs:sequence>
            <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
            <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
                <xs:element name="manufacturedProduct"
type="POCD_MT000040.ManufacturedProduct"/>
            </xs:sequence>
            <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
            <xs:attribute name="typeCode" type="ParticipationType" use="optional"
fixed="CSM"/>
        </xs:complexType>
        <xs:complexType name="POCD_MT000040.Criterion">
            <xs:sequence>
                <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
                <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
                <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
                    <xs:element name="code" type="CD" minOccurs="0"/>
                    <xs:element name="text" type="ED" minOccurs="0"/>
            </xs:sequence>
        </xs:complexType>
    </xs:sequence>
</xs:complexType>

```

```

        <xs:element name="value" type="ANY" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="classCode" type="ActClassObservation" use="optional"
default="OBS"/>
        <xs:attribute name="moodCode" type="ActMood" use="optional" fixed="EVN.CRT"/>
    </xs:complexType>
    <xs:complexType name="POCD_MT000040.Custodian">
        <xs:sequence>
            <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
            <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="assignedCustodian"
type="POCD_MT000040.AssignedCustodian"/>
        </xs:sequence>
        <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
        <xs:attribute name="typeCode" type="ParticipationType" use="optional"
fixed="CST"/>
    </xs:complexType>
    <xs:complexType name="POCD_MT000040.CustodianOrganization">
        <xs:sequence>
            <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
            <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="id" type="II" maxOccurs="unbounded"/>
            <xs:element name="name" type="ON" minOccurs="0"/>
            <xs:element name="telecom" type="TEL" minOccurs="0"/>
            <xs:element name="addr" type="AD" minOccurs="0"/>
        </xs:sequence>
        <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
        <xs:attribute name="classCode" type="EntityClassOrganization" use="optional"
fixed="ORG"/>
        <xs:attribute name="determinerCode" type="EntityDeterminer" use="optional"
fixed="INSTANCE"/>
    </xs:complexType>
    <xs:complexType name="POCD_MT000040.DataEnterer">
        <xs:sequence>
            <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
            <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>

```

```

        <xs:element name="time" type="TS" minOccurs="0"/>
        <xs:element name="assignedEntity" type="POCD_MT000040.AssignedEntity"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="typeCode" type="ParticipationType" use="optional"
fixed="ENT"/>
    <xs:attribute name="contextControlCode" type="ContextControl" use="optional"
fixed="OP"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.Device">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="code" type="CE" minOccurs="0"/>
        <xs:element name="manufacturerModelName" type="SC" minOccurs="0"/>
        <xs:element name="softwareName" type="SC" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="classCode" type="EntityClassDevice" use="optional"
default="DEV"/>
    <xs:attribute name="determinerCode" type="EntityDeterminer" use="optional"
fixed="INSTANCE"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.DocumentationOf">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="serviceEvent" type="POCD_MT000040.ServiceEvent"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="typeCode" type="ActRelationshipType" use="optional"
fixed="DOC"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.EncompassingEncounter">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
    </xs:sequence>

```

```

<xs:element name="id" type="II" minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="code" type="CE" minOccurs="0"/>
<xs:element name="effectiveTime" type="IVL_TS"/>
<xs:element name="dischargeDispositionCode" type="CE" minOccurs="0"/>
<xs:element name="responsibleParty"
type="POCD_MT000040.ResponsibleParty" minOccurs="0"/>
    <xs:element name="encounterParticipant"
type="POCD_MT000040.EncounterParticipant" minOccurs="0" maxOccurs="unbounded"/>
        <xs:element name="location" type="POCD_MT000040.Location"
minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="classCode" type="ActClass" use="optional" fixed="ENC"/>
    <xs:attribute name="moodCode" type="ActMood" use="optional" fixed="EVN"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.Encounter">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="id" type="II" minOccurs="0" maxOccurs="unbounded"/>
            <xs:element name="code" type="CD" minOccurs="0"/>
            <xs:element name="text" type="ED" minOccurs="0"/>
            <xs:element name="statusCode" type="CS" minOccurs="0"/>
            <xs:element name="effectiveTime" type="IVL_TS" minOccurs="0"/>
            <xs:element name="priorityCode" type="CE" minOccurs="0"/>
            <xs:element name="subject" type="POCD_MT000040.Subject" minOccurs="0"/>
            <xs:element name="specimen" type="POCD_MT000040.Specimen" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="performer" type="POCD_MT000040.Performer2"
minOccurs="0" maxOccurs="unbounded"/>
            <xs:element name="author" type="POCD_MT000040.Author" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="informant" type="POCD_MT000040.Informant12"
minOccurs="0" maxOccurs="unbounded"/>
            <xs:element name="participant" type="POCD_MT000040.Participant2"
minOccurs="0" maxOccurs="unbounded"/>
            <xs:element name="entryRelationship"
type="POCD_MT000040.EntryRelationship" minOccurs="0" maxOccurs="unbounded"/>
            <xs:element name="reference" type="POCD_MT000040.Reference"
minOccurs="0" maxOccurs="unbounded"/>
            <xs:element name="precondition" type="POCD_MT000040.Precondition"
minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="classCode" type="ActClass" use="required"/>

```

```

<xs:attribute name="moodCode" type="x_DocumentEncounterMood" use="required"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.EncounterParticipant">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="time" type="IVL_TS" minOccurs="0"/>
        <xs:element name="assignedEntity" type="POCD_MT000040.AssignedEntity"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="typeCode" type="x_ExchangeParticipant" use="required"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.Entity">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="id" type="II" minOccurs="0" maxOccurs="unbounded"/>
        <xs:element name="code" type="CE" minOccurs="0"/>
        <xs:element name="desc" type="ED" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="classCode" type="EntityClassRoot" use="optional"
default="ENT"/>
    <xs:attribute name="determinerCode" type="EntityDeterminer" use="optional"
fixed="INSTANCE"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.Entry">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:choice>
            <xs:element name="act" type="POCD_MT000040.Act"/>
            <xs:element name="encounter" type="POCD_MT000040.Encounter"/>
            <xs:element name="observation"
type="POCD_MT000040.Observation"/>
            <xs:element name="observationMedia"
type="POCD_MT000040.ObservationMedia"/>
        </xs:choice>
    </xs:sequence>
</xs:complexType>

```

```

<xs:element name="organizer" type="POCD_MT000040.Organizer"/>
<xs:element name="procedure" type="POCD_MT000040.Procedure"/>
<xs:element name="regionOfInterest"
type="POCD_MT000040.RegionOfInterest"/>
<xs:element name="substanceAdministration"
type="POCD_MT000040.SubstanceAdministration">
    <xs:element name="supply" type="POCD_MT000040.Supply"/>
</xs:choice>
</xs:sequence>
<xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
<xs:attribute name="typeCode" type="x_ActRelationshipEntry" use="optional"
default="COMP"/>
<xs:attribute name="contextConductionInd" type="bl" use="optional"
fixed="true"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.EntryRelationship">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="sequenceNumber" type="INT" minOccurs="0"/>
        <xs:element name="seperatableInd" type="BL" minOccurs="0"/>
        <xs:choice>
            <xs:element name="act" type="POCD_MT000040.Act"/>
            <xs:element name="encounter" type="POCD_MT000040.Encounter"/>
            <xs:element name="observation"
type="POCD_MT000040.Observation"/>
            <xs:element name="observationMedia"
type="POCD_MT000040.ObservationMedia">
                <xs:element name="organizer" type="POCD_MT000040.Organizer"/>
                <xs:element name="procedure" type="POCD_MT000040.Procedure"/>
                <xs:element name="regionOfInterest"
type="POCD_MT000040.RegionOfInterest"/>
                <xs:element name="substanceAdministration"
type="POCD_MT000040.SubstanceAdministration">
                    <xs:element name="supply" type="POCD_MT000040.Supply"/>
</xs:choice>
</xs:sequence>
<xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
<xs:attribute name="typeCode" type="x_ActRelationshipEntryRelationship"
use="required"/>
<xs:attribute name="inversionInd" type="bl" use="optional"/>
<xs:attribute name="contextConductionInd" type="bl" use="optional"
default="true"/>
<xs:attribute name="negationInd" type="bl" use="optional"/>
</xs:complexType>
```

```

<xs:complexType name="POCD_MT000040.ExternalAct">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="id" type="II" minOccurs="0" maxOccurs="unbounded"/>
        <xs:element name="code" type="CD" minOccurs="0"/>
        <xs:element name="text" type="ED" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="classCode" type="ActClassRoot" use="optional"
default="ACT"/>
    <xs:attribute name="moodCode" type="ActMood" use="optional" fixed="EVN"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.ExternalDocument">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="id" type="II" minOccurs="0" maxOccurs="unbounded"/>
        <xs:element name="code" type="CD" minOccurs="0"/>
        <xs:element name="text" type="ED" minOccurs="0"/>
        <xs:element name="setId" type="II" minOccurs="0"/>
        <xs:element name="versionNumber" type="INT" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="classCode" type="ActClassDocument" use="optional"
default="DOC"/>
    <xs:attribute name="moodCode" type="ActMood" use="optional" fixed="EVN"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.ExternalObservation">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="id" type="II" minOccurs="0" maxOccurs="unbounded"/>
        <xs:element name="code" type="CD" minOccurs="0"/>
        <xs:element name="text" type="ED" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>

```

```

<xs:attribute name="classCode" type="ActClassObservation" use="optional"
default="OBS"/>
    <xs:attribute name="moodCode" type="ActMood" use="optional" fixed="EVN"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.ExternalProcedure">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
                <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
                    <xs:element name="id" type="II" minOccurs="0" maxOccurs="unbounded"/>
                    <xs:element name="code" type="CD" minOccurs="0"/>
                    <xs:element name="text" type="ED" minOccurs="0"/>
                </xs:sequence>
                <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
                <xs:attribute name="classCode" type="ActClass" use="optional" fixed="PROC"/>
                <xs:attribute name="moodCode" type="ActMood" use="optional" fixed="EVN"/>
            </xs:complexType>
            <xs:complexType name="POCD_MT000040.Guardian">
                <xs:sequence>
                    <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
                        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
                            <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
                                <xs:element name="id" type="II" minOccurs="0" maxOccurs="unbounded"/>
                                <xs:element name="code" type="CE" minOccurs="0"/>
                                <xs:element name="addr" type="AD" minOccurs="0" maxOccurs="unbounded"/>
                                <xs:element name="telecom" type="TEL" minOccurs="0"
maxOccurs="unbounded"/>
                            <xs:choice>
                                <xs:element name="guardianPerson" type="POCD_MT000040.Person"/>
                                <xs:element name="guardianOrganization"
type="POCD_MT000040.Organization"/>
                            </xs:choice>
                        </xs:sequence>
                        <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
                        <xs:attribute name="classCode" type="RoleClass" use="optional" fixed="GUARD"/>
                </xs:complexType>
                <xs:complexType name="POCD_MT000040.HealthCareFacility">
                    <xs:sequence>
                        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
                            <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
                                <xs:element name="templateId" type="II" minOccurs="0"

```

```

maxOccurs="unbounded"/>
    <xs:element name="id" type="II" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="code" type="CE" minOccurs="0"/>
    <xs:element name="location" type="POCD_MT000040.Place" minOccurs="0"/>
    <xs:element name="serviceProviderOrganization"
type="POCD_MT000040.Organization" minOccurs="0"/>
</xs:sequence>
<xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
<xs:attribute name="classCode" type="RoleClassServiceDeliveryLocation"
use="optional" default="SDLOC"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.Informant12">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:choice>
            <xs:element name="assignedEntity"
type="POCD_MT000040.AssignedEntity"/>
            <xs:element name="relatedEntity"
type="POCD_MT000040.RelatedEntity"/>
            </xs:choice>
        </xs:sequence>
        <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
        <xs:attribute name="typeCode" type="ParticipationType" use="optional"
fixed="INF"/>
        <xs:attribute name="contextControlCode" type="ContextControl" use="optional"
fixed="OP"/>
    </xs:complexType>
<xs:complexType name="POCD_MT000040.InformationRecipient">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="intendedRecipient"
type="POCD_MT000040.IntendedRecipient"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="typeCode" type="x_InformationRecipient" use="optional"
default="PRCP"/>
    </xs:complexType>
<xs:complexType name="POCD_MT000040.InFulfillmentOf">
    <xs:sequence>

```

```

        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name=" typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="order" type="POCD_MT000040.Order"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="typeCode" type="ActRelationshipFulfills" use="optional"
fixed="FLFS"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.IntendedRecipient">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name=" typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="id" type="II" minOccurs="0" maxOccurs="unbounded"/>
        <xs:element name="addr" type="AD" minOccurs="0" maxOccurs="unbounded"/>
        <xs:element name="telecom" type="TEL" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="informationRecipient" type="POCD_MT000040.Person"
minOccurs="0"/>
        <xs:element name="receivedOrganization"
type="POCD_MT000040.Organization" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="classCode" type="x_InformationRecipientRole" use="optional"
default="ASSIGNED"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.LabeledDrug">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name=" typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="code" type="CE" minOccurs="0"/>
        <xs:element name="name" type="EN" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="classCode" type="EntityClassManufacturedMaterial"
use="optional" fixed="MMAT"/>
    <xs:attribute name="determinerCode" type="EntityDeterminerDetermined"
use="optional" fixed="KIND"/>

```

```

</xs:complexType>
<xs:complexType name="POCD_MT000040.LanguageCommunication">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="languageCode" type="CS" minOccurs="0"/>
            <xs:element name="modeCode" type="CE" minOccurs="0"/>
            <xs:element name="proficiencyLevelCode" type="CE" minOccurs="0"/>
            <xs:element name="preferenceInd" type="BL" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.LegalAuthenticator">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="time" type="TS"/>
            <xs:element name="signatureCode" type="CS"/>
            <xs:element name="assignedEntity" type="POCD_MT000040.AssignedEntity"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="typeCode" type="ParticipationType" use="optional"
fixed="LA"/>
    <xs:attribute name="contextControlCode" type="ContextControl" use="optional"
fixed="OP"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.Location">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="healthCareFacility"
type="POCD_MT000040.HealthCareFacility"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="typeCode" type="ParticipationTargetLocation" use="optional"
fixed="LOC"/>
</xs:complexType>

```

```

<xs:complexType name="POCD_MT000040.MaintainedEntity">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="effectiveTime" type="IVL_TS" minOccurs="0"/>
        <xs:element name="maintainingPerson" type="POCD_MT000040.Person"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="classCode" type="RoleClass" use="optional" fixed="MNT"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.ManufacturedProduct">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="id" type="II" minOccurs="0" maxOccurs="unbounded"/>
        <xs:choice>
            <xs:element name="manufacturedLabeledDrug"
type="POCD_MT000040.LabeledDrug"/>
            <xs:element name="manufacturedMaterial"
type="POCD_MT000040.Material"/>
        </xs:choice>
        <xs:element name="manufacturerOrganization"
type="POCD_MT000040.Organization" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
    <xs:attribute name="classCode" type="RoleClassManufacturedProduct"
use="optional" fixed="MANU"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.Material">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
        <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="code" type="CE" minOccurs="0"/>
        <xs:element name="name" type="EN" minOccurs="0"/>
        <xs:element name="lotNumberText" type="ST" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>

```

```

<xs:attribute name="classCode" type="EntityClassManufacturedMaterial"
use="optional" fixed="MMAT"/>
<xs:attribute name="determinerCode" type="EntityDeterminerDetermined"
use="optional" fixed="KIND"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040_NonXMLBody">
<xs:sequence>
<xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="typeId" type="POCD_MT000040_InfrastructureRoot.typeId"
minOccurs="0"/>
<xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="text" type="ED"/>
<xs:element name="confidentialityCode" type="CE" minOccurs="0"/>
<xs:element name="languageCode" type="CS" minOccurs="0"/>
</xs:sequence>
<xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
<xs:attribute name="classCode" type="ActClass" use="optional" fixed="DOCBODY"/>
<xs:attribute name="moodCode" type="ActMood" use="optional" fixed="EVN"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040_Observation">
<xs:sequence>
<xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="typeId" type="POCD_MT000040_InfrastructureRoot.typeId"
minOccurs="0"/>
<xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="id" type="II" minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="code" type="CD"/>
<xs:element name="derivationExpr" type="ST" minOccurs="0"/>
<xs:element name="text" type="ED" minOccurs="0"/>
<xs:element name="statusCode" type="CS" minOccurs="0"/>
<xs:element name="effectiveTime" type="IVL_TS" minOccurs="0"/>
<xs:element name="priorityCode" type="CE" minOccurs="0"/>
<xs:element name="repeatNumber" type="IVL_INT" minOccurs="0"/>
<xs:element name="languageCode" type="CS" minOccurs="0"/>
<xs:element name="value" type="ANY" minOccurs="0"/>
maxOccurs="unbounded"/>
<xs:element name="interpretationCode" type="CE" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="methodCode" type="CE" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="targetSiteCode" type="CD" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="subject" type="POCD_MT000040_Subject" minOccurs="0"/>
<xs:element name="specimen" type="POCD_MT000040_Specimen" minOccurs="0"
maxOccurs="unbounded"/>

```

```

<xs:element name="performer" type="POCD_MT000040.Performer2"
minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="author" type="POCD_MT000040.Author" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="informant" type="POCD_MT000040.Informant12"
minOccurs="0" maxOccurs="unbounded"/>
            <xs:element name="participant" type="POCD_MT000040.Participant2"
minOccurs="0" maxOccurs="unbounded"/>
                <xs:element name="entryRelationship"
type="POCD_MT000040.EntryRelationship" minOccurs="0" maxOccurs="unbounded"/>
                    <xs:element name="reference" type="POCD_MT000040.Reference"
minOccurs="0" maxOccurs="unbounded"/>
                        <xs:element name="precondition" type="POCD_MT000040.Precondition"
minOccurs="0" maxOccurs="unbounded"/>
                            <xs:element name="referenceRange" type="POCD_MT000040.ReferenceRange"
minOccurs="0" maxOccurs="unbounded"/>
                        </xs:sequence>
                    <xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
                    <xs:attribute name="classCode" type="ActClassObservation" use="required"/>
                    <xs:attribute name="moodCode" type="x_ActMoodDocumentObservation"
use="required"/>
                    <xs:attribute name="negationInd" type="bl" use="optional"/>
    </xs:complexType>
<xs:complexType name="POCD_MT000040.ObservationMedia">
    <xs:sequence>
        <xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
            <xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
                <xs:element name="id" type="II" minOccurs="0" maxOccurs="unbounded"/>
                <xs:element name="languageCode" type="CS" minOccurs="0"/>
                <xs:element name="value" type="ED"/>
                <xs:element name="subject" type="POCD_MT000040.Subject" minOccurs="0"/>
                <xs:element name="specimen" type="POCD_MT000040.Specimen" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element name="performer" type="POCD_MT000040.Performer2"
minOccurs="0" maxOccurs="unbounded"/>
                <xs:element name="author" type="POCD_MT000040.Author" minOccurs="0"
maxOccurs="unbounded"/>
                    <xs:element name="informant" type="POCD_MT000040.Informant12"
minOccurs="0" maxOccurs="unbounded"/>
                    <xs:element name="participant" type="POCD_MT000040.Participant2"
minOccurs="0" maxOccurs="unbounded"/>
                    <xs:element name="entryRelationship"
type="POCD_MT000040.EntryRelationship" minOccurs="0" maxOccurs="unbounded"/>
                    <xs:element name="reference" type="POCD_MT000040.Reference"
minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>

```

```

<xs:element name="precondition" type="POCD_MT000040.Precondition"
minOccurs="0" maxOccurs="unbounded"/>
</xs:sequence>
<xs:attribute name="ID" type="xs:ID"/>
<xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
<xs:attribute name="classCode" type="ActClassObservation" use="required"/>
<xs:attribute name="moodCode" type="ActMood" use="required"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.ObservationRange">
<xs:sequence>
<xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
<xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="code" type="CD" minOccurs="0"/>
<xs:element name="text" type="ED" minOccurs="0"/>
<xs:element name="value" type="ANY" minOccurs="0"/>
<xs:element name="interpretationCode" type="CE" minOccurs="0"/>
</xs:sequence>
<xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
<xs:attribute name="classCode" type="ActClassObservation" use="optional"
default="OBS"/>
<xs:attribute name="moodCode" type="ActMood" use="optional" fixed="EVN.CRT"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.Order">
<xs:sequence>
<xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>
<xs:element name="templateId" type="II" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="id" type="II" maxOccurs="unbounded"/>
<xs:element name="code" type="CE" minOccurs="0"/>
<xs:element name="priorityCode" type="CE" minOccurs="0"/>
</xs:sequence>
<xs:attribute name="nullFlavor" type="NullFlavor" use="optional"/>
<xs:attribute name="classCode" type="ActClassRoot" use="optional"
default="ACT"/>
<xs:attribute name="moodCode" type="ActMood" use="optional" fixed="RQO"/>
</xs:complexType>
<xs:complexType name="POCD_MT000040.Organization">
<xs:sequence>
<xs:element name="realmCode" type="CS" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="typeId" type="POCD_MT000040.InfrastructureRoot.typeId"
minOccurs="0"/>

```