




標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (オキサジキシル)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (オキシカルボキシ)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (キナルホス)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (クロソリネート)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (クロマゾン)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (クロメプロップ)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (クロルエトキシホス)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (クロルプロファミン)




標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (シアナジン)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (シアノホス)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ジオキサチオン)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (シクロエート)


標準品 (0.0625 ng)




脂肪 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




標準品 (0.5 ng)




肝臓 (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




卵 (0.01 mg/kg 添加)




筋肉 (0.01 mg/kg 添加)



腎臓 (0.01 mg/kg 添加)



さけ (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ジクロフェンチオン)


標準品 (0.0625 ng)




脂肪 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




標準品 (0.5 ng)




肝臓 (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




卵 (0.01 mg/kg 添加)




筋肉 (0.01 mg/kg 添加)



腎臓 (0.01 mg/kg 添加)



さけ (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ジクロベニル)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ジクロラン)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ジクロルミド)




標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図2. 標準品, 回収試料のSIMクロマトグラム (ジチオピル)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (シニドンエチル)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ジフェナミド)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)




図 2. 標準品, 回収試料の SIM クロマトグラム (ジフェニル)