




標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (シフルフェナミド)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ジメタメトリン)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ジメテナミド)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ジメピペレート)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (スルプロホス)




標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ゾキサミド)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ターバシル)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (チアゾビル)




標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (デメトン・S・メチル)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (2-(1-ナフチル)アセタミド)


標準品 (0.0625 ng)




脂肪 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




標準品 (0.5 ng)




肝臓 (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




卵 (0.01 mg/kg 添加)




筋肉 (0.01 mg/kg 添加)



腎臓 (0.01 mg/kg 添加)



さけ (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ナプロアニリド)


標準品 (0.0625 ng)




脂肪 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




標準品 (0.5 ng)




肝臓 (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




卵 (0.01 mg/kg 添加)




筋肉 (0.01 mg/kg 添加)



腎臓 (0.01 mg/kg 添加)



さけ (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ナプロパミド)


標準品 (0.0625 ng)




脂肪 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




標準品 (0.5 ng)




肝臓 (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




卵 (0.01 mg/kg 添加)




筋肉 (0.01 mg/kg 添加)



腎臓 (0.01 mg/kg 添加)



さけ (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ニトログルイソプロピル)




標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (パクロブトラゾール)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ハルフェンブロックス)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ピペロホス)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ピラフルフェンエチル)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ピリダフェンチオン)




標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ピロキロン)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)




図 2. 標準品, 回収試料の SIM クロマトグラム (フェノキシカルブ)