




標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (フェノチオカルブ)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (フェンクロルホス)


標準品 (0.0625 ng)




脂肪 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




標準品 (0.5 ng)




肝臓 (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




卵 (0.01 mg/kg 添加)




筋肉 (0.01 mg/kg 添加)



腎臓 (0.01 mg/kg 添加)



さけ (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (フェントエート)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (フサライド)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (テトラジホン)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (テブフェンピラド)




標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (プタミホス)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ブピリメート)




標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (フリラゾール)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (フルアクリピリム)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (フルフェンピルエチル)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (プロパジン)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (プロパホス)




標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (プロベナゾール)




標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (プロモプチド)


標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (プロモホス)


標準品 (0.0625 ng)




脂肪 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




標準品 (0.5 ng)




肝臓 (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




卵 (0.01 mg/kg 添加)




筋肉 (0.01 mg/kg 添加)



腎臓 (0.01 mg/kg 添加)



さけ (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (プロモホスエチル)


標準品 (0.0625 ng)



標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ヘキサコナゾール)


標準品 (0.0625 ng)




脂肪 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




標準品 (0.5 ng)




肝臓 (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




卵 (0.01 mg/kg 添加)




筋肉 (0.01 mg/kg 添加)



腎臓 (0.01 mg/kg 添加)



さけ (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)






図 2. 標準品, 回収試料の SIM クロマトグラム (ペノキサコール)




標準品 (0.0625 ng)




標準品 (0.5 ng)




筋肉 (0.01 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)




うなぎ (0.01 mg/kg 添加)




えび (0.01 mg/kg 添加)




さけ (0.01 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)



卵 (0.01 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)




図 2. 標準品, 回収試料の SIM クロマトグラム (ペブレート)