

Miyamoto T, Sengoku K, Hayashi H, Sasaki Y, Jinno Y, Ishikawa M	GATM, The human ortholog of the mouse imprinting Gatm gene, escapes genomic imprinting in placenta.	Genetics and molecular biology	28 (1)	44-45	2005
仲田尚生、中田彩子、 岡田文雄、伊藤里恵、 井之上浩一、斉藤貢一、 中澤裕之	「オンライン固相抽出 - LC/MS/MS を用いた ヒト血漿中有機フッ素系化合物の一斉分析法の開発」	分析化学	54	877-884	2005
Inoue K, Okada F, Ito R., Kawaguchi M, Okanouchi N, Nakazawa H	Determination of perfluorooctane sulfonate, perfluorooctanoate and perfluorooctane sulfonylamide in human plasma by column-switching liquid chromatography - electrospray mass spectrometry coupled with solid phase extraction.	J Chromatogr B Analyt Technol Biomed Life Sci	810	49-56	2004
Inoue K, Okada F, Ito R, Kato S, Sasaki S, Nakajima S, Uno A, Saijo Y, Sata F, Yoshimura Y, Kishi R, Nakazawa H	Perfluorooctane Sulfonate (PFOS) and Related Perfluorinated Compounds in Human Maternal and Cord Blood Samples: Assessment of PFOS Exposure in Susceptible Population during Pregnancy.	Environmental health perspectives	112	1204-1207	2004