

Tashiro M, Ami Y, Sata T.					
Ishii K, Hasegawa H, Nagata N, Mizutani T, Morikawa S, Tashiro M, Suzuki T, Taguchi F, Takemori T, Miyamura T, Tsunetsugu-Yokota Y.	Highly attenuated vaccinia virus DIs as a potential SARS vaccine.	Adv Exp Med Biol.	581	593-6	2006
高橋宜聖	免疫記憶を担うリンパ球とその機能を操る分子メカニズム	蛋白質 核酸 酵 素	52	31-36	2007
高橋宜聖	抗体産生経路の多様性とその生理的意義	化学と生 物	45	27-33	2007
大熊和行、神谷 齊、他	1999/2000~2002/2003 年の三重県における幼児に対するインフルエンザワクチンHAワクチンによるHI抗体産生と副反応	小児感染 免疫	18	239-2 54	2006

研究成果の刊行に関する一覧表

発表者氏名	論文タイトル名	発表誌名	巻号	頁	出版年
Masaki Imai, Ai Ninomiya, Harumi Minekawa, Tsugunori Notomi, Toru Ishizaki, Phan Van Tu, Nguyen Thi Kim Tien, Masato Tashiro, and Takato Odagiri	Rapid diagnosis of H5N1 avian influenza virus infection by newly developed influenza H5 hemagglutinin gene-specific Loop-Mediated Isothermal Amplification method	J.Virol. Method	141	173-180	2007
Ai Ninomiya, Masaki Imai, Masato Tashiro and Takato Odagiri	Inactivated influenza H5N1 whole-virus vaccine with aluminum adjuvant induces homologous and heterologous protective immunities against lethal challenge with highly pathogenic H5N1 avian influenza viruses in a mouse model.	Vaccine	25	3557-3560	2007
Nagata N, Iwata N, Hasegawa H, Sato Y, Morikawa S, Saijo M, Itamura S, Saito T, Ami Y, Odagiri T, Tashiro M, Sata T.	Pathology and virus dispersion in cynomolgus monkeys experimentally infected with severe acute respiratory syndrome coronavirus via different inoculation routes.	Int J Exp Pathol.	88	403-414	2007
Ichinohe T, Nagata N, Strong P, Tamura SI, Takahashi H, Ninomiya A, Imai M, Odagiri T, Tashiro M, Sawa H, Chiba J, Kurata T, Sata T, Hasegawa H.	Prophylactic effects of chitin microparticles on highly pathogenic H5N1 influenza virus.	J Med Virol.	79	811-819	2007
B. Darmma, A.Klimov, T. Odagiri, A. Burma, S. Tsatsral, N. Naranbold, D. Enkhsaikhan, P. Nymadawa.	Characteristics of influenza virus epidemic strains in 2005-2006 season in Mongolia.	Mongolia J. Infect. Dis. Res.	14	2-6	2007
Ichinohe T, Tamura S, Kawaguchi A, Ninomiya A, Imai M, Itamura S, Odagiri T, Tashiro M, Takahashi H, Sawa H, Mitchell WM, Strayer DR, Carter WA, Chiba J, Kurata T, Sata T, Hasegawa H.	Cross-Protection against H5N1 Influenza Virus Infection Is Afforded by Intranasal Inoculation with Seasonal Trivalent Inactivated Influenza Vaccine.	J Infect Dis.	196	1313-20	2007
Ichinohe T, Kawaguchi A, Tamura S, Takahashi H, Sawa H, Ninomiya A, Imai M, Itamura S, Odagiri T, Tashiro M, Chiba J, Sata T, Kurata T, Hasegawa H.	Intranasal immunization with H5N1 vaccine plus Poly I:Poly C(12)U, a Toll-like receptor agonist, protects mice against homologous and heterologous virus challenge.	Microbes Infect.	9	1333-40.	2007
Ichinohe T, Nagata N, Strong P, Tamura S, Takahashi H, Ninomiya A, Imai M, Odagiri T,	Prophylactic effects of chitin microparticles on highly pathogenic H5N1 influenza virus.	J Med Virol.	79	811-9	2007

Tashiro M, Sawa H, Chiba J, Kurata T, Sata T, Hasegawa H.					
Masaki Imai, Kazunori Kawasaki, and Takato Odagiri	Cytoplasmic domain of influenza B virus BM2 protein plays critical roles in production of infectious virus.	J. Virol	82	728-739	2007
Shirato, K., Nishimura, H., Saijo, M., Okamoto, M., Noda, M., Tashiro, M., Taguchi, F.	Diagnosis of human respiratory syncytial virus infection using reverse transcriptase loop-mediated isothermal amplification	J. Virol. Methods	139	78-84	2007
Okada, M., Okuno, Y., Hashimoto, S., Kita, Y, Kanamaru, N., Nishida, Y., Tsunai, Y., Inoue, R., Nakatani, H., Fukamizu, R., Namie, N., Yamada, J., Takao, K., Asai, A., Asaki, R., Kase, T., Takemoto, Y., Yoshida, S., Peiris, J.S.M., Chen, P.-J., Yamamoto, N., Nomura, N., Ishida, I., Morikawa, S., Tashiro, M., Sakatani, M.	Development of vaccines and passive immunotherapy against SARS corona virus using SCID-PBL/hu mouse models	Vaccine	25	3038-3040	2007
Kato, A., Kiyotani, K., Kubota, T., Yoshida T., Tashiro, M., Nagai, Y.	Importance of anti-Interferon capacity of the Sendai virus C protein for pathogenicity in mice	J. Virol.	81	3264-3271	2007
Hasegawa H, Ichinohe T, Tamura S, Kurata T	Development of a mucosal vaccine for influenza viruses: preparation for a potential influenza pandemic	Expert Review of Vaccines	6	193-201	2007
Takahashi, Y.	Memory B cells in systemic and mucosal immune response; Implications for successful vaccination.	Biosci. Biotech. Biochem.	71	2358-2366	2007
Horimoto T, Murakami S, Muramoto Y, Yamada S, Fujii K, Kiso M, Iwatsuki-Horimoto K, Kino Y, Kawaoka Y.	Enhanced growth of seed viruses for H5N1 influenza vaccines	Virology	366	23-27	2007
Hatta M, Hatta Y, Kim JH, Watanabe S, Shinya K, Kawaoka Y.	Growth of H5N1 influenza A viruses in the upper respiratory tracts of mice	PLoS Patho	3	1374-1379	2007
Rigoni M, Shinya K, Toffan A, Milani A, Bettini F, Kawaoka Y, Cattoli G, Capua I.	Pneumo- and eurotropism of avian origin Italian highly pathogenic avian influenza H7N1 isolates in experimentally infected mice.	Virology	364	28-35	2007
Shinya K, Watanabe S, Ito T, Kasai N, Kawaoka Y.	Adaptation of an H7N7 equine influenza A virus in mice.	J Gen Virol	88	547-532	2007

Zhu Q, Yang H, Deng G, Yu K, Bu Z, Kawaoka Y, Chen H.	A naturally occurring deletion in its NS gene contributes to attenuation of an H5N1 swine influenza virus in chickens	J Virol	82	220-228	2008
Jiao P, Tian G, Li Y, Liu C, Liu W, Deng G, Guan Y, Bu Z, Kawaoka Y, Chen H.	A single amino acid substitution in the NS1 protein changes the pathogenicity of H5N1 avian influenza viruses in mice.	J Virol		in press	
神谷 齊	我が国の予防接種の仕組みと問題点	NEUROINFECTION 神経感染症	12	23-27	2007
神谷 齊	予防接種率向上の努力	小児感染症免疫	19	145-146	2007
大熊和行, 神谷 齊, 他	同一株のインフルエンザHAワクチンを2シーズン以上連続接種した乳幼児におけるHI抗体価の変動	小児感染症免疫	19	375-387	2007

研究成果の刊行に関する一覧表

発表者氏名	論文タイトル名	発表誌名	巻号	頁	出版年
Masaki Imai, Kazunori Kawasaki, and <u>Takato Odagiri</u>	Cytoplasmic domain of influenza B virus BM2 protein plays critical roles in production of infectious virus	J. Virol.	82	728-739	2008
H Kamijuku, Y Nagata, X Jiang, T Ichinohe, T Tashiro, K Mori, M Taniguchi, K Hase, H Ohno, T Shimaoka, S Yonehara, <u>T Odagiri</u> , M Tashiro, T Sata, H Hasegawa and K-i Seino.	Mechanism of NKT cell activation by intranasal coadministration of alfa-galactosylceramide, which can induce cross-protection against influenza viruses	Mucosal Immunol.	1	208-218	2008
Russell CA, Jones TC, Barr IG, Cox NJ, Garten RJ, Gregory V, Gust ID, Hampson AW, Hay AJ, Hurt AC, de Jong JC, Kelso A, Klimov AI, Kageyama T, Komadina N, Lapedes AS, Lin YP, Mosterin A, Obuchi M, Odagiri T, Osterhaus AD, Rimmelzwaan GF, Shaw MW, Skepner E, Stohr K, Tashiro M, Fouchier RA, Smith DJ.	The global circulation of seasonal influenza A (H3N2) viruses	Science.	320	340-6	2008
Keiichi Makizumi, Kazuhiko Kimachi, Katsuhiko Fukada, Tomohiro Nishimura, Yasuhiro Kudo, Shuro Goto, <u>Takato Odagiri</u> , Masato Tashiro, Yoichiro Kino	Timely production of A/Fujian-like influenza vaccine matching the 2003–2004 epidemic strain may have been possible using Madin–Darby canine kidney cells	Vaccine	26	6852-6858	2008
Kamijuku H., Nagata, Y., Ichinose, T., Jiang X., Tashiro, T., Mori, K., Taniguchi, Y., Hase, K., Ohno, H., Shimaoka, T., Tonehara, S., Odagiri, T., Tashiro, M., Sata, T., Hasegawa, H., Seino, K.	Mechanism of NKT cell activation by intranasal coadministration of galactosylceramide which can induce cross-protection against influenza viruses.	Mucosal Immunol	1	208-218	2008
Ogata, T., Yamazaki, Y., Okabe, N., Nakamura, Y., Tashiro, M., Nagata, N., Itamura, S., Yasui, Y., Nakashima, K., Doi, M., Izumi, Y., Fujieda, T., Yamato, S., Kawada, Y	H5N2 influenza infection to human in Japan and association of seasonal influenza vaccination with positive H5N2 neutralizing antibody	J. Epidemiol.	18	160-166	2008
Kubota, T., Matuoka, M., Chang,	Virus infection triggers SUMOylation of	J. Biol.	283	25660	2008

T.-H., Taylor, P., Sasaki, T., Tashiro, M., Kato, A., Ozato, K.	IRF3 and IRF7, leading to the negative regulation of type I interferon gene expression.	Chem.		-2567 0	
Russell, C. A., Jones, T. C., Barr, I. G., Cox, N. J., Gregory, V., Gust, I. D., Hampson, A. W., Hay, A. J., Hurt, A. C., de Jong, J. C., Kelso, A., Klimov, A. I., Kageyama, T., Komadina, N., Lapedes, A. S., Lin, Y. P., Mosterin, A., Obuchi, M., Odagiri, T., Osterhaus, A. D.M.E., Rimmelzwaan, G. F., Shaw, M. W., Skepner, E., Stohr, K., Tashiro, M., Fouchier, R. A.M., Smith, D. J.	Influenza vaccine strain selection and recent studies on the global migration of seasonal influenza viruses	Vaccine	26	31-34	2008
Makizumi, K., Kimachi, K., Fukada, K., Nishimura, T., Kudo Y., Goto, S., Odagiri, T., Tashiro, M., Kino, Y.	Timely production of A/Fujian-like influenza vaccine matching the 2003–2004 epidemic strain may have been possible using Madin–Darby canine kidney cells	Vaccine	26	6852– 6858	2008
Kawakami, C., Obuchi, M., Saikusa, M., Noguchi, Y., Ujike, M., Odagiri, T., Tashiro, M.	Outbreaks of oseltamivir-resistant influenza A/H1N1 virus in an elementary school and a family in Yokohama City, Japan during the 2007-2008 season.	Jpn. J. Infect. Dis.	62	83-86	2008
Takahashi, Y., Hasegawa, H., Hara, Y., Ato, N., Ninomiya, A., Takagi, H., Odagiri, T., Sata, T., Tashiro, M., Kobayashi, M.	Protective immunity afforded by H5N1 (NIBRG-14) - inactivated vaccine requires both antibodies against hemagglutinin and neuraminidase in mice.	J. Infect. Dis.			In press
Wada, T., Morishima, T., Okumura, A., Tashiro, M., Hosoya, M., Shiomi, M., Okuno, Y.	Differences by age in clinical manifestations of influenza-associated encephalopathy.	Microbiol. Immunol.			In press
Ikeno, D., Kimachi, K., Kudo, Y., Goto, S., Itamura, S., Odagiri, T., Tashiro, M., Kino, Y.	The prime-boost vaccination of H5N1 heterologous strains in a mouse model	Vaccine			In press
Murakami S, Horimoto T, Mai le Q, Nidom CA, Chen H, Muramoto Y, Yamada S, Iwasa A, Iwatsuki-Horimoto K, Shimojima M, Iwata A, Kawaoka Y.	Growth determinants for H5N1 influenza vaccine seed viruses in MDCK cells.	J Virol.	82	10502	2008

Takahashi, Y., Hasegawa, H., Hara, Y., Ato, M., Ninomiya, A., Takagi, H., Odagiri, T., Sata, T., Tashiro, M., Kobayashi, K.	Protective immunity afforded by H5N1 (NIBRG-14)-inactivated vaccine requires both antibodies against hemagglutinin and neuraminidase in mice.	J. Infect. Dis.			In press
Nagata N, Iwata N, Hasegawa H, Fukushi S, Harashima A, Sato Y, Saijo M, Taguchi F, Morikawa S, Sata T.	Mouse-passaged severe acute respiratory syndrome-associated coronavirus leads to lethal pulmonary edema and diffuse alveolar damage in adult but not young mice.	Am J Pathol.	172	1625-37.	2008
Kamijuku H, Nagata Y, Jiang X, Ichinohe T, Tashiro T, Mori K, Taniguchi M, Hase K, Ohno H, Shimaoka T, Yonehara S, Odagiri T, Tashiro M, Sata T, Hasegawa H, Seino KI.	Mechanism of NKT cell activation by intranasal coadministration of alpha-galactosylceramide, which can induce cross-protection against influenza viruses	Mucosal Immunol	3	208-18	2008
Ichinohe T, Iwasaki A, Hasegawa H	Innate sensors of influenza virus: clues to developing better intranasal vaccines.	Expert Rev Vaccines.	7	1435-45	2008
Hasegawa H, Ichinohe T, Aina A, Tamura S, Kurata T.	Development of an inactivated mucosal vaccine for H5N1 influenza virus.	Therapeutic and Clinical Risk Management			In press
Takahashi Y, Hasegawa H, Hara Y, Ato M, Ninomiya	Protective immunity afforded by H5N1 (NIBRG-14)-inactivated vaccine requires both antibodies against hemagglutinin and neuraminidase in mice.	J Infect Dis			in press
神谷 齊	臨床の立場からみたワクチンの重要性.	ファルマシア	44	23-27	2008
神谷 齊、岩田 敏、石和田 稔彦、山中 昇、杉田麟也	小児用7価肺炎球菌結合型ワクチンの医療経済効果	小児科臨床.	61	2233-2241	2008