

- of dental pulp stem cells (SBP-DPSCs) and their differentiated osteoblasts: A cell source for tissue repair. *J Cell Physiol* 2006;208:319–325.
12. Iohara K, Zheng L, Ito M et al. Side population cells isolated from porcine dental pulp tissue with self-renewal and multipotency for dentinogenesis, chondrogenesis, adipogenesis, and neurogenesis. *STEM CELLS* 2006;24:2493–2503.
  13. Nakashima M. Dentin induction by implants of autolyzed antigen-extracted allogeneic dentin on amputated pulps of dogs. *Endod Dent Traumatol* 1989;5:279–286.
  14. Couffinhal T, Silver M, Zheng LP et al. Mouse model of angiogenesis. *Am J Pathol* 1998;152:1667–1679.
  15. Ito M, Yoshioka M. Regression of the hyaloid vessels and pupillary membrane of the mouse. *Anat Embryol* 1999;200:403–411.
  16. Asahara T, Murohara T, Sullivan A et al. Isolation of putative progenitor endothelial cells for angiogenesis. *Science* 1997;275:964–967.
  17. Garmy-Susini B, Vamier JA. Circulating endothelial progenitor cells. *Br J Cancer* 2005;93:855–858.
  18. Reyes M, Dudek A, Jahagirdar B et al. Origin of endothelial progenitors in human postnatal bone marrow. *J Clin Invest* 2002;109:337–346.
  19. Bardini N, Frances V, Lesault G et al. Identification of the S-Endo 1 endothelial-associated antigen. *Biochem Biophys Res Commun* 1996;218:210–216.
  20. Bardini N, George F, Mutin M et al. S-Endo 1, a non-endothelial monoclonal antibody recognizing a novel human endothelial antigen. *Tissue Antigens* 1996;48:531–539.
  21. Hristov M, Weber C. Endothelial progenitor cells: Characterization, pathophysiology, and possible clinical relevance. *J Cell Mol Med* 2004;8:498–508.
  22. d'Aquino R, Granziano A, Sampaoli M et al. Human postnatal dental pulp cells co-differentiate into osteoblasts and endotheliocytes: A pivotal synergy leading to adult bone tissue formation. *Cell Death Differ* 2007;14:1162–1171.
  23. Gansic C, Arminan A, Gracia-Verdugo JM et al. Human dental pulp stem cells improve left ventricular function, induce angiogenesis, and reduce infarct size in rat with acute myocardial infarction. *STEM CELLS* 2008;26:638–645.
  24. Grunewald M, Avraham I, Dvir Y et al. VEGF-induced adult neovascularization: Recruitment, retention, and role of accessory cells. *Cell* 2006;124:175–189.
  25. Yamamura T. Differentiation of pulpal cells and inductive influences of various matrices with reference to pulpal wound healing. *J Dent Res* 1985;64:530–540.
  26. Tran-Hung L, Mathieu S, About I. Role of human pulp fibroblasts in angiogenesis. *J Dent Res* 2006;85:819–823.
  27. Mathieu S, El-Battari A, Dejou J et al. Role of injured endothelial cells in the recruitment of human pulp cells. *Arch Oral Biol* 2005;50:109–113.
  28. Roberts-Clark DJ, Smith AJ. Angiogenic growth factors in human dentine matrix. *Arch Oral Biol* 2000;45:1013–1016.
  29. Lee M, Aoki M, Kondo T et al. Therapeutic angiogenesis with intramuscular injection of low-dose recombinant granulocyte-colony stimulating factor. *Arterioscler Thromb Vasc Biol* 2005;25:2535–2541.
  30. Seiler C, Pohl T, Wustmann K et al. Promotion of collateral growth by granulocyte-macrophage colony-stimulating factor in patients with coronary artery disease: A randomized, double-blind, placebo-controlled study. *Circulation* 2001;104:2012–2017.
  31. Buschmann IR, Busch HJ, Mies G et al. Therapeutic induction of arteriogenesis in hypoperfused rat brain via granulocyte-macrophage colony-stimulating factor. *Circulation* 2003;108:610–615.
  32. Schneeloch E, Mies G, Busch HJ et al. Granulocyte-macrophage colony-stimulating factor-induced arteriogenesis reduces energy failure in hemodynamic stroke. *Proc Natl Acad Sci U S A* 2004;101:12730–12735.
  33. Berger G, Brekken K, McBlane G et al. Matrix metalloproteinase-9 triggers the angiogenic switch during carcinogenesis. *Nat Cell Biol* 2000;2:737–744.
  34. Heissig B, Hattori K, Dias S et al. Recruitment of stem and progenitor cells from the bone marrow niche requires MMP-9 mediated release of kit-ligand. *Cell* 2002;109:625–637.
  35. Cheng XW, Kuzuya M, Nakamura K et al. Mechanisms underlying the impairment of ischemia-induced neovascularization in matrix metalloproteinase 2-deficient mice. *Circ Res* 2007;100:904–913.
  36. Renault MA, Losordo DW. The matrix revolutions: Matrix metalloproteinases, vasculogenesis, and ischemic tissue repair. *Circ Res* 2007;100:749–750.
  37. Hashimoto G, Inoki I, Fujii Y et al. Matrix metalloproteinases cleave connective tissue growth factor and reactivate angiogenic activity of vascular endothelial growth factor 165. *J Biol Chem* 2002;277:36288–36295.
  38. Sage EH, Reed M, Funk SF et al. Cleavage of the extracellular matrix protein SPARC by matrix metalloproteinase 3 produces polypeptides that influence angiogenesis. *J Biol Chem* 2003;278:37849–37857.
  39. Kupatt C, Horstotte J, Vlastos GA et al. Embryonic endothelial progenitor cells expressing a broad range of proangiogenic and remodeling factors enhance vascularization and tissue recovery in acute and chronic ischemia. *FASEB J* 2005;19:1576–1578.
  40. Young PP, Vaughan DE, Hatzopoulos AN. Biologic properties of endothelial progenitor cells and their potential for cell therapy. *Prog Cardiovasc Dis* 2007;49:421–429.

See [www.StemCells.com](http://www.StemCells.com) for supplemental material available online.

**A Novel Stem Cell Source for Vasculogenesis in Ischemia: Subfraction of Side Population Cells from Dental Pulp**

Koichiro Iohara, Li Zheng, Hiroaki Wake, Masataka Ito, Junichi Nabekura, Hideaki Wakita, Hiroshi Nakamura, Takeshi Into, Kenji Matsushita and Misako Nakashima

*Stem Cells* 2008;26:2408-2418; originally published online Jun 26, 2008;

DOI: 10.1634/stemcells.2008-0393

**This information is current as of March 22, 2009**

**Updated Information  
& Services**

including high-resolution figures, can be found at:  
<http://www.StemCells.com/cgi/content/full/26/9/2408>

**Supplementary Material**

Supplementary material can be found at:  
<http://www.StemCells.com/cgi/content/full/2008-0393.DC1>

 AlphaMed Press