

研究成果の刊行

著者名	論文タイトル	雑誌名	巻号	ページ	出版年
Hagino H, Nishizawa Y, Sone T, Morii H, Taketani Y, Nakamura T, Itabashi A, Mizunuma H, Ohashi Y, Shiraki M, Minamide T, Matsumoto T	A double-blinded head-to-head trial of minodronate and alendronate in women with postmenopausal osteoporosis.	Bone		Mar 2. [Epub ahead of print]	2009
Yamane H, Sakai A, Mori T, Tanaka S, Moridera K, Nakamura T	The anabolic action of intermittent PTH in combination with cathepsin K Inhibitor or alendronate differs depending on the remodeling status in bone in ovariectomized mice.	Bone		May 23. [Epub ahead of print]	2008
Menuki K, Mori T, Sakai A, Sakuma M, Okimoto N, Shimizu Y, Kunugita N, Nakamura T	Climbing exercise enhances osteoblast differentiation and inhibits adipogenic differentiation with high expression of PTH/PTHrP receptor in bone marrow cells.	Bone	43(3)	613-20	2008
Miyauchi A, Matsumoto T, Shigeta H, Tsujimoto M, Thiebaud D, Nakamura T	Effect of teriparatide on bone mineral density and biochemical markers in Japanese women with postmenopausal osteoporosis: a 6-month dose-response study.	J Bone Miner Metab	26(6)	624-34	2008
Mori H, Tanaka M, Kayasuga R, Masuda T, Ochi Y, Yamada H, Kishikawa K, Ito M, Nakamura T	Minodronic acid (ONO-5920/YM529) prevents decrease in bone mineral density and bone strength, and improves bone microarchitecture in ovariectomized cynomolgus monkeys.	Bone	43(5)	840-8	2008
Sakai A, Oshige T, Zenke Y, Suzuki M, Yamanaka Y, Nakamura T	Association of bone mineral density with deformity of the distal radius in low-energy Colles' fractures in Japanese women above 50 years of age.	J Hand Surg [Am]	33(6)	820-6	2008
Urano T, Narusawa K, Shiraki M, Usui T, Sasaki N, Hosoi T, Ouchi Y, Nakamura T, Inoue S	Association of a single nucleotide polymorphism in the insulin-like growth factor-1 receptor gene with spinal disc degeneration in postmenopausal Japanese women.	Spine	33(11)	1256-61	2008

著者名	論文タイトル	雑誌名	巻号	ページ	出版年
Sabanai K, Tsutsui M, Sakai A, Hirasawa H, Tanaka S, Nakamura E, Tanimoto A, Sasaguri Y, Ito M, Shimokawa H, Nakamura T, Yanagihara N	Genetic disruption of all NO synthase isoforms enhances BMD and bone turnover in mice in vivo: involvement of the renin-angiotensin system.	J Bone Miner Res	23(5)	633-43	2008
Taketa T, Sakai A, Tanaka S, Nakai K, Menuki K, Yamane H, Tanaka K, Nakamura T	Selective cyclooxygenase-2 inhibitor prevents reduction of trabecular bone mass in collagen-induced arthritic mice in association with suppression of RANKL/OPG ratio and IL-6 mRNA expression in synovial tissues but not in bone marrow cells.	J Bone Miner Metab	26(2)	143-51	2008
中村英一郎ほか	運動器生活習慣病からみた腰痛予防	MB Orthop	21(6)	17-23	2008
Fujiwara S, Nakamura N, Orimo H, Hosoi T, Gorai I, Oden A	Hohansson H, Kanis JA Development of application of a Japanese model of the WHO fracture risk assessment tool (FRAXTM)	Osteoporosis Int	19	429-35	2008
Masunari N, Fujiwara S, Nakata Y, Furukawa K, Kasagi F	Effect of angiotensin converting enzyme inhibitor and benzodiazepine intake on bone loss in older Japanese	Hiroshima J. Med. Sci	57	17-25	2008
Hagino H, Nakamura T, Fujiwara S, Ooeiki M, Okano T, Teshima R	Sequential change in quality of life for patients with incident clinical fractures: a prospective study	Osteoporosis Int		Online	2008
Hagino H, Furukawa K, Fujiwara S, Okano T, Katagiri H, Yamamoto K, Teshima R	Recent trends in the incidence and lifetime risk of hip fracture in Tottori, Japan	Osteoporosis Int		Online	2008
藤原佐枝子、細井孝之、五来逸雄	生活習慣の改善と骨粗鬆症の予防に関する調査研究 WHO 骨折リスク評価ツール (FRAX) の日本版モデルの適用と骨粗鬆症診療における実用性についての検討	Osteoporosis Japan	16	665-670	2008
藤原佐枝子	骨粗鬆症の疫学と成因・危険因子の考え方	骨粗鬆症治療		711-15	2008
藤原佐枝子	骨減少および骨折の危険因子	スポーツ医学	25	235-9	2008
藤原佐枝子	骨折の危険因子と危険性評価の世界状況	治療学	42	834-7	2008
Yoshimura N, Kinoshita H, Oka H, Muraki S, Mabuchi A, Kawaguchi H, Nakamura K, Nakamura T.	Association between height loss and bone loss, cumulative incidence of vertebral fractures and future QOL: The Miyama Study	Osteoporosis Int	19	21-28	2008

著者名	論文タイトル	雑誌名	巻号	ページ	出版年
Yanaoka K, Oka M, Mukoubayashi C, Yoshimura N, Enomoto S, Iguchi M, Magari H, Utsunomiya H, Tamai H, Arii K, Ohata H, Fujishiro M, Takeshita T, Mohora O, Ichinose M	Cancer high-risk subjects identified by serum pepsinogen tests: outcomes after 10-year follow-up in asymptomatic middle-aged males	Cancer Epidemiol Biomarkers Prev	17	838-845	2008
Yanaoka K, Oka M, Yoshimura N, Mukoubayashi C, Enomoto S, Iguchi M, Magari H, Utsunomiya H, Tamai H, Arii K, Ysmsmichi N, Fujishiro M, Takeshita T, Mohora O, Ichinose M	Risk of gastric cancer in asymptomatic, middle-aged Japanese subjects based on serum pepsinogen and Helicobacter pylori antibody levels	Int J Cancer	123	917-926	2008
Oka H, Muraki S, Akune T, Mabuchi A, Suzuki T, Yoshida H, Yamamoto S, Nakamura K, Yoshimura N, Kawaguchi H	Fully automatic quantification of knee osteoarthritis severity on standard radiographs	Osteoarthritis and Cartilage	16	1300-1306	2008
Muraki S, Oka H, Mabuchi A, Akune T, En-yo Y, Yoshida M, Saika A, Suzuki T, Yoshida H, Ishibashi H, Yamamoto S, Nakamura K, Kawaguchi H, Yoshimura N	Prevalence of radiographic lumbar spondylosis and its association with low back pain in the elderly of population-based cohorts: the ROAD study	Ann Rheum Dis		in press	2009
Yoshimura N, Muraki S, Oka H, Kinoshita H, Yoshida M, Mabuchi A, Kawaguchi H, Nakamura K, Akune T	Epidemiology of lumbar osteoporosis and osteoarthritis and their causal relationship - Is osteoarthritis a predictor for osteoporosis, or vice-versa?: The Miyama Study	Osteoporos Int		in press	2009
Muraki S, Akune T, Oka H, Mabuchi A, Akune T, En-yo Y, Yoshida M, Saika A, Nakamura K, Kawaguchi H, Yoshimura N	Association of occupational activity with radiographic knee osteoarthritis and lumbar spondylosis in the elderly of population-based cohorts: the ROAD study	Arthritis Care & Research		in press	2009
吉村典子, 岡敬之, 村木重之, 阿久根徹, 馬淵昭彦, 川口浩, 中村耕三	骨粗鬆症の発生率と骨代謝マーカー、内因性ホルモンとの関連: 漁村コホート10年間の追跡	Osteoporos Jpn	16	40-44	2008
村木重之, 吉村典子	中高年男女における血清性ホルモン値がその後の骨粗鬆症の発生に与える影響: 長期住民コホート追跡調査	Osteoporos Jpn	16	265-267	2008
村木重之, 阿久根徹, 岡敬之, 吉村典子	コンピュータを用いた大腿骨頸部骨形態自動計測法の開発	Osteoporos Jpn	16	644-647	2008
Urano, T., Narusawa, K., Shiraki, M., Usui, T., Sasaki, N., Hosoi, T., Ouchi, Y., Nakamura, T., Inoue, S	Association of a single nucleotide polymorphism in the insulin-like growth factor-1 receptor gene with spinal disc degeneration in postmenopausal Japanese women	Spine	33	1256-1261	2008

著者名	論文タイトル	雑誌名	巻号	ページ	出版年
Shiraki, M., Urano, T., Kuroda, T., Saito, M., Tanaka, S., Miyao-Koshizuka, M., Inoue, S	The synergistic effect of bone mineral density and methylenetetrahydrofolate reductase (MTHFR) polymorphism (C677T) on fractures	J Bone Miner Metab	26	595-602	2008
Takayama, K., Tsutsumi, T., Suzuki, T., Horie-Inoue, K., Ikeda, K., Kaneshiro, K., Fujimura, T., Kumagai, J., Urano, T., Sakaki, Y., Shirahige, K., Sasano, H., Takahashi, S., Kitamura, T., Ouchi, Y., Aburatani, H., Inoue, S	Amyloid precursor protein is a primary androgen target gene that promotes prostate cancer growth	Cancer Res	69	137-142	2008
Kubo, M., Ijichi, N., Ikeda, K., Horie-Inoue, K., Takeda, S., Inoue, S	Modulation of adipogenesis-related gene expression by estrogen-related receptor gamma during adipocytic differentiation	Biochim Biophys Acta - Gene Regulatory Mechanisms		in press	
Furuya, T., Urano, T., Ikari, K., Kotake, S., Inoue, S., Hara, M., Momohara, S., Kamatani, N., Yamanaka, H	A1330V polymorphism of low-density lipoprotein receptor-related protein 5 gene and self-reported incident fractures in Japanese female patients with rheumatoid arthritis	Mod Rheumatol		in press	
Urano, T., Shiraki, M., Usui, T., Sasaki, N., Ouchi, Y., Inoue, S	Bone mass effects of a Smad6 gene polymorphism in Japanese postmenopausal women	J Bone Miner Metab		in press	
Urano, W., Furuya, T., Inoue, E., Taniguchi, A., Urano, T., Kotake, S., Sekita, C., Inoue, S., Hara, M., Momohara, S., Kamatani, N., Yamanaka, H	Associations between methotrexate treatment and methylenetetrahydrofolate reductase gene polymorphisms with incident fractures in Japanese female rheumatoid arthritis patients	J Bone Miner Metab		in press	
Suzuki T, Kwon J, Kim H, Shimada H, Yoshida Y, Iwasa H, Yoshida H	Low serum 25-hydroxyvitamin D levels associated with falls among Japanese community-dwelling elderly	J Bone Miner Res	23	1309-1317	2008
吉田 世世, 鈴木 隆雄	地域在住高齢者を対象としたビタミンDと骨密度との関係	Osteoporosis Jpn	16(2)	229-232	2008
Saito M, Mori S, Mashiba T, et al	Collagen maturity, glycation induced pentosidine, and mineralization are increased following 3-years treatment of incadronate in dogs	Osteoporosis Int	19	1343-54	2008
Shiraki M, Kuroda T, Tanaka S, Saito M, et al	Non-enzymatic collagen cross-links induced by glycoxidation (pentosidine) predicts vertebral fractures	J Bone Miner Metab	26	93-100	2008
Shiraki M, Urano T, Kuroda T et al	The synergistic effect of bone mineral density and Methylenetetrahydrofolate reductase (MTHFR) polymorphism (C677T) on fractures	J Bone Miner Metab		in press	

著者名	論文タイトル	雑誌名	巻号	ページ	出版年
Sakai A, Toba N, Takeda M, Suzuki M, Abe Y, Aoyagi K, Nakamura T	Association of unipedal standing time and bone mineral density in community-dwelling Japanese women	Osteoporos Int			2008
Tsugawa N, Shiraki M, Suhara Y, Kamao M, Ozaki R, Tanaka K, Okano T	Low plasma phylloquinone concentration is associated with high incidence of vertebral fracture in Japanese women	J Bone Miner Metab	26	79-85	2008
Shiraki M, Kuroda T, Tanaka S, Saito M, Fukunaga M, Nakamura T	Nonenzymatic collagen cross-links induced by glycoxidation (pentosidine) predicts vertebral fractures	J Bone Miner Metab	26	93-100	2008
Urano T, Narusawa K, Shiraki M, Usui T, Sasaki N, Hosoi T, Ouchi Y, Nakamura T, Inoue S	Association of a single nucleotide polymorphism in the insulin-like growth factor-1 receptor gene with spinal disc degeneration in postmenopausal Japanese women	Spine	3.Feb	1256-1261	2008
Kuroda T, Shiraki M, Tanaka S, Ohta H	Contributions of 25-hydroxyvitamin D, co-morbidities and bone mass to mortality in Japanese postmenopausal women	Bone		doi:10.1016/j	2008
Matsumoto T, Hagino H, Shiraki M, Fukunaga M, Nakano T, Takaoka K, Morii H, Ohashi Y, Nakamura T	Effect of daily oral minodronate on vertebral fractures in Japanese postmenopausal women with established osteoporosis: a randomized placebo-controlled double-blind study	Osteoporosis Int		DOI 10.1007/s00198-008-0816-7	2008