

- Inazawa J, Imoto I. Frequent inactivation of a putative conditional tumor-suppressor gene, angiopoietin-like protein 2, in ovarian cancer. *Cancer Res*, 68:5067-5075, 2008.
- 27) Nakamura E, Kozaki K, Tsuda H, Suzuki, E, Pimkhaokham A, Yamamoto G, Irie T, Tachikawa T, Amagasa T, Inazawa J, Imoto I. Frequent silencing of a putative tumor suppressor gene melatonin receptor 1A (MTNR1A) in oral squamous-cell carcinoma. *Cancer Sci*, 99:1390-1400, 2008.
- 28) Kozaki K, Imoto I, Mogi S, Omura K, Inazawa J. Exploration of tumor-suppressive microRNAs silenced by DNA hypermethylation in oral cancer. *Cancer Res*, 68:2094-2105, 2008.
- 29) Suzuki A, Shibata T, Murakami Y, Horii A, Shiratori K, Hirohashi S, Inazawa J, Imoto I. Identification of SMURF1 as a possible target for 7q21.3-22.1 amplification detected in a pancreatic cancer cell line by in-house array-based comparative genomic hybridization. *Cancer Sci*, 99:986-994, 2008.
- 30) Tanaka S, Arai S, Yasen M, Moqushi K, Su NT, Zhao C, Imoto I, Eishi Y, Inazawa J, Miki Y, Tanaka H. Aurora kinase B is a predictive factor for the aggressive recurrence of hepatocellular carcinoma after curative hepatectomy. *Br J Surg*, 95:611-619, 2008.
- 31) Saitoh Y, Yamamoto N, Dewan MZ, Sugimoto H, Martinez BVJ, Iwasaki Y, Matsubara K, Qi X, Saitoh T, Imoto I, Inazawa J, Utsunomiya A, Watanabe T, Masuda T, Yamamoto N, Yamaoka S. Overexpressed NF-(kappa)B inducing kinase contributes to the tumorigenesis of adult T-cell leukemia and Hodgkin Reed-Sternberg cells. *Blood*, 111:5118-5129, 2008.
- 32) Zhao C, Inoue J, Imoto I, Otsuki T, Iidab S, Ueda R, Inazawa J. POU2AF1, an amplification target at 11q23, promotes growth of multiple myeloma cells by directly regulating expression of a B-cell maturation factor, TNFRSF17. *Oncogene*, 27:63-75, 2008.
- 33) Shibata T, Kokubu A, Gotoh M, Ojima H, Ohta T, Yamamoto M, Hirohashi S. Genetic Alteration of Keap1 Confers Constitutive Nrf2 Activation and Resistance to Chemotherapy in Gallbladder Cancer. *Gastroenterol*, 135:1358-1368, 2008.
- 34) Shibata T, Ohta T, Tong KI, Kokubu A, Odogawa R, Tsuta K, Asamura H, Yamamoto M, Hirohashi S. Cancer related mutations in NRF2 impair its recognition by Keap1-Cul3 E3 ligase and promotes malignancy. *Proc Natl Acad Sci USA*, 105:13568-13573, 2008.
- 35) Arai E, Ushijima S, Tsuda H, Fujimoto H, Hosoda F, Shibata T, Kondo T, Imoto I, Inazawa J, Hirohashi S, Kanai Y. Genetic clustering of clear cell renal cell carcinoma based on array-comparative genomic hybridization: its association with DNA methylation alteration and patient outcome. *Clin Cancer Res*, 14:5531-5539, 2008.
- 36) Arima Y, Inoue Y, Shibata T, Hayashi H, Nagano O, Saya H, Taya Y. Rb depletion results in deregulation of E-cadherin and induction of cellular changes that are characteristic of the epithelial to mesenchymal transition (EMT). *Cancer Res*, 68:5104-5112, 2008.
- 37) Ohta T, Iijima K, Miyamoto M, Nakahara I, Tanaka H, Ohtsuji M, Suzuki T, Kobayashi A, Yokota J, Shibata T, Yamamoto Y, Hirohashi S. Loss of Keap1 function activates Nrf2 and provides advantages for lung cancer cell growth. *Cancer Res*, 68:1303-1309, 2008.
- 38) Suehara Y, Kondo T, Seki K, Shibata T, Fujii K, Gotoh M, Hasegawa T, Shimada Y, Sasako M, Shimoda T, Kurosawa H, Beppu Y, Kawai A, Hirohashi S. Pftin, as a prognostic biomarker of gastrointestinal stromal tumors revealed by proteomics. *Clin Cancer Res*, 14:1707-1717, 2008.

- 39) Yoshikawa D, Ojima H, Iwasaki M, Hiraoka N, Kosuge T, Kasai S, Hirohashi S, Shibata T. Clinicopathological and prognostic significance of EGFR, VEGF, and HER2 expression in cholangiocarcinoma. *Br J Cancer*, 98: 418-425, 2008.
- 40) Suzuki A, Shibata T, Shimada Y, Murakami Y, Horii A, Shiratori K, Hirohashi S, Inazawa J, Imoto I. Identification of SMURF1 as a possible target for 7q21.3-22.1 amplification detected in pancreatic cancer cell line by in-house array-based comparative genomic hybridization. *Cancer Sci*, 99:986-994, 2008.
- 41) Akagi T, Ogawa S, Dugas M, Kawamata N, Yamamoto G, Nannya Y, Sanada M, Miller CW, Yung A, Schnittger S, Haferlach T, Haferlach C, Koeffler HP. Frequent genomic abnormalities in acute myeloid leukemia/myelodysplastic syndrome with normal karyotype. *Haematologica*, 94:213-223, 2008.
- 42) Chen Y, Takita J, Choi YL, Kato M, Ohira M, Sanada M, Wang L, Soda M, Kikuchi A, Igarashi T, Nakagawara A, Hayashi Y, Mano H, Ogawa S. Oncogenic mutations of ALK kinase in neuroblastoma. *Nature*, 455:971-974, 2008.
- 43) Kawamata N, Ogawa S, Zimmermann M, Niebuhr B, Stocking C, Sanada M, Hemminki K, Yamamoto G, Nannya Y, Koehler R, Flohr T, Miller CW, Harbott J, Ludwig WD, Stanulla M, Schrappe M, Bartram CR, Koeffler HP. Cloning of genes involved in chromosomal translocations by high-resolution single nucleotide polymorphism genomic microarray. *Proc Natl Acad Sci USA*, 105:11921-11926, 2008.
- 44) Kawase T, Nanya Y, Torikai H, Yamamoto G, Onizuka M, Morishima S, Tsujimura K, Miyamura K, Kadera Y, Morishima Y, Takahashi T, Kuzushima K, Ogawa S, Akatsuka Y. Identification of human minor histocompatibility antigens based on genetic association with highly parallel genotyping of pooled DNA. *Blood*, 111:3286-3294, 2008.
- 45) Walsh CS, Ogawa S, Karahashi H, Scoles DR, Pavelka JC, Tran H, Miller CW, Kawamata N, Ginther C, Dering J, Sanada M, Nannya Y, Slamon DJ, Koeffler HP, Karlan BY. ERCC5 is a novel biomarker of ovarian cancer prognosis. *J Clin Oncol*, 26:2952-2958, 2008.
- 46) Dewan MZ, Takamatsu T, Hidaka T, Hatakeyama K, Nakahata S, Fujisawa J, Harutaka Katano H, Yamamoto N and Morishita K. Critical role for TSLC1 expression in the growth and organ of Adult T-cell leukemia. *J Virol*, 82:11958-11963, 2008.
- 47) Hidaka T, Nakahata S, Hatakeyama K, Hamasaki M, Yamashita K, Kohno T, Arai Y, Taki T, Nishida K, Okayama A, Asada Y, Yamaguchi R, Tsubouchi H, Yokota J, Taniwaki M, Higashi Y, Morishita K. Down-regulation of TCF8 is involved in the leukemogenesis of adult T-cell leukemia/lymphoma. *Blood*, 112:383-393, 2008.
- 48) Ishida YI, Yamashita K, Sasaki H, Takajou I, Kubuki Y, Morishita K, Tsubouchi H, Okayama A. Activation of complement system in adult T-cell leukemia (ATL) occurs mainly through lectin pathway: A serum proteomic approach using mass spectrometry. *Cancer Lett*, 271:167-177, 2008.
- 49) Takahata M, Inoue Y, Tsuda H, Imoto I, Koinuma D, Hayashi M, Ichikura T, Yamori T, Nagasaki K, Yoshida M, Matsuoka M, Morishita K, Yuki K, Hanyu A, Miyazawa K, Inazawa J, Miyazono K, Imamura T, SKI and MEL1 cooperate to inhibit transforming growth factor-beta signal in gastric cancer cells. *J Biol Chem*, Epub 2008 Dec 1.
- 50) Scian MJ, Carchman EH, Mohanraj L, Stagliano KE, Anderson MA, Deb D, Crane BM, Kivono T, Windle B, Deb SP, Deb S. Wild-type p53 and p73 negatively regulate expression of proliferation related genes. *Oncogene*, 27:2583-2593, 2008.
- 51) Tsuruga Y, Kivono T, Matsushita M, Takahashi T, Kasai N, Matsumoto S, Todo S. Effect of intrasplenic transplantation of immortalized human hepatocytes in the

- treatment of acetaminophen-induced acute liver failure SCID mice. *Transplant Proc.* 40:617-619, 2008.
- 52) Hida N, Nishiyama N, Miyoshi S, Kira S, Segawa K, Uyama T, Mori T, Miyado K, Ikegami Y, Cui C, Kiyono T, Kyo S, Shimizu T, Okano T, Sakamoto M, Ogawa S, Umezawa A. Novel Cardiac Precursor-Like Cells from Human Menstrual Blood-Derived Mesenchymal Cells. *Stem Cells*, 26:1695-1704, 2008.
 - 53) Narisawa-Saito M, Yoshimatsu Y, Ohno S, Yugawa T, Egawa N, Fujita M, Hirohashi S, Kiyono T. An in vitro multistep carcinogenesis model for human cervical cancer. *Cancer Res*, 68: 5699-5705, 2008.
 - 54) Tatsumi Y, Ezura K, Yoshida K, Yugawa T, Narisawa-Saito M, Kiyono T, Ohta S, Obuse C, Fujita M. Involvement of human ORC and TRF2 in pre-replication complex assembly at telomeres. *Genes Cells*, 13:1045-1059, 2008.
 - 55) Sugimoto M, Inoko A, Shiromizu T, Nakayama, M, Zou P, Yonemura S, Hayashi Y, Izawa Y, Sasoh M, Uji Y, Kaibuchi K, Kiyono T, Inagaki M. The keratin-binding protein Albatross regulates polarization of epithelial cells. *J Cell Biol*, 183:19-28, 2008.
 - 56) Omi H, Okamoto A, Nikaido T, Urashima M, Kawaguchi R, Umehara N, Sugiura K, Saito M, Kiyono T, Tanaka T. Establishment of an immortalized human extravillous trophoblast cell line by retroviral infection of E6/E7/hTERT and its transcriptional profile during hypoxia and reoxygenation. *Int J Mol Med*, 23:229-236, 2009.
 - 57) Yugawa T, Kiyono T. Molecular mechanisms of cervical carcinogenesis by high-risk human papillomaviruses: novel functions of E6 and E7 oncoproteins. *Rev Med Virol*, in press, 2009.
 - 58) Sasaki R, Narisawa-Saito M, Yugawa T, Fujita M, Tashiro H, Katabuchi H, Kiyono T. Oncogenic transformation of human ovarian surface epithelial cells with defined cellular oncogenes. *Carcinogenesis*, in press, 2009.
 - 59) Hagiya M, Ichiyangi N, Kimura BK, Murakami Y, Ito A. Expression of a soluble isoform of cell adhesion molecule 1 in the brain and its involvement in directional neurite outgrowth. *Am J Pathol*, in press.
 - 60) Ando K, Ohira M, Ozaki T, Akazawa K, Suenaga Y, Nakamura Y, Koda T, Kamijo T, Murakami Y, Nakagawara A. TSLC1 mapped top 11q23 is a candidate tumor suppressor in neuroblastoma. *Int J Cancer*, 123:2087-2094, 2008.
 - 61) Overmeer RM, Snijders PJF, Claassen-Kramer D, Helmerhorst TJM, Berkhof J, Heideman DAM, Wilting SM, Murakami Y, Ito A, Meijer CJLM, Steenbergen RDM. Association between dense CADM1 promoter methylation and reduced protein expression in high-grade CIN and cervical SCC. *J Pathol*, 215:388-397, 2008.
 - 62) Suzuki A, Shibata T, Shimada Y, Murakami Y, Horii A, Shiratori K, Hirohashi S, Inazawa J, Imoto I. Identification of SMURF5 as a possible target for 7q21.3-22.1 amplification detected in a pancreatic cancer cell line by in-house array-based comparative genomic hybridization. *Cancer Sci*, 99:986-994, 2008.