

Sekine, I., Nokihara, H., Sumi, M., <u>Saijo, N.</u> , <u>Nishiwaki, Y.</u> , Ishikura, S., <u>Mori, K.</u> , Tsukiyama, I., <u>Tamura, T.</u>	Docetaxel consolidation therapy following cisplatin, vinorelbine, and concurrent thoracic radiotherapy in patients with unresectable stage III non-small cell lung cancer.	J Thorac Oncol	1	810-815	2006
Saijo, T., Genichiro, I., Ochiai, A., Yoh, K., Goto, K., Nagai, K., Kato, H., <u>Nishiwaki, Y.</u> , Saijo, N.	Eg5 expression is closely correlated with the response of advanced non-small cell lung cancer to automitotic agents combined with platinum chemotherapy.	Lung Cancer	54	217-225	2006
Hishida, T., Nagai, K., Yshida, J., Nishimura, M., Ishi, G., Iwasaki, M., <u>Nishiwaki, Y.</u>	Is surgical resection indicated for a solitary non-small cell lung cancer recurrence?.	J Thorac Cardiovasc Surg	131	838-842	2006
Morishima, Y., Ogura, M., Yoneda, S., Sakai, H., Tbinai, K., <u>Nishiwaki, Y.</u> , Minami, H., Hotta, T., Ezaki, K., Ohe, Y., <u>Yokoyama, A.</u> , Tsuboi, M., Mori, K., <u>Watanabe, K.</u> , Oshita, Y., Hirashima, K., <u>Saijo, N.</u> , and Japan Erythropoietin Study Group.	Once-weekly epoetin-beta improves hemoglobin levels in cancer patients with chemotherapy-induced anemia: A randomized double-blind, dose-finding study.	Jpn J Clin Oncol	36	655-661	2006
Kohno, T., Sekiyama, T., Kunitoh, H., Goto, K., <u>Nishiwaki, Y.</u> , Saito, D., Hirose, H., Eguchi, T., Yanagitani, N., Saito, R., Sasaki-Matsumura, R., Minaki, S., Toyama, K., Yamamoto, S., Kuchiba, A., Sobue, T., Ohta, T., Ohki, M., Yokota, J.	Association of polymorphisms in the MTH1 gene with small cell lung carcinoma risk.	Carcinogenesis	27	2448-2454	2006
Sekine, I., Nokihara, H., Sumi, M., <u>Saijo, N.</u> , <u>Nishiwaki, Y.</u> , Ishikura, S., <u>Mori, K.</u> , Tsukiyama, I., <u>Tamura, T.</u>	Docetaxel consolidation therapy following cisplatin, vinorelbine, and concurrent thoracic radiotherapy in patients with unresectable stage III non-small cell lung cancer.	J Thorac Oncol	1	810-815	2006
Sekine, I., Minna, JD., Nishio, K., <u>Tamura, T.</u> , <u>Saijo, N.</u>	A literature review of molecular markers predictive of clinical response to cytotoxic chemotherapy in patients with lung cancer.	J Thorac Oncol	1(1)	31-37	2006

Saeki, M., Saito, Y., Jinno, H., Sai, K., Ozawa, S., Kurose, K., Kaniwa, N., Komamura, K., Kotake, T., Morishita, H., Kamakura, S., Kitakaze, M., Tomoike, H., Shirao, K., <u>Tamura,</u> <u>T.</u> , Yamamoto, N., Kunitoh, H., Hamaguchi, T., Yoshida, T., Kubota, K., Ohtsu, A., Muto, M., Minami, H., <u>Saijo, N.</u> , Kamatani, N., Sawada, JI.	Haplotype structures of the UGT1A gene complex in a Japanese population.	Pharmacogeno mics J	6(1)	63-75	2006
Sakai, K., Arao, T., Shimoyama, Murofushi, K., Sekijima, M., Kaji, N., <u>Tamura, T.</u> , <u>Saijo, N.</u> , Nishio, K.	Dimerization and the signal transduction pathway of a small in-frame deletion in the epidermal growth factor receptor.	FASEB J	20(2)	311-330	2006
Watanabe, H., Kunitoh, H., Yamamoto, S., Kawasaki, S., Inoue, A., Hotta, K., Shiomi, K., Kusumoto, M., Sugimura, K., <u>Saijo, N.</u>	Effect of the introduction of minimum lesion size on interobserver reproducibility using RECIST guidelines in non-small cell lung cancer patients.	Cancer Sci	97(3)	214-218	2006
Edelman, MJ., Sekine, I., <u>Tamura, T.</u> , and <u>Saijo, N.</u>	Geographic variation in the second-line treatment of non-small cell lung cancer.	Semin Oncol	33 (1)	S39-44	2006
<u>Saijo, N.</u>	Recent trends in the treatment of advanced lung cancer.	Cancer Sci	97(6)	448-452	2006
Shimoyama, T., Koizumi, F., Fukumoto, H., Kiura, K., Tanimoto, M., <u>Saijo, N.</u> , Nishio, K.	Effects of different combinations of gefitinib and irinotecan in lung cancer cell lines expressing wild or deletional EGFR.	Lung Cancer	53(1)	13-21	2006
Sekine, I., Nokihara, H., Yamamoto, N., Kunitoh, H., Ohe, Y., <u>Saijo, N.</u> , <u>Tamura, T.</u>	Common arm analysis: one approach to develop the basis for global standardization in clinical trials of non-small cell lung cancer.	Lung cancer	53(2)	157-164	2006
Sakai, K., Yokote, H., Murakami-Murofushi, K., <u>Tamura, T.</u> , <u>Saijo,</u> <u>N.</u> , Nishio, K.	In-frame deletion in the EGF receptor alters kinase inhibition by gefitinib.	Biochem J	397 (3)	537-543	2006

Fujisaka, Y., <u>Tamura</u> , T., Ohe, Y., Kunitoh, H., Sekine, I., Yamamoto, N., Nokihara, H., Horiike, A., Kodama, T., <u>Saijo</u> , N.	Pharmacokinetics and pharmacodynamics of weekly epoetin beta in lung cancer patients.	Jpn J Clin Oncol	36 (8)	477-482	2006
Wislez, M., Beer, DG., Wistuba, I., Cadranel, J., <u>Saijo</u> , N., Johnson, BE.	Molecular biology, genomics, and proteomics in bronchioloalveolar carcinoma.	J Thoracic Oncol	1(9)	S8-S12	2006
Ohe, Y., Ohashi, Y., Kubota, K., <u>Tamura</u> , T., Nakagawa, K., Negoro, S., Nishiwaki, Y., <u>Saijo</u> , N., Ariyoshi, Y., Fukuoka, M., for the FACS cooperative group.	Randomized phase III study of cisplatin plus irinotecan versus carboplatin plus paclitaxel, cisplatin plus gemcitabine, and cisplatin plus vinorelbine for advanced non-small-cell lung cancer: Four-arm cooperative study in Japan.	Ann Oncol	18	317-323	2007
Sekine, I., Ohe, Y., Saijo, N., <u>Tamura</u> , T.	Clinical trials for lung cancer in progress in Japan.	Tumors of the Chest	39	463-469	2006
Sekine, I., Sumi, M., Ito, Y., Nokihara, H., Yamamoto, N., Kunitoh, H., Ohe, Y., Kodama, T., Saijo, N., <u>Tamura</u> , T.	Retrospective analysis of steroid therapy for radiation-induced lung injury in lung cancer patients.	Radiother Oncol	80	93-97	2006
<u>Mori</u> , K., Kamiyama, Y., Kondo, T., Kano, Y., Kodama, T. Pilot phase II study of weekly chemotherapy with paclitaxel and carboplatin for refractory or relapsed small-cell lung cancer.	Pilot Phase II study of weekly chemotherapy with Paclitaxel and Carboplatin for refractory or relapsed small cell lung cancer.	Cancer Chemother Pharmacol	58(1)	86-90	2006
Tomiyama, N., Yasuhara, Y., Nakajima, Y., Adachi, S., Arai, Y., Kusumoto, M., Eguchi, K., Kuriyama, K., Sakai, F., Noguchi, M., Murata, K., Murayama, S., Mochizuki, T., <u>Mori</u> , K., Yamada, K.	CT-guided needle biopsy of lung lesions: A survey of severe complication based on 9783 biopsies in Japan.	Eur J Radiol	59(1)	60-64	2006

Kano, Y., Akutsu, M., Tsunoda, S., Izumi, T., Kobayashi, H., Inoue, K., <u>Mori, K.</u> , Fujii, H., Mano, H., Odgerel, T., Furukawa, Y.	Schedule-Dependent interactions between pemetrexed and cisplatin in human carcinoma cell lines in vitro.	Oncol Res	16(2)	85-95	2006
<u>Okamoto, H.</u> , Naoki, K., Narita, Y., Hida, N., Kunikane, H., <u>Watanabe, K.</u>	A combination chemotherapy of carboplatin and irinotecan with granulocyte colony-stimulating factor(G-CSF)support in elderly patients with small cell lung cancer.	Lung Cancer	53(2)	197-203	2006
Aono, H., <u>Okamoto, H.</u> , Kunikane, H., Nagatomo, A., <u>Watanabe, K.</u> , Nagai, A.	Transbronchial needle aspiration cytology of subcarinal lymph nodes for the staging procedure in the diagnosis of lung cancer.	Respirology	11	782-785	2006
Onoda, S., Masuda, N., Seto, T., Eguchi, K., Takiguchi, Y., Isobe, H., Okamoto, H., Ogura, T., <u>Yokoyama, A.</u> , Seki, N., Asaka-Amano, Y., Harada, M., Tagawa, A., Kunikane, H., Yokoba, M., Uematsu, K., Kuriyama, T., Kuroiwa, Y., <u>Watanabe, K.</u>	Phase II trial of amrubicin for treatment of refractory or relapsed small-cell lung cancer: Thoracic oncology research group study 0301.	J Clin Oncol	24 (34)	5448-5453	2006
Oshita, F., Sekiyama, A., Saito, H., Yamada, K., <u>Noda, K.</u> , Miyagi, Y.	Genome-wide cDNA microarray screening of genes related to the benefits of paclitaxel and irinotecan chemotherapy inpatients with advanced no-small cell lung cancer.	J Exp Ther Oncol	6(1)	49-53	2006
Kosaka, T., Yatabe, Y., Endoh, H., Yoshida, K., <u>Hida, T.</u> , Tsuboi, M., Tada, H., Kuwano, H., Mitsudomi, T.	Analysis of epidermal growth factor receptor gene mutation in patients with non-small cell lung cancer and acquired resistance to gefitinib.	Clin Cancer Res	12 (19)	5764-5769	2006
Yatabe, Y., <u>Hida, T.</u> , Horio, Y., Kosaka, T., Takahashi, T., Mitsudomi, T.	A rapid, sensitive assay to detect EGFR mutation in small biopsy specimens from lung cancer.	J Mol Diagn	8	335-341	2006

Usami, N., Fukui, T., Kondo, M., Taniguchi, T., Yokoyama, T., Mori, S., Yokoi, K., Horio, Y., Shimokata, K., Sekido, Y., <u>Hida, T.</u>	Establishment and characterization of four malignant pleural mesothelioma cell lines from Japanese patients.	Cancer Sci	97(5)	387-394	2006
Yoshida, K., Yatabe, Y., Park, JY., Shimizu, J., Horio, Y., Matsuo, K., Kosaka, T., Mitsudomi, T., <u>Hida, T</u>	Prospective validation for prediction of gefitinib sensitivity by epidermal growth factor receptor gene mutation in patients with non-small cell lung cancer.	J Thorac Oncol	2	22-28	2007
Yoshimura, M., <u>Imamura, F.</u> , Ueno, K., Uchida, J.	Gemcitabine plus carboplatin combination in a modified 21-day administration schedule for advanced non-small cell lung cancer.	Clin. Lung Cancer	8(3)	208-213	2006
<u>Imamura, F.</u> , Ueno, K., Kusunoki, Y., Uchida, J., Yoshimura, M., Koizumi, M., Yamasaki, H., Nishiyama, K.	High-dose-rate brachytherapy for small-sized peripherally located lung cancer.	Strahlenther Oncol	182 (12)	703-707	2006
Uchida, J., <u>Imamura, F.</u> , Takenaka, A., Yoshimura, M., Ueno, K., Oda, K., Nakayama, T., Tsukamoto, Y., Higashiyama, M., Kusunoki, Y.	Improved diagnostic efficacy by rapid cytology test in fluoroscopy-guided bronchoscopy.	J Thorac Oncol	1(4)	314-318	2006
Omiya, H., Nagatomo, I., Yamamoto, S., Ueno, K., Yoshimura, M., <u>Imamura, F.</u> , Takenaka, A., Nakayama, T., Kusunoki, Y.	Rapid staining with the modified Gill-Shorr method for reliable, rapid bronchoscopic diagnosis.	Acta Cytol	50(4)	444-446	2006
<u>Matsui, K.</u> , Sawa, T., Suzuki, S., Nakagawa, K., Okamoto, N., Tada T, Nagano T, Masuda N.	Relapse of stage I small cell lung cancer ten or more years after the start of treatment.	Jpn J Clin Oncol	36(7)	457-461	2006
Kobayashi, M., <u>Matsui, K.</u> , Hirashima, T., Nitta, T., Sasada, S., Tada, T., Minakuchi, K., Furukawa, M., Ogata, Y., Kawase, I.	Phase I study of weekly cisplatin, vinorelbine and concurrent thoracic radiation therapy in patients with locally advanced non-small-cell lung cancer.	Int J Clin Oncol	11	314-319	2006

Yamamoto, N., Nakagawa, K., Uejima, H., Sugiura, T., Takada, Y., Negoro, S., Matsui, K., Takada, M., Nakanishi, Y., Kato, T., Fukuoka, M.	Randomized phase II study of carboplatine/gemcitabine in patients with advanced nonsmall cell lung cancer. West Japan Thoracic Oncology Group (WJTOG) 0104.	Cancer	107 (3)	599-605	2006
Kudoh S., Takeda K., Nakagawa, K., Takada, M., Katakami, N., Matsui, K., Shinkai, T., Sawa, T., Goto, I., Semba, H., Seto, T., Ando, M., Satoh, T., Yoshimura, N., Negoro, S., Fukuoka, M.	Phase III study of docetaxel compared with vinorelbine in elderly patients with advanced non-small-cell lung cancer: Results of the west japan thoracic oncology group trial (WJTOG 9904).	J Clin Oncol	24 (22)	3657-3663	2006
Nakagawa, K., Kudoh, S., Matsui, K., Negoro, S., Yamamoto, N., Latz, J.E., Adachi, S., And Fukuoka, M.	A phase I study of pemetrexed (LY231514) supplemented with foliate and vitamin B12 in japanese patients with solid tumors.	Br J Cancer	95	677-682	2006
Saito H., Kudoh S., Nakagawa K., Negoro S., Matsui K., Semba H., Takada M.	Phase II study of 3-week scheduling of irinotecan in combination with cisplatin in patients with advanced nonsmall-cell lung cancer.	Am J Clin Oncol	29(5)	503-507	2006
Yamamoto, N., Tsurutani, J., Yoshimura, N., Asai, G., Moriyama, A., Nakagawa, K., Kudoh, S., Takada M., Minato Y., Fukuoka M.	Phase II study of weekly paclitaxel for relapsed and refractory small cell lung cancer.	Anticancer Res	26	777-781	2006
Nakagawa K.	Clinical development of EGFR-tyrosine kinase inhibitors in Japan.	Cancer Chemother Pharmacol	58	33-37	2006
Asai G., Yamamoto N., Kurata T., Tamura K., Uejima H., Nakagawa K., Fukuoka M.	Phase I and pharmacokinetic study of combination chemotherapy using irinotecan and paclitaxel in patients with lung cancer.	J Thorac Oncol	1	226-230	2006
Kaneda, H., Kurata, T., Tamura, K., Uejima, H., Nakagawa, K., Fukuoka, M.	A Phase I study of irinotecan in combination with amrubicin for advanced lung cancer patients.	Anticancer Res	26	2479-2485	2006

Hyodo, I., Shirao K., Doi, T., Hatake, K., Arai, Y., Yamaguchi, K., <u>Tamura, T.</u> , Takemiya, S., Takiuchi, H., <u>Nakagawa, K.</u> , Mishima, H.	A phase II Study of the global dose and schedule of capecitabine in Japanese patients with metastatic colorectal cancer.	Jpn J Clin Oncol	36	410-417	2006
Yamamoto, N., Nishimura, Y., <u>Nakagawa, K.</u> , Matsui K., Fukuoka, M.	Phase I/II study of weekly docetaxel dose escalation in combination with fixed weekly cisplatin and concurrent thoracic radiotherapy in locally advanced non-small cell lung cancer.	Cancer Chemother Pharmacol	58	285-291	2006
Ando, M., Okamoto, I., Yamamoto, N., <u>Takeda, K.</u> , Tamura, K., Seto, T., Ariyoshi, Y., Fukuoka, M.	Predictive factors for interstitial lung disease, antitumor response, and survival in Non-small-cell lung cancer patients treated with gefitinib.	J Clin Oncol	24 (16)	2549-2556	2006
Takigawa, N., <u>Kiura, K.</u> , Tabata, M., Tanimoto, M.	Fractionated administration of irinotecan and cisplatin in Japanese patients with extensive-stage-disease small-cell lung cancer.	J Clin Oncol	24 (32)	5175	2006
Shibayama, T., Hotta, K., Takigawa, N., Tada, A., Ueoka, H., Harita, S., <u>Kiura, K.</u> , Tabata, M., Segawa, Y., Nogami, N., Kuyama, S., Shinkai, T., Tanimoto, M.	A phase I and pharmacological study of amrubicin and topotecan in patients of small-cell lung cancer with relapsed or extensive-disease small-cell lung cancer.	Lung Cancer	53(2)	189-95	2006
Takigawa, N., Takeyama, M., Shibayama, T., Tada, A., Kawata, N., Okada, C., Aoe, K., Kozuki, T., Hotta, K., Tabata, M., <u>Kiura, K.</u> , Ueoka, H., Tanimoto, M., Takahashi, K.	The combination effect of amrubicin with cisplatin or irinotecan for small-cell lung cancer cells.	Oncol Rep	15(4)	837-42	2006

Kurata, T., Matsuo, K., Takada, M., <u>Kawahara, M.</u> , Tsuji, M., Matsubara, Y., Otani, N., Matsuyama, S., Muraishi, K., Fujita, T., Ishikawa, M., Koyano, K., Okamoto, I., Satoh, T., Tamura, K., Nakagawa, K., and Fukuoka, M.,	Is the importance of achieving stable disease different between Epidermal growth factor receptor tyrosine kinase inhibitors and cytotoxic agents in the second-line setting for advanced non-small cell lung cancer?.	J Thorac Oncol	1(7)	684-691	2006
Yana, T., <u>Negoro, S.</u> , Takada, M., Yokota, S., Takada, Y., Sugiura, T., Yamamoto, H., Sawa, T., <u>Kawahara, M.</u> , Katakami, N., Ariyoshi, Y., Fukuoka, M.	Phase II study of amrubicin in previously untreated patients with extensive-disease small cell lung cancer: West Japan thoracic oncology group (WJTOG) study.	Invest New Drugs	25(3)	253-258	2007
<u>Kawahara, M.</u>	Irinotecan in the treatment of small cell lung cancer: a review of patient safety considerations.	Expert Opin Drug Saf.	5	303-312	2006
Sasaki, H., Shimizu, S., Endo, K., Takada, M., <u>Kawahara, M.</u> , Tanaka, H., Matsumura, A., Iuchi, K., Haneda, H., Suzuki, E., Kobayashi, Y., Yano, M., and Fujii, Y.	EGFR and ErobB2 mutation status in Japanese lung cancer patients.	Int J Cancer	118	180-184	2006
Kawaguchi, T., Matsumura, A., Iuchi, K., Ishikawa, S., Maeda, H., Fukai, S., Komatsu, H., <u>Kawahara, M.</u>	Second primary cancers in patients with Stage III non-small cell lung cancer successfully treated with chemo-radiotherapy.	Jpn J Clin Oncol	36(1)	4-11	2006
Yoshimura, N., Kudoh, S., Kimura, T., Mitsuoka, S., Matsuura, K., Hirata, K., Matsui, K., <u>Negoro, S.</u> , Nakagawa, K., Fukuoka, M.	EKB-569, a new irreversible epidermal growth factor receptor tyrosine kinase inhibitor, with clinical activity in patients with non-small cell lung cancer with acquired resistance to gefitinib.	Lung Cancer	51(3)	363-368	2006

Saito, H., Takada, Y., Ichinose, Y., Eguchi, K., Kudoh, S., Matsui, K., <u>Nakagawa, K.</u> , Takada, M., Negoro, S., Tamura, K., Ando, M., Tada, T., Fukuoka, M.	Phase II Study of etoposide and cisplatin with concurrent twice-daily thoracic radiotherapy followed by irinotecan and cisplatin in patients with limited-disease small-cell lung cancer : West Japan thoracic oncology group 9902.	J Clin Oncol	24 (33)	5247-5252	2006
Ohe, Y., Ohashi, Y., Kubota, K., <u>Tamura, T.</u> , <u>Nakagawa, K.</u> , <u>Negoro, S.</u> , <u>Nishiwaki, Y.</u> , <u>Saijo, N.</u> , Ariyoshi, Y., Fukuoka, M., for the FACS Cooperative Group.	Randomized phase III study of cisplatin plus irinotecan versus carboplatin plus paclitaxel, cisplatin plus gemcitabine, and cisplatin plus vinorelbine for advanced non-small-cell lung cancer: Four-Arm Cooperative study in Japan.	Ann Oncol	18	317-23	2007
Yoh, K., Niho, S., Goto, K., Ohmatsu, H., Kubota, K., Kakinuma, R., Saijo, N., <u>Nishiwaki, Y.</u>	Randomized trial of drip infusion versus bolus injection of vinorelbine for the control of local venous toxicity.	Lung Cancer	55	337-41	2007
Minegishi, Y., Tsukino, H., Muto, M., Goto, K., Gemma, A., Tsugane, S., Kudoh, S., <u>Nishiwaki, Y.</u> , Esumi, H.	Susceptibility to lung cancer and genetic polymorphisms in the alcohol metabolite-related enzymes alcohol dehydrogenase 3, aldehyde dehydrogenase 2, and cytochrome P450 2E1 in the Japanese population.	Cancer	110	353-62	2007
Yoh, K., Kubota, K., Kakinuma, R., Ohmatsu, H., Goto, K., Niho, S., <u>Saijo, N.</u> , <u>Nishiwaki, Y.</u>	Phase II trial of carboplatin and paclitaxel in non-small cell lung cancer patients previously treated with chemotherapy.	Lung Cancer	58	73-79	2007
<u>Saijo, N.</u>	Clinical trials across continents: Drug development challenges regarding international collaborations.	ASCO 2007 Educational Book		177-179	2007
Sekine, I., Minna, J.D., Nishio, K., <u>Saijo, N.</u> , <u>Tamura, T.</u>	Genes regulating the sensitivity of solid tumor cell lines to cytotoxic agents: a literature review.	Jpn J Clin Oncol	37(5)	329-336	2007

Minami, H., Sai, K., Saeki, M., Saito, Y., Ozawa, S., Suzuki, K., Kaniwa, N., Sawada, J., Hamaguchi, T., Yamamoto, N., Shirao, K., Yamada, Y., Ohmatsu, H., Kubota, K., Yoshida, T., Ohtsu, A., <u>Saijo, N.</u>	Irinotecan pharmacokinetics/pharmacodynamics and UGT1A1 genetic polymorphisms in Japanese: roles of UGT1A1*6 and *28.	Pharmacogenetics Genomics	17(7)	497-504	2007
<u>Okamoto, H.</u> , Watanabe, K., Kunikane, H., <u>Yokoyama, A.</u> , Kudoh, S., Asakawa, T., Shibata, T., Kunitoh, H., <u>Tamura, T.</u> , <u>Saijo, N.</u>	Randomized phase III trial of carboplatin plus etoposide vs split doses of cisplatin plus etoposide in elderly or poor risk patients with extensive disease small-cell lung cancer: JCOG9702.	Br J Cancer	97(2)	162-169	2007
Niho, S., Fujii, H., Murakami, K., Nagase, S., Yoh K., Goto, K., Ohmatsu, H., Kubota, K., Sekiguchi, R., Nawano, S., <u>Saijo, N.</u> , Nishiwaki, Y.	Detection of unsuspected distant metastases and/or regional nodes by FDG-PET in LD-SCLC scan in apparent limited-disease small-cell lung cancer.	Lung Cancer	57(3)	328-333	2007
Sekine, I., Nokihara, H., Yamamoto, N., Kunitoh, H., Ohe, Y., <u>Saijo, N.</u> , <u>Tamura, T.</u>	Problems with registration-directed clinical trials for lung cancer in Japan.	Tohoku J Exp Med	213(1)	17-23	2007
Takano, T., Ohe, Y., Tsuta, K., Fukui, T., Sakamoto, H., Yoshida, T., Tateishi, U., Nokihara, H., Yamamoto, N., Sekine, I., Kunitoh, H., Matsuno, Y., Furuta, K., <u>Tamura, T.</u>	Epidermal growth factor receptor mutation detection using high-resolution melting analysis predicts outcomes in patients with advanced non small cell lung cancer treated with gefitinib.	Clin Cancer Res.	13(18)	5385-90	2007
Fujiwara, Y., Sekine, I., Tsuta, K., Ohe, Y., Kunitoh, H., Yamamoto, N., Nokihara, H., Yamada, K., <u>Tamura, T.</u>	Effect of platinum combined with irinotecan or paclitaxel against large cell neuroendocrine carcinoma of the lung.	Jpn J Clin Oncol.	37(7)	482-6	2007
Sekine, I., Yamada, K., Nokihara, H., Yamamoto, N., Kunitoh, H., Ohe, Y., <u>Tamura, T.</u>	Bodyweight change during the first 5 days of chemotherapy as an indicator of cisplatin renal toxicity.	Cancer Sci.	98(9)	1408-12	2007

Fujiwara, Y., Sekine, I., Ohe, Y., Kunitoh, H., Yamamoto, N., Nokihara, H., Simmyo, Y., Fukui, T., Yamada, K., <u>Tamura, T.</u>	Serum total bilirubin as a predictive factor for severe neutropenia in lung cancer patients treated with Cisplatin and irinotecan.	Jpn J Clin Oncol.	37(5)	358-64	2007
Shimizu, T., Sekine, I., Sumi, M., Ito, Y., Yamada, K., Nokihara, H., Yamamoto, N., Kunitoh, H., Ohe, Y., <u>Tamura, T.</u>	Concurrent chemoradiotherapy for limited-disease small cell lung cancer in elderly patients aged 75 years or older.	Jpn J Clin Oncol.	37(3)	181-5	2007
Yokoi, K., Matsuguma, H., Nakahara, R., Kondo, T., Kamiyama, Y., <u>Mori, K.</u> , Miyazawa, N.	Multidisciplinary treatment for advanced invasive thymoma with cisplatin, doxorubicin, and methylprednisolone	J Thorac Oncol	2	73-78	2007
<u>Mori, K.</u> , Kamiyama, Y., Kondo, T., Kano, Y., Kodam, T.	Phase II study of weekly chemotherapy with paclitaxel and gemcitabine as second-line treatment for advanced non-small cell lung cancer after treatment with platinum-based chemotherapy	Cancer Chemother Pharmacol	60	189-195	2007
Seki, N., Seto, T., <u>Okamoto, H.</u> , Ogura, T., Shibuya, M., Takiguchi, Y., Shinkai, T., Masuda, N., and Watanabe, K.	Phase I/II study of oral TS-1 and gemcitabine in elderly patients with advanced non-small-cell-lung cancer (NSCLC): Thoracic Oncology Research Group Study 0502.	J Thorac Oncol	2	S456	2007
Oshita, F., Saito, H., Yamada, K., <u>Noda, K.</u>	Phase II study of paclitaxel and irinotecan chemotherapy in patients with advanced nonsmall cell lung cancer	Am J Clin Oncol	30(4)	358-360	2007
Yoshida, K., Yatabe, Y., Park, J.Y., Shimizu, J., Horio, Y., Matsuo, K., Kosaka, T., Mitsudomi, T., <u>Hida, T.</u>	Prospective validation for prediction of gefitinib sensitivity by epidermal growth factor receptor gene mutation in patients with non-small cell lung cancer.	J Thorac Oncol	2	22-28	2007
Taniguchi, T., Karnan, S., Fukui, T., Yokoyama, T., Tagawa, H., Yokoi, K., Ueda, Y., Mitsudomi, T., Horio, Y., <u>Hida, T.</u> , Yatabe, Y., Seto, M., Sekido, Y.	Genomic profiling of malignant pleural mesothelioma with array-based comparative genomic hybridization shows frequent non-random chromosomal alteration regions including JUN amplification on 1p32.	Cancer Sci	98	438-446	2007

Suzuki, T., Matsuo, K., Hiraki, A., Saito, T., Sato, S., Yatabe, Y., Mitsudomi, T., <u>Hida, T.</u> , Ueda, R., Tajima, K.	Impact of non-carbon metabolism-related gene polymorphisms on risk of lung cancer in Japan: a case-control study.	Carcinogenesis	28	1718-1725	2007
Nagai, H., Sugito, N., Matsubara, H., Tatematsu, Y., <u>Hida, T.</u> , Sekido, Y., Nagino, M., Nimura, Y., Takahashi, T., Osada, H.	CLCP1 interacts with semaphorin 4B and regulates motility of lung cancer cells.	Oncogene	26	4025-4031	2007
Ueno, K., Kusunoki, Y., <u>Imamura, F.</u> , Yoshimura, Mana., Yoshimura, M., Yamamoto, S., Uchida, J., Tsukamoto, Y.,	Clinical experience with autofluorescence imaging system in patients with lung cancers and precancerous lesions.	Respiration	74	304-308	2007
Kawahara, K., Nagano, T., <u>Matsui, K.</u> , Kawai, T., Iwasaki, T.	Pleural sarcomatoid malignant mesothelioma consisting of histiocytoid cells.	Pathology International	57(4)	229-231	2007
He, P., Naka, T., Serada, S., Fujimoto, M., Tanaka, T., Hashimoto, S., Shima, Y., Yamadori, T., Suzuki, H., Hirashima, T., <u>Matsui, K.</u> , Shiono, H., Okumura, M., Nishida, T., Tachibana, I., Norioka, N., Norioka, S., Kawase, I.	Proteomics-based identification of alpha-enolase as a tumor antigen in non-small lung cancer.	Cancer Sci	98(8)	1234-40	2007
Ohe, Y., Ohashi, Y., Kubota, K., <u>Tamura, T.</u> , <u>Nakagawa, K.</u> , <u>Negoro, S.</u> , <u>Nishiwaki, Y.</u> , Saijo, N., Ariyoshi, Y., Fukuoka, M.	Randomized phase III study of cisplatin plus irinotecan versus carboplatin plus paclitaxel, cisplatin plus gemcitabine, and cisplatin plus vinorelbine for advanced non-small-cell lung cancer: Four-Arm Cooperative Study in Japan.	Ann Oncol	18(2)	317-23	2007
Okabe T, Okamoto I, Tamura K, Terashima M, Yoshida T, Satoh T, Takada M, Fukuoka M, <u>Nakagawa K</u>	Differential constitutive activation of the epidermal growth factor receptor in non-small cell lung cancer cells bearing EGFR G	<u>Cancer Res.</u>	67(5)	2046-53	2007
Ikeda, M., Okamoto, I., Tamura, K., Satoh, T., Yonesaka, K., Fukuoka, M., <u>Nakagawa, K.</u>	Down-regulation of survivin by ultraviolet C radiation is dependent on p53 and results in G(2)-M arrest in A549 cells.	Cancer Lett	248(2)	292-8	2007

Akashi, Y., Okamoto, I., Suzuki, M., Tamura, K., Iwasa, T., Hisada, S., Satoh, T., Nakagawa, K., Ono, K., Fukuoka, M.	The novel microtubule-interfering agent TZT-1027 enhances the anticancer effect of radiation in vitro and in vivo.	British Journal of Cancer	96 (10)	1532-39	2007
Shimizu, T., Satoh, T., Tamura, K., Ozaki, T., Okamoto, I., Fukuoka, M., Nakagawa, K.	Oxaliplatin / fluorouracil / leucovorin (FOLFOX4 and modified FOLFOX6) in patients with refractory or advanced colorectal cancer: Post approval Japanese population experience.	Int J Clin Oncol	12(3)	218-23	2007
Tamura, K., Nakagawa, K., Kurata, T., Satoh, T., Nogami, T., Takeda, K., Mitsuoka, S., Yoshimura, N., Kudoh, S., Negoro, S., Fukuoka, M.	Phase I study of TZT-1027, a novel synthetic dolastatin 10 derivative and inhibitor of tubulin polymerization, which was administered to patients with advanced solid tumors on days 1 and 8 in 3-week courses.	Cancer Chemother Pharmacol	60(2)	285-93	2007
Ozaki, T., Tamura, K., Satoh, T., Kurata, T., Shimizu, T., Miyazaki, M., Okamoto, I., Nakagawa, K., Fukuoka, M.	Phase I Study of Combination Therapy with S-1 and Weekly Docetaxel for Advanced Gastric Cancer.	AnticancerRes	27 (4C)	2657-66	2007
Nishimura, Y., Nakagawa, K., Takeda, K., Tanaka, M., Segawa, Y., Tsujino, K., Negoro, S., Fuwa, N., Hida, T., Kawahara, M., Katakami, N., Hirokawa, K., Yamamoto, N., Fukuoka, M., Ariyoshi, Y.	Phase I/II trial of sequential chemoradiotherapy using a novel hypoxic cell radiosensitizer, doranidazole(pr-350), in patients with locally advanced non-small-cell lung cancer(WJOTG-0002)	Int. J. Radiation Oncology Biol. Phys	69(3)	786-92	2007
Morinaga, R., Okamoto, I., Furuta, K., Kawano, Y., Sekijima, M., Dote, K., Satou, T., Nishio, K., Fukuoka, M., Nakagawa, K.	Sequential occurrence of non-small cell and small cell lung cancer with the same EGFR mutation.	Lung cancer	58 (3)	411-3	2007

Takeda, K., Takifuji, N., Negoro, S., Furuse, K., Nakamura, S., Takada, Y., Hoso, T., Hayasaka, S., Nakano, T., Araki, J., Senba, H., Iwami, F., Yamaji, Y., Fukuoka, M., Ikegami, H.	Phase II study of amrubicin, 9-amino-anthracycline, in patients with advanced non-small-cell lung cancer: a West Japan Thoracic Oncology Group (WJTOG) study.	Invest New Drug	25 (4)	377-383	2007
Takigawa, N., Takeyama, M., Kozuki, T., Shibayama, T., Hisamoto, A., Kiura, K., Tada, A., Hotta, K., Umemura, S., Ohashi, K., Fujiwara, Y., Takata, S., Ichihara, E., Osawa, M., Tabata, M., Tanimoto, M., Takahashi, K.	Combination of SN-38 with gefitinib or imatinib overcomes SN-38-resistant small-cell lung cancer cells.	Oncol Rep	17(5)	983-987	2007
Tabata, M., Kiura, K., Okimoto, N., Segawa, Y., Shinkai, T., Yonei, T., Kuyama, S., Harita, S., Hotta, K., Ueoka, H., Tanimoto, M.	A phase II trial of cisplatin and irinotecan alternating with doxorubicin, cyclophosphamide and etoposide in previously untreated patients with extensive-disease small-cell lung cancer.	Cancer Chemother Pharmacol.	60(1)	1-6	2007
Osawa, M., Takigawa, N., Kiura, K., Ichimura, K., Matsuoka, J., Hotta, K., Tabata, M., Tanimoto, M.	Isolated metastasis of lung cancer to the thyroid gland.	Lung Cancer	58(1)	156-158	2007
Fujiwara, Y., Hotta, K., Kiura, K.	Prophylactic cranial irradiation in small-cell lung cancer.	N Engl J Med.	357 (19)	1977-1978	2007
Sasaki, H., Endo, K., Okuda, K., Kawano, O., Kitahara, N., Tanaka, H., Matsumura, A., Iuchi, K., Takada, M., Kawahara, M., Kawaguchi, T., Yukiue, H., Yokoyama, T., Yano, M., Fujii, Y.	Epidermal growth factor receptor gene amplification and gefitinib sensitivity in patients with recurrent lung cancer	J Cancer Res Clin Oncol	134 (5)	569-577	2007

Oshida, K., Sugiura, T., Takifuji, N., <u>Kawahara, M.</u> , <u>Matsui, K.</u> , Kudoh, S., Takada, M., Fukuoka, M., Ariyoshi, Y., Fukuda, H., <u>Saijo, N.</u>	Randomized phase II trial of three intrapleural therapy regimens for the management of malignant pleural effusion in previously untreated non-small cell lung cancer: JCOG 9515	Lung Cancer	58(3)	362-368	2007
Sasaki, H., Endo, K., Takada, M., <u>Kawahara, M.</u> , Kitahara, N., Tanaka, H., Okumura, M., Matsumura, A., Iuchi, K., Kawaguchi, T., Kawano, O., Yukiue, H., Yokoyama, T., Yano, M., Fujii, Y.	EGFR exon 20 insertion mutation in Japanese lung cancer	Lung Cancer.	58	324-328	2007
Yana, T., <u>Negoro, S.</u> , Takada, M., Yokota, S., Takada, Y., Sugiura, T., Yamamoto, H., Sawa, T., Kawahara, M., Katakami, N., Ariyoshi, Y., Fukuoka, M.	Phase II study of amrubicin in previously untreated patients with extensive-disease small cell lung cancer: West Japan Thoracic Oncology Group (WJTOG) study.	Invest New Drugs	25	253-258	2007
Kim, YH., <u>Goto, K.</u> , Yoh, K., Niho, S., Ohmatsu, H., Kubota, K., <u>Saijo, N.</u> , Nishiwaki, Y.	Performance status and sensitivity to first-line chemotherapy are significant prognostic factors in patients with recurrent small cell lung cancer receiving second-line chemotherapy.	Cancer	113(9)	2518-2523	2008
Kim, YH., Ishii, G., <u>Goto, K.</u> , Ota, S., Kubota, K., Murata, Y., Mishima, M., <u>Saijo, N.</u> , Nishiwaki, Y., Ochiai, A.	Expression of breast cancer resistance protein is associated with a poor clinical outcome in patients with small-cell lung cancer.	Lung Cancer		In press	2009
Naito, Y., Kubota, K., Nihei, K., Fujii, T., Yoh, K., Niho, S., <u>Goto, K.</u> , Ohmatsu, H., <u>Saijo, N.</u> , Nishiwaki, Y.	Concurrent chemoradiotherapy with cisplatin and vinorelbine for stage III non-small cell lung cancer.	J Thorac Oncol	3(6)	617-622	2008
Niho, S., Kubota, K., Yoh, K., <u>Goto, K.</u> , Ohmatsu, H., Nihei, K., <u>Saijo, N.</u> , Nishiwaki, Y.	Clinical outcome of chemoradiation therapy in patients with limited-disease small cell lung cancer with ipsilateral pleural effusion.	J Thorac Oncol	3(7)	723-727	2008

Ota, S., Ishii, G., <u>Goto, K.</u> , Kubota, K., Kim, YH., Kojika, M., Murata, Y., Yamazaki, M., Nishiwaki, Y., Eguchi, K., Ochiai, A.	Immunohistochemical expression of BCRP and ERCC1 in biopsy specimen predicts survival in advanced non-small-cell lung cancer treated with cisplatin-based chemotherapy.	Lung Cancer	64(1)	98-104	2009
Saito-Nakaya, K., Nakaya, N., Akechi, T., Inagaki, M., Asai, M., <u>Goto, K.</u> , Nagai, K., Nishiwaki, Y., Tsugane, S., Fukudo, S., Uchitomi, Y.	Marital status and non-small cell lung cancer survival: the Lung Cancer Database Project in Japan.	Psychooncology	17(9)	869-876	2008
Shiraishi, K., Kohno, T., Kunitoh, H., Watanabe, S., <u>Goto, K.</u> , Nishiwaki, Y., Shimada, Y., Hirose, H., Saito, I., Kuchiba, A., Yamamoto, S., Yokota, J.	Contribution of nicotine acetylcholine receptor polymorphisms to lung cancer risk in a smoking-independent manner in the Japanese.	Carcinogenesis	30(1)	65-70	2009
Yoh, K., Nishiwaki, Y., Ishii, G., <u>Goto, K.</u> , Kubota, K., Ohmatsu, H., Niho, S., Nagai, K., Saijo, N.	Mutational status of EGFR and KIT in thymoma and thymic carcinoma.	Lung Cancer	62(3)	316-320	2008
Kubota, K., Nishiwaki, Y., <u>Tamura, T.</u> , <u>Nakagawa, K.</u> , <u>Matsui, K.</u> , Watanabe, K., <u>Hida, T.</u> , <u>Kawahara, M.</u> , Katakami, N., <u>Takeda, K.</u> , <u>Yokoyama, A.</u> , <u>Noda, K.</u> , Fukuoka, M., Saijo, N.	Efficacy and safety of erlotinib monotherapy for Japanese patients with advanced non-small cell lung cancer: A phase II study.	J Thorac Oncol	3(12)	1439-1445	2008
Maruyama, R., Nishiwaki, Y., <u>Tamura, T.</u> , Yamamoto, N., Tsuboi, M., <u>Nakagawa, K.</u> , Shinkai, T., <u>Negoro, S.</u> , <u>Imamura, F.</u> , Eguchi, K., <u>Takeda, K.</u> , Inoue, A., Tomii, K., Harada, M., Masuda, N., Jiang, H., Itoh, Y., Ichinose, Y., <u>Saijo, N.</u> , Fukuoka, M.	Phase III study, V-15-32, of gefitinib versus docetaxel in previously treated Japanese patients with non-small-cell lung cancer.	J Clin Oncol	26 (26)	4244-4252	2008

Saito, Y., Sai, K., Maekawa, K., Kaniwa, N., Shirao, K., Hamaguchi, T., Yamamoto, N., Kunitoh, H., Ohe, Y., Yamada, Y., <u>Tamura, T.</u> , Yoshida, T., Minami, H., Ohtsu, A., Matsumura, Y., <u>Saijo, N.</u> , Sawada, J.	Close association of UGT1A9 IVS1+399C>T with UGT1A1*28, *6, or *60 haplotype and its apparent influence on 7-ethyl-10-hydroxycamptothecin (SN-38) glucuronidation in Japanese.	Drug Metab Dispos.	37(2)	272-276	2009
Ohe, Y., Ichinose, Y., <u>Nakagawa, K.</u> , <u>Tamura, T.</u> , Kubota, K., Yamamoto, N., Adachi, S., Nambu, Y., Fujimoto, T., Nishiwaki, Y., <u>Saijo, N.</u> , Fukuoka, M.	Efficacy and safety of two doses of pemetrexed supplemented with folic acid and vitamin B12 in previously treated patients with non-small cell lung cancer.	Clin Cancer Res	14 (13)	4206-4212	2008
Tatewaki, N., Maekawa, K., Katori, N., Kurose, K., Kaniwa, N., Yamamoto, N., Kunitoh, H., Ohe, Y., Nokihara, H., Sekine, I., <u>Tamura, T.</u> , Yoshida, T., <u>Saijo, N.</u> , Saito, Y., Sawada, J.	Genetic Variations and Haplotype Structures of the Glutathione S-transferase Genes, GSTT1 and GSTM1, in a Japanese Patient Population.	Drug Metab Pharmacokin	24(1)	118-126	2009
Takeda, K., <u>Negoro, S.</u> , <u>Tamura, T.</u> , Nishiwaki, Y., Kudoh, S., Yokota, S., <u>Matsui, K.</u> , Semba, H., <u>Nakagawa, K.</u> , Takada, Y., Ando, M., Shibata, T., <u>Saijo, N.</u>	Phase III trial of docetaxel plus gemcitabine versus docetaxel in second-line treatment for non-small-cell lung cancer: results of a Japan Clinical Oncology Group trial (JCOG0104).	Ann Oncol		In press	2009
Kiura, K., <u>Nakagawa, K.</u> , Shinkai, T., Eguchi, K., Ohe, Y., Yamamoto, N., Tsuboi, M., Yokota, S., Seto, T., Jiang, H., Nishio, K., <u>Saijo, N.</u> , Fukuoka, M.	A randomized, double-blind, phase IIa dose-finding study of Vandetanib (ZD6474) in Japanese patients with non-small cell lung cancer.	J Thorac Oncol	3(4)	386-393	2008
Sai, K., Saito, Y., Sakamoto, H., Shirao, K., Kurose, K., Saeki, M., Ozawa, S., Kaniwa, N., Hirohashi, S., <u>Saijo, N.</u> , Sawada, J., Yoshida, T.	Importance of UDP-glucuronosyltransferase 1A1*6 for irinotecan toxicities in Japanese cancer patients.	Cancer Lett	261 (2)	165-171	2008

<u>Saijo, N.</u>	A hypothesis to explain the response differences seen in the V15-32, INTEREST and IPASS trials.	Clin Practice Oncol		In press	2009
<u>Saijo, N.</u>	Population differences in the use of EGFR-targeted agents.	Clin Adv Hematol Oncol.	6(10)	730-732	2008
<u>Saijo, N.</u>	Molecularly targeted therapy for lung cancer: recent topics.	J Lung Cancer	7(1)	1-8	2008
Kunitoh, H., <u>Tamura, T.</u> , Shibata, T., Imai, M., Nishiwaki, Y., Nishio, M., <u>Yokoyama, A.</u> , Watanabe, K., <u>Noda, K.</u> , <u>Saijo, N.</u> JCOG Lung Cancer Study Group,	A randomised trial of intrapericardial bleomycin for malignant pericardial effusion with lung cancer (JCOG9811).	Br J Cancer	100 (3)	464-469	2009
Kunitoh, H., Kato, H., Tsuboi, M., Shibata, T., Asamura, H., Ichonose, Y., Katakami, N., Nagai, K., Mitsudomi, T., Matsumura, A., <u>Nakagawa, K.</u> , Tada, H., <u>Saijo, N.</u>	Phase II trial of preoperative chemoradiotherapy followed by surgical resection in patients with superior sulcus non-small-cell lung cancers: report of Japan Clinical Oncology Group trial 9806.	J Clin Oncol	26(4)	644-649	2008
<u>Nakagawa, K.</u> , Yamazaki, K., Kunitoh, H., <u>Hida, T.</u> , Gemba, K., Shinkai, T., Ichinose, Y., Adachi, S., Nambu, Y., <u>Saijo, N.</u> , Fukuoka, M.	Efficacy and safety of pemetrexed in combination with cisplatin for malignant pleural mesothelioma: a phase I/II study in Japanese patients.	Jpn J Clin Oncol	38(5)	339-346	2008
Sekine, I., Yamamoto, N., Nishio, K., <u>Saijo, N.</u>	Emerging ethnic differences in lung cancer therapy.	Br J Cancer	99 (11)	1757-1762	2008
Suzuki, Y., Tokuda, Y., Fujiwara, Y., Minami, H., Ohashi, Y., <u>Saijo, N.</u>	Weekly epoetin beta maintains haemoglobin levels and improves quality of life in patients with non-myeloid malignancies receiving chemotherapy.	Jpn J Clin Oncol	38(3)	214-221	2008
Tsuboi, M., Ezaki, K., Tobinai, K., Ohashi, Y., <u>Saijo, N.</u>	Weekly administration of epoetin beta for chemotherapy-induced anemia in cancer patients: results of a multicenter, Phase III, randomized, double-blind, placebo-controlled study.	Jpn J Clin Oncol	39(3)	163-168	2009

Sekine, I., Nokihara, H., <u>Takeda, K.</u> , Nishiwaki, Y., <u>Nakagawa, K.</u> , Isobe, H., <u>Mori, K.</u> , <u>Matsui, K.</u> , <u>Saijo, N.</u> , <u>Tamura, T.</u>	Randomised phase II trial of irinotecan plus cisplatin vs irinotecan, cisplatin plus etoposide repeated every 3 weeks in patients with extensive-disease small-cell lung cancer.	Br J Cancer	94(4)	693-696	2008
Fukui, T., Ohe, Y., Tsuta, K., Furuta, K., Sakamoto, H., Takano, T., Nokihara, H., Yamamoto, N., Sekine, I., Kunitoh, H., Asamura, H., Tsuchida, T., Kaneko, M., Kusumoto, M., Yamamoto, S., Yoshida, T., <u>Tamura, T.</u>	Prospective study of the accuracy of EGFR mutational analysis by high-resolution melting analysis in small samples obtained from patients with non-small cell lung cancer.	Clin Cancer Res	14 (15)	4751-4757	2008
Goto, Y., Sekine, I., <u>Tamura, T.</u>	Reply: Higher Intensity Does Not Necessary Yield Better Survival in Second-Line Chemotherapy for NSCLC.	J Thorac Oncol	3(9)	1079-1080	2008
Goto, Y., Sekine, I., Yamada, K., Nokihara, H., Yamamoto, N., Kunitoh, H., Ohe, Y., <u>Tamura, T.</u>	Influence of previous chemotherapy on the efficacy of subsequent docetaxel therapy in advanced non-small cell lung cancer patients.	J Thorac Oncol	3(4)	412-416	2008
Kawaishi, M., Fujiwara, Y., Fukui, T., Kato, T., Yamada, K., Ohe, Y., Kunitoh, H., Sekine, I., Yamamoto, N., Nokihara, H., Watabe, T., Shimoda, Y., Arao, T., Nishio, K., <u>Tamura, T.</u> , Koizumi, F.	Circulating endothelial cells in non-small cell lung cancer patients treated with carboplatin and paclitaxel.	J Thorac Oncol	4(2)	208-213	2009
Sekine, I., Nokihara, H., Yamamoto, N., Kunitoh, H., Ohe, Y., <u>Tamura, T.</u>	Risk factors for skeletal-related events in patients with non-small cell lung cancer treated by chemotherapy.	Lung Cancer		In press	2009
Yamamoto, H., Sekine, I., Yamada, K., Nokihara, H., Yamamoto, N., Kunitoh, H., Ohe, Y., <u>Tamura, T.</u>	Gender differences in treatment outcomes among patients with non-small cell lung cancer given a combination of carboplatin and paclitaxel.	Oncology	75 (3-4)	169-174	2008

Takano, T., Fukui, T., Ohe, Y., Tsuta, K., Yamamoto, S., Nokihara, H., Yamamoto, N., Sekine, I., Kunitoh, H., Furuta, K., <u>Tamura, T.</u>	EGFR mutations predict survival benefit from gefitinib in patients with advanced lung adenocarcinoma: a historical comparison of patients treated before and after gefitinib approval in Japan.	J Clin Oncol	26 (34)	5589-5595	2008
Akashi, Y., Okamoto, I., Iwasa, T., Yoshida, T., Suzuki, M., Hatashita, E., Yamada, Y., Satoh, T., Fukuoka, M., Ono, K., <u>Nakagawa, K.</u>	Enhancement of the antitumor activity of ionising radiation by nimotuzumab, a humanised monoclonal antibody to the epidermal growth factor receptor, in non-small cell lung cancer cell lines of differing epidermal growth factor receptor status.	Br J Cancer	98(4)	749-755	2008
Iwasa, T., Okamoto, I., Suzuki, M., Nakahara, T., Yamanaka, K., Hatashita, E., Yamada, Y., Fukuoka, M., Ono, K., <u>Nakagawa, K.</u>	Radiosensitizing effect of YM155, a novel small-molecule survivin suppressant, in non-small cell lung cancer cell lines.	Clin Cancer Res	14 (20)	6496-6504	2008
Koivunen, J., Kim, J., Lee, J., Rogers, A., Park, J., Zhao, X., Naoki, K., Okamoto, I., <u>Nakagawa, K.</u> , Yeap, B., Meyerson, M., Wong, K-K., Richards, W., Sugarbaker, D., Johnson, B., JannePA.	Mutations in the LKBI tumour suppressor are frequently detected in tumours from Caucasian but not Asian lung cancer patients.	Br J Cancer	99	245-252	2008
Kudoh, S., Kato, H., Nishiwaki, Y., Fukuoka, M., Nakata, K., Ichinose, Y., Tsuboi, M., Yokota, S., <u>Nakagawa, K.</u> , Suga, M., Jiang, H., Itoh, Y., Armour, A., Watkins, C., Higenbottam, T., Nyberg, F.	Interstitial lung disease in Japanese patients with lung cancer: a cohort and nested case-control study.	Am J Respir Crit Care Med	177 (12)	1348-1357	2008
Morinaga, R., Okamoto, I., Fujita, Y., Arao, T., Sekijima, M., Nishio, K., Ito, H., Fukuoka, M., Kadota, J., <u>Nakagawa, K.</u>	Association of epidermal growth factor receptor (EGFR) gene mutations with EGFR amplification in advanced non-small cell lung cancer.	Cancer Sci	99 (12)	2455-2460	2008