

発表者名	論文タイトル名	発表誌名	巻号	ページ	出版年
Matsubara J, Yamada Y, Hirashima Y, Takahari D, Okita NT, Kato K, Hamaguchi T, Shirao K, <u>Shimada Y</u> , and Shimoda T Suehara Y, Kondo T, Seki K, Shibata T, Fujii K, Gotoh M, Hasegawa T, <u>Shimada Y</u> , Sasako M, Shimoda T, Kurosuwa H, Beppu Y, Kawai A, Hirohashi S Yamada Y, Arao T, Gotoda T, Taniguchi H, Oda I, Shira K, <u>Shimada Y</u> , Hamaguchi T, Kato K, Hamano T, Koizumi F, Tamur T, Saito D, T Shimod T, Saka M, Fukagawa T, Katai H, Sano T, Sasako M, Nishio K Hirashima Y, Yamada Y, Matsubara J, Takahari D, Okita N, Takashima A, Kato K, Hamaguchi T, Shirao K, <u>Shimada Y</u> , Taniguchi H, Shimoda T.	Impact of insulin-like growth factor type 1 receptor, epidermal growth factor receptor, and HER2 expressions on outcomes of patients with gastric cancer. Pfetin as a prognostic biomarker of gastrointestinal stromal tumors revealed by proteomics. Identification of prognostic biomarkers in gastric cancer using endoscopic biopsy samples. Impact of vascular endothelial growth factor receptor 1, 2, and 3 expression on the outcome of patients with gastric cancer.	Clin Cancer Res Clin Cancer Res Cancer Sci Cancer Sci	14(10) 14(6) 99(11) Dec 5	3022-30 29 1707-17 17 2193-21 99	2008 2008 2008 2008
Makuuchi M, <u>Kokudo N</u> , Arii S, Kaneko S, Kawasaki S, Matsuyama Y, Okazaki M, Okita K, Omata M, Saida Y, Takayama T, Yamaoka Y Gai R, Xu H, Qu X, Wang F, Lou H, Han J, Nakata M, <u>Kokudo N</u> , Sugawara Y, Kuroiwa C, Tang W.	Development of evidence-based clinical guidelines for the diagnosis and treatment of hepatocellular carcinoma in Japan. Dynamic of modernizing traditional Chinese medicine and the standards system for its development.	Hepatol Res	38	37-51	2008
Hasegawa K, <u>Kokudo N</u> , Makuuchi M	Surgery or ablation for hepatocellular carcinoma?	Annals of Surgery	247	557-558	2008
Tamura S, Sugawara Y, and <u>Kokudo N</u>	Donor evaluation and hepatectomy for living donor liver transplantation	J Hepatobiliary Pancreat Surg	15	79-91	2008
Inagaki Y, Tang W, Huanli Xu, Fengshan Wang, Nakata M, Sugawara Y, <u>Kokudo N</u>	Des-γ-carboxyprothrombin: Clinical effectiveness and biochemical importance.	BioScience Trends	2(2)	53-60	2008
Xiang C, Zhang W, Inagaki Y, Zhang K, Nakano Y, <u>Kokudo N</u> , Sugawara Y, Jia-Hong , Nakata M, Tang W.	Measurement of Serum and Tissue Des-γ-carboxyprothrombin in Resectable Hepatocellular Carcinoma.	Anticancer Research	28	2219-22 24	2008

発表者名	論文タイトル名	発表誌名	巻号	ページ	出版年
Imamura H,Seyama Y, Makuuchi M, <u>Kokudo N.</u>	Sequential Transcather Arterial Chemoembolization and Portal Vein Embolization for Hepatocellular Caecinoma:The University of Tokyo Experience.	Interventional Radiology	25(2)	146	2008
Matsui Y,Sugawara Y,Noriyo Tamashiki junichi Kaneko,Sumihito Tamura,Junichi Togashi,Makuuchi M and <u>Kokudo N.</u>	Living donor liver transplantaion for fulminant hepatic failure.	Hepatology Research	38	987-996	2008
Hashimoto T, Minagawa, M, Aoki T ,Hasegawa K,Sano K,Imamura H,Sugawara Y,Makuuchi M, <u>Kokudo N.</u>	Caval invasion by liver Tumor is Limited.	J Am Coll Surg	207(3)	383-392	2008
Hasegawa K, Makuuich, M,Takayama T, <u>Kokudo N.</u> , Arii S ,Okazaki M,Okita K, Omata M ,Kudo M,Kojiro M, Nakanuma Y, Takayasu K,Monden M,Matsuyama Y,Ikai I, for the Liver Cancer Study Group of Japan	Surgical resection vs.percutaneous ablation for hepatocellular carcinoma:A preliminary report of the Japanese Nationwide Survey.	Journal of hepatology	49	589-594	2008
<u>Hamashima C.</u> Shibuya D, Yamazaki H, Inoue K, Fukao A, Saito H, Sobue T	The Japanese guidelines for gastric cancer screening.	Jpn J Clin Oncol	38(4)	259-267	2008
<u>Hamashima C.</u> Saito H, Nakayama T, Nakayama T, Sobue T	The Standardized development method of the Japanese guidelines for cancer screening, Evaluation of whole-body cancer screening using 18F-2-deoxy-2-fluoro-D-glucose positron emission tomography: a preliminary report	Jpn J Clin Oncol	38(4)	288-295	2008
<u>Terauchi T.</u> Murano T, Daisaki H, Kanou D, Shoda H, Kakinuma R, <u>Hamashima</u> <u>C.</u> Moriyama N, Kakizoe T.	がん診断と治療:がん検診の現状 と課題。	Ann Nucl Med	22(5)	379-385	2008
<u>濱島ちさと</u>	がん診断と治療:がん検診の現状 と課題。	診療研究	437	5-10	2008
<u>濱島ちさと</u>	肺がん検診:最新のエビデンス。 !	Minds 医療 情報サービ ス			2008
<u>濱島ちさと</u>	がん検診。	がん検診	6(3)	42-47	2008
<u>濱島ちさと</u>	がん検診の重要性と限界。	メディチ ナ	45(8)	1402-14 04	2008
<u>濱島ちさと</u>	正しい情報に基づくがん検診の 受け方。	診療と新薬	45(11)	55-73	2008

発表者名	論文タイトル名	発表誌名	巻号	ページ	出版年
<u>Asamura H</u> , Goya T, Koshiishi Y, Sohara Y, Eguchi K, Mori M, Nakanishi Y, Tsuchiya R, Shimokata K, Inoue H, Nukiwa T, Miyaoka E	Japanese Joint Committee of Lung Cancer Registry. A Japanese Lung Cancer Registry study: prognosis of 13,010 resected lung cancers.	J Thorac Oncol	3	46-52	2008
Kunitoh H, Kato H, Tsuboi M, Shibata T, <u>Asamura H</u> , Ichinose Y, Katakami N, Nagai K, Mitsudomi T, Matsumura A, Nakagawa K, Tada H, Saijo N; Japan Clinical Oncology Group.	Phase II trial of preoperative chemoradiotherapy followed by surgical resection in patients with superior sulcus non-small-cell lung cancers: report of Japan Clinical Oncology Group trial 9806.	J Clin Oncol	26	644-649	2008
<u>Asamura H</u>	Minimally invasive approach to early, peripheral adenocarcinoma with ground-glass opacity appearance.	Ann Thorac Surg	85	S701-S7 04	2008
Kawaguchi T, Watanabe S, Kawachi R, Suzuki K, <u>Asamura H</u> .	The impact of residual tumor morphology on prognosis, recurrence, and fistula formation after lung cancer resection.	J Thorac Oncol	3	599-603	2008
<u>Asamura H</u>	Minimally invasive open surgery approach.	Thorac Surg Clinic	18	269-273	2008
Travis WD, Giroux DJ, Chansky K, Crowley J, <u>Asamura H</u> , Brambilla E, Jett J, Kennedy C, Rami-Porta R, Rusch VW, Goldstraw P	International Staging Committee and Participating Institutions. The IASLC Lung Cancer Staging Project: proposals for the inclusion of broncho-pulmonary carcinoid tumors in the forthcoming (seventh) edition of the TNM Classification for Lung Cancer.	J Thorac Oncol	3	1213-12 23	2008
Kuribayashi H, Tsuta K, Mizutani E, Maeshima AM, Yoshida Y, Gemma A, Kudoh S, <u>Asamura H</u> , Matsuno Y.	Clinicopathological analysis of primary lung carcinoma with heterotopic ossification.	Lung Cancer (in press)			2008
Kunitoh H, Kato H, Tsuboi M, <u>Asamura H</u> , Tada H, Nagai K, Mitsudomi T, Koike T, Nakagawa K, Ichinose Y, Okada M, Shibata T, Saijo N.	A randomised phase II trial of preoperative chemotherapy of cisplatin+docetaxel or docetaxel alone for clinical stage IB/II non-small-cell lung cancer: results of a Japan Clinical Oncology Group trial (JC0G 0204).	Br J Cancer (in press)			2008

発表者名	論文タイトル名	発表誌名	巻号	ページ	出版年
<u>Asamura H</u> , Goya T, Koshiishi Y, Sohara Y, Eguchi K, Mori M, Nakanishi Y, Tsuchiya R, Shimokata K, Inoue H, Nukiwa T, Miyaoka E	A Japanese Lung Cancer Registry study: prognosis of 13,010 resected lung cancers.	J Thorac Oncol	3(1)	46-52	2008
<u>Asamura H</u>	Minimally invasive approach to early, peripheral adenocarcinoma with ground-glass opacity appearance.	Ann Thorac Surg	85(2)	S701-4	2008
<u>Mukai H</u> , Watanabe T, Ando M, Shimizu C, Katsumata N, Kurosumi M, Akashi-Tanaka S, Akiyama F, Komioke Y, <u>Mukai H</u> , Nakamura S, Tsuda H (Committee for Production of Histopathological Criteria for Assessment of Therapeutic Response of the Japanese Breast Cancer Society).	Assessment of different criteria for the pathological complete response (pCR) to primary chemotherapy in breast cancer: standardization is needed. Histopathological criteria for assessment of therapeutic response in breast cancer (2007 version).	Breast Cancer Res Treat			2008
Minami H, Kawada K, Ebi H, Kitagawa K, Kim YI, Araki K, <u>Mukai H</u> , Tahara M, Nakajima H, Nakajima K.	Phase I and pharmacokinetic study of sorafenib, an oral multikinase inhibitor, in Japanese patients with advanced refractory solid tumors.	Cancer Sci	99(7)	1492-14 98	2008
<u>Miyashita M</u> , Arai K, Yamada Y, Owada M, Sasahara T, Kawa M, Mukaiyama T, <u>Miyashita M</u> , Morita T, Ichikawa T, Sato K, Shima Y, Uchitomi Y, <u>Miyashita M</u> , Yasuda M, Baba R, Iwase S, Teramoto R, Nakagawa K, Kizawa Y, Shima Y, Okishiro N, <u>Miyashita M</u> , Tsuneto S, Shima Y. The Japan	Discharge from a palliative care unit: prevalence and related factors from a retrospective study in Japan. Quality indicators of end-of-life cancer care from the bereaved family members' perspective in Japan. Inter-rater reliability of proxy simple symptom assessment scale between physician and nurse: A hospital-based palliative care team setting. Hospice and Palliative care Evaluation study (J-HOPE study): views about legalization of death with dignity and euthanasia among the bereaved whose family member died at palliative care units.	J Palliat Med (in press) J Pain Symptom Manage (in press) Eur J Cancer Care (in press) Am J Hosp Palliat Med (in press)			

発表者名	論文タイトル名	発表誌名	巻号	ページ	出版年
Sanjo M, Morita T, Miyashita M, Shiozaki M, Sato K, Hirai K, Shima Y, Uchitomi Y.	Caregiving Consequence Inventory: A measure for evaluating caregiving consequence from the bereaved family member's perspective.	Psychooncology (in press)			
Yamagishi A, Morita T, Miyashita M, Kimura F.	Symptom prevalence and longitudinal follow-up in cancer outpatients receiving chemotherapy.	J Pain Symptom Manage (in press)			
Morita T, Murata H, Kishi E, Miyashita M, Yamaguchi T, Uchitomi Y.	Meaninglessness in terminally ill cancer patients: a randomized controlled study.	J Pain Symptom Manage (in press)			
Kusajima E, Kawa M, Miyashita M, Kazuma K, Okabe T.	Prospective evaluation of transition to specialized home palliative care in Japan.	Am J Hosp Palliat Med (in press)			
Miyashita M, Morita T, Hirai K, E	valuation of end-of-life cancer care from the perspective of bereaved family members: The Japanese experience.	J Clin Oncol	26(23)	3845-3852	2008
Miyashita M, Narita Y, Sakamoto A, Kawada N, Akiyama M, Kayama M, Suzukamo Y, Fukuhara S.	Care burden and depression in caregivers caring for patients with intractable neurological diseases at home in Japan.	J Neurol Sci	276	148-152	2009
Miyashita M, Misawa T, Abe M, Nakayama Y, Abe K, Kawa M.	Quality of life, day hospice needs, and satisfaction of community-dwelling advanced cancer patients and their caregivers in Japan.	J Palliat Med	11(9)	1203-1207	2008
Miyashita M, Morita T, Tsuneto S, Sato K, Shima Y.	The Japan Hospice and Palliative care Evaluation study (J-HOPE study): Study design and characteristics of participating institutions.	Am J Hosp Palliat Med	25(3)	223-232	2008
Miyashita M, Morita T, Sato K, Hirai K, Shima Y, Uchitomi Y.	Good Death Inventory: A measure for evaluating good death from the bereaved family member's perspective.	J Pain Symptom Manage	35(5)	486-498	2008
Miyashita M, Morita T, Sato K, Hirai K, Shima Y, Uchitomi Y.	Factors contributing to evaluation of a good death from the bereaved family member's perspective.	Psychooncology	17(6)	612-620	2008
Miyashita M, Sato K, Morita T, Suzuki M.	Effect of a population-based educational intervention focusing on end-of-life home care, life-prolonging treatment, and knowledge about palliative care.	Palliat Med	22(4)	376-382	2008
Ono R, Higashi T, Suzukamo Y, et al.	Higher internality of health locus of control is associated with the use of complementary and alternative medicine providers among patients seeking care for acute low-back pain.	Clin J Pain	24(8)	725-730	2008

発表者名	論文タイトル名	発表誌名	巻号	ページ	出版年
Matsuda F, Ishimura S, Wagatsuma Y, <u>Higashi T</u> , Hayashi T, Faruque AS, Sack DA, Nishibuchi M.	Prediction of epidemic cholera due to Vibrio cholerae O1 in children younger than 10 years using climate data in Bangladesh.	Epidemiol Infect	136(1)	73-79	2008
<u>東 尚弘</u>	米国がん登録を利用した診療の 質向上活動。	癌と化学療 法	35(8)	1445-14 49	2008
<u>東 尚弘、祖父江友孝</u>	がん医療水準均一化をめざし た取り組み。	日本外科学 会雑誌	109(1)	45-49	2008