

III. 研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
森田達也、木澤義之、秋月伸哉、他		森田達也、木澤義之、戸谷美紀	緩和ケアチームの立ち上げ方・進め方	青海社	東京	2008	
木澤義之、森田達也(編)、他		社団法人日本医師会(監)	がん性疼痛治療のエッセンス	青海社	東京	2008	
木澤義之、森田達也(編)		社団法人日本医師会(監)	がん緩和ケアガイドブック2008年版	青海社	東京	2008	
森田達也	緩和医療(終末期医療、在宅ケア)	中川和彦(編集)、勝俣範之、西尾和人、畠清彦、朴成和(共同編集)	NAVIGATOR Cancer Treatment Navigator	メディカルレビュー社	東京	2008	278-279

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
秋月伸哉	癌患者にみられる代表的な精神症状とその対策「うつ病」	コンセンサス癌治療	7巻1号	10-13	2008
清水研、秋月伸哉、他	血幹細胞移植を受ける血液がん患者に対する精神症状スクリーニング	総合病院精神医学	20巻2号	123-128	2008
秋月伸哉	厚生労働科学研究「がん対策のための戦略研究」	腫瘍内科	2巻4号	365-369	2008
藤森麻衣子、秋月伸哉、他	がん医療におけるコミュニケーション技術 がん医療における悪い知らせの際のコミュニケーション教育プログラムの予備的検討	日本癌治療学会誌	43巻2号	329	2008
藤本亘史、森田達也	疼痛マネジメントをするための系統的・継続的評価	月間ナーシング	28	90-94	2008
森田達也	緩和ケアの現在と将来—Introduction for psychiatrists—	臨床精神薬理	11	777-786	2008
山岸暁美、森田達也	緩和ケア普及のための地域プロジェクトーがん対策のための戦略研究「OPTIMプロジェクト」	緩和ケア	18	248-250	2008

<u>森田達也</u>	終末期癌患者における輸液治療 —日本緩和医療学会ガイドラインの概要—	日本医事新報	4390	68-74	2008
山岸暁美, <u>森田達也</u> , 他	研究プロジェクト①地域介入研究（戦略研究）	緩和医療学	10	215-222	2008
河正子, <u>森田達也</u>	研究プロジェクト⑧スピリチュアルケア	緩和医療学	10	256-262	2008
安藤満代, <u>森田達也</u>	終末期がん患者へのライフレビュー—その現状と展望—	看護技術	54	65-69	2008
安藤満代, <u>森田達也</u>	終末期がん患者へのスピリチュアルケアとしての短期回想法の実践	看護技術	54	69-73	2008
<u>森田達也</u>	医療連携と緩和医療；OPTIMプロジェクトによる地域介入研究の紹介	コンセンサス癌治療	7	123-125	2008
<u>森田達也</u> , 他	臨床と研究に役立つ 緩和ケアのアセスメント・ツール II. 身体症状 4. 緩和ケアニードのスクリーニングツール	緩和ケア	18(Supp 1)	15-19	2008
<u>森田達也</u>	臨床と研究に役立つ 緩和ケアのアセスメント・ツール IX. 患者・家族における臨床ツール 4. 症状評価のためのツール	緩和ケア	18(Supp 1)	129-131	2008
藤本亘史, <u>森田達也</u>	臨床と研究に役立つ 緩和ケアのアセスメント・ツール X. その他の評価とツール 5. 緩和ケアチーム初期評価表	緩和ケア	18(Supp 1)	157-160	2008
<u>木下寛也</u>	緩和医療と家族ケア 家族の症状理解を促すアプローチ	緩和医療学	10	366-369	2008
星野奈月, <u>木下寛也</u>	がんのチーム医療 抗がん治療からの緩和ケア医の参加	腫瘍内科	2	314-321	2008
<u>木下寛也</u> , 他	がん患者の在宅医療を考える-現状と問題点の解決-	Pharma Medica	26	153-162	2008
清水研, 他	造血幹細胞移植を受ける血液がん患者に対する精神症状スクリーニング。	総合病院精神医学	20	123-128	2008
<u>木澤義之</u>	プライマリ・ケア医の知っておきたい“ミニマム知識” 緩和ケアの普及についてーすべての医師が基本的な緩和ケアを実施できるようにー	日本内科学会雑誌	98巻2号	211-216	2008
<u>木澤義之</u>	【臨床と研究に役立つ緩和ケアのアセスメント・ツール】 その他の評価とツール 緩和ケア初診時データセット	緩和ケア	18	149-156	2008
<u>木澤義之</u>	研究プロジェクト 緩和ケアに関する教育	緩和医療学	10	229-234	2008

<u>Yamagishi A, Morita T, Akizuki N, Kizawa Y, et al</u>	Palliative care in Japan: current status and a nationwide challenge to improve palliative care by the Cancer ControlAct and the Outreach Palliative Care Trial of Integrated Regional Model (OPTIM) study.	Am J Hosp Palliat Care	25	412-418	2008
<u>Shimizu K, Akizuki N, et al</u>	Clinical experience of the modified nurse-assisted screening and psychiatric referral program.	Palliat Support Care	6	29-32	2008
<u>Okamura M, Akizuki N, et al</u>	Clinical experience of the use of a pharmacological treatment algorithm for major depressive disorder in patients with advanced cancer.	Psychooncology	17	154-160	2008
<u>Inagaki M, Akizuki N, Kinoshita H, et al</u>	Plasma interleukin-6 and fatigue in terminally ill cancer patients.	J Pain Symptom Manage	35	153-161	2008
<u>Asai M, Shimizu K, Akizuki N, et al</u>	Psychiatric disorders and background characteristics of cancer patients' family members referred to psychiatric consultation service at National Cancer Center Hospitals in Japan.	Palliat Support Care	6	225-230	2008
<u>Morita T, et al</u>	Palliative care needs of cancer outpatients receiving chemotherapy: an audit of a clinical screening project.	Support Care Cancer	16	101-107	2008
<u>Sato K, Morita T, et al</u>	Quality of end-of-life treatment for cancer patients in general wards and the palliative care unit at a regional cancer center in Japan: a retrospective chart review.	Support Care Cancer	16	113-122	2008
<u>Morita T, et al</u>	Screening for discomfort as the fifth vital sign using an electronic medical recording system: a feasibility study.	J Pain Symptom Manage	35	430-436	2008
<u>Sanjo M, Morita T, et al</u>	Perceptions of specialized inpatient palliative care: a population-based survey in Japan.	J Pain Symptom Manage	35	275-282	2008
<u>Miyashita M, Morita T, et al</u>	Identification of quality indicators of end-of-life cancer care from medical chart review using a modified Delphi method in Japan.	Am J Hosp Palliat Med	25	33-38	2008
<u>Miyashita M, Morita T, et al</u>	Barriers to referral to inpatient palliative care units in Japan: a qualitative survey with content analysis.	Support Care Cancer	16	217-222	2008

Miyashita M, <u>Morita T</u> , et al	Good death inventory: A measure for evaluating good death from the bereaved family member's perspective.	J Pain Symptom Manage	35	486-498	2008
Miyashita M, <u>Morita T</u> , et al	Effect of a population-based educational intervention focusing on end-of-life home care, life-prolonging treatment and knowledge about palliative care.	Palliat Med	22	376-382	2008
Miyashita M, <u>Morita T</u> , et al	The Japan hospice and palliative care evaluation study (J-HOPE Study): study design and characteristics of participating institutions.	Am J Hosp Palliat Med	25	223-232	2008
Miyashita M, <u>Morita T</u> , et al	Factors contributing to evaluation of a good death from the bereaved family member's perspective.	Psycho-Oncology	17	612-620	2008
Sato K, <u>Morita T</u> , et al	Reliability assessment and findings of a newly developed quality measurement instrument: Quality indicators of end-of-life cancer care from medical chart review at a Japanese regional cancer center.	J Palliat Med	11	729-737	2008
Miyashita M, <u>Morita T</u> , et al	Evaluation of end-of-life cancer care from the perspective of bereaved family members: The Japanese experience.	J Clin Oncol	26	3845-3852	2008
Akechi T, <u>Morita T</u> , et al	Psychotherapy for depression among incurable cancer patients.	Cochrane Database Syst Rev	Apr 16	CD005537	2008
Ando M, <u>Morita T</u> , et al	One-week short-term life review interview can improve spiritual well-being of terminally ill cancer patients.	Psycho-Oncology	17	885-890	2008
Tei Y, <u>Morita T</u> , et al	Treatment efficacy of neural blockade in specialized palliative care services in Japan: a multicenter audit survey.	J Pain Symptom Manage	36	461-467	2008
Ando M, <u>Morita T</u> , et al	A pilot study of transformation, attributed meanings to the illness, and spiritual well-being for terminally ill cancer patients.	Palliat Support Care	6	335-340	2008
<u>Morita T</u> , et al	Palliative care in Japan: shifting from the stage of disease to the intensity of suffering.	J Pain Symptom Manage	36	e6-e7	2008
Shiozaki M, <u>Morita T</u> , et al	Measuring the regret of bereaved family members regarding the decision to admit cancer patients to palliative care units.	Psychooncology	17	926-931	2008

<u>Morita T, et al</u>	Meaninglessness in terminally ill cancer patients: A randomized controlled study.	J Pain Symptom Manage	Sep 30: [Epub ahead of print]		2008
<u>Yamagishi A, Morita T, et al</u>	Symptom Prevalence and longitudinal follow-up in cancer outpatients receiving chemotherapy.	J Pain Symptom Manage	Sep 18: [Epub ahead of print]		2008
<u>Sanjo M, Morita T, et al</u>	Caregiving consequences inventory: a measure for evaluating caregiving consequences from the bereaved family member's perspective.	Psychooncology	Nov 24: [Epub ahead of print]		2008
<u>Shimizu K, Akechi T, et al</u>	Clinical experience of the modified nurse-assisted screening and psychiatric referral program.	Palliat Support Care,	6	29-32	2008