

森田達也	緩和医療（終末期医療、在宅ケア）	中川和彦（編集）、勝俣範之、西尾和人、畠清彦、朴成和（共同編集）	NAVIGATOR Cancer Treatment Navigator	メディカルレビュー社	東京	2008	278-279
------	------------------	----------------------------------	--------------------------------------	------------	----	------	---------

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
清水研、秋月伸哉、他	特集 成人病・生活習慣病とうつ病—誤診と見逃しを避けるために 悪性腫瘍とうつ病	成人病と生活習慣病	36	268-272	2006
木澤義之	【がん緩和医療教育の現状と課題】 EPEC-0 日本版の実施について	緩和医療学	8巻1号	3-6	2006
清水研、秋月伸哉、他	婦人科がんにおける心理的問題と精神疾患	総合病院精神医学	19	174-179	2,007
秋月伸哉	精神科医の立場から 緩和ケアチームのための講習会アンケート結果より	精神医学	49	901-905	2007
森田達也、他	緩和ケアチームの活動—聖隸三方原病院の場合—	日本臨床	65	128-137	2007
森田達也	緩和ケアにおけるクリニカルパス、一序—	緩和医療学	9	1	2007
森田達也、他	STAS-J を用いた苦痛のスクリーニングシステム	緩和医療学	9	159-162	2007
森田達也、他	緩和ケアにおけるコンサルテーション活動の専門性、緩和ケアチームの活動の現況と展望—聖隸三方原病院の場合	ホスピス緩和ケア白書 2007		17-23	2007
安達勇、森田達也	終末期がん患者に対する輸液ガイドライン：概念的枠組み	緩和ケア	17	186-188	2007
山田理恵、森田達也、他	末梢静脈からのガイドワイヤーを用いた中心静脈カテーテルの挿入	緩和ケア	17	223-224	2007
明智龍男、森田達也、他	看取りの症状緩和バス：せん妄	緩和医療学	9	245-251	2007
八代英子、森田達也、他	看取りの症状緩和バス：嘔気・嘔吐	緩和医療学	9	259-264	2007
森田達也	終末期の輸液管理	消化器外科 Nursing	12	965-974	2007
森田達也	緩和ケアへの紹介のタイミング：概念から実行のとき	腫瘍内科	1	364-371	2007
森田達也	終末期がんの場合 1.輸液、がん医療におけるコミュニケーション・スキル	医学書院		58-63	2007

<u>森田達也</u>	終末期がんの場合 2.鎮静、がん医療におけるコミュニケーション・スキル	医学書院		64-69	2007
<u>森田達也</u>	緩和治療とは何か	医学芸術社、がん化学療法と患者ケア	改訂第2版	232-234	2007
<u>木澤義之</u>	【がん疼痛治療をめぐる薬物療法の最近の話題】オピオイド導入時のノウハウ	MEDICO	38巻4号	101-104	2007
<u>木下寛也</u>	緩和医療とコンサルテーション・リエゾン精神医療	臨床精神医学	36	737-742	2007
<u>秋月伸哉</u>	癌患者にみられる代表的な精神症状とその対策 うつ病	コンセンサス癌治療	7巻1号	10-13	2008
<u>清水研、秋月伸哉、他</u>	血幹細胞移植を受ける血液がん患者に対する精神症状スクリーニング	総合病院精神医学	20巻2号	123-128	2008
<u>秋月伸哉</u>	厚生労働科学研究「がん対策のための戦略研究」	腫瘍内科	2巻4号	365-369	2008
<u>藤森麻衣子、秋月伸哉、他</u>	がん医療におけるコミュニケーション技術 がん医療における悪い知らせの際のコミュニケーション教育プログラムの予備的検討	日本癌治療学会誌	43巻2号	329	2008
<u>藤本亘史、森田達也</u>	疼痛マネジメントをするための系統的・継続的評価	月間ナーシング	28	90-94	2008
<u>森田達也</u>	緩和ケアの現在と将来—Introduction for psychiatrists—	臨床精神薬理	11	777-786	2008
<u>山岸暁美、森田達也</u>	緩和ケア普及のための地域プロジェクト—がん対策のための戦略研究「OPTIMプロジェクト」	緩和ケア	18	248-250	2008
<u>森田達也</u>	終末期癌患者における輸液治療—日本緩和医療学会ガイドラインの概要—	日本医事新報	4390	68-74	2008
<u>山岸暁美、森田達也、他</u>	研究プロジェクト①地域介入研究（戦略研究）	緩和医療学	10	215-222	2008
<u>河正子、森田達也</u>	研究プロジェクト⑧スピリチュアルケア	緩和医療学	10	256-262	2008
<u>安藤満代、森田達也</u>	終末期がん患者へのライフビュー—その現状と展望—	看護技術	54	65-69	2008
<u>安藤満代、森田達也</u>	終末期がん患者へのスピリチュアルケアとしての短期回想法の実践	看護技術	54	69-73	2008
<u>森田達也</u>	医療連携と緩和医療；OPTIMプロジェクトによる地域介入研究の紹介	コンセンサス癌治療	7	123-125	2008

森田達也, 他	臨床と研究に役立つ 緩和ケアのアセスメント・ツール II. 身体症状 4. 緩和ケアニードのスクリーニングツール	緩和ケア	18(Sup pl)	15-19	2008
森田達也	臨床と研究に役立つ 緩和ケアのアセスメント・ツール IX. 患者・家族における臨床ツール 4. 症状評価のためのツール	緩和ケア	18(Sup pl)	129-131	2008
藤本亘史, 森田達也	臨床と研究に役立つ 緩和ケアのアセスメント・ツール X. その他の評価とツール 5. 緩和ケアチーム初期評価表	緩和ケア	18(Sup pl)	157-160	2008
木下寛也	緩和医療と家族ケア 家族の症状理解を促すアプローチ	緩和医療学	10	366-369	2008
星野奈月, 木下寛也	がんのチーム医療 抗がん治療中から緩和ケア医の参加	腫瘍内科	2	314-321	2008
木下寛也, 他	がん患者の在宅療を考える-現状と問題点の解決-	Pharma Medica	26	153-162	2008
木澤義之	プライマリ・ケア医の知っておきたい“ミニマム知識” 緩和ケアの普及についてーすべての医師が基本的な緩和ケアを実施できるようにー	日本内科学会雑誌	98巻2号	211-216	2008
木澤義之	【臨床と研究に役立つ緩和ケアのアセスメント・ツール】 その他の評価とツール 緩和ケア初診時データセット	緩和ケア	18	149-156	2008
木澤義之	研究プロジェクト 緩和ケアに関する教育	緩和医療学	10	229-234	2008

(外国語)

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Saito-Nakaya K, Akizuki N, et al.	Marital status, social support and survival after curative resection in non-small-cell lung cancer.	Cancer Sci	97	206-213	2006
Akechi T, Akizuki N, Shimizu K, et al.	Psychological distress experienced by families of cancer patients: preliminary findings from psychiatric consultation of a cancer center hospital	Jpn J Clin Oncol	36	329-332	2006
Yoshikawa E, Akizuki N, et al.	Prefrontal Cortex and Amygdala Volume in First Minor or Major Depressive Episode After Cancer Diagnosis	Biol Psychiatry	59	707-712	2006

Nakaya N, Akizuki N, et al.	Depression and survival in patients with non-small cell lung cancer after curative resection: a preliminary study	Cancer Sci	97	199-205	2006
Akechi T, Akizuki N, et al.	Course of psychological distress and its predictors in advanced non-small cell lung cancer patients	Psychooncology	15	463-473	2006
Morita T, Akizuki N, et al	Meaninglessness in terminally ill cancer patients: a validation study and nurse education intervention trial.	J Pain Symptom Manage	34	160-170	2007
Shimizu K, Akizuki N, et al	Can psychiatric intervention improve major depression in very near end-of-life cancer patients?	Palliat Support Care	5	3-9	2007
Akechi T, Akizuki N, Shimizu K, et al	Associated and predictive factors of sleep disturbance in advanced cancer patients.	Psychooncology	16	888-894	2007
Fujimori M, Morita T, Akizuki N, et al	Preferences of cancer patients regarding the disclosure of bad news	Psychooncology	16	573-581	2007
Asai M, Morita T, Akizuki N, et al	Burnout and psychiatric morbidity among physicians engaged in end-of-life care for cancer patients: a cross-sectional nationwide survey in Japan.	Psychooncology	16	421-428	2007
Namba M, Morita T, et al	Terminal delirium: families' experience.	Palliat Med	21	587-594	2007
Morita T, et al	Development of national clinical guideline for artificial hydration therapy for terminally ill patients with cancer.	J Palliat Med	10	770-780	2007
Matsuo N, Morita T	Physician-reported practice of the use of methylphenidate in Japanese palliative care units.	J Pain Symptom Manage	33	655-656	2007
Osaka I, Morita T, et al	Palliative care philosophies of Japanese certified palliative care units: a nationwide survey.	J Pain Symptom Manage	33	9-12	2007
Ando M, Morita T, et al	Life review interviews on the spiritual well-being of terminally ill cancer patients.	Support Care Cancer	15	225-231	2007
Miyashita M, Morita T, Kizawa Y, et al	Barriers to providing palliative care and priorities for future actions to advance palliative care in Japan: A nationwide expert opinion survey.	J Palliat Med	10	390-399	2007

Miyashita M, <u>Morita T</u> , et al	Good death in cancer care: a nationwide quantitative study.	Ann Oncol	18	1090–1097	2007
Sanjo M, <u>Morita T</u> , et al	Preferences regarding end-of-life cancer and associations with good-death concepts: a population-based survey in Japan.	Ann Oncol	18	1539–1547	2007
Ando M, <u>Morita T</u> , et al	Primary concerns of advanced cancer patients identified through the structured life review process: A qualitative study using a text mining technique.	Palliat Support Care	5	265–271	2007
Matsuo N, <u>Morita T</u>	Efficacy, safety, and cost effectiveness of intravenous midazolam and flunitrazepam for primary insomnia in terminally ill patients with cancer: a retrospective multicenter audit study.	J Palliat Med	10	1054–1062	2007
<u>Morita T</u> , et al	Terminal delirium: recommendations from bereaved families' experiences.	J Pain Symptom Manage	34	579–589	2007
Miyashita M, <u>Morita T</u> , et al	Physician and nurse attitudes toward artificial hydration for terminally ill cancer patients in Japan: results of 2 nationwide surveys.	Am J Hosp Palliat Med	24	383–389	2007
Miyashita M, <u>Morita T</u> , et al	Nurse views of the adequacy of decision making and nurse distress regarding artificial hydration for terminal ill cancer patients: a nationwide survey.	Am J Hosp Palliat Care	24	463–469	2007
Shimizu K, Kinoshita H, et al	First Panic Attack Episodes in Head and Neck Cancer Patients Who Have Undergone Radical Neck Surgery	Journal of Pain and Symptom Management	34	575–578	2007
Yamagishi A, <u>Morita T</u> , Akizuki N, Kizawa Y, et al	Palliative care in Japan: current status and a nationwide challenge to improve palliative care by the Cancer ControlAct and the Outreach Palliative Care Trial of Integrated Regional Model (OPTIM) study.	Am J Hosp Palliat Care	25	412–418	2008
Shimizu K, <u>Akizuki N</u> , et al	Clinical experience of the modified nurse-assisted screening and psychiatric referral program.	Palliat Support Care	6	29–32	2008

Okamura M, <u>Akizuki N</u> , et al	Clinical experience of the use of a pharmacological treatment algorithm for major depressive disorder in patients with advanced cancer.	Psychooncology	17	154–160	2008
Inagaki M, <u>Akizuki N</u> , <u>Kinoshita H</u> , et al	Plasma interleukin-6 and fatigue in terminally ill cancer patients.	J Pain Symptom Manage	35	153–161	2008
Asai M, <u>Shimizu K</u> , <u>Akizuki N</u> , et al	Psychiatric disorders and background characteristics of cancer patients' family members referred to psychiatric consultation service at National Cancer Center Hospitals in Japan.	Palliat Support Care	6	225–230	2008
<u>Morita T</u> , et al	Palliative care needs of cancer outpatients receiving chemotherapy: an audit of a clinical screening project.	Support Care Cancer	16	101–107	2008
Sato K, <u>Morita T</u> , et al	Quality of end-of-life treatment for cancer patients in general wards and the palliative care unit at a regional cancer center in Japan: a retrospective chart review.	Support Care Cancer	16	113–122	2008
<u>Morita T</u> , et al	Screening for discomfort as the fifth vital sign using an electronic medical recording system: a feasibility study.	J Pain Symptom Manage	35	430–436	2008
Sanjo M, <u>Morita T</u> , et al	Perceptions of specialized inpatient palliative care: a population-based survey in Japan.	J Pain Symptom Manage	35	275–282	2008
Miyashita M, <u>Morita T</u> , et al	Identification of quality indicators of end-of-life cancer care from medical chart review using a modified Delphi method in Japan.	Am J Hosp Palliat Med	25	33–38	2008
Miyashita M, <u>Morita T</u> , et al	Barriers to referral to inpatient palliative care units in Japan: a qualitative survey with content analysis.	Support Care Cancer	16	217–222	2008
Miyashita M, <u>Morita T</u> , et al	Good death inventory: A measure for evaluating good death from the bereaved family member's perspective.	J Pain Symptom Manage	35	486–498	2008
Miyashita M, <u>Morita T</u> , et al	Effect of a population-based educational intervention focusing on end-of-life home care, life-prolonging treatment and knowledge about palliative care.	Palliat Med	22	376–382	2008

Miyashita M, <u>Morita T</u> , et al	The Japan hospice and palliative care evaluation study (J-HOPE Study): study design and characteristics of participating institutions.	Am J Hosp Palliat Med	25	223–232	2008
Miyashita M, <u>Morita T</u> , et al	Factors contributing to evaluation of a good death from the bereaved family member's perspective.	Psycho-Oncology	17	612–620	2008
Sato K, <u>Morita T</u> , et al	Reliability assessment and findings of a newly developed quality measurement instrument: Quality indicators of end-of-life cancer care from medical chart review at a Japanese regional cancer center.	J Palliat Med	11	729–737	2008
Miyashita M, <u>Morita T</u> , et al	Evaluation of end-of-life cancer care from the perspective of bereaved family members: The Japanese experience.	J Clin Oncol	26	3845–3852	2008
Akechi T, <u>Morita T</u> , et al	Psychotherapy for depression among incurable cancer patients.	Cochrane Database Syst Rev	Apr 16	CD005537	2008
Ando M, <u>Morita T</u> , et al	One-week short-term life review interview can improve spiritual well-being of terminally ill cancer patients.	Psycho-Oncology	17	885–890	2008
Tei Y, <u>Morita T</u> , et al	Treatment efficacy of neural blockade in specialized palliative care services in Japan: a multicenter audit survey.	J Pain Symptom Manage	36	461–467	2008
Ando M, <u>Morita T</u> , et al	A pilot study of transformation, attributed meanings to the illness, and spiritual well-being for terminally ill cancer patients.	Palliat Support Care	6	335–340	2008
<u>Morita T</u> , et al	Palliative care in Japan: shifting from the stage of disease to the intensity of suffering.	J Pain Symptom Manage	36	e6–e7	2008
Shiozaki M, <u>Morita T</u> , et al	Measuring the regret of bereaved family members regarding the decision to admit cancer patients to palliative care units.	Psychooncology	17	926–931	2008
<u>Morita T</u> , et al	Meaninglessness in terminally ill cancer patients: A randomized controlled study.	J Pain Symptom Manage	Sep 30: [Epub ahead of print]		2008
Yamagishi A, <u>Morita T</u> , et al	Symptom Prevalence and longitudinal follow-up in cancer outpatients receiving chemotherapy.	J Pain Symptom Manage	Sep 18: [Epub ahead of print]		2008

Sanjo M, Morita T, et al	Caregiving consequences inventory: a measure for evaluating caregiving consequences from the bereaved family member's perspective.	Psychooncology	Nov 24: [Epub ahead of print]		2008
Shimizu K, Akechi T, et al	Clinical experience of the modified nurse-assisted screening and psychiatric referral program.	Palliat Support Care,	6	29-32	2008