

Yamamoto S, Fujita S, Ishiguro S, Akasu T, Moriya Y	Wound infection after a laparoscopic resection for colorectal cancer	Surgery Today	3	618-622	2008
Fujita S, Yamamoto S, Akasu T, Moriya Y	Outcome of patients with clinical stage II or III rectal cancer treated without adjuvant radiotherapy	Int J Colorectal Dis	23(11)	1073-1079	2008
Tsukamoto S, Fujita S, Yamaguchi T, Yamamoto S, Akasu T, Moriya Y, Taniguchi H, Simoda T.	Clinicopathological characteristics and prognosis of rectal well-differentiated neuroendocrine tumors	Int J Colorectal Dis	23(11)	1109-1113	2008
Akasu T, Takawa M, Yamamoto S, Ishiguro S, Yamaguchi T, Fujita S, Moriya Y, Nakanishi Y.	Intersphincteric resection for very low rectal adenocarcinoma: univariate and multivariate analyses of risk factors for recurrence	Ann Surg Oncol	15	2668-2676	2008
Koga Y, Yasunaga M, Moriya Y, Akasu T, Fujita S, Yamamoto S, Kozu T, Baba H, Matsumura Y	Detection of colorectal cancer cells from feces using quantitative real-time RT-PCR for colorectal cancer diagnosis	Cancer Sci	99(10):	1977-1983	2008
須藤剛、池田栄一、高野成尚、石山廣志郎、佐藤敏彦	切除不能肝転移を有する大腸癌症例に対しFOLFOX療法施行後に切除可能となった2例	日本大腸肛門病学会雑誌	第61巻	260-266	2008
松井孝至、固武健二郎	大腸癌治療ガイドラインの検証-海外との比較-	癌の臨床	54	447-451	2008
固武健二郎	再発大腸癌の診断と治療の諸問題	外科	70	813-818	2008
Sameshima S, Tomozawa S, Horikoshi H, Motegi K, Hirayama I, Koketsu S, Okada T, Kojima M, Kon Y, Sawada T	5-Fluorouracil-related gene expression in hepatic artery infusion-treated patients with hepatic metastases from colorectal carcinomas	Anticancer Res	28	389-93	2008
Kojima M, Shimizu K, Sameshima S, Saruki N, Nakamura N	Focal lymphoid hyperplasia of the terminal ileum presenting mantle zone hyperplasia with clear cytoplasm. A report of three cases.	Pathol Oncol Res	14	337-340	2008

Ueno H, Mochizuki Ha, Hashiguchi Yo, Ishiguro M, Kajiwara Y, Sato T, Shimazaki H, <u>Hase K</u> , Ian CT	Histological grading of colorectal cancer a simple and objective method	Annals of Surgery	247 (5)	811-818	2008
長谷和生、上野秀樹、橋 口陽二郎	横行結腸切除術	消化器外科	31 (12)	1827-1835	2008
野津 聰、八岡利昌、西 村洋治	直腸癌リンパ節転移に対す るMRI拡散強調画像の有用 性。	日本大腸肛門病 学会雑誌	61(7)	384-388	2008
Tsujinaka S, Kawamura Y J, <u>Konishi F</u> , Aihara H, Maeda T, Mizokami K	Pelvic drainage for anterior resection revisited: use of drains in anastomotic leaks	ANZ J Surg	78(6)	461-5	2008
Tsujinaka, S, <u>Konishi</u> , F, Kawamura, Y, J, Saito, M, Tajima, N, Tanaka, O, Lefor, A T	Visceral obesity predicts surgical outcomes after laparoscopic colectomy for sigmoid colon cancer	Dis Colon Rectum	51 (12)	1757-1765	2008
Yamamoto, S, Yoshimura K, <u>Konishi</u> , E, Watanabe M	Phase II trial to evaluate laparoscopic surgery for stage 0/1rectal carcinoma	Jpn J Clin Oncol	38(7)	497-500	2008
Horie H, Togashi K, Kawamura YJ, Ohta M, Nakajima Y, Kihara M, Nagai H, Lefor AT, <u>Konishi F</u>	Colonoscopic stigmata of 1 mm or deeper submucosal invasion in colorectal cancer	Dis Colon Rectum	51 (10)	1529-34	2008
Horie H, Togashi K, Kawamura YJ, Ohta M, Nakajima Y, Kihara M, Nagai H, Lefor AT, <u>Konishi F</u>	Promoter hypermethylation of tumor-related genes in sporadic colorectal cancer in young patients	J Exp Clin Cancer Res	26(4)	521-6	2008
Utano K, Endo K, Togashi K, Sasaki J, Kawamura HJ, Horie H, Nakamura Y, <u>Konishi F</u> , Sugimoto H	Preoperative T staging of colorectal cancer by CT colonography	Dis Colon Rectum	51(6)	875-81	2008
Ito M, Sugito M, Kobayashi A, Nishizawa Y, Tsunoda Y, Saito N.	Relationship between multiple numbers of stapler firings during rectal division and anastomotic	Int J Colorectal Dis	23	703-707	2008

	leakage after laparoscopic rectal resection				
Tsunoda Y, Ito M, Fujii H, Kuwano H, <u>Saito N</u>	Preoperative diagnosis of lymph node metastases of colorectal cancer by FDG-PET/CT	Jpn J Clin Oncol.	38(5)	347-353	2008
Kojima M, Ishii G, Atsumi N, Fujii S, <u>Saito N</u> , Ochiai A	Immunohistochemical detection of CD133 expression in colorectal cancer: A clinicopathological study	Cancer Sci	99(8)	1578-1583	2008
Kosugi C, <u>Saito N</u> , Murakami K., Koda K., Ono M, Sugito M, Ito M, Ochiai A., Oda K., Seike K., Miyazaki M.	Positron emission tomography for preoperative staging in patients with locally advanced or metastatic colorectal adenocarcinoma in lymph node metastasis	Hepato-Gastroenterology	55	398-402	2008
長谷川博俊、石井良幸、遠藤高志、落合大樹、尾之内誠基、迫田哲平、今井俊、北川雄光	進行大腸癌に対する腹腔鏡下手術の低侵襲性および患者QOL	日本内視鏡外科学会雑誌	13(1)	61-65	2008
Ochiai H, Nakanishi Y, Fukasawa Y, Sato Y, Yoshimura K, Moriya Y, Kanai Y, Watanabe M, <u>Hasegawa H</u> , Kitagawa Y, Kitajima M, Hirohashi S	A new formula for prediction liver metastasis in patients with colorectal cancer: Immunohistochemical analysis of a large series of 439 surgically resected cases	Oncology	75	32-41	2008
Hiraiwa K, Takeuchi H, <u>Hasegawa H</u> , Saikawa Y, Suda K, Ando T, Kumagai K, Irino T, Yoshikawa T, Matsuda S, Kitajima M, Kitagawa Y	Clinical significance of circulating tumor cells in blood from patients with gastrointestinal cancers	Ann Surg Oncol.	15 (11)	3092-3100	2008
Nitori N, <u>Hasegawa H</u> , Ishii Y, Endo T, Kitajima M, Kitagawa Y	Sexual function in men with rectal and rectosigmoid cancer after laparoscopic and open surgery	Hepatogastroenterology July-Aug	55 (85)	1304-1307	2008

Tsuruta M, Nishibori H, <u>Hasegawa H</u> , Ishii Y, Endo T, Kubota T, Kitajima M, Kitagawa Y	Heat shock protein 27, a novel regulator of 5-fluorouracil resistance in colon cancer.	Oncology Reports	20	1165-1172	2008
安野正道、 <u>杉原健一</u>	大腸癌取扱い規約	医学のあゆみ	225 (1)	7-13	2008
植竹宏之、石川敏昭、 <u>杉原健一</u>	がん化学療法とインフォームドコンセント	外科治療	98 (supple)	456-460	2008
植竹宏之、 <u>杉原健一</u>	大腸癌化学療法における緊急対応と手術	医学のあゆみ	225 (1)	83-85	2008
石黒めぐみ、小林宏寿、望月英隆、 <u>杉原健一</u>	大腸癌術後サーベイランスの意義	外科	70(8)	819-825	2008
Kusachi S, Sumiyama Y, Nagao J, Arima Y, Yoshida Y, Tanaka H, Nakamura Y, <u>Saida Y</u> , Watanabe M, Watanabe R, Sato J	Prophylactic antibiotics given within 24 hours of surgery, compared with antibiotics given for 72hours perioperatively, increased the rate of methicillin-resistant <i>Staphylococcus aureus</i> isolated from surgical site infections	J Infect Chemother	14	44-50	2008
斎田芳久、長尾二郎、中村寧、榎本俊行、炭山嘉伸、富永健司	経肛門的イレウス減圧術	Gastroenterol Endoscopy	50	80-90	2008
<u>Saida Y</u> , Nagao J, Nakamura Y, Nakamura Y, Enomoto T, Katagiri M, Kusachi S, Watanabe M, Sumiyama Y	A comparison of abdominal cavity bacterial contamination in laparoscopy and laparotomy for colorectal cancer	Digestive Surgery	25	198-201	2008
Oshima T, Kunisaki C, Yoshihara K, Yamada R, Yamamoto N, Sato T, Makino H, Yamagishi S, Nagano Y, Fujii S, Shiozawa M, <u>Akaike M</u> , Wada N, Rino Y, Masuda M, Tanaka K, Imada T	Reduced expression of the <i>claudin-7</i> gene correlates with venous invasion and liver metastasis in colorectal cancer	Oncology Report	19	953-959	2008

Oshima T, Kunisaki C, Yoshihara K, Yamada R, Yamamoto N, Sato T, Makino H, Yamagishi S, Nagano Y, Fujii S, Shiozawa M, <u>Akaike M</u> , Wada N, Rino Y, Masuda M, Tanaka K, Imada T	Clinicopathological significance of the gene expression of matrix metalloproteinases and reversion-inducing cysteine-rich protein with Kazal motifs in patients with colorectal cancer: <i>MMP-2</i> gene expression is a useful predictor of liver metastasis from colorectal cancer	Oncology Report	19	1285-1291	2008
土田知史、塙澤学、菅野伸洋、森永聰一郎、赤池信、杉政征夫、武宮省治、亀田陽一、利野靖、今田敏夫	メチル酸イマチニブによる neoadjuvant therapy が奏効した直腸原発G1STの1例	日本消化器病学会雑誌	105(6)	830-835	2008
伊藤宏之、中山治彦、坪井正博、菅泰博、加藤靖文、赤池信、塙澤学	大腸癌肺転移への治療戦略—予後から見た肺切除適応の決定—	癌の臨床	54(10)	795-800	2008
Nagata K, Endo S, Tatsukawa K, <u>Kudo S</u>	Intraoperative fluoroscopy vs. interoperative laparoscopic ultrasonography for early colorectal cancer localization in laparoscopic surgery	Surg Endosc	22	379-385	2008
Nagata K., Ota Y, Okawa T, <u>Kudo S</u> , et al	PET/CT colonography for the preoperative evaluation of the colon proximal to the obstructive colorectal cancer.	Dis Colon Rectum	51(6)	882-890	2008
Yoshida S, Ikebara N, Aoyama N, <u>Kudo S</u> , et al	Relationship of BRAF mutation, morphology, and apoptosis in early colorectal cancer	Int J Colorectal Dis	23(1)	7-13	2008
永田浩一、伊山篤、花塚文治、工藤由比、遠藤俊吾、辰川貴志子、 <u>工藤進英</u>	電子クレンジングソフトウェアによる大腸3D-CT検査画像の構築	日本大腸肛門病会誌	61(4)	204-205	2008
Oshima T, Akaike M, Yoshihara K, Shiozawa M, Yamamoto N, Sato T, Yamada R, <u>Fujii S</u> , Rino Y, Kunisaki C, Tanaka K, Masuda M,	Clinicopathological significance of the gene expression of matrix metalloproteinase-7, insulin-like growth factor-1, insulin-like growth factor-2	Oncology Reports	20(2)	359-364	2008

Imada T	and insulin-like growth factor-1 receptor in patients with colorectal cancer: insulin-like growth factor-1 receptor gene expression is a useful predictor of liver metastasis from colorectal cancer				
Oshima T, Akaike M, Yoshihara K, Shiozawa M, Yamamoto N, Sato T, Akihito N, Nagano Y, <u>Fujii S</u> , Kunisaki C, Wada N, Rino Y, Tanaka K, Masuda M, Imada T	Overexpression of EphA4 gene and reduced expression of EphB2 gene correlates with liver metastasis in colorectal cancer	International Journal of Oncology	33	573-577	2008
Yamada M, Ichikawa Y, Yamagishi S, Momiyama N, Ota M, <u>Fujii S</u> , Tanaka K, Togo S, Ohki S, Shimada H	Amphiregulin is a promising prognostic marker for liver metastases of colorectal cancer	Clinical Cancer Reserch	15	2351-2356	2008
Oshima T, Kunisaki C, Yoshihara K, Yamada R, Yamamoto N, Sato T, Makino H, Yamagishi S, Nagano Y, <u>Fujii S</u> , Shiozawa M, Akaike M, Wada N, Rino Y, Masuda M, Tanaka K, Imada T	Reduced expression of the claudin-7 gene correlates with venous invasion and liver metastasis in colorectal cancer	Oncology Reports	19(4)	953-959	2008
Takagawa R, <u>Fujii S</u> , Ohta M, Nagano Y, Kunisaki C, Yamagishi S, Osada S, Ichikawa Y, Shimada H	Preoperative serum carcinoembryonic antigen level as a predictive factor of recurrence after curative resection of colorectal cancer	Annals of Surgical Oncology	15 (12)	3433-3439	2008
Oshima T, Kunisaki C, Yoshihara K, Yamada R, Yamamoto N, Sato T, Makino H, Yamagishi S, Nagano Y, <u>Fujii S</u> , Shiozawa M, Akaike M, Wada N, Rino Y, Masuda M, Tanaka K, Imada T	Clinicopathological significance of the gene expression of matrix metalloproteinases and reversion-inducing cysteine-rich protein with Kazal motifs in patients with colorectal cancer: MMP-2 gene expression is a useful predictor of liver	Oncology Reports	19(5)	1285-1291	2008

	metastasis from colorectal cancer				
亀山仁史、瀧井康公、野村達也、中川悟、藪崎裕、土屋嘉昭、梨本篤、田中乙雄	UFT/LV 療法で CR が得られた再発大腸癌の 3 例	癌と化学療法	35	1951-1954	2008
小竹優範、登宏行、 <u>山田哲司</u> 、他	大腸癌における多重癌の臨床病理学的検討	石川県立中央病院医学誌	30	1-3	2008
間浩之、山口茂樹、森本幸治、富岡寛行、赤本伸太郎、絹笠祐介、齊藤修造、 <u>石井正之</u>	結腸癌に対する腹腔鏡下手術と開腹手術の Surgical site infection 発生率の検討	日本内視鏡外科学会	13(1)	101-107	2008
Kinugasa Y, Niikura H, Murakami G, Suzuki D, <u>Saito S</u> , Tatsumi H, <u>Ishii M</u>	Development of the human hypogastric nerve sheath with special reference to the topohistology between the nerve sheath and other prevertebral fascial structures	Clinical Anatomy	21	558- 567	2008
Hara M, Kanemitsu Y, <u>Hirai T</u> , Komori K, Kato T	Negative serum carcinoembryonic antigen has insufficient accuracy for excluding recurrence from patients with Dukes C colorectal cancer: analysis with likelihood ratio and posttest probability in a follow-up study.	Rectum	51 (11)	1675-80	2008
Shimizu Y, Yasui K, Sano T, <u>Hirai T</u> , Kanemitsu Y, Komori K, Kato T	Validity of observation interval for synchronous hepatic metastases of colorectal cancer: changes in hepatic and extrahepatic metastatic foci.	Langenbecks Arch Surg	393	181-184	2008
平井 勉、加藤知行	骨盤内手術一出血防止の工夫と出血時の対応一。	日本外科学会雑誌	109	232-236	2008
Tanaka K, Noura S, <u>Ohue M</u> , Seki Y, Yamada T, Miyashiro I, Ohigashi H, Yano M, Ishikawa O, Murata K, Kameyama M, Imaoka S	Doubling time of carcinoembryonic antigen is a significant prognostic factor after the surgical resection of locally recurrent rectal cancer	Dig Surg.	25	319-324	2008

T Noura S, Ohue M, Seki Y, Yamamoto T, Idota A, Fujii J, Yamasaki T, Nakajima H, Murata K, Kameyama M, Yamada T, Miyashiro I, Ohigashi H, Yano M, Ishikawa O, Imaoka S S	Evaluation of the lateral sentinel node by indocyanine green for rectal cancer based on micrometastasis determined by reverse transcriptase-polymerase chain reaction	Oncol Rep.	4	745-750	2008
Tomimaru Y, Noura S, <u>Ohue M</u> , Okami J, Oda K, Higashiyama , M, Yamada T, , Miyashiro I, Ohigashi H, Yano M, Kodama K, Ishikawa O, Murata K, Yokouchi H, Sasaki Y, Kameyama M, Imaoka S	Metastatic tumor doubling predictor of intrapulmonary time is an independent recurrence after pulmonary resection of solitary pulmonary metastasis from colorectal cancer	Dig Surg.	25	220-225	2008
福永 瞳、武元浩新、今 村博司、古河 洋	特集・大腸癌の化学療法—外 来化学療法の進め方	消化器の臨床	11	543-548	2008
加藤健志、三宅泰裕、土 井、大島一輝、半田理 雄、星、間狩洋一、大島 聰、飯島正平、山本仁、 黒川英司、吉川宣輝	大腸癌腹膜播種再発に伴う 腸閉塞に対する切除術の検 討	癌と化学療法	34 (11)	1949-51	2008
加藤健志	【外科医が主体のスタンダ ード大腸癌化学療法】 外科 医が行う切除不能進行再発 大腸癌に対する化学療法 (FOLFOX, FOLFIRI) (	癌の臨床	54(9)	736-740	2008
加藤健志	新しい大腸がん化学療法】 大腸がん化学療法に用いら れる投与スケジュール オ キサリプラチンを用いた投 与スケジュールと、その選択 基準は	臨床腫瘍プラク ティス	4(1)	13-16	2008
加藤健志	大腸癌の化学療法】 大腸癌 化学療法における副作用対 策をどう行うか主な薬剤の 特徴的な副作用とその対策 オキサリプラチン(L-OHP)の 副作用とその対策	消化器の臨床	11(5)	554-557	2008

Kato T, Mishima H, Ikenaga M, <u>Murata K</u> , Ishida H, Fukunaga M, Ota H, Tominaga S, Ohnishi T, Amano M, Ikeda K, Ikeda M, Sekimoto M, Sakamoto J, Monden M	A phase II study of irinotecan in combination with doxifluridine,an intermediate form of capecitabine,in patients with metastatic colorectal cancer	Cancer Chemother Pharmacol	61	275-281	2008
Ezumi K, Yamamoto H, <u>Murata K</u> , Higashiyama M, Damdinsuren B, Nakamura Y, Kyo N, Okami J, Ngan CY, Takemasa I, Ikeda M, Sekimoto M, Matsuura N, Nojima H, Monden M	Aberrant expression of connexin 26 is associated with lung metastasis of colorectal cancer	Human Cancer Biology	14(3)	677-684	2008
Tomimaru Y, Noura S, Ohue M, Okami J, Oda K, Higashiyama M, Yamada T, Miyashiro I, Ohigashi H, Yano M, Kodama K, Ishikawa O, <u>Murata K</u> , Yokouchi H, Sasaki Y, Kameyama M, Imaoka S	Metastatic tumor doubling time is an independent predictor of intrapulmonary recurrence after pulmonary resection of solitary pulmonary metastasis from colorectal cancer	Dig Surg	2008 (25)	220-225	2008
富丸慶人、井出義人、村 田幸平	手術と内服化学療法 (UFT/LV)が奏効した頸 部・腋窩・大動脈周囲リンパ 節転移を伴った高齢者横行 結腸癌の1例	癌と化学療法	35 (12)	2165-2167	2008
Noura A, Ohue M, Seki Y, Yamamoto T, Idota A, Fujii J, Yamasaki T, Nakajima H, <u>Murata</u> <u>K</u> , Kameyama M, Yamada T, Miyashiro I, Ohigashi H, Yano M, Ishikawa O, Imaoka S	Evalution of the Iateral sentinel node by indocyanine green for rectal cancer based on micrometastasis determined by reverse transcriptase-polymerase chain reaction	Oncology Reports	20(4)	745-750	2008
Tanaka K, Noura S, Ohue M, Seki Y, Yamada T, Miyashiro I, Ohigashi H, Yano M, Ishikawa O, <u>Murata K</u> ,	Doubling time of carcinoembryonic antigen is a significant prognostic factor after the surgical resection of locally	Dig Sirg	25(4)	319-324	2008

Kameyama M, Imaoka S	recurrent rectal cancer				
池田 聰、岡島正純、吉満政義、檜井孝夫、吉田誠、住谷大輔、高倉有二、竹田春華	S状結腸・直腸進行癌に対する腹腔鏡下手術の手技のポイント	日本内視鏡外科学会雑誌	13(1)	83-88	2008
Egi H, <u>Okajima M</u> , Yoshimitsu M, Ikeda S, Miyata Y, Masugami H, Kawahara T, Kurita Y, Kaneko M, Asahara T	Objective assessment of endoscopic surgical skills by analyzing direction-dependent dexterity using the Hiroshima University Endoscopic Surgical Assessment Device (HUESAD)	Surgery Today	38	705-710	2008
小畠誉也、久保義郎、他	PET-CTにて高度進行大腸癌と診断した悪性リンパ腫を合併した上行結腸癌の1例	日本外科学会連合会雑誌	33	179-184	2008
Nozaki I, <u>Kubo Y</u> , et al	Laparoscopic colectomy for colorectal cancer patients with previous abdominal surgery.	Hepatogastroenterology	55	943-946	2008
猪股雅史、衛藤 剛、白石憲男、 <u>北野正剛</u> 、小西文雄、杉原健一、渡邊昌彦、森谷宣皓	進行結腸癌に対する腹腔鏡下手術－厚生労働省班研究に基づく本邦の現状－	日本内視鏡外科学会雑誌	13(1)	47-53	2008
Kitano S, Inomata M	Is laparoscopic surgery acceptable for advanced colon cancer?	Cancer Science	10	1349-1354	2008
Nakajima TE, Yaasunaga M, Kano Y, Koizumi F, Kato K, Hamaguchi T, Yamada Y, Shirao K, <u>Shimada Y</u> , Matsumura Y	Synergistic antitumor activity of the novel SN-38-incorporating polymeric micelles, NK012, combined with 5-fluorouracil in a mouse model of colorectal cancer, as compared with that of irinotecan plus 5-fluorouracil	Int J Cancer	122 (9)	2148-2153	2008
Yamada Y, Tahara M, Miya T, Satoh T, Shirao K, <u>Shimada Y</u> , Ohtsu A, Sasaki Y, Tanigawara Y	Phase I/II study of oxaliplatin with oral S-1 as first-line therapy for patients with metastatic colorectal cancer	Br J Cancer	98(6)	1034-1038	2008