

References

1. WHO (2008)
2. Dye C, Indirect estimation of burden in TB epidemiology: [http://www.who.int/tb/surveillanceworkshop/who.int/.../documents/Indirect estimation of TB burden_1_Chris Dye.ppt](http://www.who.int/tb/surveillanceworkshop/who.int/.../documents/Indirect%20estimation%20of%20TB%20burden_1_Chris%20Dye.ppt)
3. WHO (2004) The world health report; 2004: changing history. WHO, Geneva.
4. WHO. Global tuberculosis control: surveillance, planning, financing : WHO report 2007
5. Aoki M. Estimation of Tuberculosis case detection rates in several countries, TSRU Progress Report Vol.1 86-100,1989
6. Aoki M, Ohmori M (1995) TSRU progress report 2:16-39.
7. Ishikawa N. Tuberculosis control as an integral part of primary health care in developing countries. Report of the research project for international health research by the ministry of health and welfare, Japan.
8. Steen TW, Mazonde GN. Pulmonary tuberculosis in Kweneng district, Botswana: delays in diagnosis in 212 smear-positive patients. *IJTL*. 1998; 2(8):627-634.
9. Lienhardt C, Rowley J, Manneh K, et al. Factors affecting time delay to treatment in a tuberculosis control programme in a sub-Saharan African country: the experience of The Gambia. *Int J Tuberc Lung Dis*. 2001;5(3):233-9.
10. Salaniponi FM, Harries AD, Banda HT, et al. Care seeking behaviour and diagnostic processes in patients with smear-positive pulmonary tuberculosis in Malawi. *Int J Tuberc Lung Dis*. 2000;4(4):327-32.
11. Pronyk RM, Makhubele MB, Hargreaves JR, et al. Assessing health seeking behaviour among tuberculosis patients in rural South Africa. *Int J Tuberc Lung Dis*. 2001; 5(7):619-27.
12. Kiuwua MS, Charles K, Harriet MK. Patient and health service delay in pulmonary tuberculosis patients attending a referral hospital: a cross-sectional study. *BMC Public Health*. 2005 Nov 24;5:122.
13. Yimer S, Bjune G, Alene G. Diagnostic and treatment delay among pulmonary tuberculosis patients in Ethiopia: a cross sectional study. *BMC Infect Dis*. 2005 Dec 12;5:112.
14. Liam CK, Tang BG. Delay in the diagnosis and treatment of pulmonary tuberculosis in patients attending a university teaching hospital. *IJTD*. 1997; 1(4):326-32.
15. Long NH, Johansson E, Lonroth K, et al. Longer delays in tuberculosis diagnosis among women in Vietnam. *Int J Tuberc Lung Dis*. 1999 May;3(5):388-93.
16. Auer C, Sarol J Jr, Tanner M, Weiss M. Health seeking and perceived causes of tuberculosis among patients in Manila, Philippines. *Trop Med Int Health*. 2000 Sep;5(9):648-56.
17. Lonroth K, Thuong LM, Linh PD, Diwan VK. Delay and discontinuity—a survey of TB patients' search of a diagnosis in a diversified health care system. *Int J Tuberc Lung Dis*. 1999 Nov;3(11):992-1000.
18. Rajeswari R, Chandrasekaran V, Suhadev M, et al. Factors associated with patient and health system delays in the diagnosis of tuberculosis in South India. *Int J Tuberc Lung Dis*. 2002 Sep;6(9):789-95.
19. Yamasaki-Nakagawa M, Ozasa K, Yamada N, et al. Gender difference in delays to diagnosis and health care seeking behaviour in a rural area of Nepal. *Int J Tuberc Lung Dis*. 2001 Jan;5(1):24-31. Erratum in: *Int J Tuberc Lung Dis* 2001 Apr;5(4):390.
20. Saly S, Onozaki I, Ishikawa N. Decentralized DOTS shortens delay to TB treatment significantly in Cambodia. *Kekkaku*. 2006 Jul;81(7):467-74.
21. Tobgay KJ, Sarma PS, Thankappan KR. Predictors of treatment delays for tuberculosis in Sikkim. *Natl Med J India* 2006 Mar-Apr; 19(2):60-3.
22. Chiang CY, Chang CT, Chang RE, et al. Patient and health system delays in the diagnosis and treatment of tuberculosis in Southern Taiwan. *Int J Tuberc Lung Dis*. 2005 Sep;9(9):1006-12.
23. Rojpbulstitt M, Kanjanakiritamrong J, Chongsuvivatwong V. Patient and health system delays in the diagnosis of tuberculosis in Southern Thailand after health care reform. *Int J Tuberc Lung Dis*. 2006 Apr;10(4):422-8.
24. Date J, Okita K. Gender and literacy: factors related to diagnostic delay and unsuccessful treatment of tuberculosis in the mountainous area of Yemen. *Int J Tuberc Lung Dis*. 2005 Jun;9(6):680-5.
25. Bashour H, Mamaree F. Gender differences and tuberculosis in the Syrian Arab Republic: patients' attitudes, compliance and outcomes. *East Mediterr Health J*. 2003 Jul;9(4):757-68.
26. Lambert ML, Delgado R, Michaux G, et al. Delays to treatment and out-of-pocket medical expenditure for tuberculosis patients, in an urban area of South America. *Ann Trop Med Parasitol*. 2005 Dec;99(8):781-7.
27. dos Santos MA, Albuquerque MF, Ximenes RA, et al. Risk factors for treatment delay in pulmonary tuberculosis in Recife, Brazil. *BMC Public Health*. 2005 Mar 18; 5(1):25.
28. Oeser CC, Escombe AR, Gilman RH, et al. Does traditional medicine use hamper efforts at tuberculosis control in urban Peru? *Am J Trop Med Hyg*. 2005 Sep;73(3):571-5.
29. Aoki M, Mori T, Shimao T. Studies on factors influencing patient's, doctor's and total delay of tuberculosis case-detection in Japan. *Bull. International Union Against Tuberculosis*. 1985;60(3-4):128-132.
30. Gagliotti C, Resi D, Moro ML. Delay in the treatment of pulmonary TB in a changing demographic scenario. *Int J Tuberc Lung Dis*. 2006 Mar;10(3):305-9.

31. Farah MG, Rygh JH, Steen TW, et al. Patient and health care system delays in the start of tuberculosis treatment in Norway. *BMC Infect Dis.* 2006 Feb 24;6:33.
32. Balasubramanian R, Gang R, Santha T, et al. Gender disparities in tuberculosis: report from a rural DOTS programme in south India. *IJTLD.* 2004 Mar;8(3):323-32.
33. Sadiq H, Muynck AD. Health care seeking behavior of pulmonary tuberculosis patients visiting TB Center Rawalpindi. *J Pak Med Assoc.* 2001 Jan;51(1):10-6.
34. Ahsan G, Ahmed J, Singhasivanon P, et al. Gender difference in treatment seeking behaviors of tuberculosis cases in rural communities of Bangladesh. *Southeast Asian J Trop Med Public Health.* 2004 Mar;35(1):126-35.
35. Thorson A, Johansson E. Equality or equity in health care access: a qualitative study of doctors' explanations to a longer doctor's delay among female TB patients in Vietnam. *Health Policy.* 2004 Apr;68(1):37-46.
36. Johansson E, Long NH, Diwan VK, Winkvist A. Gender and tuberculosis control: perspectives on health seeking behaviour among men and women in Vietnam. *Health Policy.* 2000 May;52(1):33-51.
37. Cheng G, Tollhurst R, Li RZ, Meng QY, Tang S. Factors affecting delays in tuberculosis diagnosis in rural China: a case study in four counties in Shandong Province. *Trans R Soc Trop Med Hyg.* 2005 May;99(5):355-62.
38. Masjedi MR, Cheragvandi A, Hadian M, Velayati AA. Reasons for delay in the management of patients with pulmonary tuberculosis. *East Mediter Health J.* 2002 Mar-May;8(2-3):324-9.
39. Ouédraogo M, Kouanda S, Boncounkou K, et al. Treatment seeking behaviour of smear-positive tuberculosis patients diagnosed in Burkina Faso. *Int J Tuberc Lung Dis.* 2006 Feb;10(2):184-7.
40. Barker RD, Millard FJ, Malatsi J, Mkoana L, Ngoatwana T, Agarawal S, de Valliere S. Traditional healers, treatment delay, performance status and death from TB in rural South Africa. *Int J Tuberc Lung Dis.* 2006 Jun;10(6):670-5.
41. Needham DM, Foster SD, Tomlinson G, et al. Socio-economic, gender and health services factors affecting diagnostic delay for tuberculosis patients in urban Zambia. *Trop Med Int Health.* 2001 Apr;6(4):256-259.
42. Godfrey-Faussett P, Kaunda H, Kamanga J, et al. Why do patients with a cough delay seeking care at Lusaka urban health centres? A health systems research approach. *IJTLD.* 2002 Sep;6(9):796-805.
43. Wandwalo ER, Morkve O. Delay in tuberculosis case-finding and treatment in Mwanza, Tanzania. *IJTLD.* 2000 Feb;4(2):133-138.
44. World Health Organization. Diagnostic and treatment delay in tuberculosis, an in-depth analysis of the health-seeking behaviour of patients and health system response in seven countries of the Eastern Mediterranean Region, WHO-EM/TDR/009/E/10.06/1000. 2006
45. Huong NT, Vree M, Duong BD, Khanh VT, Loan VT, Co NV, Borgdorff MW, Cobelens FG. Delays in the diagnosis and treatment of tuberculosis patients in Vietnam: a cross-sectional study. *BMC Public Health.* 2007 Jun 13;7:110.
46. Gosoni GD, Ganapathy S, Kemp J, Auer C, Somma D, Karim F, Weiss MG. Gender and socio-cultural determinants of delay to diagnosis of TB in Bangladesh, India and Malawi. *Int J Tuberc Lung Dis.* 2008 Jul;12(7):848-55.
47. Wang J, Fei Y, Shen H, Xu B. Gender difference in knowledge of tuberculosis and associated health-care seeking behaviors: a cross-sectional study in a rural area of China. *BMC Public Health.* 2008 Oct 8;8:354.
48. van der Werf MJ, Chechulin Y, Yegorova OB, et al. Health care seeking behaviour for tuberculosis symptoms in Kiev City, Ukraine. *Int J Tuberc Lung Dis.* 2006 Apr;10(4):390-5.
49. Madebo T, Lindtjorn B. Delay in treatment of pulmonary tuberculosis: an analysis of symptom duration among Ethiopian patients. *Med Gen Med.* 1999 Jun;18:E6.
50. Zerbini E, Chirico MC, Salvadores B, Amigot B, Estrada S, Algorry G. Delay in tuberculosis diagnosis and treatment in four provinces of Argentina. *Int J Tuberc Lung Dis.* 2008 Jan;12(1):63-8.
51. Leung EC, Leung CC, Tam CM. Delayed presentation and treatment of newly diagnosed pulmonary tuberculosis patients in Hong Kong. *Hong Kong Med J.* 2007 Jun;13(3):221-7.
52. Ngamvithayapong J, Yanai H, Winkvist A, Diwan V. Health seeking behaviour and diagnosis for pulmonary tuberculosis in an HIV-epidemic mountainous area of Thailand. *Int J Tuberc Lung Dis.* 2001 Nov;5(11):1013-20.
53. Cambanis A, Ramsay A, Yassin MA, et al. Duration and associated factors of patient delay during tuberculosis screening in rural Cameroon. *Trop Med Int Health.* 2007 Nov;12(11):1309-14. Epub 2007 Oct 22.
54. Lönnroth K, Aung T, Maung W, Kluge H, Uplekar M. Social franchising of TB care through private GPs in Myanmar: an assessment of treatment results, access, equity and financial protection. *Health Policy Plan.* 2007 May;22(3):156-66. Epub 2007 Apr 12.
55. Mohan CI, Bishai D, Kumar S, et al. Changes in utilization on TB health services in Nepal. *IJTLD.* 2005. 9(9): 1054-1056.
56. Selvam JM, Wares F, Perumal M, Gopi PG, Sudha G, Chandrasekaran V, Santha T. Health-seeking behaviour of new smear-positive TB patients under a DOTS programme in Tamil Nadu, India, 2003
57. Xu B, Diwan VK, Bogg L. Access to tuberculosis care: What did chronic cough patients experience in the way of health care-seeking? *Scandinavian Journal of Public Health* 2007; 35: 396-402
58. Asch S, Leake B, Gelberg L. Does fear of immigration authorities deter tuberculosis patients from seeking care?

- West J Med. 1994 Oct; 161(4):373-6
59. Ohmori M, Ozasa K, Mori T, et al. Trends of delays in tuberculosis case finding in Japan and associated factors. *Int J Tuberc Lung Dis*. 2005 Sep;9(9):999-1005.
 60. Lin X, Chongsuvivatwong V, Lin L, Geater A, Lijuan R. Dose-response relationship between treatment delay of smear-positive tuberculosis patients and intra-household transmission: a cross-sectional study. *Trans R Soc Trop Med Hyg*. 2008 Aug;102(8):797-804. Epub 2008 May 29.
 61. Meintjes G, Schoeman H, Morroni C, Wilson D, Maartens G. Patient and provider delay in tuberculosis suspects from communities with a high HIV prevalence in South Africa: a cross-sectional study. *BMC Infect Dis*. 2008 May 25;8:72
 - 62.
 63. Hong Kong Chest Service/ British Medical Research Council. Survey of patients presenting to the government chest service in Hong Kong and the effects of active tuberculosis case-finding by publicity campaigns. *Tubercle*. 1984 Sep; 65(3): 173-84.
 64. WHO (2006) Building on and enhancing DOTS to meet the TB-related Millennium Development Goals. WHO, Geneva.
 65. Arora VK, Sarin R, Lönnroth K. Feasibility and effectiveness of a public-private mix project for improved TB control in Delhi, India. *INT J TUBERC LUNG DIS* 2003; 7(12):1131-1138
 66. Ambe G, Lönnroth K, Dholakia Y, Copreaux J, Zignol M, Borremans N, et al. Every provider counts: effect of a comprehensive public-private mix approach for TB control in a large metropolitan area in India. *INT J TUBERC LUNG DIS* 2005; 9(5):562-568
 67. Floyd K, Arora VK, Murthy KJR, Lönnroth K, Singla N, Akbar Y, et al. Cost and cost effectiveness of PPM-DOTS for tuberculosis control: evidence from India. *Bull World Health Organ* 2006;84:437-445
 68. Hurtig AK, Pande SB, Baral SC, Newell J, Porter JDH, Bam DS. Linking private and public sectors in tuberculosis treatment in Kathmandu Valley, Nepal. *HEALTH POLICY AND PLANNING* 2002; 17(1):78-89
 69. Newell J, Pande SB, Baral SC, Bam DS, Malla P. Control of tuberculosis in an urban setting in Nepal: public-private partnership. *Bull World Health Organ* 2004;82:92-98
 70. Newell J, Pande SB, Baral SC, Bam DS, Malla P. Leadership, management and technical lessons learnt from successful public-private partnership for TB control in Nepal. *INT J TUBERC LUNG DIS* 2005; 9(9):1013-1017
 71. Storla DG, Yimer S, Bjune GA (2008) *BMC Public Health* 8: 15.
 72. TBCTA (Tuberculosis Coalition for Technical Assistance). QUOTE-TB Measuring the quality of TB services: the patient's perspective, 2007