

Opinion (F00 – 09)

- More biological characterization including neuroimaging (Brain CT & MRI etc) should be considered for inclusion in diagnostic criteria.

F1:Mental and behavioural disorders due to psychoactive substance use

F10	111
F11	5
F12	3
F14	1
F15	17
F16	19
F17	0
F18	1
F19	42



F1:Mental and behavioural disorders due to psychoactive substance use



F1:Mental and behavioural disorders due to psychoactive substance use (JNODS)

F10	51
F11	0
F12	0
F13	0
F14	0
F15	5
F16	0
F17	0
F18	0
F19	3

X 10³







Opinion (F10 – 19)

- Harmful use
 - Clarify definition with dependence syndrome

F2:Schizophrenia, schizotypal and delusional disorders

F20	573
F21	3
F22	87
F23	24
F24	1
F25	5
F28	15
F29	10





**Post-schizophrenic depression
(Postpsychotic depressive disorder of Schizophrenia)**

It is not clear how to define symptom and how to distinguish it from the residual phase of Schizophrenia and Schizoaffective disorder.

Simple schizophrenia

It is premature to consider it as an official category.

Schizotypal disorder



It is not clear that Schizotypal disorder belongs to schizophrenia-related disorders or personality disorder.



Acute and transient psychotic disorder

Further research is necessary to distinguish other Intermediate(Third) psychoses such as schizoaffective disorder, cycloid psychosis and so forth.


Opinion (F20 –29)



- Further research is necessary for these categories
 - Simple schizophrenia
 - Post schizophrenic depression
 - Schizotypal disorder





F3: Mood (Affective) disorders	
ICD-10	DSM-IV
F31 Bipolar affective disorder F31.8 Other bipolar affective disorder	296.89 Bipolar II disorder
F34 Persistent mood [affective] disorder F34.0 Cyclothymia F34.1 Dysthymia	301.13 Cyclothymic disorder 300.4 Dysthymic disorder





F4: Neurotic, stress-related and somatoform disorders (JNODS)

F40	16
F41	228
F42	17
F43	26
F44	5
F45	80
F48	213


$\times 10^3$

F4: Neurotic, stress-related and somatoform disorders (JNODS)

$\times 10^3$

Reaction to severe stress and Adjustment disorder

- F40
- F41
- F42
- F43
- F44
- F45
- F48



F44 and F45

F44 Dissociative [conversion] disorders


- F44.0 Dissociative amnesia
- F44.1 Dissociative fugue
- F44.2 Dissociative stupor
- F44.3 Trance and possession disorders
- F44.4 Dissociative motor disorders
- F44.5 Dissociative convulsion
- F44.6 Dissociative anaesthesia and sensory loss
- F44.7 Mixed dissociative [conversion] disorders
- F44.8 Other dissociative [conversion] disorders
- F44.9 Dissociative [conversion] disorder, unspecified

F45 Somatoform disorders

- F45.0 Somatization disorder
- F45.1 Undifferentiated somatoform disorder
- F45.2 Hypochondriacal disorder
- F45.3 Somatoform autonomic dysfunction
- F45.4 Persistent somatoform pain disorder

Opinion (F40 – 49)

- Clarify these relationship on diagnostic criteria





Opinion (F40 – 49)


- Should be reconsidered:
 - F48.0 Neurasthenia (only 6 out of about 8,000 cases, but common in China)
- Include 5-character diagnosis
 - F43.1 Post Traumatic Stress Disorder
 - F43.11 compensatory type
 - F43.12 non compensatory type
- Change nomenclature
 - F44.81 Multiple personality disorder

F5: Behavioural syndromes associated with physiological disturbances and physical factors

F50	191
F51	402
F52	5
F53	1
F54	4
F55	0
F59	0




F5: Behavioural syndromes associated with physiological disturbances and physical factors (JNODS)



F6: Disorders of adult personality and behaviour

F60	177
F61	1
F62	1
F63	4
F64	5
F65	1
F66	0
F68	0
F69	0

F6: Disorders of adult personality and behaviour



F6: Disorders of adult personality and behaviour (JNODS)

