

106. Magrini U, Lanzi G, Tettamanti G, Severi F, Bianchi E: Infantile G<sub>M1</sub>-gangliosidosis: Histochemical, ultrastructural and biochemical studies. *Helv Paediatr Acta* **26**:192, 1971. PMID 4257921
107. Curless RG: Computed tomography of G<sub>M1</sub>-gangliosidosis. *J Pediatr* **105**:964, 1984. PMID 6438291
108. Takashima S, Kobayashi O: Thalamic hyperdensity on CT in infantile G<sub>M1</sub>-gangliosidosis. *Brain Dev* **16**:472, 1994. PMID 7694998
109. Yoshida A, Okumura M, Momoi T, Yamanaka C, Tanaka R, Yamakura S, Takasaki Y, Kiyomasu T: Type 3 G<sub>M1</sub>-gangliosidosis: Clinical and neuroradiological findings in an 11-year-old girl. *J Neurol* **242**:299, 1995. PMID 7643138
110. Tsai CH, Tsai FJ, Shen WC: Myelination arrest demonstrated using magnetic resonance imaging in a child with type I G<sub>M1</sub>-gangliosidosis. *J Formos Med Assoc* **97**:296, 1998. PMID 9585685
111. Ozand PT, Al-Essa MA, Bakheet SM, Patay ZJ, Nounou RM: Cerebral fluorine-18 labeled 2-fluoro-2-deoxyglucose positron emission tomography (FDG PET), MRI, and clinical observations in a patient with infantile G<sub>M1</sub> gangliosidosis. *Brain Dev* **21**:559, 1999. PMID 10598059
112. Wang ZJ, Potocki L, Wenger DA, Hunter J, Scaglia F, Brunetti-Pierri N, Bhattacharjee MB, Zili C: Brain proton magnetic resonance spectroscopy and neuromuscular pathology in a patient with G<sub>M1</sub>-gangliosidosis. *J Child Neurol* **23**:73, 2008. PMID 18184943
113. McKusick VA: *Heritable Disorders of Connective Tissue*, 4th ed. St Louis, Mosby, 1972.
114. Matalon R, Dorfman A, Justice P, Arbogast B, Brandt EK: Morquio's syndrome: Deficiency of a chondroitin sulfate N-acetylhexosamine sulfate sulfatase. *Biochem Biophys Res Commun* **61**:759, 1974. PMID 4218100
115. Ullrich K, Kresse H, Paschke E, Harzer K, Sewell A, Groebe H, Krins M, Schmidberger H, von Figura: Morquio syndrome (mucopolysaccharidosis IV B) associated with β-galactosidase deficiency. Report of two cases. *Am J Hum Genet* **32**:258, 1980. PMID 6446239
116. Thomas GH, Roesel RA, Ho CK, Trojak JE, Levin LS, Kopits SE, Toma S: Morquio-like syndrome (MPS IVB) associated with deficiency of a β-galactosidase. *Johns Hopkins Med J* **146**:75, 1980. PMID 6766519
117. Pronicka E, Czartoryska B, Tylki A, Gorska D: Three cases of β-galactosidase deficiency. *Klin Pédiatr* **193**:343, 1981. PMID 6790814
118. Kleijer WJ, Blom W, Giesberts MA, Eerdmans RF, van Gemund: Morquio-B disease, spondyloepiphyseal dysplasia associated with acid β-galactosidase deficiency: Report of three cases in one family. *Hum Genet* **64**:50, 1983. PMID 6409799
119. Jackson M, Fensom AH, Giugliani R, Benson PF, Skinner SJ, Vimal CM, Fahmy N, Sjoval A: Progressive mental regression in siblings with Morquio disease type B (mucopolysaccharidosis IV B). *Clin Genet* **32**:313, 1987. PMID 3121219
120. Beighton P, Beck M, Spranger J, Petersen EM: Morquio's disease type B (β-galactosidase deficiency) in three siblings. *S Afr Med J* **72**:704, 1987. PMID 3120323

121. Oshima A, Ishii N, Suzuki Y, Orii T, Endo F, Matsuda I, Sukegawa K, Sakuraba H, Oohira T: Clinical and molecular analysis of a Japanese boy with Morquio B disease. *Clin Genet* **48**:103, 1995. PMID 7586649
122. Hoefler G, Beck M, Paschke E, Michelakakis H, Levade T, Kleijer W, Milos I, Kreimer-Erlacher H, Hoeltzenbein M: Mutation analyses in 17 patients with deficiency in acid  $\beta$ -galactosidase: Three novel point mutations and high correlation of mutation W273L with Morquio disease type B. *Hum Genet* **109**:159, 2001. [PMID: 11511921]
123. Zhang S, Clarke JT, Whelan D, Callahan JW, Skomorowski MA, Hinek A, Bagshaw RD: Novel mutations (Asn 484 Lys, Thr 500 Ala, Gly 438 Glu) in Morquio B disease. *Biochim Biophys Acta* **1588**:247, 2002. PMID 12393180
124. Bhattacharya R, Sheth JJ, Sheth FJ: Morquio-B syndrome (MPS-IV B) associated with  $\beta$ -galactosidase deficiency in two siblings. *Indian J Pediatr* **69**:109, 2002. PMID 11876111
125. Suzuki Y, Kremensky I, Nanba E, Higaki K, Gucev ZS, Tasic V, Jancevska A, Zafirovski G, Sinergiska I, Gucev F: Novel  $\beta$ -galactosidase gene mutation p.W273R in a woman with mucopolysaccharidosis type IVB (Morquio B) and lack of response to in vitro chaperone treatment of her skin fibroblasts. *Am J Med Genet* (in press).
126. Kresse H, Hors-Cayla MC, Maroteaux P, Stanescu R, Stanescu V: Heterogeniteit des formes frustes de la maladie de Morquio. *Arch Fr Pediatr* **39**:761S, 1982.
127. Oshima A, Ishii N, Suzuki Y, Osawa M, Sakuraba H:  $\beta$ -Galactosidosis (genetic  $\beta$ -galactosidase deficiency): Clinical and genetic heterogeneity of the skeletal form. *Dev Brain Dysfunct* **8**:40, 1995.
128. Beck M, Spranger J, GlÄssl J, Grubisic A: Heterogeneity of Morquio disease. *Clin Genet* **29**:325, 1986. PMID 3087664
129. Suzuki K, Chen GC: G<sub>M1</sub>-gangliosidosis (generalized gangliosidosis): Morphology and chemical pathology. *Pathol Eur* **3**:389, 1968. PMID 5688472
130. Roels H: Generalized G<sub>M1</sub>-gangliosidosis: An electron-microscopic study of the brain. *Arch Dis Child* **45**:150, 1970. PMID 5440200
131. Mihatsch MJ, Ohnacker H, Riede UN, Remagen W, Schuppler J, Meier-Ruge W, von Bassewitz: G<sub>M1</sub>-gangliosidosis: II. Morphological aspects and review of the literature. *Helv Paediatr Acta* **28**:521, 1973. PMID 4785151
132. Pfeiffer RA, Werries E, Diekmann L, Wierich W, Damaske E, von Bassewitz, JÄnemann G, WÄßle K: Klinische, pathologische und biochemische Untersuchungen in einem Fall von infantiler generalisierter Gangliosidose (G<sub>M1</sub>-Mucopolipidose). *Z Kinderheilkd* **112**:23, 1972. PMID 4259738
133. Goebel HH, Patel V, Watanabe I, Zeman W: Studies on G<sub>M1</sub>-gangliosidosis, type II. *Acta Neuropathol* **30**:155, 1974. PMID 4217089
134. Alroy J, Kaye EM, Folkert RD, Bhan I: Infantile G<sub>M1</sub>-gangliosidosis: Complete morphology and histochemistry of two autopsy cases, with particular reference to delayed central nervous system myelination. *Pediatr Dev Pathol* **3**:73, 2000. PMID 10594135
135. Weiss M, Terry RD: Studies in Tay-Sachs disease: II. Ultrastructure of the cerebrum. *J Neuropathol Exp Neurol* **22**:18, 1963. PMID 13980699

136. Samuels S, Gonatas NK, Weiss M: Formation of the membranous cytoplasmic bodies in Tay-Sachs disease: An in vitro study. *J Neuropathol Exp Neurol* **24**:256, 1965. PMID 14280501
137. Kint A, Roels H, Vrints L, Quatacker J, van der: Generalized gangliosidosis-G<sub>M1</sub> (landau disease): II. Morphological study. *Eur Neurol* **3**:129, 1970. PMID 4191160
138. Bhaktaviziam A, Basu DK, Joshua GE, Sudarazanam D: G<sub>M1</sub>-gangliosidosis in a South Indian child: A clinicopathological and biochemical study. *Indian J Med Res* **62**:788, 1974. PMID 4435891
139. Diekmann L, Themann H, von Bassewitz, Backwinkel KP: Ultrastructure of heart muscle in generalized gangliosidosis G<sub>M1</sub>. *Z Kinderheilkd* **110**:104, 1971. PMID 5580605
140. Farkas-Bargeton E: Idiote amaurotique infantile avec surcharge viscerale. *Excerpta Medica Int Congr Ser* **100**:135, 1965.
141. Green WR, Howell RR, Emery JM, Wyllie RG: G<sub>M1</sub>-gangliosidosis: Ocular and pathological manifestations. *Arch Ophthalmol* **85**:177, 1971. PMID 4250987
142. Pinsky L, Callahan JW, Wolfe LS: G<sub>M1</sub>-gangliosidosis (type II): Studies on a fibroblast cell strain. *Biochem Med* **4**:295, 1970. PMID 4257450
143. Tome FM, Fardeau M: Ultrastructural study of a muscle biopsy in a case of G<sub>M1</sub>-gangliosidosis type 1. *Pathol Eur* **11**:15, 1976. PMID 132626
144. Ikeda S, Yoshida K, Yanagisawa N, Kawaguchi K: Adult G<sub>M1</sub>-gangliosidosis: Immunohistochemical and ultrastructural findings in an autopsy case. *Neurology* **44**:2376, 1994. PMID 7991129
145. Klenk E: Beiträge zur chemie der lipidosen. I. Niemann-Pick'schen Krankheit und amaurotische Idiotie. *Hoppe-Seylers Z Physiol Chem* **262**:128, 1939.
146. Kuhn R, Wiegandt H: Die Konstitution der Ganglio-N-tetraose und des Gangliosids G<sub>1</sub>. *Chem Berl* **866**, 1978.
147. Sonnino S, Tettamanti G, Acquotti D, Riboni L, Giuliani A, Kirschner G: New chemical trend in ganglioside research. *Chem Phys Lipids* **42**:3, 1986. PMID 3549019
148. Seifert W, Wieraszko A: Evidence of the functional role of monosialoganglioside G<sub>M1</sub> in synaptic transmission in the rat hippocampus. *Brain Res* **371**:305, 1986. PMID 3008944
149. Fuxe K, Agnati LF, Benfenati F, Cavichilolo L, Toffano G: Selective modulation of [<sup>3</sup>H]-spiperone labeled 5-HT receptors by subchronic treatment with the ganglioside G<sub>M1</sub> in the rat. *Acta Physiol Scand* **117**:311, 1983. PMID 6869038
150. Suzuki K, Kamoshita S: Chemical pathology of G<sub>M1</sub>-gangliosidosis (generalized gangliosidosis). *J Neuropathol Exp Neurol* **28**:25, 1969. PMID 4237219
151. Lennarz WJ: *The Biochemistry of Glycoproteins and Proteoglycans*. New York, Plenum Press, 1980.
152. Kornfeld R, Kornfeld S: Assembly of asparagine-linked oligosaccharides. *Annu Rev Biochem* **54**:631, 1985. PMID 3896128

153. Dwek RA, Rademacher TW, Prekh RB: Glycobiology. *Annu Rev Biochem* **57**:785, 1988. PMID 3052290
154. Schachter H, Brockhausen I: The biosynthesis of branched O-glycans. *Symp Soc Exp Biol* **43**:1, 1989. PMID 2701469
155. Hopwood JJ, Morris CP: The mucopolysaccharidoses: Diagnosis, molecular genetics and treatment. *Mol Biol Med* **7**:381, 1990. PMID 2128891
156. Meyer K: Biochemistry and biology of mucopolysaccharides. *Am J Med Genet* **47**:664, 1969.
157. Cifonelli JA, Baker JR, Roden L: The linkage of corneal keratan sulfate to protein. *Connect Tissue Res* **3**:149, 1975. PMID 126842
158. Meyer K, Bray RA, Lickerman R: Structure of human skeletal keratosulfate. *J Biol Chem* **242**:3373, 1967. PMID 4226476
159. Sandhoff K, Jatzkewitz H, Pilz H: Quantitative Bestimmungen von Gangliosiden und ihre neuraminsäurefreien Derivaten bei infantilen, juvenilen und adulten Formen der amaurotischen Idiotie und einer spärlichen infantilen biochemischen Sonderform. *J Neurochem* **12**:135, 1965. PMID 14272650
160. Gonatas J, Ledeen R, Salsman K, Taghavy A: Structure comparison of the major monosialogangliosides from brains of normal human, gargoyism, and late infantile systemic lipidosis, part I. *J Neuropathol Exp Neurol* **24**:341, 1965. PMID 14292252
161. Iwamasa T, Ohshita T, Nashiro K, Iwanaga M: Demonstration of G<sub>M1</sub>-ganglioside in nervous system in generalized G<sub>M1</sub>-gangliosidosis using cholera toxin B subunit. *Acta Neuropathol* **73**:357, 1987. PMID 3113167
162. Ohno K, Orii T, Nakano T, Kobayashi T, Okada S, Goto I: Accumulation of lysosphingolipids in tissues from patients with G<sub>M1</sub> and G<sub>M2</sub> gangliosidoses. *J Neurochem* **59**:1452, 1992. PMID 1402895
163. Dawson G, Krill AE, Cotlier E, Weiss MJ, Hindman J: G<sub>M1</sub>-gangliosidosis type I. *Am J Ophthalmol* **76**:999, 1973. PMID 4759862
164. Taketomi T, Kasama T: Abnormalities of cerebral lipids in G<sub>M1</sub>-gangliosidoses, infantile, juvenile, and chronic type. *Jpn J Exp Med* **56**:1, 1986. PMID 3088302
165. Taketomi T, Hara A, Kasama T: Cerebral and visceral organ gangliosides and related glycolipids in G<sub>M1</sub>-gangliosidosis type 1, type 2 and chronic type. *Adv Exp Med Biol* **174**:419, 1984. PMID 6430048
166. Taketomi T, Hara A, Kasama T: Abnormalities in cerebral lipids and hepatic cholesterol glucuronide of a patient with G<sub>M1</sub>-gangliosidosis type 2, in Makita A, Handa S, Taketomi T, Nagai Y (eds): *New Vistas in Glycolipid Research*. New York, Plenum, 1982, p 291.
167. Callahan JW, Wolfe LS: Isolation and characterization of keratan sulfates from the liver of a patient with G<sub>M1</sub>-gangliosidosis type I. *Biochim Biophys Acta* **215**:527, 1970. PMID 4319219
168. Howell R: Mild Morquio syndrome (MPS-IVB) with keratan sulfaturia but normal 6-sulfatase activity. *Am J Med Genet* **1**:195, 1977. PMID 416714

169. Suzuki K: Cerebral G<sub>M1</sub>-gangliosidosis: Chemical pathology of visceral organs. *Science* **159**:1471, 1968. PMID 4240505
170. Calatroni A: Fractionation and characterization of glycopeptides and oligosaccharides from the liver of a patient with G<sub>M1</sub>-gangliosidosis type I. *Ital J Biochem* **23**:329, 1974. PMID 4452623
171. Dawson G, Tsay GC: Structure of the "keratosulfate-like" material in liver from a patient with G<sub>M1</sub>-gangliosidosis (β-d-galactosidase deficiency). *Biochem Biophys Res Commun* **52**:759, 1973. PMID 4710562
172. Dawson G, Li YT, Tsay GC: Structure of the glycopeptide storage material in G<sub>M1</sub>-gangliosidosis: Sequence determination with specific endo- and exoglycosidases. *Biochim Biophys Acta* **385**:305, 1975. PMID 1092358
173. Wolfe LS, Senior RG, Ng Ying: The structure of oligosaccharides accumulating in the liver of G<sub>M1</sub>-gangliosidosis, type I. *J Biol Chem* **249**:1828, 1974. PMID 4361826
174. Wolfe LS, Ng Ying: Characterization of oligosaccharides and glycopeptides excreted in the urine of G<sub>M1</sub>-gangliosidosis patients. *Biochem Biophys Res Commun* **66**:123, 1975. PMID 809040
175. Lundblad A, Svensson S, Sjoblad S: Characterization of a penta- and an octasaccharide from urine of a patient with juvenile G<sub>M1</sub>-gangliosidosis. *Arch Biochem Biophys* **188**:130, 1978. PMID 98112
176. Kobata A, Yamashita K, Ohkura T: Urinary oligosaccharides of G<sub>M1</sub>-gangliosidosis: Structures of oligosaccharides excreted in the urine of type 1 but not in the urine of type 2 patients. *J Biol Chem* **256**:8485, 1981. PMID 6790542
177. Kobata A, Yabuuchi H, Okada S, Yamashita K, Ohkura T: Urinary oligosaccharides of G<sub>M1</sub>-gangliosidosis: Different excretion patterns of oligosaccharides in the urine of type 1 and type 2 subgroups. *J Biol Chem* **256**:4789, 1981. PMID 6785275
178. O'Brien JS, Warner TG, Robertson AD: Diagnosis of G<sub>M1</sub>-gangliosidosis based on detection of urinary oligosaccharides with high performance liquid chromatography. *Clin Chim Acta* **127**:313, 1983. PMID 6404572
179. Orii T, Takahashi Y: Severity of G<sub>M1</sub>-gangliosidosis and urinary oligosaccharide excretion. *Clin Chim Acta* **179**:153, 1989. PMID 2493350
180. Orii T, Takahashi Y: Diagnosis of subtypes of G<sub>M1</sub>-gangliosidosis in vitro and in vivo, using urinary oligosaccharides as substrates. *Clin Chim Acta* **179**:219, 1989. PMID 2496942
181. Strecker G, Fournet B, Montreuil J, Michalski JC, Lemoine J, Wieruszkeski JM: Characterization of a novel type of chain terminator Galβ1-6Galβ1-4GlcNAc in an oligosaccharide related to N-glycosylated protein glycans isolated from the urine of patients with G<sub>M1</sub>-gangliosidosis. *Eur J Biochem* **198**:521, 1991. PMID 1904026
182. Ando S, Ariga T, Ohta K, Tanaka Y, Tsuji S, Miyatake T, Yahagi T, Kon K: Isolation and characterization of major urinary oligosaccharides excreted by a patient with type 3 G<sub>M1</sub>-gangliosidosis. *J Biochem* **109**:722, 1991. PMID 1917896

183. Strecker G, Dorland L, Michalski JC, Vliegenthart JF, van Halbeek: The structures of six urinary oligosaccharides that are characteristic for a patient with Morquio syndrome type B. *Carbohydr Res* **100**:351, 1982. PMID 6805953
184. Oshima A, Suzuki Y, Sakuraba H:  $\beta$ -Galactosidase deficiency ( $\beta$ -galactosidosis): GM<sub>1</sub>-gangliosidosis and Morquio B disease, in Scriver CR, Beaudet AL, Sly WS, Valle D (eds): *The Metabolic and Molecular Bases of Inherited Disease*, 7th ed. New York, McGraw-Hill, 1995, p 2785.
185. Strecker G, Montreuil J: Glycoproteins and glycoproteinases. *Biochimie* **61**:1199, 1979. PMID 120204
186. Strecker G: Oligosaccharides in lysosomal storage diseases, in Callahan JW, Lowden JA (eds): *Lysosomes and Lysosomal Storage Diseases*. New York, Raven Press, 1981, p 95.
187. Stevenson RE, Taylor HA, Parks SE:  $\beta$ -Galactosidase deficiency: Studies of two patients with prolonged survival. *Am J Med Genet* **5**:235, 1980. PMID 6773417
188. O'Brien JS, Warner TG: Structure analysis of the major oligosaccharides accumulating in canine GM<sub>1</sub>-gangliosidosis liver. *J Biol Chem* **257**:224, 1982. PMID 6796586
189. Dell A, Winchester BG, Blakemore WF, Palmer AC, Barker CG, Tiller PR: GM<sub>1</sub>-gangliosidosis (type 1) in a cat. *Biochem J* **235**:151, 1986. PMID 3091002
190. O'Brien JS, Holmes EW: Hepatic storage of oligosaccharides and glycolipids in a cat affected with GM<sub>1</sub>-gangliosidosis. *Biochem J* **175**:945, 1978. PMID 217359
191. Okada S, Furukawa M, Yamashita K, Inui K, Kochibe N, Totani K: Characteristics of asparagine-linked sugar chains of sphingolipid activator protein 1 purified from normal human liver and GM<sub>1</sub>-gangliosidosis (type 1) liver. *Biochemistry* **29**:3030, 1990. PMID 2110822
192. Yokota S, Suzuki Y, Kobayashi N, Kato T: Application of ultramicrotechnique for the diagnosis of hereditary metabolic diseases. *Acta Paediatr Jpn* **23**:44, 1981.
193. Suzuki Y, Momoi T, Furuya T: Acid  $\beta$ -galactosidase from human fibroblasts: A microscale purification method monitored by a highly sensitive enzyme assay. *J Biochem* **99**:437, 1986. PMID 3084462
194. Arvidson DN, Schneider TD, Stormo GD, Youderian P: Automated kinetic assay of  $\beta$ -galactosidase activity. *Biotechniques* **11**:733, 1991. PMID 1809325
195. Takahashi T, Nagatsu T, Kojima T, Mutoh T, Naoi M, Kondoh M, Hirooka T: Microassay for GM<sub>1</sub>-ganglioside  $\beta$ -galactosidase activity using high-performance liquid chromatography. *J Chromatogr* **426**:75, 1988. PMID 3133384
196. Magrath IT, Jain VK: A chemiluminescent assay for quantitation of  $\beta$ -galactosidase in the femtogram range: Application to quantitation of  $\beta$ -galactosidase in *lacZ*-transfected cells. *Anal Biochem* **199**:119, 1991. PMID 1807155
197. Robinson D, Ho MW, Cheatham P: Hydrolysis of GM<sub>1</sub>-ganglioside by human liver  $\beta$ -galactosidase isoenzymes. *Biochem J* **136**:351, 1973. PMID 4774399
198. O'Brien JS, Norden AGW, Tennant LL: GM<sub>1</sub>-ganglioside  $\beta$ -galactosidase A: Purification and studies of the enzyme from human liver. *J Biol Chem* **249**:7969, 1974. PMID 4214813

199. O'Brien JS: Molecular genetics of G<sub>M1</sub> β-galactosidase. *Clin Genet* **8**:303, 1975. PMID 812620
200. Cheetham PSJ, Dance NE: The separation and characterization of the methylumbelliferyl β-galactosidase of human liver. *Biochem J* **157**:189, 1976. PMID 962854
201. O'Brien JS, Holmes EW, Norden AGW, Frost RG: Characterization of purified human liver acid β-d-galactosidase A2 and A3. *Biochem J* **175**:181, 1978. PMID 104712
202. Wynn CH, Heyworth CM, Neumann EF: The stability and aggregation properties of human liver acid β-galactosidase. *Biochem J* **193**:773, 1981. PMID 7305960
203. Mutsaers JHGM, Vliegenthart JFG, Overdijk B, Hiensch-Goormachtig EFJ, Beem EP, Trippelvitiz LAW, Lisman JJW, van Halbeek, van Steijn: The carbohydrate structures of β-galactosidase from human liver. *Glycoconjugate J* **3**:339, 1986.
204. Nagatsu T, Takahashi A, Hashizume Y, Matsuoka Y, Mutoh T, Naoi M, Fujiki N: Purification and characterization of human liver β-galactosidase from a patient with the adult form of G<sub>M1</sub>-gangliosidosis and a normal control. *Biochim Biophys Acta* **964**:244, 1988. PMID 3124890
205. O'Brien JS, Norden AGW: Ganglioside G<sub>M1</sub> β-galactosidase: Studies in human liver and brain. *Arch Biochem Biophys* **159**:383, 1973. PMID 4784465
206. Lisman JJW, Hoogewinkel GJM: Kinetic properties of β-galactosidase of human tissue. *Neurobiology* **4**:167, 1974. [PMID: 4844213]
207. Suzuki K, Tanaka H: Substrate specificities of the two genetically distinct human brain β-galactosidases. *Brain Res* **122**:325, 1977. PMID 13910
208. Miller J, Pinsky L, Watters G, Wolfe LS, Shanfield B: G<sub>M1</sub>-gangliosidosis in skin fibroblast culture: Enzymatic differences between types 1 and 2 and observations on a third variant. *Am J Hum Genet* **26**:563, 1974. PMID 4420522
209. Galjaard H, Hoogeveen AT, Verheijen FW: The relation between human lysosomal β-galactosidase and its protective protein. *J Biol Chem* **258**:12143, 1983. PMID 6415049
210. Galjaard H, d'Azzo A, Hoogeveen AT, Graham-Kawashima H: Processing of human β-galactosidase in G<sub>M1</sub>-gangliosidosis and Morquio B syndrome. *J Biol Chem* **259**:1974, 1984. PMID 6420416
211. Galjaard H, Reuser AJ, Hoogeveen AT, Kroos M: G<sub>M1</sub>-gangliosidosis: Defective recognition site on β-galactosidase precursor. *J Biol Chem* **261**:5702, 1986. PMID 3084469
212. Robinson D, Stirling JL, Dance N, Price RG: β-Galactosidase, β-glucuronidase and N-acetyl-β-glucosaminidase in human kidney. *Clin Chim Acta* **24**:189, 1969. PMID 5787322
213. Miller AL, Kress BC: Characterization of the acid β-d-galactosidases from human urine. *Clin Chim Acta* **85**:23, 1978. PMID 25727
214. Suzuki K, Srivastava SK, Awasthi YC, Hanada E, Lo J, Mukerji K: Purification and properties of sphingolipid β-galactosidases from human placenta. *J Biol Chem* **254**:6710, 1979. PMID 109451
215. Singer HS, Schafer IA: Clinical and enzymatic variations in G<sub>M1</sub> generalized gangliosidosis. *Am J Hum Genet* **24**:454, 1972. PMID 5031983

216. Mumford RA, Kolodny EH: Human leukocyte acid hydrolyses: Characterization of eleven lysosomal enzymes and study of reaction conditions for their automated analysis. *Clin Chim Acta* **70**:247, 1976. PMID 8226
217. O'Brien JS, Ho MW: Stimulation of acid  $\beta$ -galactosidase activity by chloride ions. *Clin Chim Acta* **30**:531, 1970. PMID 5478341
218. O'Brien JS, Ho MW: Differential effect of chloride ions on  $\beta$ -galactosidase isoenzymes: A method for differential assay. *Clin Chim Acta* **32**:443, 1971. PMID 5096955
219. Kint JA: Antagonistic action of chondroitin sulphate and cetylpyridinium chloride on human liver  $\beta$ -galactosidase. *FEBS Lett* **36**:53, 1973. PMID 4747599
220. Carton D, Hooft C, Kint JA, Dacremont G, Orye E: Mucopolysaccharidosis: Secondarily induced abnormal distribution of lysosomal isoenzymes. *Science* **181**:352, 1973. PMID 4268963
221. Ho MW, Fluharty A: Chloride ions cancel out inhibition of  $\beta$ -galactosidase activity by acid mucopolysaccharides. *Nature* **253**:660, 1975. PMID 123040
222. Meisler M: Inhibition of human liver  $\beta$ -galactosidases and  $\beta$ -glucosidase by *N*-bromoacetyl- $\beta$ -d-galactosylamine. *Biochim Biophys Acta* **410**:347, 1975. PMID 1095
223. Galjaard H, Smith PJ, Sinnott ML, van Diggelen: Specific inactivation of lysosomal glycosidases in living fibroblasts by the corresponding glycosylmethyl-*p*-nitrophenyltriazenes. *Biochem J* **188**:337, 1980. PMID 6772162
224. Myers RW, BeMiller JN, Gilson RJ, Santoro MM, Yadav MP: *N*-Substituted ( $\beta$ -d-galactopyranosylmethyl)amines as reversible inhibitors of  $\beta$ -d-galactosidase. *Carbohydr Res* **250**:93, 1993.
225. Myers RW, BeMiller JN, Gilson RJ, Santoro MM: Suicide-substrate inactivation of  $\beta$ -galactosidase by diazomethyl  $\beta$ -d-galactopyranosyl ketone. *Carbohydr Res* **250**:101, 1993. PMID 8143286
226. Singer HS, Sinnott ML, Tiemeyer M, Slesinger PA: Inactivation of  $G_{M1}$ -ganglioside  $\beta$ -galactosidase by a specific inhibitor: A model for ganglioside storage disease. *Ann Neurol* **21**:497, 1987. PMID 3035998
227. Galjaard H, Reuser AJ, d'Azzo A, Robinson D, Hoogeveen A: Molecular defect in combined  $\beta$ -galactosidase and neuraminidase deficiency in man. *Proc Natl Acad Sci USA* **79**:4535, 1982. PMID 6812049
228. Suzuki Y, Tsuji A, Omura K, Nanba E:  $G_{M1}$ -gangliosidosis: Abnormalities in biosynthesis and early processing of  $\beta$ -galactosidase in fibroblasts. *Biochem Biophys Res Commun* **152**:794, 1988. PMID 3130055
229. d'Azzo A, Bonten E, van der: Processing of lysosomal  $\beta$ -galactosidase: The C-terminal precursor fragment is an essential domain of the mature enzyme. *J Biol Chem* **275**:10035, 2000. PMID 10744681
230. Galjaard H, Reuser AJ, Smith PJ, Hoogeveen AT, van Diggelen: Enhanced proteolytic degradation of normal  $\beta$ -galactosidase in the lysosomal storage disease with combined  $\beta$ -galactosidase and neuraminidase deficiency. *Biochim Biophys Acta* **703**:69, 1982. PMID 6803839



231. Zhang S, Callahan JW, Okamura-Oho Y, Hilson W, Hinek A: Early proteolytic cleavage with loss of a C-terminal fragment underlies altered processing of the β-galactosidase precursor in galactosialidosis. *Biochem J* **313**:787, 1996. PMID 8611156
232. Zhang S, Withers SG, Callahan JW, McCarter JD, Burgoyne DL, Miao S: Identification of Glu-268 as the catalytic nucleophile of human lysosomal beta-galactosidase precursor by mass spectrometry. *J Biol Chem* **272**:396, 1997. PMID 8995274
233. Zhang S, Clarke JT, Callahan JW, Hilson W, Bagshaw R, Oho Y, Hinek : Characterization of β-galactosidase mutations Asp332(Asn and Arg148(Ser, and a polymorphism, Ser532(Gly, in a case of GM1-gangliosidosis. *Biochem J* **348**:621, 2000. PMID 10839995
234. Suzuki Y, Handa S, Fukuoka K, Wey JJ: β-Galactosidase in mucopolysaccharidoses and mucopolipidoses: Deficiency of GM1 β-galactosidase in liver and leukocytes. *Clin Chim Acta* **75**:91, 1977. PMID 403036
235. Kolodny EH, Gajewski A, Raghavan SA: GM1-ganglioside β-galactosidase in leukocytes and cultured fibroblasts. *Clin Chim Acta* **81**:47, 1977. PMID 411612
236. O'Brien JS, Miller AL, Frost RG: Purified human liver acid β-galactosidase possessing activity towards GM1-ganglioside and lactosylceramide. *Biochem J* **165**:591, 1977. PMID 411490
237. Callahan JW, Gerrie J: Purification of GM1-ganglioside and ceramide lactoside β-galactosidase from rabbit brain. *Biochim Biophys Acta* **391**:141, 1975. PMID 237552
238. Gatt S: Enzymatic hydrolysis of sphingolipids: V. Hydrolysis of monosialoganglioside and hexosylceramides by rat brain β-galactosidase. *Biochim Biophys Acta* **137**:192, 1967. PMID 6030372
239. Suzuki Y, Suzuki K: Glycosphingolipid β-galactosidases: I. Standard assay procedures and characterization by electrofocusing and gel filtration of the enzymes in normal human liver. *J Biol Chem* **249**:2098, 1974. PMID 4856435
240. Suzuki K, Tanaka H: Lactosylceramide β-galactosidase in human sphingolipidoses: Evidence for two genetically distinct enzymes. *J Biol Chem* **250**:2324, 1975. PMID 803971
241. Suzuki K, Tanaka H, Meisler M: Activity of human hepatic β-galactosidase toward natural glycosphingolipid substrates. *Biochim Biophys Acta* **398**:452, 1975. PMID 1174525
242. Suzuki K, Tanaka H: Specificities of the two genetically distinct β-galactosidases in human sphingolipidoses. *Arch Biochem Biophys* **175**:332, 1976. PMID 821399
243. Sandhoff K, Färst W, Schwarzmann G, Zschoche A: Hydrolysis of lactosylceramide by human galactosylceramidase and GM1-β-galactosidase in a detergent-free system and its stimulation by sphingolipid activator proteins sap-B and sap-C. *Eur J Biochem* **222**:83, 1994. PMID 8200356
244. Shiraishi T, Hiraiwa M, Uda Y: Effects of cyclodextrins on the hydrolysis of ganglioside GM1 by acid β-galactosidases. *Glycoconjugate J* **170**, 1993.
245. Strecker G, Kresse H, Paschke E, Niemann R: Aggregation properties of β-galactosidase of human urine and degradation of its natural substrates by a purified preparation of the enzyme. *Biochim Biophys Acta* **704**:134, 1982. PMID 6807347
246. Galjaard H, Hoogeveen AT, Palmeri S, Verheijen F: Human placental neuraminidase. *Eur J Biochem* **149**:315, 1985. PMID 3922758

247. Galjaard H, Palmeri S, Verheijen F: Purification and partial characterization of lysosomal neuraminidase from human placenta. *Eur J Biochem* **162**:63, 1987. PMID 3102233
248. Galjaard H, d'Azzo A, Gillemans N, Harris A, Verheijen FW, Galjart NJ, van der: Expression of cDNA encoding the human protective protein associated with lysosomal  $\beta$ -galactosidase and neuraminidase: Homology to yeast proteases. *Cell* **53**:755, 1988.
249. Galjaard H, d'Azzo A, Verheijen FW, Galjart NJ, van der: Identification and in vitro reconstitution of lysosomal neuraminidase from human placenta. *J Biol Chem* **264**:1317, 1989. PMID 2492018
250. Potier M, Michaud L, Tranchemontagne J, Thauvette L: Structure of the lysosomal neuraminidase- $\beta$ -galactosidase-carboxypeptidase multienzymic complex. *Biochem J* **267**:197, 1990. PMID 2109603
251. Jackman HL, Tan F, Tamei H, Beurling-Harbury C, Skidgel RA, Erdos EG, Li XY: A peptidase in human platelets that deamidates tachykinins. *J Biol Chem* **256**:11265, 1990.
252. Oshima A, Suzuki Y, Itoh K, Kase R, Sakuraba H, Takiyama N: Galactosialidosis: Simultaneous deficiency of esterase, carboxy terminal deamidase and acid carboxypeptidase activities. *Biochem Biophys Res Commun* **172**:1175, 1990. PMID 2244901
253. Willemsen R, d'Azzo A, Morreau H, Gillemans N, Galjart NJ, Bonten EJ: Human lysosomal protective protein has cathepsin A-like activity distinct from its protective function. *J Biol Chem* **266**:14754, 1991. PMID 1907282
254. Suzuki Y, Hoogeveen AT, Yamanaka T, Sakuraba H, Ko YM, Okamura Y, Iimori Y: Galactosialidosis: A comparative study of clinical and biochemical data on 22 patients, in Arima M, Suzuki Y, Yabuuchi H (eds): *The Developing Brain and Its Disorders*. Basel, Karger, 1985, p 161.
255. Galjaard H, Willemsen R, d'Azzo A, Hoogeveen AT, Mancini GM, Palmeri S, Verheijen FW: Molecular heterogeneity in human  $\beta$ -galactosidase and neuraminidase deficiency. *Enzyme* **38**:132, 1987. PMID 3126043
256. Suzuki Y, Suzuki K, Hayashi K, Sakuraba H, Imahori K:  $\beta$ -Galactosidase-neuraminidase deficiency: Restoration of  $\beta$ -galactosidase activity by protease inhibitors. *J Biochem* **90**:271, 1981. PMID 6793566
257. Suzuki Y, Sakai M, Sakuraba H, Amano N, Akagi M:  $\beta$ -Galactosidase-neuraminidase deficiency (galactosialidosis): Clinical, pathological, and enzymatic studies in a postmortem case. *Ann Neurol* **13**:497, 1983. PMID 6408977
258. Suzuki Y, Yamanaka T, Ko Y-M, Umeda M: Effects of thiol protease inhibitors on intracellular degradation of exogenous  $\beta$ -galactosidase in cultured human skin fibroblasts. *Exp Cell Res* **148**:525, 1983. PMID 6414834
259. Li YT, Li SC: An activator stimulating the enzymic hydrolysis of sphingoglycolipids. *J Biol Chem* **251**:1159, 1976. PMID 814123
260. Wenger DA, Inui K: Studies on the sphingolipid activator protein for the enzymatic hydrolysis of  $G_{M1}$ -ganglioside and sulfatide, in Barranger JA, Brady RO (eds): *Molecular Basis of Lysosomal Storage Disorders*. New York, Academic Press, 1984, p 61.
261. Mehl E, Jatzkewitz H: Eine Cerebrosidsulfatase aus Schweineiere. *Hoppe-Seylers Z Physiol Chem* **339**:260, 1964. PMID 5829234

262. Mehl E, Jatzkewitz H: Cerebroside-3-sulfate as a physiological substrate of arylsulfatase A. *Biochim Biophys Acta* **151**:619, 1968. PMID 5646041
263. Jatzkewitz H, Stinshoff K: An activator of cerebroside sulfatase in human normal liver and in cases of congenital metachromatic leukodystrophy. *FEBS Lett* **32**:129, 1973. PMID 4715673
264. Sandhoff K, Conzelmann E, GÄrtner S: Activator protein for the degradation of globotriaosylceramide by human  $\beta$ -galactosidase. *J Biol Chem* **258**:12378, 1983. PMID 6313655
265. O'Brien JS, Wenger DA, Fluharty AL, Kretz KA, Dewji N, Esch F: Coding of two sphingolipid activator proteins (SAP-1 and SAP-2) by the same genetic locus. *Science* **241**:1098, 1988. PMID 2842863
266. Johnson LL, Sano A, Radin NS, Tarr GE: The activator protein for glucosylceramide  $\beta$ -glucosidase from guinea pig liver. *J Biol Chem* **263**:19579, 1988.
267. Nakano T, Suzuki K, Sandhoff K, Christomanou H, StÄmper J: Structure of full-length cDNA coding for sulfatide activator, a co- $\beta$ -glucosidase and two other homologous proteins: Two alternate forms of the sulfatide activator. *J Biochem* **105**:152, 1989. PMID 2498298
268. Potier M, Lamontagne S, Champagne M-J: Binding of G<sub>M1</sub>-ganglioside to a synthetic peptide derived from the lysosomal sphingolipid-activator-protein saposin B. *FEBS Lett* **347**:246, 1994.
269. Galjaard H, Reuser AJJ: Clinical, biochemical and genetic heterogeneity in gangliosidoses, in Harkness RA, Cockburn F (eds): *Inborn Errors of Metabolism: The Cultured Cell*. St Leonardgate, MTP Press, 1977, p 139.
270. Pinsky L, Callahan J, Powell E: G<sub>M1</sub>-gangliosidosis types 1 and 2: Enzymatic differences in cultured fibroblasts. *Nature* **228**:1093, 1970. PMID 5483166
271. Yabuuchi H, Okada S, Kato T, Yutaka T: Impaired degradation of keratan sulfate in G<sub>M1</sub>-gangliosidosis. *Clin Chim Acta* **125**:233, 1982. PMID 6216030
272. Rattazzi MC, Meisler M: Immunological studies of  $\beta$ -galactosidase in normal human liver and in G<sub>M1</sub>-gangliosidosis. *Am J Hum Genet* **26**:683, 1974. PMID 4216265
273. Gorska D, Czartoryska B, Abramowicz T: Kinetic properties of  $\beta$ -galactosidase in Morquio B disease. *Acta Anthropogenet* **7**:301, 1983. PMID 6439230
274. Kresse H, Paschke E: Morquio disease, type B: Activation of G<sub>M1</sub>- $\beta$ -galactosidase by G<sub>M1</sub>-activator protein. *Biochem Biophys Res Commun* **109**:568, 1982. PMID 6817758
275. Suzuki Y, Kint J, Sakuraba H, Imori Y, Akagi A: Galactosialidosis: Low  $\beta$ -galactosidase activity in serum after long-term clotting. *Ann Neurol* **18**:261, 1985. PMID 3929673
276. Oshima A, Ishii N, Suzuki Y, Fukuyama Y, Sakuraba H: Normal serum  $\beta$ -galactosidase in juvenile G<sub>M1</sub>-gangliosidosis. *Pediatr Neurol* **10**:317, 1994. PMID 8068159
277. Natowicz MR, Prenc EM: Unusual biochemical presentation of G<sub>M1</sub>-gangliosidosis: Markedly elevated levels of multiple plasma lysosomal enzyme activities. *J Inher Metab Dis* **16**:897, 1993. PMID 8295410

278. Kuroiwa Y, Kobayashi T, Shinnoh N, Tanaka M, Goto I, Sugihara G, Okawauch M: Galactosylceramide- and lactosylceramide-loading studies in cultured fibroblasts from normal individuals and patients with globoid cell leukodystrophy (Krabbe's disease) and GM<sub>1</sub>-gangliosidosis. *Biochim Biophys Acta* **835**:456, 1985. PMID 3926002
279. Kuroiwa Y, Kobayashi T, Shinnoh N: Incorporation and degradation of GM<sub>1</sub>-ganglioside and asialo-GM<sub>1</sub>-ganglioside in cultured fibroblasts from normal individuals and patients with  $\beta$ -galactosidase deficiency. *Biochim Biophys Acta* **875**:115, 1986. PMID 3079639
280. Yabuuchi H, Okada S, Ogura K, Inui K, Midorikawa M, Handa S: Uptake and metabolism of radiolabelled GM<sub>1</sub>-ganglioside in skin fibroblasts from controls and patients with GM<sub>1</sub>-gangliosidosis. *J Inher Metab Dis* **14**:721, 1991. PMID 1779618
281. Schmid B, Sandhoff K, Paton BC: Metabolism of GM<sub>1</sub>-ganglioside in cultured skin fibroblasts: Anomalies in gangliosidoses, sialidoses, and sphingolipid activator protein (SAP, saposin) 1 and prosaposin deficient disorders. *Hum Genet* **89**:513, 1992. PMID 1634229
282. Galjaard H, Reuser AJ, Robinson D, Ho MW, Hoogeveen A, de Wit: Genetic heterogeneity in GM<sub>1</sub>-gangliosidosis. *Nature* **257**:60, 1975. PMID 808736
283. Gerald PS, Bruns GAP, Regina VM, Leary AC: Lysosomal  $\beta$ -d-galactosidase in man-hamster somatic cell hybrids. *Cytogenet Cell Genet* **22**:177, 1978. PMID 110521
284. Shows TB, Brown JA, Meisler M, Scrafford-Wolff L: Assignment of a  $\beta$ -galactosidase gene ( $\beta$ -Gal A) to chromosome 3 in man. *Cytogenet Cell Genet* **22**:219, 1978. PMID 110522
285. Burton BK, Ben-Yoseph Y, Nadler HL: Quantitation of the enzymically deficient cross-reacting material in GM<sub>1</sub>-gangliosidoses. *Am J Hum Genet* **29**:575, 1977. PMID 412418
286. O'Brien JS, Norden AG: An electrophoretic variant of  $\beta$ -galactosidase with altered catalytic properties in a patient with GM<sub>1</sub>-gangliosidosis. *Proc Natl Acad Sci USA* **72**:240, 1975. PMID 804170
287. Oshima A, Suzuki Y, Itoh K, Sakuraba H, Takiyama N: Characterization of an anti- $\beta$ -galactosidase antibody recognizing a precursor but not a mature enzyme in solution. *Biochem Biophys Res Commun* **193**:526, 1993. PMID 8512554
288. Oshima A, Suzuki Y, Fukuhara Y: Altered substrate affinity of a mutant  $\beta$ -galactosidase causing Morquio B disease. *Dev Brain Dysfunct* **10**:119, 1997.
289. Galjaard H, Willemsen R, Hoogeveen AT, Sips HJ, van Dongen: Immunoelectron microscopical localization of lysosomal  $\beta$ -galactosidase and its precursor forms in normal and mutant human fibroblasts. *Eur J Cell Biol* **40**:9, 1986. PMID 3084261
290. Oshima A, Suzuki Y, Itoh K, Kase R, Yoshida K, Sakuraba H: Intracellular processing and maturation of mutant gene products in hereditary  $\beta$ -galactosidase deficiency ( $\beta$ -galactosidosis). *Hum Genet* **93**:109, 1994. PMID 8112731
291. Suzuki Y, Itoh K, Inui K, Sakuraba H, Nishimoto J, Shimamoto M, Takiyama N: Molecular form and subcellular distribution of acid  $\beta$ -galactosidase in fibroblasts from patients with GM<sub>1</sub>-gangliosidosis, Morquio B disease and galactosialidosis. *Brain Dev* **19**:126, 1997. PMID 9105659

292. Galjaard H, Schram AW, Smith PJ, Robinson D, Sinnott ML, van Diggelen: Turnover of β-galactosidase in fibroblasts from patients with genetically different types of β-galactosidase deficiency. *Biochem J* **200**:143, 1981. PMID 6800355
293. Nadler HL, Kaye CI, Chou L: Brain β-galactosidase and G<sub>M1</sub>-gangliosidosis. *Pediatr Res* **8**:120, 1974. PMID 4810509
294. Yabuuchi H, Okada S, Yutaka T, Mimaki K, Sugita T: Enzymatic study of G<sub>M1</sub>-gangliosidosis. *Clin Chim Acta* **59**:283, 1975. PMID 236099
295. Farrell DF, MacMartin MP: G<sub>M1</sub>-gangliosidosis: Enzymatic variation in a single family. *Ann Neurol* **9**:232, 1981. PMID 6784663
296. Robinson D, Ho MW, Cheetham P: Hydrolysis of G<sub>M1</sub>-galactosidase isoenzymes. *Biochem J* **136**:351, 1973. PMID 4774399
297. Burton BK, Ben-Yoseph Y, Nadler HL, Shapira E, Edelman D: Purification and properties of neutral β-galactosidases from human liver. *Arch Biochem Biophys* **184**:373, 1977. PMID 413490
298. Suzuki Y, Hayakawa T, Yazaki M, Hiratani Y: G<sub>M1</sub>-gangliosidosis: A variant with high activity of hepatic neutral β-galactosidase. *Eur J Pediatr* **122**:177, 1976. PMID 819272
299. Robinson D, Cheetham PSJ, Dance NE: A benign deficiency of type B β-galactosidase in human liver. *Clin Chim Acta* **83**:67, 1978. PMID 23231
300. Westerveld A, Bootsma D, Hagemeyer A, Hoeksema HL, Hally D, de Wit: Regional localization of a β-galactosidase locus on human chromosome 22. *Somat Cell Genet* **3**:351, 1977.
301. Meisler MH, Shows TB, Brown JA, Scrafford Wolff: G<sub>M1</sub>-gangliosidosis: Chromosome 3 assignment of the β-galactosidase A gene (βGAL<sub>A</sub>). *Somat Cell Genet* **5**:147, 1979.
302. Galjaard H, Westerveld A, Sips HJ, de Wit, de Wit-Verbeek: The chromosomal localization of human β-galactosidase revisited: A locus for β-galactosidase on human chromosome 3 and for its protective protein on human chromosome 22. *Hum Genet* **69**:340, 1985. PMID 3921454
303. Westerveld A, Bootsma D, Hoeksema HL, de Wit: Assignment of structural β-galactosidase loci to human chromosomes 2 and 22. *Hum Genet* **51**:259, 1979. PMID 116956
304. Shows TB, Naylor SL, Brown JA, Elliott RW: Mapping of aminoacylase-1 and β-galactosidase-A to homologous regions of human chromosome 3 and mouse chromosome 9 suggests location of additional genes. *Am J Hum Genet* **34**:235, 1982. PMID 6803586
305. Jones C, Patterson D, Morse H, Miller YE, Palmer D, Kiry M: Regional mapping of human chromosome 3. *Cytogenet Cell Genet* **37**:500, 1984.
306. O'Brien JS, Yamamoto Y, Martin BM, Naylor SL, Kretz KA, Hake CA, Mudd M, Ahern-Rindall AJ: Isolation, characterization, and mapping of a human acid β-galactosidase cDNA. *DNA Cell Biol* **9**:119, 1990. PMID 2111707
307. Takano T, Yamanouchi Y: Assignment of human β-galactosidase-A gene to 3p21.33 by fluorescence in situ hybridization. *Hum Genet* **92**:403, 1993. PMID 7693577

308. Willemssen R, d'Azzo A, Morreau H, Gillemans N, Galjart NJ, van der: Alternative splicing of  $\beta$ -galactosidase mRNA generates the classic lysosomal enzyme and a  $\beta$ -galactosidase-related protein. *J Biol Chem* **264**:20655, 1989. PMID 2511208
309. Sly WS, Grubb JH, Oshima A, Miller RD, Powell PP, Tropak M, Guise KS, Gravel RA, Kyle L, Hoffman LW: Cloning, sequencing, and expression of cDNA for human  $\beta$ -glucuronidase. *Proc Natl Acad Sci USA* **84**:685, 1987. PMID 3468507
310. Suzuki K, Nanba E: Molecular cloning of mouse acid  $\beta$ -galactosidase cDNA: Sequence and expression of catalytic activity and comparison with the human enzyme. *Biochem Biophys Res Commun* **173**:141, 1990. PMID 2124109
311. Oshima A, Suzuki Y, Itoh K, Sakuraba H, Nagao Y:  $\beta$ -Galactosidase-deficient human fibroblasts: Uptake and processing of the exogenous precursor enzyme expressed by stable transformant COS cells. *Hum Genet* **85**:505, 1990. PMID 2121639
312. Yamamura K, Miyazaki J, Araki K, Takaki S, Takatsu K, Tashiro R, Tominaga A: Expression vector system based on the chicken  $\beta$ -actin promoter directs efficient production of interleukin-5. *Gene* **79**:269, 1989. PMID 2551778
313. Oshima A, Suzuki Y, Itoh K, Sakuraba H: Expression, glycosylation, and intracellular distribution of human  $\beta$ -galactosidase in recombinant baculovirus-infected *Spodoptera frugiperda* cells. *Biochem Biophys Res Commun* **167**:746, 1990. PMID 2108671
314. Oshima A, Suzuki Y, Itoh K, Sakuraba H: Characterization and purification of human  $\beta$ -galactosidase overexpressed in recombinant baculovirus-infected *Spodoptera frugiperda* cells. *J Inherit Metab Dis* **14**:813, 1991. PMID 1779628
315. Ogonah O, Shuler ML, Granados RR: Protein production ( $\beta$ -galactosidase) from a baculovirus vector in *Spodoptera frugiperda* and *Trichopolusia ni* cells in suspension culture. *Biotechnol Lett* **13**:265, 1991.
316. d'Azzo A, Zhou XY, Morreau H, Bonten E: Organization of the gene encoding human lysosomal  $\beta$ -galactosidase. *DNA Cell Biol* **10**:495, 1991. PMID 1909871
317. Suzuki K, Nanba E: Organization of the mouse acid  $\beta$ -galactosidase gene. *Biochem Biophys Res Commun* **178**:158, 1991. PMID 1906271
318. Prody CA, Callahan JW, Hinek A, Privitera S: The 67-kDa enzymatically inactive alternatively spliced variant of beta-galactosidase is identical to the elastin/laminin-binding protein. *J Biol Chem* **273**:6319, 1998. PMID 9497360
319. d'Azzo A, Zammarchi E, Gatti R, Parini R, Donati MA, Ricci R, Morrone A, Giorgi M, Bardelli T, Di Rocco, Taddeucci G:  $\beta$ -Galactosidase gene mutations affecting the lysosomal enzyme and the elastin-binding protein in  $G_{M1}$ -gangliosidosis patients with cardiac involvement. *Hum Mutat* **15**:354, 2000. PMID 10737981
320. d'Azzo A, Donati MA, Morrone A, Caciotti A, Bardelli T, Massai G, Luciani L, Zammarchi E: Primary and secondary elastin-binding protein defect leads to impaired elastogenesis in fibroblasts from  $G_{M1}$ -gangliosidosis patients. *Am J Pathol* **167**:1989, 2005.

321. d'Azzo A, Federico A, Zammarchi E, Kimonis V, Parini R, Boneh A, Donati MA, Morrone A, Caciotti A, Bardelli T, Antuzzi D, Nosi D: Role of  $\beta$ -galactosidase and elastin binding protein in lysosomal and nonlysosomal complexes of patients with GM1-gangliosidosis. *Hum Mutat* **25**:285, 2005. PMID 15714521
322. d'Azzo A, Zammarchi E, Wuyts W, Fiumara A, Donati MA, Filocamo M, Kleijer W, Morrone A, Caciotti A, Procopio E, Blaumeiser B, Simi L, Orlando C, McKenzie F: GM1-gangliosidosis: molecular analysis of nine patients and development of an RT-PCR assay for *GLB1* gene expression profiling. *Hum Mutat* **28**:204, 2007. PMID 17221873
323. Suzuki K, Okada S, Inui K, Nanba E, Nishimoto J: GM1-gangliosidosis (genetic  $\beta$ -galactosidase deficiency): Identification of four mutations in different clinical phenotypes among Japanese patients. *Am J Hum Genet* **49**:566, 1991. PMID 1909089
324. Gatti R, Danesino C, Trubia M, Minelli A, Piantanida M, Mosna G, Fattore S, Tubiello G, Brocca S, Gianazza E: A homozygous missense arginine to histidine substitution at position 482 of the  $\beta$ -galactosidase in an Italian infantile GM1-gangliosidosis patient. *Hum Genet* **90**:247, 1992. PMID 1487238
325. Suzuki K, Boustany RM, Qian WH: Mutations in acid  $\beta$ -galactosidase cause GM1-gangliosidosis in American patients. *Am J Hum Genet* **53**:881, 1993. PMID 8213816
326. Boustany RM, Shanske AL, Chiu NC, Qian WH, Brooks SS: A common mutation site in the  $\beta$ -galactosidase gene originates in Puerto Rico. *Pediatr Neurol* **14**:53, 1996. PMID 8652017
327. Stevenson RE, Breakefield XO, Shalish C, Kaye EM, Taylor HA, Livermore J:  $\beta$ -Galactosidase gene mutations in patients with slowly progressive GM1-gangliosidosis. *J Child Neurol* **12**:242, 1997. PMID 9203065
328. Oshima A, Suzuki Y, Yoshida K, Sakuraba H, Shimmoto M, Fukuhara Y, Ishizaki A: GM1-gangliosidosis: Tandem duplication within exon 3 of  $\beta$ -galactosidase gene in an infantile patient. *Clin Genet* **41**:235, 1992. PMID 1606711
329. d'Azzo A, Giugliani R, Coelho JC, Severini MH, Sopelsa A, Silva CM, Zaha A: Six novel  $\beta$ -galactosidase gene mutations in Brazilian patients with GM1-gangliosidosis. *Hum Mutat* **13**:401, 1999. PMID 10338095
330. Santamaria R, Chabas A, Vilageliu L, Grinberg D, Blanco M: Identification of 14 novel *GLB1* mutations, including five deletions, in 19 patients with GM1-gangliosidosis from South America. *Clin Genet* **71**:273, 2007. PMID 17309651
331. Rafi MA, Chakraborty S, Wenger DA: Mutations in the lysosomal  $\beta$ -galactosidase gene that cause the adult form of GM1-gangliosidosis. *Am J Hum Genet* **54**:1004, 1994. PMID 8198123
332. Galjaard H, Kleijer WJ, d'Azzo A, Zhou XY, Morreau H, Zammarchi E, Morrone A: Insertion of a T next to the donor splice site of intron 1 causes aberrantly spliced mRNA in a case of infantile GM1-gangliosidosis. *Hum Mutat* **3**:112, 1994. PMID 8199591
333. d'Azzo A, Zammarchi E, Campos Y, Ozand P, Morrone A, Drosiotou A, Georgiou T, Caciotti A, Sztriha L, Gururaj A: Four novel mutations in patients from the Middle East with the infantile form of GM1-gangliosidosis. *Hum Mutat* **24**:352, 2004. PMID 15365997

334. Clarke JTR, Zhang S, Mahuran D, Hilson WL, Okayama-Oho Y, Callahan JTR: Novel missense mutation in  $\beta$ -galactosidase that results in GM<sub>1</sub>-gangliosidosis. *Am J Hum Genet* **55**:1302, 1994.
335. Ishikawa Y, Fukushima H, Okada S, Minami R, Inui K, Tsukamoto H, Nishimoto J: A new gene mutation in juvenile GM<sub>1</sub>-gangliosidosis. *Jpn J Inherit Metab Dis* **9**, 1993.
336. Smith AC, Zhang S, Callahan JW, Hinek A: Impaired elastic-fiber assembly by fibroblasts from patients with either Morquio B disease or infantile GM<sub>1</sub>-gangliosidosis is linked to deficiency in the 67-kDa spliced variant of  $\beta$ -galactosidase. *Am J Hum Genet* **67**:23, 2000. PMID 10841810
337. Antonarakis SE, den Dunnen: Mutation nomenclature extensions and suggestions to describe complex mutations: A discussion. *Hum Mutat* **15**:7, 2000.
338. Iwasaki H, Watanabe H, Suzuki Y, Ogawa S, Iida M, Nanba E, Higaki K, Tabe M: Fibroblast screening for chaperone therapy in  $\beta$ -galactosidosis. *Brain Dev* **28**:482, 2006. PMID 16617000
339. Itoh M, Iwasaki H, Brady RO, Oshima A, Watanabe H, Ohno K, Suzuki Y, Yamamoto Y, Matsuda J, Ogawa S, Ogawa Y, Sakata Y, Nanba E, Higaki K, Suzuki O, Takimoto K, Noguchi A, Matsuzaki Y, Yasuda Y, Tominaga L: Chemical chaperone therapy for brain pathology in GM<sub>1</sub>-gangliosidosis. *Proc Natl Acad Sci USA* **100**:15912, 2003. PMID 14676316
340. Hadjiconstantinou M, Neff NH: GM<sub>1</sub> ganglioside: In vivo and in vitro trophic actions on central neurotransmitter systems. *J Neurochem* **70**:1335, 1998. PMID 9523549
341. Hendershot LM, d'Azzo A, Ma Y, Sano R, Mann L, Tessitore A, del Martin, Ingrassia A, Laywell ED, Steindler DA: GM<sub>1</sub>-ganglioside-mediated activation of the unfolded protein response causes neuronal death in a neurodegenerative gangliosidosis. *Mol Cell* **15**:753, 2004. PMID 15350219
342. Powers JM, Kamphorst W, van der: The leukoencephalopathy of infantile GM<sub>1</sub>-gangliosidosis: oligodendrocytic loss and axonal dysfunction. *Acta Neuropathol* **107**:539, 2004. PMID 15042387
343. Gehrmann J, Matsumoto Y, Kreutzberg GW: Microglia: intrinsic immunoeffector cell of the brain. *Brain Res Rev* **20**:269, 1995.
344. Dwek RA, d'Azzo A, Platt FM, Butters TD, Jeyakumar M, Perry VH, Thomas R, Smith DA, van der, Elliot-Smith E: Central nervous system inflammation is a hallmark of pathogenesis in mouse models of GM<sub>1</sub> and GM<sub>2</sub> gangliosidosis. *Brain* **126**:974, 2003. PMID 12615653
345. Suzuki K, Purpura DP: Distortion of neuronal geometry and formation of aberrant synapses in neuronal storage disease. *Brain Res* **116**:1, 1976. PMID 824017
346. Purpura DP: Ectopic dendritic growth in mature pyramidal neurones in human ganglioside storage disease. *Nature* **276**:520, 1978. PMID 102998
347. Nakamura K, Wu G, Ledeen RW: Inhibition of neurite outgrowth of neuroblastoma Neuro-2A cells by cholera toxin B-subunit and anti-GM<sub>1</sub> antibody. *Mol Chem Neuropathol* **21**:259, 1994. PMID 8086037
348. Purpura DP, Baker HJ: Meganeurites and other aberrant processes of neurons in feline GM<sub>1</sub>-gangliosidosis: A Golgi study. *Brain Res* **143**:13, 1978. PMID 415798
349. Baker H, Purpura D, Pappas G: Fine structure of meganeurites and secondary growth processes in feline GM<sub>1</sub>-gangliosidosis. *Brain Res* **143**:1, 1978. PMID 415797



350. Baker H, Rattazzi M, Walkley S: Initiation and growth of ectopic neurites and meganeurites during postnatal cortical development in ganglioside storage disease. *Brain Res Dev Brain Res* **51**:167, 1990. PMID 2108821
351. Wurzelmann S, Walkley S: Alterations in synaptic connectivity in cerebral cortex in neuronal storage disorders. *Ment Retard Dev Disabil Res Rev* **1**:183, 1995.
352. Wu G, Ledeen RW, Lu ZH: Induced and spontaneous neurogenesis are associated with enhanced expression of ganglioside G<sub>M1</sub> in the nuclear membrane. *J Neurosci* **15**:3739, 1995. PMID 7751942
353. Byrne MC, Ledeen RW: Regional variation of brain gangliosides in feline G<sub>M1</sub>-gangliosidosis. *Exp Neurol* **81**:210, 1983. PMID 6407859
354. Wood PA, Baker HJ, McBride MR, Christian ST: Fluorescence polarization analysis, lipid composition and Na<sup>+</sup>,K<sup>+</sup>-ATPase kinetics of synaptosomal membranes in feline G<sub>M1</sub>- and G<sub>M2</sub>-gangliosidosis. *J Neurochem* **44**:947, 1985. PMID 2983023
355. Hamaguchi M, Tokuda A, Mutoh T, Fujiki N, Miyadai T: Ganglioside G<sub>M1</sub> binds to the Trk protein and regulates receptor function. *Proc Natl Acad Sci USA* **92**:5087, 1995. PMID 7539142
356. Rabin SJ, Mocchetti I: G<sub>M1</sub>-ganglioside activates the high-affinity nerve growth factor receptor trkA. *J Neurochem* **65**:347, 1995. PMID 7790879
357. Hadjiconstantinou M, Neff NH, Duchemin AM: G<sub>M1</sub> increases the content and mRNA of NGF in the brain of aged rats. *NeuroReport* **8**:3823, 1997. [PMID: 9427377]
358. Baker HJ, Jope RS: Increased metabolism of acetylcholine in brain of cats with G<sub>M1</sub>-gangliosidosis. *Brain Res* **343**:363, 1985. PMID 3931858
359. Baker HJ, Jope RS, Conner DJ: Increased acetylcholine synthesis and release in brains of cats with G<sub>M1</sub>-gangliosidosis. *J Neurochem* **46**:1567, 1986. PMID 3083048
360. Gugliotta P, Pacchioni D, Bussolati G: Staining reaction for  $\beta$ -galactosidase in immunocytochemistry and in situ hybridization. *Eur J Histochem* **36**:143, 1992. PMID 1380848
361. Singer HS, Coyle JT, Kawamura N, Baker HJ, Weaver DL: Neurotransmitter chemistry in feline G<sub>M1</sub>- gangliosidosis: A model for human ganglioside storage disease. *Ann Neurol* **12**:37, 1982. PMID 6126152
362. Rattazzi MC, Wu JY, Walkley SU, Haskins ME, Baker HJ: Neuroaxonal dystrophy in neuronal storage disorders: Evidence for major GABAergic neuron involvement. *J Neurol Sci* **104**:1, 1991. PMID 1919594
363. Patel TB, Baker HJ, Claro E, Wallace MA, Fain JN, Nair BG, Shanker G: Altered phosphoinositide-specific phospholipase C and adenylyl cyclase in brain cortical membranes of cats with G<sub>M1</sub> and G<sub>M2</sub> gangliosidosis. *Brain Res Mol Brain Res* **11**:265, 1991. PMID 1661824
364. Wu G, Ledeen RW, Lu ZH: G<sub>M1</sub>-ganglioside modulates prostaglandin E<sub>1</sub> stimulated adenylyl cyclase in Neuro-2A cells. *Glycoconjugate J* **13**:235, 1996.
365. Spiegel S, Carlson RO, Masco D, Brooker G: Endogenous ganglioside G<sub>M1</sub> modulates L-type calcium channel activity in N18 neuroblastoma cells. *J Neurosci* **14**:2272, 1994. PMID 7512636

366. Lin L, Zheng Z, Hungund BL, Barkai AL: Ganglioside G<sub>M1</sub> reduces ethanol induced phospholipase A<sub>2</sub> activity in synaptosomal preparations from mice. *Neurochem Int* **25**:321, 1994. PMID 7820065
367. Ohno K, Suzuki Y, Matsuda J, Nanba E, Otsuka S, Higaki K, Ninomiya H, Takamura A, Kajimaki K: Enhanced autophagy and mitochondrial aberrations in murine G<sub>M1</sub>-gangliosidosis. *Biochem Biophys Res Commun* **367**:616, 2008. PMID 18190792
368. Nakano T, Kondo K, Ikeda S, Yanagisawa N, Ushiyama M, Kikkawa T: Ultrastructural findings of rectal and skin biopsies in adult G<sub>M1</sub>-gangliosidosis. *Acta Pathol Jpn* **36**:1823, 1986. PMID 3103376
369. Drut R: Eccrine sweat gland involvement in G<sub>M1</sub>-gangliosidosis. *J Cutan Pathol* **5**:35, 1978. PMID 418085
370. Ghosh M, Boniuk V, Galin MA: Conjunctival eye signs in G<sub>M1</sub> type 1 gangliosidosis. *Birth Defects* **12**:543, 1976. PMID 821565
371. Berra B, Primi DA, di Palma: High performance thin layer chromatography of neutral and acidic glycolipids: Application to the chemical diagnosis of lipid storage diseases. *Biochem Exp Biol* **13**:79, 1977. PMID 418792
372. Suzuki Y, Sugimoto M, Ogawa T, Matsumoto M, Hirabayashi Y, Higashi H, Koketsu K: Sensitive enzyme-immunostaining and densitometric determination of ganglio-series gangliosides on thin-layer plate: pmol detection of gangliosides in cerebrospinal fluid. *Biochim Biophys Acta* **876**:178, 1986. PMID 3511969
373. Winchester BG, Whitfield P, Johnson AW, Dunn KA, Delauche AJ, Franklin RJ: G<sub>M1</sub>-gangliosidosis in a cross-bred dog confirmed by detection of G<sub>M1</sub>-ganglioside using electrospray ionisation-tandem mass spectrometry. *Acta Neuropathol* **100**:409, 2000. PMID 10985700
374. Sewell AC, Gehler J, Spranger J: Urinary oligosaccharide screening in patients with β-galactosidase deficiency. *Eur J Pediatr* **133**:269, 1980. PMID 7389740
375. O'Brien JS, Warner TG, Mock AK, Johnson WG, Robertson AD: Prenatal diagnosis of G<sub>M1</sub>-gangliosidosis by detection of galactosyl-oligosaccharides in amniotic fluid with high-performance liquid chromatography. *Am J Hum Genet* **35**:1034, 1983. PMID 6412544
376. Yoshida M, Miyatake T, Tsuboyama A, Miki F, Ogura Y: The use of tears for diagnosis of G<sub>M1</sub>-gangliosidosis. *Clin Chim Acta* **80**:237, 1977. PMID 21045
377. Karpova EA, Dudukina TV, Voznyi Y, Tsvetkova LV: 4-Trifluoromethylumbelliferyl glycosides as new substrates for revealing diseases connected with hereditary deficiency of lysosome glycosidases. *Biochem Int* **24**:1135, 1991. PMID 1781792
378. Kaneski CR, French SA, Harbour MJ, Miller SFP, Brescia MR: Hydrolysis of a novel lysosomotropic enzyme substrate for β-galactosidase within intact cells. *J Lipid Res* **35**:1441, 1994. PMID 7989868
379. Doskeland SO, Brustugun OT, Mellgren G, Gjertsen BT, Bjerkvig R: Sensitive and rapid detection of β-galactosidase expression in intact cells by microinjection of fluorescent substrate. *Exp Cell Res* **219**:372, 1995. PMID 7641787

380. Hadjiconstantinou M, Neff NH, Fong TG: Systemic administration of G<sub>M1</sub>-ganglioside increases choline acetyltransferase activity in the brain of aged rats. *Exp Neurol* **132**:157, 1995. PMID 7789456
381. Rudd N, Cutz E, Lowden JA, Conen PE, Doran TA: Prenatal diagnosis of G<sub>M1</sub>-gangliosidosis. *N Engl J Med* **288**:225, 1973. PMID 4345063
382. Nadler HL, Booth CW, Gerbie AB: Intrauterine detection of G<sub>M1</sub>-gangliosidosis, type 2. *Pediatrics* **52**:521, 1973. PMID 4742246
383. Kaback MM, Herndon RM, Sloan HR, Sonneborn M: G<sub>M1</sub>-gangliosidosis type I: In utero detection and fetal manifestations. *J Pediatr* **82**:1037, 1973. PMID 4702895
384. Kleijer WJ, Niermeijer MF, van der: Rapid prenatal diagnosis of G<sub>M1</sub>-gangliosidosis using microchemical methods. *Hum Genet* **33**:299, 1976. PMID 823094
385. Minami R, Kudoh T, Kikuchi K, Nakamura F, Nakao T, Tsugawa S, Yokoyama S, Karube K: Prenatal diagnosis of G<sub>M1</sub>-gangliosidosis: Biochemical manifestations in fetal tissues. *Hum Genet* **44**:287, 1978. PMID 103801
386. Eto Y, Maekawa K, Ida H: G<sub>M1</sub>-gangliosidosis: Morphological and biochemical studies. *Brain Dev* **11**:394, 1989. PMID 2618963
387. Poenaru L: First trimester prenatal diagnosis of metabolic diseases: A survey in countries from the European Community. *Prenat Diagn* **7**:333, 1987. PMID 3615359
388. Kaback MM, Herndon RM, Percy AK, McCormick UM: Ultrastructure manifestations of G<sub>M1</sub> and G<sub>M2</sub> gangliosidosis in fetal tissues. *Arch Neurol* **28**:417, 1973. PMID 4701390
389. Yabuuchi H, Okada S, Kato T, Shimada M, Kanda S, Inui K, Yutaka T, Yamano T, Kanzaki S: Ultrastructural study on nervous system of fetus with G<sub>M1</sub>-gangliosidosis type 1. *Acta Neuropathol* **61**:15, 1983. PMID 6414233
390. Kolodny E, Kuwabara T, Cogan DG, Driscoll S: Gangliosidoses and the fetal retina. *Ophthalmology* **91**:508, 1984. PMID 6330639
391. Bieber FR, Kolodny EH, Mortimer G, Driscoll SG: Pathologic findings in fetal G<sub>M1</sub>-gangliosidosis. *Arch Neurol* **43**:736, 1986. PMID 3089200
392. Schmitt Graff: Manifestation of infantile G<sub>M1</sub>-gangliosidosis in the fetal eye: An electron microscopic study. *Graefes Arch Clin Exp Ophthalmol* **226**:84, 1988. PMID 3125087
393. Lindsey JR, Farrell DF, McKhann GM, Baker HJJ: Neuronal G<sub>M1</sub>-gangliosidosis in a Siamese cat with β-galactosidase deficiency. *Science* **174**:838, 1971. PMID 5120520
394. Yamakawa T, Handa S: Biochemical studies in cat and human gangliosidosis. *J Neurochem* **18**:1275, 1971. PMID 5118883
395. Blakemore WF: G<sub>M1</sub>-Gangliosidosis in a cat. *J Comp Pathol* **82**:179, 1972. PMID 5040871
396. Pennock CA, Barnes IC, Kelly DF, Randall JA: Hepatic β-galactosidase and feline G<sub>M1</sub>-gangliosidosis. *Neuropathol Appl Neurobiol* **7**:463, 1981. PMID 6799849

397. Baker HJ, Cox NR, Ewald SJ, Morrison NE, Gentry AS, Schuler M: Thymic alterations in feline GM<sub>1</sub>-gangliosidosis. *Vet Immunol Immunopathol* **63**:335, 1998. PMID 9656423
398. Baker HJ, Cox NR, Morrison NE, Sartin JL, Buonomo FC, Steele B: Alterations in the growth hormone/insulin-like growth factor I pathways in feline GM<sub>1</sub>-gangliosidosis. *Endocrinology* **140**:5698, 1999. PMID 10579334
399. Castagnaro M, De Maria, Divari S, Bo S, Sonnio S, Lotti D, Capucchio MT: β-Galactosidase deficiency in a Korat cat: A new form of feline GM<sub>1</sub>-gangliosidosis. *Acta Neuropathol* **96**:307, 1998. PMID 9754965
400. Read DH, Harrington DD, Keenana TW, Hinsman EJ: Neuronal-visceral GM<sub>1</sub>-gangliosidosis in a dog with β-galactosidase deficiency. *Science* **194**:442, 1976. PMID 824730
401. O'Brien JS, Powell HC, Rodriguez M, Garrett RS: Canine GM<sub>1</sub>-gangliosidosis: An ultrastructural and biochemical study. *J Neuropathol Exp Neurol* **41**:618, 1982. PMID 6813429
402. Kolodny EH, Alroy J, Ucci AA, Warren CD, Raghavan SS, Orgad U, Schelling SH, Schunk KL: Neurovisceral and skeletal GM<sub>1</sub>-gangliosidosis in dogs with β-galactosidase deficiency. *Science* **229**:470, 1985. PMID 3925555
403. Wood PA, Carithers R, Saunders GK, Myers RK, Shell LG: GM<sub>1</sub>-gangliosidosis in Portuguese water dogs: Pathologic and biochemical findings. *Vet Pathol* **25**:265, 1988. PMID 3136586
404. Ahern-Rindell AJ, Prieur DJ, Murnane RD: β-Galactosidase activity in fibroblasts and tissues from sheep with a lysosomal storage disease. *Biochem Genet* **26**:733, 1988. PMID 3149466
405. Prieur DJ, Murnane RD, Ahern Rindell: Ovine GM<sub>1</sub>-gangliosidosis. *Am J Pathol* **139**:1511, 1991. PMID 1750516
406. Winchester BG, Skelly BJ, Jeffrey M, Franklin RJM: A new form of ovine GM<sub>1</sub>-gangliosidosis. *Acta Neuropathol* **89**:374, 1995. PMID 7610770
407. Ahern-Rindell AJ, Prieur DJ, Murnane RD, Parish SM, Collier LL: The lesions of an ovine lysosomal storage disease: Initial characterization. *Am J Pathol* **134**:263, 1989. PMID 2916646
408. Donnelly WJ, Sheahan BJ, Kelly M: β-Galactosidase deficiency in GM<sub>1</sub>-gangliosidosis of Friesian calves. *Res Vet Sci* **15**:139, 1973. PMID 4778483
409. Donnelly WJ, Sheahan BJ, Rogers TA: GM<sub>1</sub>-gangliosidosis in Friesian calves. *J Pathol* **111**:173, 1973. PMID 4128200
410. Donnelly WJ, Kelly M: Leukocyte β-galactosidase activity in the diagnosis of bovine GM<sub>1</sub>-gangliosidosis. *Vet Rec* **100**:318, 1977. PMID 405787
411. Oshima A, Suzuki Y, Matsuda J, Ogura A, Naiki M, Suzuki O: Neurological manifestations of knockout mice with β-galactosidase deficiency. *Brain Dev* **19**:19, 1997. PMID 9071485
412. Oshima A, Suzuki Y, Yamamoto Y, Matsuda J, Sukegawa K, Ogura A, Asano T, Naiki M, Suzuki O, Noguchi Y, Takimoto K: β-Galactosidase-deficient mouse as an animal model for GM<sub>1</sub>-gangliosidosis. *Glycoconjugate J* **14**:729, 1997.