

発表者氏名	論文タイトル名	発表誌	巻号	ページ	出版年
Nakase H, Nishio A, Tamaki H, Matsura M, Asada M, <u>Chiba T,</u> <u>Okazaki K</u>	Specific antibodies against recombinant protein of insertion element 900 of <i>Mycobacterium avium</i> subspecies paratuberculosis in Japanese patients with Crohn's disease.	Inflamm Bowel Dis	12(1)	Sep-02	2006
Tamaki H, Nakamura H, Nishio A, Nakase H, Ueno S, Uza N, Kido M, Inoue S, Mikami S, Asada M, Kiriya K, Kitamura H, Ohashi S, Fukui T, Kawasaki K, Matsura M, Ishii Y, <u>Okazaki K,</u> Yodoi J, Chiba T	Human thioredoxin-1 ameliorates experimental murine colitis in association with suppressed macrophage inhibitory factor production.	Gastroenterology	131(4)	1110- 1121	2006
Kiriya K, Watanabe N, Nishio A, <u>Okazaki K,</u> Kido M, Saga K, Tanaka J, Akamatsu T, Ohashi S, Asada M, Fukui T, Chiba T	Essential role of Peyer's patches in the development of <i>Helicobacter</i> -induced gastritis.	Int Immunol	in press		
Kiriya K, Watanabe N, Nishio A, <u>Okazaki K,</u> Kido M, Saga K, Tanaka J, Akamatsu T, Ohashi S, Asada M, Fukui T, Chiba T	Essential role of Peyer's patches in the development of <i>elicobacter</i> -induced gastritis.	Int Immunol	19(4)	435- 446	2007
Matsushita M, Uchida K, <u>Okazaki</u> <u>K</u>	Role of the appendix in the pathogenesis of ulcerative colitis.	Inflammopharmacology	15(4)	154- 157	2007
Sekimoto G, Matsuzaki K, Yoshida K, Mori S, Murata M, Seki T, Ma tsui H, Fujisawa J, <u>Okazaki K</u>	Reversible Smad-dependent signaling between tumor suppression and oncogenesis.	Cancer Res	67(11)	5090- 5096	2007
Suzimoto K, Matsushita M, Okazaki T, Oniya M, Uchida K, <u>Okazaki K</u>	Crohn's disease accompanied by purulent discitis and psoas abscesses.	Inflamm Bowel Dis	In press		2008
Matsushita M, Ando Y, Oniya M, U chida K, Nishio A, <u>Okazaki K</u>	Association of "ulcerative appendicitis" and appendiceal adenocarcinoma.	Inflamm Bowel Dis			2008
Ando Y, Matsushita M, Kawamata S, Shimatani M, Fujii T, <u>Okazaki</u> <u>K</u>	Infliximab for severe gastrointestinal bleeding in Crohn's disease.	Inflamm Bowel Dis			2008

Toyonaga T, Matsushita M, Matsumoto T, Fukui T, Oniya M, Uchida K, <u>Okazaki K</u>	Endoscopic injection therapy for a bleeding exposed vessel in Crohn's disease.	Gastrointestinal Endoscopy	68(3)	572-573	2008
Hachimine D, Uchida K, Asada M, Nishio A, Kawamata S, Sekimoto G, Murata M, Yamagata H, Yoshida K, Mori S, Tahashi Y, Matsuzaki K, <u>Okazaki K</u>	Involvement of Smad3 phosphoisoform-mediated signaling in the development of colonic cancer in IL-10-deficient mice.	Int J Oncol	32(6)	1221-1226	2008
Ando Y, Inaba M, Sakaguchi Y, Tsuda M, Quan GK, Onoe M, <u>Okazaki K</u> , Ikehara S	Subcutaneous adipose tissue-derived stem cells facilitate colonic mucosal recovery from 2,4,6-trinitrobenzene sulfonic acid (TNBS)-induced colitis in rats.	Inflamm Bowel Dis	14(6)	826-838	2008
Sumimoto K, Matsushita M, Okazaki T, Oniya M, Uchida K, <u>Okazaki K</u>	Crohn's disease accompanied by purulent discitis and psoas abscesses.	Inflamm Bowel Dis	14(5)	728-730	2008
島谷 昌明, 松下 光伸, 若松 隆宏, 大宮 美香, 内田 一茂, 高岡 亮, 関 寿人, 岡崎 和一	パルミチン酸デキサメタゾンの静注が有効であった単純性潰瘍の1例	Gastroenterological Endoscopy	別刷 50巻4号	1109-1114	2008
土屋輝一郎, 渡辺 守	炎症性腸疾患と遺伝子異常	最新医学	61	1819-1825	2006
Makita S, Kanai T, Nemoto Y, Totsuka T, Okamoto R, Tsuchiya K, Yamamoto M, Kiyono H, <u>Watanabe M</u>	Intestinal lamina propria retaining CD4+CD25+ regulatory T cells is a suppressive site of intestinal inflammation.	J Immunol	178	4937-4946	2007
Nemoto Y, Kanai T, Makita S, Okamoto R, Totsuka T, Takeda K, <u>Watanabe M</u>	Bone marrow retaining colitogenic CD4+ T cells may be a pathogenic reservoir for chronic colitis.	Gastroenterology	132	176-189	2007
Totsuka T, Kanai T, Nemoto Y, Makita S, Okamoto R, Tsuchiya K, <u>Watanabe M</u>	IL-7 is essential for the development and the persistence of chronic colitis.	J Immunol	178	4737-4748	2007
Tsuchiya K, Nakamura T, Okamoto R, Kanai T, <u>Watanabe M</u>	Reciprocal targeting of Hnh1 and β -catenin by Wnt-glycogen synthase kinase 3 β in human colon cancer.	Gastroenterology	132	208-220	2007
Y. Ito, T. Kanai, T. Totsuka, R. Okamoto, K. Tsuchiya, Y. Nemoto, A. Yoshioka, T. Tomita, T. Nagaishi, N. Sakamoto, T. Sakamishi, K. Okumura, H. Yagita, and <u>M. Watanabe</u>	Blockade of NKG2D signaling prevents the development of murine CD4+ T cell-mediated colitis	Am J Physiol Gastrointest Liver Physiol	294 (1)	199-207	2007
Takayuki Tomita, Takanori Kanai ² , Yasuhiro Nemoto, Teruji Totsuka, Ryuichi Okamoto, Kiichiro	Systemic, but Not Intestinal, IL-7 Is Essential for the Persistence of Chronic Colitis ¹	The Journal of Immunology	180 (1)	383-390	2007

Tsuchiya, Naoya Sakamoto and Mamoru Watanabe					
渡辺 守	クローン病	今日の治療指針2007 年版		341- 342	2007
渡辺 守	特集 これからの IBD 研究における研究班の使命は 主任 研究者から一研究班の目指す方向性	IBD Research	1	18-23	2007
岡本隆一、土屋輝一郎、渡辺 守	炎症性腸疾患における上皮分化制御と上皮再生	日本消化器病学会雑誌	104	1165- 1171	2007
岡本隆一、土屋輝一郎、渡辺 守	腸管上皮細胞分化制御と IBD に対する上皮細胞療法の可能性	IBD Research	1	43-47	2007
金井隆典、渡辺 守	1. 消化管 3. 炎症性腸疾患からみた粘膜免疫のトピックス	Annual Review 消化 器2007		11-17	2007
Aragaki M, Tsuchiya K, Okamoto R, Yoshioka S, Nakamura T, Sakamoto N, Kanai T, Watanabe M	Proteasomal degradation of Atohl by aberrant Wnt signaling maintains the undifferentiated state of colon cancer.	Biochem Biophys Re s Commun	368	923- 929	2008
Nemoto Y, Kanai T, Tohda S, Totsuka T, Okamoto R, Tsuchiya K, Nakamura T, Sakamoto N, Fukuda T, Miura O, Yagita H, Watanabe M	Negative feedback regulation of colitogenic CD4 ⁺ T cells by increased granulopoiesis.	Inflamm Bowel Dis	14	1491- 1503	2008
Tomita T, Kanai T, Nemoto Y, Totsuka T, Okamoto R, Tsuchiya K, Sakamoto N, Watanabe M	Systemic, but not intestinal, IL-7 is essential for the persistence of chronic colitis.	J Immunol	180	383- 390	2008
Tomita T, Kanai T, Fujii T, Nemoto Y, Okamoto R, Tsuchiya K, Totsuka T, Sakamoto N, Akira S, Watanabe M	MyD88-dependent pathway in T cells directly modulates the expansion and survival of colitogenic CD4 ⁺ T cells in chronic colitis.	J Immunol	180	5291- 5299	2008
Tomita T, Kanai T, Nemoto Y, Fujii T, Okamoto R, Tsuchiya K, Nakamura T, Sakamoto N, Totsuka T, Watanabe M	Colitogenic CD4 ⁺ effector-memory T cells actively recirculate in chronic colitic mice.	Inflamm Bowel Dis	14	1630- 1640	2008
岡本隆一、土屋輝一郎、渡辺 守	特集 潰瘍性大腸炎・クローン病診療の進歩 16「腸管上皮 の分化・再生」	診断と治療	In press		2008
渡辺 守	特集：炎症性腸疾患の分子医学 総論：炎症性腸疾患の病 態を新しい側面から紐く	BIO Clinica	23	16-17	2008

渡辺 守	序 消化管の構成制御と機能制御の分子メカニズム	細胞工学	27	758-760	2008
土屋輝一郎、渡辺 守	1. 消化管 2. 消化管上皮の分化再生機構	Annual Review 消化器2008		11-17	2008
土屋輝一郎、渡辺 守	腸上皮分化における細胞内シグナル制御	細胞工学	27	766-769	2008
Okamoto R, Tsuchiya K, Nemoto Y, Akiyama J, Nakamura T, Kanai T, Watanabe M	Requirement of Notch activation during regeneration of the intestinal epithelia.	Am J Physiol GI & Liver	296	23-35	2009
Morohoshi Y, Matsuoka K, Chinen H, Kanada N, Sato T, Hisamatsu T, Okamoto S, Inoue N, Takaishi H, Ogata H, Iwao Y, and Hibi T	Inhibition of neutrophil elastase prevents the development of murine dextran sulfate sodium-induced colitis.	J Gastroenterol	41(4)	318-324	2006
Hibi T and Ogata H	Novel pathophysiological concepts of inflammatory bowel disease.	J Gastroenterol	41(1)	10-16	2006
Kanai T, Hibi T, and Watanabe M	The logics of leukocytapheresis as a natural biological therapy for inflammatory bowel disease.	Expert Opin Biol Ther	6(5)	453-466	2006
船越啓介、岩男 泰、芳沢寛雄、久松理一、岡本 晋、高石官均、井上 詠、今村博之、緒方晴彦、杉野吉則、向井万起男、日比紀文	自然軽快した cap polyposis の一例	Progress of Digestive Endoscopy	68(2)	140-141	2006
志賀洋史、船越啓介、首村智久、高山哲朗、芹澤 宏、渡辺聡明、常松 令、金子文彦、熊谷直樹、森永正二郎、土本寛二、岩男 泰、日比紀文	大腸全摘術後の回腸嚢炎・多発関節炎に白血球除去両方が奏功した潰瘍性大腸炎の1例	Progress of Digestive Endoscopy	69(2)	100-101	2006
Hisamatsu T, Inoue N, Yajima T, Izumiya M, Ichikawa H, and Hibi T	Psychological aspects of inflammatory bowel disease.	J Gastroenterol	42(17)	34-40	2007
Matsuoka K, Iwao Y, Mori T, Sakuraba A, Yajima T, Hisamatsu T, Okamoto S, Morohoshi Y, Izumiya M, Ichikawa H,	Cytomegalovirus is frequently reactivated and disappears without antiviral agents in ulcerative colitis patients.	Am J Gastroenterol	102(2)	331-337	2007

Sato T, Inoue N Ogata H, <u>Hibi T</u>					
Kobayashi T, Okamoto S, Iwakami Y, Nakazawa A, Hisamatsu T, Chinen H, Kanada N, Iwai T, Goto H, <u>Hibi T</u>	Exclusive increase of CX3CR1+CD28-CD4+T cell in inflammatory bowel disease and their recruitment as intraepithelial lymphocytes.	Inflamm Bowel Dis	13 (7)	837- 846	2007
Yoshizawa S, Matsuoka K, Inoue N, Takaishi H, Ogata H, Iwao Y, Mukai M, Fujita T, Kawakami Y, <u>Hibi T</u>	Clinical significance of serum p53 antibodies in patients with ulcerative colitis and its carcinogenesis.	Inflamm Bowel Dis	13 (7)	865- 873	2007
Kobayashi K, Ueno F, Bito S, Iwao Y, Fukushima T, Hiwatashi N, Igarashi M, Iizuka BE, Matsuda T, Matsui T, Matsumoto T, Sugita A, Takeno M, <u>Hibi T</u>	Development of consensus statements for the diagnosis and management of intestinal Behçet's disease using a modified Delphi approach.	J Gastroenterol	42 (9)	737- 745	2007
Chinen H, Matsuoka K, Sato T, Kanada N, Okamoto S, Hisamatsu T, Kobayashi T, Hasegawa H, Sugita A, Kinjo F, Fujita J, <u>Hibi T</u>	Lamina propria c-kit+ immune precursors reside in human adult intestine and differ into natural killer cells.	Gastroenterology	133 (2)	559- 573	2007
Ishikawa H, Naito T, Iwanaga T, Takahashi-Iwanaga H, Suematsu M, <u>Hibi T</u> , Nanno M	Curriculum vitae of intestinal intraepithelial T cells: their developmental and behavioral characteristics.	Immunol Rev	215	154- 165	2007
緒方晴彦、日比紀文	IV. カプセル内視鏡の特徴と診断法	日本大腸肛門病学会雑誌	60 (10)	947- 951	2007
日比紀文、長沼誠	炎症性腸疾患に対する新しい治療戦略	日本内科学会雑誌	96 (5)	997- 1005	2007

鎌田信彦, 久松理一, <u>日比紀文</u>	腸管粘膜マクロファージによる腸管ホメオスタシスとその破綻	分子消化器病	4 (2)	104-109	2007
<u>日比紀文</u> , 中澤敦	腸内細菌と腸管免疫	医学のあゆみ	221 (11)	907-911	2007
佐藤俊明, 伊達昌一, <u>日比紀文</u>	消化管上皮幹細胞	G. I. Research	15(4)	263-267	2007
緒方晴彦, <u>日比紀文</u>	炎症性腸疾患診療の進歩と今後の展望	日本消化器病学会雑誌	104 (8)	1155-1164	2007
鎌田信彦, 久松理一, <u>日比紀文</u>	IL-10産生性抑制性腸管マクロファージの特異性とIBD治療へのアプローチ	IBD Research	1 (3)	189-194	2007
<u>日比紀文</u>	特集/炎症性腸疾患におけるAZA/6-MPの役割	臨床消化器内科	22 (10)	1549-1550	2007
Nanno M, Kanari Y, Naito T, Inoue N, Hisamatsu T, Chinen H, Sugimoto K, Shimomura Y, Yamagishi H, Shiohara T, Ueha S, Matsushima K, Suematsu M, Mizoguchi A, <u>Hibi T</u> , Iihara AK, Ishikawa H	Exacerbating role of $\gamma\delta$ T cells in chronic colitis of T-cell receptor alpha mutant mice.	Gastroenterology	134 (2)	481-490	2008
Kamada N, Maeda K, Inoue N, Hisamatsu T, Okamoto S, Hong KS, Yamada T, Watanabe N, Tsuchimoto K, Ogata H, <u>Hibi T</u>	Non-pathogenic Escherichia coli strain Nissle 1917 inhibits signal transduction in intestinal epithelial cells.	Infect Immun	76 (1)	214-220	2008
Matsumoto T, Iwao Y, Igarashi M, Watanabe K, Otsuka K, Watanabe T, Iizuka B, Hida N, Sada M, Chiba T, Kudo SE, Oshitani N, Nagawa H, Ajioka Y, <u>Hibi T</u>	Endoscopic and chromoendoscopic atlas featuring dysplastic lesions in surveillance colonoscopy for patients with long-standing ulcerative colitis.	Inflamm Bowel Dis	14 (2)	259-264	2008

Sakuraba A, Sato T, Naganuma M, Morohoshi Y, Matsuoka K, Inoue N, Takaishi H, Ogata H, Iwao Y, <u>Hibi T</u>	A Pilot open-labeled prospective randomized study between weekly and intensive treatment of granulocyte and monocyte adsorption apheresis for active ulcerative colitis.	J Gastroenterol	43(1)	51-56	2008
Takaishi H, Matsuki T, Nakazawa A, Takada T, Kado S, Asahara T, Kamada N, Sakuraba A, Yajima T, Higuchi H, Inoue N, Ogata H, Iwao Y, Nomoto K, Tanaka R, <u>Hibi T</u>	Imbalance in intestinal microflora constitution could be involved in the pathogenesis of inflammatory bowel disease.	Int J Med Microbiol	in press		2008
Takaishi H, Matsuki T, Nakazawa A, Takada T, Kado S, Asahara T, Kamada N, Sakuraba A, Yajima T, Higuchi H, Inoue N, Ogata H, Iwao Y, Nomoto K, Tanaka R, <u>Hibi T</u>	Imbalance in intestinal microflora constitution could be involved in the pathogenesis of inflammatory bowel disease.	Int J Med Microbiol	298 (5-6)	463-472	2008
Kamada N, Hisamatsu T, Okamoto S, Chinen H, Kobayashi T, Seto T, Sakuraba A, Kitazume M, T, Su gita A, Koganei K, Akagawa K. S, <u>Hibi T</u>	Unique CD 14+ intestinal macrophages contribute to the pathogenesis of Crohn disease via IL-23/IFN- γ axis.	J Clin Invest	118(6)	2269- 2280	2008
Ichikawa H, Okamoto S, Kamada N, Nagamoto H, Kitazume T M, Kobayashi T, Chinen H, Hisamatsu T, <u>Hibi T</u>	Tetomilast suppressed production of proinflammatory cytokines from human monocytes and ameliorated chronic colitis in IL-10-Deficient mice.	Inflam Bowel Dis	14(11)	1483- 1490	2008
<u>鎌田信彦, 久松理一, 岡本晋, 日比紀文</u>	クローン病の発症と樹状細胞様マクロファージからのIL-23	臨床免疫・アレルギー科	49 (1)	36-41	2008
久松理一, 鎌田信彦, <u>日比紀文</u>	3. 腸管免疫研究の最前線—腸管の恒常性維持と炎症性腸疾患におけるその破綻— 1. 消化管	Annual Review 消化器 2008		13-18	2008
<u>鎌田信彦, 久松理一, 岡本晋, 日比紀文</u>	消化管自然免疫破綻と炎症性腸疾患	細胞工学	27 (8)	770- 774	2008

久松理一、 <u>日比紀文</u>	機能的食品と薬理栄養 アミノ酸と腸管免疫	J. JSMFF	5(2)	47-51	2008
Ishihara T, Tanaka K, Tasaka Y, Namba T, Suzuki J, Ishihara T, Okamoto S, <u>Hibi J</u> , Takenaga M, Igarashi R, Sato K, Mizushima Y, Mizushima T	Therapeutic Effect of Lecithinized Superoxide Dismutase against Colitis.	J Pharmacol Exp Ther	328(1)	152-164	2009
高山哲朗、久松理一、 <u>日比紀文</u>	腸管免疫の分子機構 消化管疾患の分子医学—基礎医学から臨床へ	臨床消化器内科	24(2)	217-223	2009
金井隆典、久松理一、渡辺守、 <u>日比紀文</u>	II. 炎症性腸疾患の病理・病態生理 1. 腸管免疫抑制機構の破壊による炎症性腸疾患の発症	日本内科学会雑誌	98(1)	12-17	2009
<u>日比紀文</u>	腸管局所免疫機構の解明に基づく炎症性腸疾患に対する新しい治療法の開発	日本医師会雑誌	137 (10)	60-64	2009
Ohkawara T, Nishihira J, Ishiguro Y, Otsubo E, Nagai K, Takeda H, Kato M, Yoshiki T, Iwanaga T, <u>Asaka M</u>	Resistance to experimental colitis depends on cytoprotective heat shock proteins in macrophage migration inhibitory factor null mice.	Immunol Lett	107	148-154	2006
Ohkawara T, Takeda H, Nishiwaki M, Nishihira J, <u>Asaka M</u>	Protective effects of heat shock protein 70 induced by geranylgeranylacetone on oxidative injury in rat intestinal epithelial cells.	Scand J Gastroenterol	41	312-317	2006
Ohkawara T, Nishihira J, Takeda H, Katsurada T, Kato K, Yoshiki T, Sugiyama T, <u>Asaka M</u>	Protective effect of geranylgeranylacetone on trinitrobenzene sulfonic acid-induced colitis in mice	Int J Mol Med	17	229-234	2006
Ohkawara T, Nishihira J, Nagashima R, Takeda H, <u>Asaka M</u>	Polaprezinc protects human colon cells from oxidative injury induced by hydrogen peroxide: Relevant to cytoprotective heat shock proteins.	World J Gastroenterol	12	6178-6181	2006
Ohkawara T, Takeda H, Furukawa S, Kato M, Shimizu Y, <u>Asaka M</u>	Changes in the plasma level of macrophage migration inhibitory factor in ulcerative colitis patients treated with selective granulocyte and monocyte apheresis.	Intern Med	46	1821-1822	2007
Ohkawara T, Saito M, Nakagawa S, Ohizumi H, Tamaki T, Yonekawa M, Takeda H, <u>Asaka M</u> , Nishihira J, Kawamura A	A case report of the therapeutic effect of cryofiltration in a patient with glucocorticoid-resistant ulcerative colitis.	Ther Apher Dial	11	159-162	2007

坪内博仁, 井戸章雄	HGFの発見から臨床応用	Frontiers in Gastroenterology	12(2)	109-122	2007
Ohtsura T, Mitsuyama K, Takeda H, Asaka M, Fujiyama Y, Nishihira J	Lack of macrophage migration inhibitory factor suppresses innate immune response in murine dextran sulfate sodium-induced colitis.	Scand J Gastroenterol	29	1-9	2008
Sekiyama T, Fujita H, Tsubouchi H	Autoantibodies against ubiquitination factor E4A (UBE4A) are associated with severity of Crohn's disease.	Inflamm Bowel Dis	14	310-307	2008
Kamura S, Uto H, Numata M, Hashimoto S, Moriuchi A, Fujita H, Oketani M, Ido A, Kodama M, Ohi H, Tsubouchi H	Human neutrophil peptides 1-3 are useful biomarkers in patients with active ulcerative colitis.	Inflamm Bowel Dis		Epub ahead of print	2008
岡本耕太郎, 石川千里, 金野陽高, 村松 司, 盛一健太郎, 高後 裕	【下部消化管の緊急内視鏡】 小腸出血をきたしたクローン病(CD)の1例	早期大腸癌	10巻	58-59	2006
佐藤 龍, 石川千里, 金野陽高, 稲場勇平, 村松 司, 高後 裕	【下部消化管の緊急内視鏡】 潰瘍性大腸炎(UC)の出血	早期大腸癌	10巻	56-57	2006
高後 裕, 渡 二郎	遺伝子異常からみた消化器がん検診の今後	日本消化器がん検診学会雑誌	44(11)	6578-586	2006
Fujiya M, Musch MW, Nakagawa Y, Hu S, Alverdy J, Kohgo Y, Schneewind O, Jabri B, Chang EB	The Bacillus subtilis quorum-sensing molecule CSF contributes to intestinal homeostasis via OCTN2, a host cell membrane transporter.	Cell Host Microbe	1(4)	299-308	2007
Tanabe H, Ayabe T, Maemoto A, Ishikawa C, Inaba Y, Sato R, Morichi K, Okamoto K, Watari J, Kono T, Ashida T, Kohgo Y	Denatured human alpha-defensin attenuates the bactericidal activity and the stability against enzymatic digestion.	Biochem Biophys Res Commun	358(1)	349-355	2007
Motomura W, Yoshizaki T, Ohtani K, Okumura T, Fukuda M, Fukuzawa J, Mori K, Jang SJ, Nomura N, Yoshida I, Suzuki Y, Kohgo Y, Wakamiya N	Immunolocalization of a Novel Collectin CL-K1 in Murine Tissues.	J Histochem Cytochem (in press)			
Mizukami Y, Kohgo Y, Chung DC	Hypoxia inducible factor-1 independent pathways in tumor angiogenesis.	Clin Cancer Res	13(19)	5670-5674	2007
Takahashi H, Hashimoto Y, Ishida-Yamamoto A, Ashida T, Kohgo Y, Iizuka H	Psoriasiform and pustular eruption induced by infliximab.	J Dermatol	34(7)	468-472	2007

田邊裕貴, 前本篤男, 綾部時芳, 河野秀, 蘆田知史, 高後裕	【消化器病とImmune Immunity】 クロウン病におけるPaneth細胞由来抗菌ペプチドの産生異常	分子消化器病	4巻2号	110-115	2007
藤谷幹浩, 斉藤裕輔, 野村昌史, 稲場勇平, 佐藤 龍, 岡本耕太郎, 田邊裕貴, 前本篤男, 渡 二郎, 垂石正樹, 蘆田知史, 高後裕	各論 4. 大腸 8) 炎症性腸疾患の拡大内視鏡観察	胃と腸	42 (5)	833-41	2007
藤谷幹浩, 高後裕	Q&A 専門医に聞くIBD クロウン病の小腸病変の評価法について教えてください	J of Inflammatory Bowel Disease Research (IBD Research)	1 (3)	230-233	2007
渡 二郎, 佐藤 龍, 田邊裕貴, 今野陽高, 石川千里, 稲場勇平, Amen H Zaky, 盛一健太郎, 岡本耕太郎, 前本篤男, 藤谷幹浩, 蘆田知史, 高後裕, 横田欽一, 斉藤裕輔	Crohn病の上部消化管病変の臨床と経過—胃・十二指腸病変を中心に	胃と腸	42	417-428	2007
藤谷幹浩, 盛一健太郎, 渡 二郎, 川内玄仁, 野村好紀, 奈田利恵, 上野伸展, 今野陽高, 石川千里, 伊藤貴博, 佐藤 龍, 岡本耕太郎, 田邊裕貴, 前本篤男, 蘆田知史, 高後裕, 垂石正樹, 斉藤裕輔	潰瘍性大腸炎における再発例の予測 “粘膜治癒” における内視鏡的粘膜構造の特徴と再燃の予測	胃と腸	42(13)	1894-1902	2007
高後裕, 蘆田知史, 本谷聡, 武田宏司, 坂牧純夫	新しいIBD診療の飛躍に向かって 北海道地区編 研究班プロジェクト「啓蒙活動」のモデルケースとして	IBD Research	2巻2号	100-111	2008
蘆田知史, 高後裕	【炎症性腸疾患治療のup to date】 炎症性腸疾患における新規治療	臨床消化器内科	23巻5号	633-638	2008
藤谷幹浩, 高後裕	腸細胞の有機カチオントランスポーターとその解析法	分子消化器病	5(3)	64-72	2008
Takahashi M, Nakamura K, Honda K, Kitamura Y, Mizutani T, Araki Y, Kabeura T, Chijiwa Y, Harada N, Nawata H	An inverse correlation of human peripheral blood regulatory T cell frequency with the disease activity of ulcerative colitis.	Digestive Disease and Sciences	51 (4)	677-686	2006
Nakamura K, Honda K, Mizutani T, Akiho H, Harada N	Novel strategies for the treatment of inflammatory bowel disease: Selective inhibition of cytokines and adhesion molecules.	World Journal of Gastroenterology	12 (29)	4628-4635	2006

Sumida Y, Nakamura K, Kanayama K, Akiho H, Teshima T, Ryoichi T	Preparation of functionally preserved CD4 ⁺ CD25 ^{hi} regulatory T cells from leukapheresis products from ulcerative colitis patients, applicable to regulatory T-cell-transfer therapy.	Cytherapy	10 (7)	698-710	2008
Sun X, Sonoda S, Shibata K, Mita H, Yamada H, Yoshihara H, Honda K, Nakamura K, Takayanagi R, Tani K, Podack ER, Yoshikai Y	A critical role of CD30 ligand/CD30 in controlling inflammatory bowel diseases in mice.	Gastroenterology	134 (2)	447-458	2008
Hanawa T, Suzuki K, Kawachi Y, Takamura M, Yoneyama H, Han GD, Kawachi H, Shimizu F, Asakura H, Miyazaki J, Maruyama H, Aoyagi Y	Attenuation of mouse acute colitis by hepatocyte growth factor gene transfer into the liver.	J Gene Med	8	623-635	2006
Han GD, Suzuki K, Koike H, Suzuki K, Yoneyama H, Narumi S, Shimizu F, Kawachi H	IFN-inducible protein-10 plays a pivotal role in maintaining slit-diaphragm function by regulating podocyte cell-cycle balance.	J Am Soc Nephrol	17	442-453	2006
Yusuke Kawachi, Kenji Suzuki, Shiro Watanabe, Satoshi Yamagata, Hiroyuki Yoneyama, Gi Dong Han, Suresh S. Palaniyandi, Purniyakoti T. Veeraveedu, Kenichi Watanabe, Hiroshi Kawachi, Yoshiaki Okada, Fujio Shimizu, Hitoshi Asakura, Yutaka Aoyagi, and Shosaku Narumi	Role of IP-10/CXCL10 in the progression of pancreatitis-like injury in mice after murine retroviral infection.	Am J Physiol Gastrointest Liver Physiol	291 (2)	345-354	2007
Asakura H, Suzuki K, Horita T	Recent advances in basic and clinical aspects of inflammatory bowel disease: Which steps in the mucosal inflammation should we block for the treatment of inflammatory bowel disease?	World J Gastroenterol	13	2145-2149	2007
Suzuki K, Kawachi Y, Suresh S. Palaniyandi, Purniyakoti T. Veeraveedu, Fujio M, Yamagata S, Yoneyama H, Han GD, Kawachi H, Okada Y, Ajioka Y, Watanabe K, Hosono M, Asakura H, Aoyagi Y, Narumi S	Blockade of interferon-inducible protein-10 attenuates chronic experimental colitis by blocking cellular trafficking and protecting intestinal epithelial cells.	Pathol International	57	413-420	2007

Hitoshi Asakura, <u>Kenji Suzuki</u> , Tetsuji Kitahara, Toshio Morizane	Is there a relationship between foods, intestinal microbes and occurrence of inflammatory bowel disease?	J Gastroenterol Hepatol (in press)			
Uematsu S, Jiang M H, Chevrier N, Guo Z, Kumagai Y, Yamamoto M, Kato H, Sougawa N, Matsui H, Kuwata H, Henni H, Coban C, Kawai T, Ishii K J, Takeuchi O, Miyasaka M, <u>Takeda K</u> , and Akira S	Detection of pathogenic intestinal bacteria by Toll-like receptor 5 on intestinal CD11c ⁺ lamina propria cells.	Nat Immunol	7	868-874	2006
Yamamoto M, Uematsu S, Okamoto T, Matsuura Y, Sato S, Kumar H, Satoh T, Saitoh T, <u>Takeda K</u> , Ishii K J, Takeuchi O, Kawai T, and Akira S	Enhanced TLR-mediated NF-IL6 dependent gene expression by Trib1 deficiency.	J. Exp. Med	204	2233-2239	2007
Atarashi K, Nishimura J, Shima T, Umesaki Y, Yamamoto M, Onoue M, Yagita H, Ishii N, Evans R, Honda K, and <u>Takeda K</u>	ATP drives lamina propria TH17 cell differentiation.	Nature	455	808-812	2008
Kayama H, Rairez-Carrozzi V, R, Yamamoto M, Mizutani T, Kuwata H, Iba H, Matsumoto M, Honda K, Smale S T, and <u>Takeda K</u>	Class-specific regulation of pro-inflammatory genes by MyD88 pathways and Ikbz.	J. Biol. Chem	283	12468-12477	2008
Uza N, Nakase H, Nishimura K, Yoshida S, Kawabata K, <u>Chiba T</u>	Solitary rectal ulcer syndrome associated with ulcerative colitis.	Gastrointest Endosc	62	355-356	2006
Kou T, Nakase H, Tamaki H, Kudo T, Nishio A, <u>Chiba T</u>	Cytomegalovirus infection in patients with ulcerative colitis diagnosed by quantitative real-time PCR analysis.	Dig Dis Sci	51	1052-1055	2006
Uza N, Nakase H, Kuwabara H, Fujii S, <u>Chiba T</u>	Cecal cancer associated with long-standing Crohn's disease.	Lancet	368 (9549)	1842	2006

Nenakin A, Fukui H, Fujii S, Sekikawa A, Kanda N, Hisatsune H, Sono H, Konda Y, Fujimori T, <u>Chiba T</u>	Expression of the REG IV gene in ulcerative colitis.	Lab Invest	87	304-314	2007
Nakase H, Yoshino T, Ueno S, Uza N, Mikami S, Matsuura M, <u>Chiba T</u>	Importance of early detection of cytomegalovirus infection in refractory inflammatory bowel disease.	Inflamm Bowel Dis	13	364	2007
Nakase H, Mikami S, Matsuura M, Ueno S, Uza N, Inoue S, Kitamura H, Kasahara K, Yoshino T, Takeda Y, <u>Chiba T</u>	Rescue therapy with Tacrolimus for a patient with severe ulcerative colitis refractory to combination leukocytapheresis and high-dose of corticosteroid therapy.	Int Med	46	717-720	2007
Inoue S, Nakase H, Matsuura M, Ueno S, Uza N, Kitamura H, Mikami S, Tamaki H, Kasahara K, <u>Chiba T</u>	Open label trial of Clarithromycin therapy in Japanese patients with Crohn's disease.	J Gastroenterol Hepatol	22	984-988	2007
Mikami S, Nakase H, Ueno S, Matsuura M, Sakurai T, <u>Chiba T</u>	Involvement of cytomegalovirus infection in the ileal lesions of the patient with Behcet's disease.	Inflamm Bowel Dis	13	802-803	2007
Yoshino T, Nakase H, Ueno S, Uza N, Inoue S, Mikami S, Matsuura M, Ohmori K, Sakurai T, Nagayama S, Hasegawa S, Sakai Y, <u>Chiba T</u>	Usefulness of quantitative real-time PCR assay for early detection of cytomegalovirus infection in patients with ulcerative colitis refractory to immunosuppressive therapies.	Inflamm Bowel Dis	13	1516-1521	2007
Fukumoto A, Tanaka S, Yamamoto H, Yao T, Matsui T, Iida M, Goto H, Sakamoto C, <u>Chiba T</u> , Sugano K	Diagnosis and treatment of small-bowel stricture by double balloon endoscopy.	Gastrointest Endosc	66	S108-112	2007
Kasahara K, Nakase H, Uza N, Ueno S, Matsuura Mikami S, Inoue S, <u>Chiba T</u>	Administration of PEG-interferon to a patient with UC and chronic hepatitis C correlated with reduced colonic inflammation and reversal of peripheral T cell Th1/Th2 ratios.	Case rep Gastroenterol	1	157-161	2007

Matsumoto T, Iida M, Motoya S, Haruma K, Suzuki Y, Kobayashi K, Ito H, Miyata M, Kusunoki M, <u>Chiba T</u> , Yamamoto S, Hibi T	Therapeutic efficacy of infliximab on patients with short duration of Crohn's disease: A Japanese multicenter survey.	Dis Colon Rectum	51	916-923	2008
Uza N, Nakase H, Ueno S, Inoue S, Mikami S, Tamaki H, Matsuura M, <u>Chiba T</u>	The effect of medical treatment on patients with fistulizing Crohn's disease: our experience with a retrospective study.	Intern Med	47	193-199	2008
Endo Y, Marusawa H, Kou T, Nakase H, Fujii S, Fujimori T, Kinoshita K, Honjo T, <u>Chiba T</u>	Activation-induced cytidine deaminase links between inflammation to colitis-associated colorectal cancers.	Gastroenterology	135	889-898	2008
Yoshino T, Nakase H, Mikami S, Nio M, Ueno S, Uza N, Omori K, Manabe T, <u>Chiba T</u>	Importance of diagnosis of concomitant cytomegalovirus infection in patients with intestinal Behcet's disease.	Inflam Bowel Dis	14	877-878	2008
Yamamoto S, Nakase H, Mikami S, Inoue S, Yoshino T, Takeda Y, Kasahara K, Ueno S, Uza N, Kitamura H, Tamaki H, Matsuura M, Inui K, <u>Chiba T</u>	Long-term effect of tacrolimus therapy in patients with refractory ulcerative colitis.	Aliment Pharmacol Therapeutics	28	589-597	2008
Mikami S, Nakase H, Yamamoto S, Takeda Y, Yoshino T, Kasahara K, Ueno S, Uza N, Oishi S, Fujii N, Nagasawa T, <u>Chiba T</u>	Blockade of CXCR12/CXCR4 axis ameliorates murine experimental colitis.	J Pharmacol Exp Therapeut	327	383-392	2008
Tamaki H, Nakase H, Matsuura M, Inoue S, Mikami S, Ueno S, Uza N, Kitamura H, Kasahara K, <u>Chiba T</u>	The effect of tacrolimus (FK-506) on Japanese patients with refractory Crohn's disease.	J Gastroenterol	43	774-779	2008
Nakase H, Matsumura K, Yoshino T, <u>Chiba T</u>	Systematic review: cytomegalovirus infection in inflammatory bowel disease.	J Gastroenterol	43	735-740	2008

Takeda Y, Nakase H, Mikami S, Inoue T, Satou S, Sekai Y, <u>Chiba T</u>	Possible Link Between Ulcerative Colitis and In situ Adenocarcinoma of an Appendiceal Mucosa: Importance of Inflammation in the Appendiceal Orifice Related to UC.	Inflamm Bowel Dis	14	873-874	2008
仲瀬谷志, 千葉 勲	炎症性腸疾患の治療 知っておきたい炎症性腸疾患の合併症とその治療 皮膚、関節病変、肛門部病変の診察	Medicina	45(5)	833-838	2008
仲瀬谷志, 千葉 勲	消化器疾患 (炎症性腸疾患)	炎症と免疫	16(3)	299-303	2008
Inoue S, Nakase H, Mitsuura M, Mikami S, Ueno S, Uza N, <u>Chiba T</u>	The effect of proteasome inhibitor MG-132 on experimental inflammatory bowel disease.	Clin Exp Immunol	in press		2009
Matsumura K, Nakase H, Yamamoto S, Yoshino T, Takeda Y, Kasahara K, Ueno S, Uza N, <u>Chiba T</u>	Modulation of the Th1/Th2 balance by infliximab improves hyperthyroidism associated with flare-up of ulcerative colitis.	Inflamm Bowel Dis	in press		2009
Takeda Y, Nakase H, <u>Chiba T</u>	Up-regulation of T-bet and tight junction molecules by <i>Bifidobacterium longum</i> improves colonic inflammation of ulcerative colitis.	Inflam Bowel Dis	in press		2009
Kuwabara A, Tanaka K, Tsugawa N, Nakase H, Tsuji H, Shide K, Kamao M, <u>Chiba T</u> , Inagaki N, Okano T, Kido S	High prevalence of vitamin K and D deficiency and decreased BMD in inflammatory bowel disease.	Osteoporos Int	in press		2009
Yamamoto S, Nakase H, Takada M	Clinical Challenges and Images in GI: Relapsing polychondritis in ulcerative colitis.	Gastroneterology	in press		2009
Nakase H, Mikami S, <u>Chiba T</u>	Alteration of CXCR4 expression and Th1/Th2 balance of peripheral CD4 positive T cells can be a biomarker for leukocytapheresis therapy for patients with refractory ulcerative colitis.	Inflamm Bowel Dis	in press		2009

書籍

著者名	論文タイトル名	書籍全体の 編集者名	書籍名	出版社名	出版地	出版年	ページ
井戸章雄 沼田政嗣 森内昭博 児玉真由美 坪内博仁	HGF による粘膜修復系 の今後の見通しとは？	千葉 勉	分子消化器病	先端医学社	東京	2006	6-12
<u>Hibi I</u>		<u>Hibi I</u>	Recent Advances in Inflammatory Bowel Disease	Elsevier Japan	Tokyo	2007	
<u>鈴木健司</u>	HGFによる炎症性腸疾 患の治療		医学のあゆみ	医歯薬出版	東京	2007	320-321

V. 学会発表に関する一覧表

発表者氏名	論文タイトル名	発表誌	巻号	ページ	出版年
Nakase H, Nishio A, Tamaki H, Matsuura M, Asada M, <u>Chiba T</u> , <u>Okazaki K</u>	Specific antibodies against recombinant protein of insertion element 900 of <i>Mycobacterium avium</i> subspecies paratuberculosis in Japanese patients with Crohn's disease.	Inflamm Bowel Dis	12(1)	Sep-62	2006
Tamaki H, Nakamura H, Nishio A, Nakase H, Ueno S, Uza N, Kido M, Inoue S, Mikami S, Asada M, Kiriya K, Kitamura H, Ohashi S, Fukui T, Kawasaki K, Matsuura M, Ishii Y, <u>Okazaki K</u> , Yodoi J, Chiba T	Human thioredoxin-1 ameliorates experimental murine colitis in association with suppressed macrophage inhibitory factor production.	Gastroenterology	131(4)	1110-1121	2006
Kiriya K, Watanabe N, Nishio A, <u>Okazaki K</u> , Kido M, Saga K, Tanaka J, Akamatsu T, Ohashi S, Asada M, Fukui T, Chiba T	Essential role of Peyer's patches in the development of Helicobacter-induced gastritis.	Int Immunol	in press		
Kiriya K, Watanabe N, Nishio A, <u>Okazaki K</u> , Kido M, Saga K, Tanaka J, Akamatsu T, Ohashi S, Asada M, Fukui T, Chiba T	Essential role of Peyer's patches in the development of helicobacter-induced gastritis.	Int Immunol	19(4)	435-446	2007
Matsushita M, Uchida K, <u>Okazaki K</u>	Role of the appendix in the pathogenesis of ulcerative colitis.	Inflammopharmacology	15(4)	154-157	2007
Sekimoto G, Matsuzaki K, Yoshida K, Mori S, Murata M, Seki T, Matsui H, Fujisawa J, <u>Okazaki K</u>	Reversible Smad-dependent signaling between tumor suppression and oncogenesis.	Cancer Res	67(11)	5090-5096	2007
Sumimoto K, Matsushita M, <u>Okazaki T</u> , Oniya M, Uchida K, <u>Okazaki K</u>	Crohn's disease accompanied by purulent discitis and psoas abscesses.	Inflamm Bowel Dis	In press		2008
Matsushita M, Ando Y, Oniya M, Uchida K, Nishio A, <u>Okazaki K</u>	Association of "ulcerative appendicitis" and appendiceal adenocarcinoma.	Inflamm Bowel Dis			2008
Ando Y, Matsushita M, Kawamata S, Shimatani M, Fujii T, <u>Okazaki K</u>	Infliximab for severe gastrointestinal bleeding in Crohn's disease.	Inflamm Bowel Dis			2008

Toyonaga T, Matsushita M, Matsumoto T, Fukui T, Oniya M, Uchida K, <u>Okazaki K</u>	Endoscopic injection therapy for a bleeding exposed vessel in Crohn's disease.	Gastrointestinal Endoscopy	68(3)	572-573	2008
Hachimine D, Uchida K, Asada M, Nishio A, Kawamata S, Sekimoto G, Murata M, Yamagata H, Yoshida K, Mori S, Tahashi Y, Matsuzaki K, <u>Okazaki K</u>	Involvement of Smad3 phosphoisoform-mediated signaling in the development of colonic cancer in IL-10-deficient mice.	Int J Oncol	32(6)	1221-1226	2008
Ando Y, Inaba M, Sakaguchi Y, Tsuda M, Quan GK, Onae M, <u>Okazaki K</u> , Ikehara S	Subcutaneous adipose tissue-derived stem cells facilitate colonic mucosal recovery from 2,4,6-trinitrobenzene sulfonic acid (TNBS)-induced colitis in rats.	Inflamm Bowel Dis	14(6)	826-838	2008
Sumimoto K, Matsushita M, Okazaki T, Oniya M, Uchida K, <u>Okazaki K</u>	Crohn's disease accompanied by purulent discitis and psoas abscesses.	Inflamm Bowel Dis	14(5)	728-730	2008
島谷 昌明, 松下 光伸, 若松 隆宏, 大宮 美香, 内田 一茂, 高岡 亮, 関 寿人, <u>岡崎 和一</u>	バルミチン酸デキサメタゾンの静注が有効であった単純性潰瘍の1例	Gastroenterological Endoscopy	別刷 50巻4号	1109-1114	2008
土屋輝一郎, <u>渡辺 守</u>	炎症性腸疾患と遺伝子異常	最新医学	61	1819-1825	2006
Makita S, Kanai T, Nemoto Y, Totsuka T, Okamoto R, Tsuchiya K, Yamamoto M, Kiyono H, <u>Watanabe M</u>	Intestinal lamina propria retaining CD4+CD25+ regulatory T cells is a suppressive site of intestinal inflammation.	J Immunol	178	4937-4946	2007
Nemoto Y, Kanai T, Makita S, Okamoto R, Totsuka T, Takeda K, <u>Watanabe M</u>	Bone marrow retaining colitogenic CD4+ T cells may be a pathogenic reservoir for chronic colitis.	Gastroenterology	132	176-189	2007
Totsuka T, Kanai T, Nemoto Y, Makita S, Okamoto R, Tsuchiya K, <u>Watanabe M</u>	IL-7 is essential for the development and the persistence of chronic colitis.	J Immunol	178	4737-4748	2007
Tsuchiya K, Nakamura T, Okamoto R, Kanai T, <u>Watanabe M</u>	Reciprocal targeting of Hsht1 and β -catenin by Wnt-glycogen synthase kinase 3 β in human colon cancer.	Gastroenterology	132	208-220	2007
Y. Ito, T. Kanai, T. Totsuka, R. Okamoto, K. Tsuchiya, Y. Nemoto, A. Yoshioka, T. Tomita, T. Nagaishi, N. Sakamoto, T. Sakanishi, K. Okumura, H. Yagita, and <u>M. Watanabe</u>	Blockade of NKG2D signaling prevents the development of murine CD4+ T cell-mediated colitis	Am J Physiol Gastrointest Liver Physiol	294 (1)	199-207	2007
Takayuki Tomita, Takahiro Kanai ² , Yasuhiro Nemoto, Teruji Totsuka, Ryuichi Okamoto, Kiichiro	Systemic, but Not Intestinal, IL-7 Is Essential for the Persistence of Chronic Colitis ¹	The Journal of Immunology	180 (1)	383-390	2007

Tsuchiya, Naoya Sakamoto and Memoru Watanabe					
渡辺 守	クローン病	今日の治療指針2007 年版		341- 342	2007
渡辺 守	特集 これからの IBD 研究における研究班の使命は 主任研究者から一研究班の目指す方向性	IBD Research	1	18-23	2007
岡本隆一、土屋輝一郎、渡辺 守	炎症性腸疾患における上皮分化制御と上皮再生	日本消化器病学会雑誌	104	1165- 1171	2007
岡本隆一、土屋輝一郎、渡辺 守	腸管上皮細胞分化制御と IBD に対する上皮細胞療法の可能性	IBD Research	1	43-47	2007
金井隆典、渡辺 守	1. 消化管 3. 炎症性腸疾患からみた粘膜免疫のトピックス	Annual Review 消化器2007		11-17	2007
Aragaki M, Tsuchiya K, Okamoto R, Yoshioka S, Nakamura T, Sakamoto N, Kanai T, Watanabe M	Proteasomal degradation of Atoh1 by aberrant Wnt signaling maintains the undifferentiated state of colon cancer.	Biochem Biophys Res Commun	368	923- 929	2008
Nemoto Y, Kanai T, Tohda S, Totsuka T, Okamoto R, Tsuchiya K, Nakamura T, Sakamoto N, Fukuda T, Miura O, Yagita H, Watanabe M	Negative feedback regulation of colitogenic CD4 ⁺ T cells by increased granulopoiesis.	Inflamm Bowel Dis	14	1491- 1503	2008
Tomita T, Kanai T, Nemoto Y, Totsuka T, Okamoto R, Tsuchiya K, Sakamoto N, Watanabe M	Systemic, but not intestinal, IL-7 is essential for the persistence of chronic colitis.	J Immunol	180	383- 390	2008
Tomita T, Kanai T, Fujii T, Nemoto Y, Okamoto R, Tsuchiya K, Totsuka T, Sakamoto N, Akira S, Watanabe M	MyD88-dependent pathway in T cells directly modulates the expansion and survival of colitogenic CD4 ⁺ T cells in chronic colitis.	J Immunol	180	5291- 5299	2008
Tomita T, Kanai T, Nemoto Y, Fujii T, Okamoto R, Tsuchiya K, Nakamura T, Sakamoto N, Totsuka T, Watanabe M	Colitogenic CD4 ⁺ effector-memory T cells actively recirculate in chronic colitic mice.	Inflamm Bowel Dis	14	1630- 1640	2008
岡本隆一、土屋輝一郎、渡辺 守	特集 潰瘍性大腸炎・クローン病診療の進歩 16「腸管上皮の分化・再生」	診断と治療	In press		2008
渡辺 守	特集：炎症性腸疾患の分子医学 総論：炎症性腸疾患の病態を新しい側面から解く	BIO Clinica	23	16-17	2008