

9. 宮井一郎. 作業療法に関するエビデンスとOTへの提言 脳卒中に対するリハビリテーションを中心に作業療法ジャーナル 2008;42(12):1244-1248
10. 宮井一郎,三原雅史,畠中めぐみ,服部憲明,矢倉一. 脊髄小脳変性症の治療.リハビリテーション. Clinical Neuroscience 2009;27(1):99-102.
11. 宮井一郎,三原雅史,畠中めぐみ,矢倉一,服部憲明. 脳卒中後の機能回復と脳機能画像. リハ医学 2009;46(1):22-26.

山田 光則

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nishihira Y, Tan CF, Onodera O, Toyoshima Y, Yamada M, Morita T, Nishizawa M, Kakita A, Takahashi H.	Sporadic amyotrophic lateral sclerosis: two pathological patterns shown by analysis of distribution of TDP-43-immunoreactive neuronal and glial cytoplasmic inclusions.	Acta Neuropathologica	116	169-182	2008
Sakae N, Yamasaki N, Kitaichi K, Fukuda T, Yamada M, Yoshikawa H, Hiranita T, Tatsumi Y, Kira J, Yamamoto T, Miyakawa T, Nakayama K.	Mice lacking the schizophrenia-associated protein FEZ1 manifest hyperactivity and enhanced responsiveness to psychostimulants.	Human Molecular Genetics	17	3191-3203	2008
山田光則.	動物モデルからみた歯状核赤核淡着球ルイ体萎縮症.	神経内科	68	135-139	2008
Sato T, Miura M, Yamada M, Yoshida T, Wood JD, Yazawa I, Masuda M, Suzuki T, Shin RM, Yau HJ, Liu FC, Shimohata T, Onodera O, Ross CA, Katsuki M, Takahashi H, Kano M, Aosaki T, Tsuji S.	Severe neurological phenotypes of Q129 DRPLA transgenic mice serendipitously created by <i>en masse</i> expansion of CAG repeats in Q76 DRPLA mice.	Human Molecular Genetics	18	723-736	2009

原著論文

著者	論文タイトル	掲載誌名	巻	出版年
			頁	
Yoshida K, Shimizu Y, Morita H, Okano T, Sakai H, Ohata T, Matsumoto N, Nakamura K, Tazawa K, Ohara S, Tabata K, Inoue A, Sato S, Shimojima Y, Hattori T, Ushiyama M, Ikeda S	Severity and progression rate of cerebellar ataxia in 16q-linked autosomal dominant cerebellar ataxia (16q-ADCA) in the endemic Nagano area of Japan	Cerebellum		in press
Nakamura K, Yoshida K, Miyazaki D, Morita H, Ikeda S	Spinocerebellar ataxia type 6 (SCA6): clinical pilot trial with gabapentin	J Neurol Sci	278 107-111	2009

和田 圭司

書籍

該当無し

雑誌

Kabuta, T., Setsuie, R., Mitsui, T., Kinugawa, A., Sakurai, M., Aoki, S., Uchida, K., Wada, K. Aberrant molecular properties shared by familial Parkinson's disease-associated mutant UCH-L1 and carbonyl-modified UCH-L1. **Hum. Mol. Genet.**, 17, 1482-1496, 2008.

Kabuta, T., Furuta, A., Aoki, S., Furuta, K., Wada, K. Aberrant interaction between Parkinson's disease-associated mutant UCH-L1 and the lysosomal receptor for chaperone-mediated autophagy. **J. Biol. Chem.**, 283, 23731-23738, 2008

Kabuta T, Wada, K. Insights into links between familial and sporadic Parkinson's disease: Physical relationship between UCH-L1 variants and chaperone-mediated autophagy. **Autophagy**, 4, 827-829, 2008

Goto, A., Wang, Y.L., Kabuta, T., Setsuie, R., Osaka, H., Sawa, A., Ishiura, S., Wada, K. Proteomic and histochimical analysis of proteins involved in the dying-back-type of axonal degeneration in the gracile axonal dystrophy (*pad*) mouse. **Neurochem. Int.**, in press

Setsuie, R., Sakurai, M., Sakaguchi, Y., Wada, K. Ubiquitin dimers control the hydrolase activity of UCH-L3. **Neurochem. Int.**, in press