

| 班員 | 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|------|---------------------|---|---------------------------------------|---------------------------------|-------------|-----|-------|-----------|
| 今泉 勉 | 安川秀雄、今泉 勉 | 虚血性不全心の病態に迫る 心筋障害に迫る 左室リモデリングと心不全 | 吉川純一、伊藤 浩 | 新・診療プラクティス12 冠動脈疾患の病態に迫る | 文光堂 | 東京 | 2008 | 240-245 |
| | 安川秀雄、大場豊治、馬渡一寿、今泉 勉 | 第3章肥大型心筋症 予後 | 松崎益徳 | 新しい診断と治療のABC 58.心筋症 | 最新医学社 | 大阪 | 2008 | 89-99 |
| | 大内田昌直、翁 德仁、今泉 勉 | 第3章病態からみた心不全のアプローチ 1.左心不全 | 北風政史 | 心不全診療Skill Upマニュアル | 羊土社 | 東京 | 2008 | 209-214 |
| | 松岡秀洋、今泉 勉 | 高血圧 | 矢崎義雄監修、相澤義房、今泉 勉、島本和明、友池仁暢、永井良三、松崎益徳編 | 心血管疾患診療のエクセレンス | 日本医師会 | 東京 | 2008 | S102-S113 |
| | 大内田昌直、藤山友樹、今泉 勉 | I.循環器疾患 3.急性心不全 | 松浦三男 | 総合臨牀第57巻増刊新版処方計画法 | 永井書店 | 大阪 | 2008 | 814-817 |
| | 稻毛智仁、今泉 勉 | C.心疾患 Q7.徐脈性不整脈に合併した高血圧に対して使用する降圧薬の選択は? | 富野康日己監修、小室一成、北風政史編 | 専門医のためのQ&A循環器 | 中外医学社 | 東京 | 2008 | 55-56 |
| | 稻毛智仁、今泉 勉 | C.心疾患 Q6.頻脈性不整脈に合併した高血圧に対して使用する降圧薬の選択は? | 富野康日己監修、小室一成、北風政史編 | 専門医のためのQ&A循環器 | 中外医学社 | 東京 | 2008 | 53-54 |
| | 大内田昌直、今泉 勉 | 急性心筋梗塞に伴う機械的合併症 | 堀 正二、永井良三 | 循環器疾患最新の治療2008-2009 | 南江堂 | 東京 | 2008 | 69-72 |
| | 大内田昌直、今泉 勉 | ACC/AHA心不全ガイドライン | 熊谷裕生、小室一成、堀内正嗣、森下竜一 | 高血圧ナビゲーター 第2版 | メディカル | 東京 | 2008 | 316-319 |
| | 河合祥雄 | | | イラストで学ぶ循環器看護 | 株式会社メディカル出版 | 大阪 | 2008年 | |
| 河合祥雄 | 河合祥雄 | 分離型大動脈弁下狭窄 | | 循環器症候群(第2版) IV-その他の循環器疾患を含めて | 日本臨床 | 東京 | 2008年 | 269-272 |
| | 河合祥雄 | 心内膜心筋線維症 | | 循環器症候群(第2版) III-その他の循環器疾患を含めて…、 | 日本臨床 | 東京 | 2008年 | 183-185 |
| | 河合祥雄 | 特発性肥厚性大動脈弁下狭窄 | | 循環器症候群(第2版) III-その他の循環器疾患を含めて…、 | 日本臨床 | 東京 | 2008年 | 227-230 |

| 班員 | 著者氏名 | 論文タイトル名 | 書籍全体の 編集者名 | 書籍名 | 出版社名 | 出版地 | 出版年 | ページ |
|------|---|---------------------|------------------------------|--|------------|-----|---------|---------|
| 河合洋雄 | 岩井秀明、 形本靜夫、 河合洋雄、 山倉文幸、 加納達二、 信太直己、 雨宮有子、 池田啓一 | | 岩井秀明・順天堂大学 | 千葉県血清研究所記念保健医療福祉基金調査研究事業「近未来の生活習慣病予防対策」報告書 | 千葉県血清研究所 | 千葉 | 平成20年3月 | |
| | 河合洋雄 | メディカルチェック | 千葉県健康福祉部健康づくり支援課がん・生活习惯病病対策室 | 健康生活コーディネート学習教材 | 千葉県健康福祉部 | 千葉 | 平成21年1月 | |
| 今中恭子 | 今中(吉田)恭子 | 心筋生検 | 梅澤明弘、 黒田雅彦、 大喜多肇 | 研修医のための病理マニュアル | 診断と治療社 | | 2008 | 30 |
| 大津欣也 | 彦惣俊吾、 大津欣也 | 細胞死(アポトーシスとオートファジー) | | Heart View | ライフサイエンス出版 | | 2008 | 38-41 |
| 北浦泰 | 寺崎文生、 北浦泰、 伊東隆英 | 拘束型心筋症、 | 松崎益徳 | 新しい診断と治療のABC 58 心筋症 | 最新医学社 | 大阪 | 2008 | 171-181 |
| | 北浦泰、 寺崎文生、 伊東隆英 | 拘束型心筋症、 | 北風政史 | 心不全診療マニュアル | 羊土社 | 東京 | 2008 | 157-168 |
| | 寺崎文生、 北浦泰 | 二次性心筋症、 | 井村裕夫 | わかりやすい内科学 | 文光堂 | 東京 | 2008 | 196-201 |

2) 雜誌

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|---|--|---------------|-----|----------|------|
| | Zhao H, Liao Y, Minamino T, Asano Y, Asakura M, Kim J, Asanuma H, Takashima S, Hori M, Kitakaze M. Ohara T, Kim J, Asakura M, Asanuma H, Nakatani S, Hashimura K, Kanzaki H, Funahashi T, Tomoike H, Kitakaze M | Inhibition of cardiac remodeling by pravastatin is associated with amelioration of endoplasmic reticulum stress. | Hypertens Res | 31 | 1977-87 | 2008 |
| | Yamano T, Nakatani S, Kanzaki H, Toh N, Amaki M, Tanaka J, Abe H, Hasegawa T, Sawada T, Matsubara H, Kitakaze M. | Plasma adiponectin is associated with plasma brain natriuretic peptide and cardiac function in healthy subjects | Hypertens Res | 31 | 825-31 | 2008 |
| 北風政史 | Harada K, Ogai A, Takahashi T, Kitakaze M, Matsubara H, Oh H. | Exercise-induced changes of functional mitral regurgitation in asymptomatic or mildly symptomatic patients with idiopathic dilated cardiomyopathy. | Am J Cardiol. | 102 | 102-481 | 2008 |
| | Mano A, Nakatani T, Oda N, Kato T, Niwaya K, Tagusari O, Nakajima H, Funatsu T, Hashimoto S, Komamura K, Hanatani A, Ueda IH, Kitakaze M, | Crossveinless-2 controls bone morphogenetic protein signaling during early cardiomyocyte differentiation in P19 cells. | J Biol Chem. | 283 | 26705-13 | 2008 |
| | | Which factors predict the recovery of natural heart function after insertion of a left ventricular assist system? | | 27 | 869-74 | 2008 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|---|-----------------------------|-------|---------|------|
| 北風政史 | Fujita M, Asakura M, Sanada S, Funaya H, Tsukamoto O, Komamura K, Asanuma H, Taketani S, Isomura T, Nakamaru K, Furukawa H, Sawa Y, Hori M, Fu HY, Minamino T, Tsukamoto O, Sawada T, Asai M, Kato H, Asano Y, Fujita M, Takashima S, Hori M, Li F, Zhao H, Liao Y, Takashima S, Asano Y, Shintani Y, Hori M, Kitakaze M. | Activation of ecto-5'-nucleotidase in the blood and hearts of patients with chronic heart failure | J Card Fail | 14 | 426-30 | 2008 |
| | | Overexpression of endoplasmic reticulum-resident chaperone attenuates cardiomyocyte death induced by proteasome inhibition. | Cardiovasc Res | 79 | 600-10 | 2008 |
| | | Higher mortality in heterozygous neuropilin-1 mice after cardiac pressure overload. | Biochem Biophys Res Commun. | 370 | 317-21 | 2008 |
| | Liao Y, Zhao H, Ogai A, Kato H, Asakura M, Kim J, Asanuma H, Minamino T, Takashima S, Kitakaze M. | Atorvastatin slows the progression of cardiac remodeling in mice with pressure overload and inhibits epidermal growth factor receptor activation. | Hypertens Res. | 31 | 335-44 | 2008 |
| | Xu Z, Okamoto H, Akino M, Onozuka H, Matsui Y, Tsutsui H | Pravastatin attenuates left ventricular remodeling and diastolic dysfunction in Angiotensin II-induced hypertensive mice. | J Cardiovasc Pharmacol | 51(1) | 62-70 | 2008 |
| | Tsutsumi T, Ide T, Yamato M, Kudou W, Andou M, Hirooka Y, Utsumi H, Tsutsui H, Sunagawa K | Modulation of the myocardial redox state by vagal nerve stimulation after experimental myocardial infarction. | Cardiovasc Res | 77(4) | 713-721 | 2008 |
| | Wu YW, Naya M, Tsukamoto T, Komatsu H, Morita K, Yoshinaga K, Kuge Y, Tsutsui H, Tamaki N | Heterogeneous reduction of myocardial oxidative metabolism in patients with ischemic and dilated cardiomyopathy using C-11 acetate PET. | Circ J | 72(5) | 786-792 | 2008 |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|---|---|--------------------------|---------|-----------|----------|
| 筒井裕之 | Hayashi Y, Yoshida M, Yamato M, Ide T, Wu Z, Ochi- Shindou M, Kanki T, Kang D, Sunagawa K, Tsutsui H, Nakanishi H | Reverse of age-dependent memory impairment and mitochondrial DNA damage in microglia by an overexpression of human mitochondrial transcription factor a in mice. | J Neurosci | 28(34) | 8624-8634 | 2008 |
| | 筒井裕之 | 心不全に対する血液浄化療法 | Heart View | 12(2) | 78-81 | 2008 |
| | 絹川真太郎, 筒井裕之 | 食塩感受性と拡張期心不全 | Heart View | 12(3) | 32-35 | 2008 |
| | 筒井裕之 | 心不全におけるミトコンドリアDNA傷害・機能不全 | 心臓 | 40(2) | 201-205 | 2008 |
| | 絹川真太郎, 筒井裕之 | 慢性腎疾患を合併した心不全の特徴と治療 | 循環器科 | 63(2) | 131-138 | 2008 |
| | 筒井裕之 | 慢性心不全 | からだの科学 | 257 | 123-128 | 2008 |
| | 絹川真太郎, 筒井裕之 | 糖尿病性心筋障害（糖尿病性心臓病） | 治療学 | 42(4) | 57-60 | 2008 |
| | 井手友美, 筒井裕之 | 酸化ストレスと心血管病 | 分子心血管病 | 9(2) | 43-49 | 2008 |
| | 絹川真太郎, 筒井裕之 | 心不全と酸化ストレス | Heart View | 12(7) | 58-63 | 2008 |
| | 眞茅みゆき, 筒井裕之 | わが国的心不全疫学研究 | Heart View | 12(7) | 78-82 | 2008 |
| | 絹川真太郎, 筒井裕之 | 心不全と酸化ストレス | Mebio | 25(7) | 52-60 | 2008 |
| | 絹川真太郎, 筒井裕之 | 慢性心不全 | 総合臨牀 | 57(増刊) | 16-19 | 2008 |
| | Tsutsui H, Kinugawa S, Matsushima S | Oxidative stress and mitochondrial DNA damage in heart failure. | Circ J | Suppl A | A-31-A-37 | 2008 |
| | 筒井裕之 | 強心薬 | 医学と薬学 | 60(3) | 385-390 | 2008 |
| | 筒井裕之 | 心不全の薬物療法最前線 | Current Therapy | 26(11) | 31-36 | 2008 |
| | 筒井裕之 | 慢性心不全 | 内科 | 102(6) | 1108-1114 | 2008 |
| | 絹川真太郎, 筒井裕之 | CKDを合併する心不全患者の治療 | CARDIAC PRACTICE | 19(4) | 61-65 | 2008 |
| 久保田功 | Ikeda A, Konta T, Takasaki S, Hao Z, Suzuki K, Sato H, Shibata Y, Takeishi Y, Kato T, Kawata S, Kubota I. | In a non-diabetic Japanese population, the combination of macroalbuminuria and increased urine beta 2-microglobulin predicts a decline of renal function: the Takahata study. | Nephrol Dial Transplant. | 24(3) | 841-847 | 2009 Mar |
| | Ishino M, Takeishi Y, Niizeki T, Watanabe T, Nitobe J, Miyamoto T, Miyashita T, Kitahara T, Suzuki S, Sasaki T, Bilim O, Kubota I: | Risk stratification of chronic heart failure patients by multiple biomarkers: implications of BNP, H-FABP, and PTX3. | Circ J. | 72(11) | 1800-1805 | 2008 Nov |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|---|--------------------|---------------|-----------|-------------|
| 久保田功 | Niizeki T, Takeishi Y, Watanabe T, Nitobe J, Miyashita T, Miyamoto T, Kitahara T, Suzuki S, Sasaki T, Bilim O, Ishino M, Kubota I: Shibata Y, Abe S, Inoue S, Takabatake N, Igarashi A, Takeishi Y, Sata M, Kubota I. | Relation of serum heart shock protein 60 level to severity and prognosis in chronic heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. | Am J Cardiol. | 102(5) | 606-610 | 2008 Sep |
| | Arimoto T, Sukekawa H, Harada M, Takayama S, Ikeno E, Nisugi K, Takeishi Y, Kubota I: | Altered expression of antimicrobial molecules in cigarette smoke-exposed emphysematous mice lungs. | Respirology | 13(7) | 1061-1065 | 2008 Nov |
| | Kitahara T, Takeishi Y, Harada M, Niizeki T, Suzuki S, Sasaki T, Ishino M, Bilim O, Nakajima O, Kubota I: | Short cardiac iodine-123- metaiodobenzylguanidine imaging protocol in heart failure. | Circ J. | 72(7) | 1106-1111 | 2008 Jul |
| | Okuyama H, Hirono O, Tamura H, Nishiyama S, Takeishi Y, Kayama T, Kubota I: | High-mobility group box 1 restores cardiac function after myocardial infarction in transgenic mice. | Cardiovasc Res. | 80(1) | 40-46 | 2008 Oct |
| | Tokairin Y, Shibata Y, Sata M, Abe S, Takabatake N, Igarashi A, Ishikawa T, Inoue S, Kubota I: | Usefulness of intensity variation in the left atrial appendage with contrast echocardiography to predict ischemic stroke recurrence in patients with atrial fibrillation. | Am J Cardiol. | 101(1 1) | 1630-1637 | 2008 Jun |
| | Arimoto T, Sukekawa H, Takayama S, Ikeno E, Takeishi Y, Kubota I: | Enhanced immediate inflammatory response to streptococcus pneumoniae in the lungs of mice with pulmonary emphysema. | Respirology. | 13(3) | 324-332 | 2008 May |
| | Electroanatomical mapping in partial atrial standstill for visualization of atrial viability and a suitable pacing site. | Pacing Clin Electrophysiol | 31(4) | 509-512 1. | | 2008 Apr |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|---|---|---------|-----------|----------|
| 久保田功 | Ishikawa M, Konta T, Hao Z, Takasaki S, Abiko H, Takahashi T, Ikeda A, Ichikawa K, Shibata Y, Takeishi Y, Kato T, Kawata S, Kubota I: Niizeki T, Takeishi Y, Kitahara T, Arimoto T, Ishino M, Bilim O, Suzuki S, Sasaki T, Nakajima O, Wash RA, Goto K, Kubota I: | Relationship between antinuclear antibody and microalbuminuria in the general population: the Takahata study. | Clin Exp Nephrol. | 12(3) | 200-206 | 2008 Jun |
| | Fujimoto H, Taguchi J, Imai Y, Ayabe S, Hashimoto H, Kobayashi H, Ogasawara K, Aizawa T, Yamakado M, Nagai R, Ohno M. Fujita M, Yamazaki T, Hayashi D, Kohro T, Okada Y, Nagai R | Diacylglycerol kinase-ε restores cardiac dysfunction under chronic pressure overload: a new specific regulator of Gaq signaling cascade. | Am J Physiol Heart Circ Physiol. | 295(1) | H245-H255 | 2008 Jul |
| 永井良三 | Fukuda D, Sata M, Ishizaka N, Nagai R. Higashikuni Y, Ishizaka N, Ishizaka Y, Toda E, Nagai R, Yamakado M. Higashikuni Y, Nagashima T, Ishizaka N, Kinugawa K, Hirata Y, Nagai R. Huang PH, Sata M, Nishimatsu H, Sumi M, Hirata Y, Nagai R. | Manganese superoxide dismutase polymorphism affects the oxidized low-density lipoprotein-induced apoptosis of macrophages and coronary artery disease. Pleiotropic effects of statins on cardiovascular events in the Japanese Coronary Artery Disease study. Critical role of bone marrow angiotensin II type 1 receptor in the pathogenesis of atherosclerosis in apolipoprotein E deficient mice. Relationship between blood pressure and chronic kidney disease in the Japanese population: the lower the better even in individuals without hypertension? Right aortic arch with mirror image branching and vascular ring Pioglitazone ameliorates endothelial dysfunction and restores ischemia-induced angiogenesis in diabetic mice. | Eur Heart J. Int J Cardiol. Arterioscler Thromb Vasc Biol. Hypertens Res. Int J Cardiol. Biomed Pharmacother | 29 | 1267-1274 | 2008 |
| | | | | 129 | 294-296 | 2008 |
| | | | | 28 | 90-96 | 2008 |
| | | | | 31 | 213-219 | 2008 |
| | | | | 130 | e52-55 | 2008 |
| | | | | 62 | 46-52 | 2008 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|--|--------------------------------|-----|-----------|------|
| 永井良三 | Ichikawa-Shindo Y, Sakurai T, Kamiyoshi A, Kawate H, Iinuma N, Yoshizawa T, Koyama T, Fukuchi J, Iimuro S, Moriyama N, Kawakami H, Murata T, Kangawa K, Nagai R, Shindo T. | The GPCR modulator protein RAMP2 is essential for angiogenesis and vascular integrity. | J Clin Invest. | 118 | 29-39 | 2008 |
| | Ishizaka N, Ishizaka Y, Seki G, Nagai R, Yamakado M, Koike K. | Association between hepatitis B/C viral infection, chronic kidney disease and insulin resistance in individuals undergoing general health screening. | Hepatol Res. | 38 | 775-783 | 2008 |
| | Ishizaka N, Ishizaka Y, Toda E, Koike K, Yamakado M, Nagai R. | Are serum carcinoembryonic antigen levels associated with carotid atherosclerosis in Japanese men? | Arterioscler Thromb Vasc Biol. | 28 | 160-165 | 2008 |
| | Ishizaka N, Ishizaka Y, Toda E, Shimomura H, Koike K, Seki G, Nagai R, Yamakado M. | Association between cigarette smoking and chronic kidney disease in Japanese men. | Hypertens Res. | 31 | 485-492 | 2008 |
| | Iwata H, Ako J, Nagai R. | Recurrence of late-acquired incomplete stent apposition following sirolimus-eluting stent implantation. | J Invasive Cardiol. | 20 | e265-268 | 2008 |
| | Kada N, Suzuki T, Aizawa K, Munemasa Y, Matsumura T, Sawaki D, Nagai R. | Acyclic retinoid inhibits functional interaction of transcription factors Krüppel-like factor 5 and retinoic acid receptor-alpha. | FEBS Lett. | 582 | 1755-1760 | 2008 |
| | Kamijima Y, Ooba N, Yagame M, Samizo K, Shimodozono Y, Kageyama S, Horiguchi S, Nagai R, Kusunoki T, Kubota K. | Hypertension management in diabetic patients' prescribing trends from 1999 to 2005 in three Japanese university hospitals. | Pharmacopiedemiol Drug Saf. | 17 | 904-911 | 2008 |
| | Kariya T, Imai Y, Murakami A, Minegishi S, Katori T, Kato H, Ajiki K, Hirata Y, Nagai R. | Images in cardiovascular medicine. Markedly dilated right heart 17 years after initial treatment repaired by total right ventricular exclusion and total cavopulmonary connection. | Circulation. | 118 | e133-135 | 2008 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------------------|---|---|---------------------|-----|-----------|------|
| | Kohro T, Furui Y, Mitsutake N, Fujii R, Morita H, Oku S, Ohe K, Nagai R. | The Japanese national health screening and intervention program aimed at preventing worsening of the metabolic syndrome. | Int Heart J. | 49 | 193-203 | 2008 |
| | Kohro T, Hayashi D, Okada Y, Yamazaki T, Nagai R | Demographics and changes in medical/interventional treatment of coronary artery disease patients over a 3.5-year period in Japan: the Japanese Coronary Artery Disease Study: trend | Circ J. | 72 | 1397-1402 | 2008 |
| 永 井 良 三 | Kubota N, Kubota T, Itoh S, Kumagai H, Kozono H, Takamoto I, Mineyama T, Ogata H, Tokuyama K, Ohsugi M, Sasako T, Moroi M, Sugi K, Kakuta S, Iwakura Y, Noda T, Ohnishi S, Nagai R, Tobe K, Terauchi Y, Ueki K, Kadowaki T. | Dynamic functional relay between insulin receptor substrate 1 and 2 in hepatic insulin signaling during fasting and feeding. | Cell Metab. | 8 | 49-64 | 2008 |
| | Matsumoto M, Sata M, Fukuda D, Tanaka K, Soma M, Hirata Y, Nagai R. | Orally administered eicosapentaenoic acid reduces and stabilizes atherosclerotic lesions in ApoE-deficient mice. | Atherosclerosis | 197 | 524-533 | 2008 |
| | Matsuzaki G, Ishizaka N, Furuta K, Hongo M, Saito K, Sakurai R, Koike K, Nagai R | Comparison of vasculoprotective effects of benidipine and losartan in a rat model of metabolic syndrome. | Eur J Pharmacol. | 587 | 237-242 | 2008 |
| | Monzen K, Ito Y, Naito AT, Kasai H, Hiroi Y, Hayashi D, Shiojima I, Yamazaki T, Miyazono K, Asashima M, Nagai R, Komuro I. | A crucial role of a high mobility group protein HMGA2 in cardiogenesis. | Nat Cell Biol. | 10 | 567-574 | 2008 |
| | Munemasa Y, Suzuki T, Aizawa K, Miyamoto S, Imai Y, Matsumura T, Horikoshi M, Nagai R. | Promoter region-specific histone incorporation by the novel histone chaperone ANP32B and DNA-binding factor KLF5. | Mol Cell Biol. | 28 | 1171-1181 | 2008 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|---|---------------------------|-----|-----------|------|
| 永井良三 | Nagai R, Izumi T, Kurabayashi M, Daida H, Tojo T, Hasegawa A, Miyauchi K, Hayashi D, Kohro T, Okada Y, Yamazaki T; | Rationale and design of a study to examine lower targets for low-density lipoprotein-cholesterol and blood pressure in coronary artery disease patients. | Circ J. | 72 | 515-520 | 2008 |
| | Nakamura K, Koibuchi N, Nishimatsu H, Higashikuni Y, Hirata Y, Kugiyama K, Nagai R, Sata M. | Candesartan ameliorates cardiac dysfunction observed in angiotensin- converting enzyme 2-deficient mice. | Hypertens Res. | 31 | 1953-1961 | 2008 |
| | Nishimura S, Manabe I, Nagasaki M, Seo K, Yamashita H, Hosoya Y, Ohsugi M, Tobe K, Kadowaki T, Nagai R, Sugiura S. | In vivo imaging in mice reveals local cell dynamics and inflammation in obese adipose tissue. | J Clin Invest. | 118 | 710-721 | 2008 |
| | Nishimura S, Seo K, Nagasaki M, Hosoya Y, Yamashita H, Fujita H, Nagai R, Sugiura S. | Responses of single-ventricular myocytes to dynamic axial stretching. | Prog Biophys Mol Biol. | 97 | 282-297 | 2008 |
| | Oishi Y, Manabe I, Tobe K, Ohsugi M, Kubota T, Fujii K, Maemura K, Kubota N, Kadowaki T, Nagai R | SUMOylation of Krüppel-like transcription factor 5 acts as a molecular switch in transcriptional programs of lipid metabolism involving PPAR-delta. | Nat Med. | 14 | 656-666 | 2008 |
| | Okamoto M, Ohara-Imaizumi M, Kubota N, Hashimoto S, Eto K, Kanno T, Kubota T, Wakui M, Nagai R, Noda M, Nagamatsu S, Kadowaki T. | Adiponectin induces insulin secretion in vitro and in vivo at a low glucose concentration | Diabetologia. | 51 | 827-835 | 2008 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------------------|--|---|--------------|-----|-----------------|------|
| | Okazaki H, Igarashi M, Nishi M, Sekiya M, Tajima M, Takase S, Takanashi M, Ohta K, Tamura Y, Okazaki S, Yahagi N, Ohashi K, Amemiya- Kudo M, Nakagawa Y, Nagai R, Kadowaki T, Osuga J, Ishibashi S. | Identification of neutral cholesterol ester hydrolase, a key enzyme removing cholesterol from macrophages. | J Biol Chem. | 283 | 33357- 33364 | 2008 |
| | Parisi S, Passaro F, Aloia L, Manabe I, Nagai R, Pastore L, Russo T. | Klf5 is involved in self-renewal of mouse embryonic stem cells. | J Cell Sci. | 121 | 2629-2634 | 2008 |
| 永 井 良 三 | Sekiya M, Osuga J, Yahagi N, Okazaki H, Tamura Y, Igarashi M, Takase S, Harada K, Okazaki S, Iizuka Y, Ohashi K, Yagyu H, Okazaki M, Gotoda T, Nagai R, Kadowaki T, Shimano H, Yamada N, Ishibashi S. | Hormone-sensitive lipase is involved in hepatic cholesteryl ester hydrolysis. | J Lipid Res. | 49 | 1829-1834 | 2008 |
| | Shimada K, Fujita M, Tanaka A, Yoshida K, Jisso S, Tanaka H, Yoshikawa J, Kohro T, Hayashi D, Okada Y, Yamazaki T, Nagai R | Elevated Serum C-Reactive Protein Levels Predict Cardiovascular Events in the Japanese Coronary Artery Disease (JCAD) Study. | Circ J. | 73 | 78-85 | 2008 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|---|----------------------------------|-----|-------------|------|
| 永井良三 | Shinoda Y, Ogata N, Higashikawa A, Manabe I, Shindo T, Yamada T, Kugimiya F, Ikeda T, Kawamura N, Kawasaki Y, Tsushima K, Takeda N, Nagai R, Hoshi K, Nakamura K, Chung UI, Kawaguchi H. | Kruppel-like factor 5 causes cartilage degradation through transactivation of matrix metalloproteinase 9. | J Biol Chem. | 283 | 24682-24689 | 2008 |
| | Sonoda M, Takenaka K, Uno K, Ebihara A, Nagai R. | A larger aortic annulus causes aortic regurgitation and a smaller aortic annulus causes aortic stenosis in bicuspid aortic valve. | Echocardiography. | 25 | 242-248 | 2008 |
| | Sonoda M, Aoyagi T, Takenaka K, Uno K, Nagai R. | A one-year study of the antiatherosclerotic effect of the angiotensin-II receptor blocker losartan in hypertensive patients. A comparison with angiotension-converting enzyme inhibitors. | Int Heart J. | 49 | 95-103 | 2008 |
| | Suzuki T, Nagai R. | Molecular markers for cardiovascular disease: cardiovascular biomarkers to proteomic discovery. | Nat Clin Pract Cardiovasc | 5 | 295 | 2008 |
| | Takahashi M, Suzuki E, Takeda R, Oba S, Nishimatsu H, Kimura K, Nagano T, Nagai R, Hirata Y. | Angiotensin II and tumor necrosis factor-alpha synergistically promote monocyte chemoattractant protein-1 expression: roles of NF-kappaB, p38, and reactive oxygen species. | Am J Physiol Heart Circ Physiol. | 294 | H2879-2888 | 2008 |
| | Takeda N, Seko Y, Oriuchi N, Nagai R. | Gamma-delta T-cell-mediated dilated cardiomyopathy. | Int J Cardiol. | 125 | 130-132 | 2008 |
| | Takeda R, Suzuki E, Takahashi M, Oba S, Nishimatsu H, Kimura K, Nagano T, Nagai R, Hirata Y. | Calcineurin is critical for sodium-induced neointimal formation in normotensive and hypertensive rats. | Am J Physiol Heart Circ Physiol. | 294 | H2871-2878 | 2008 |
| | Tanaka K, Sata M, Natori T, Kim-Kaneyama JR, Nose K, Shibanuma M, Hirata Y, Nagai R. | Circulating progenitor cells contribute to neointimal formation in nonirradiated chimeric mice | FASEB J. | 22 | 428-436 | 2008 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|--|-------------------|-----|---------|------|
| 永井良三 | Tanaka Y, Sato K, Shimizu T, Yamato M, Okano T, Manabe I, Nagai R, Kitamori T. | Demonstration of a bio-microactuator powered by vascular smooth muscle cells coupled to polymer micropillars. | Lab Chip. | 8 | 58-61 | 2008 |
| | Wang G, Watanabe M, Imai Y, Hara K, Manabe I, Maemura K, Horikoshi M, Kohro T, Amiya E, Sugiyama T, Fujita T, Kadokawa T, Yamazaki T, Nagai R. | Genetic variations of Mrf-2/ARID5B confer risk of coronary atherosclerosis in the Japanese population. | Int Heart J. | 49 | 313-327 | 2008 |
| | Watanabe K, Ohnishi S, Manabe I, Nagai R, Kadokawa T. | Watanabe K, Ohnishi S, Manabe I, Nagai R, Kadokawa T. | Gastroenterology. | 135 | 309-312 | 2008 |
| 小川聰 | Kataoka M, Satoh T, Yoshikawa T, Nakamura I, Kohno T, Yoshizawa A, Anzai T, Ogawa S | Comparison of the effects of carvedilol and metoprolol on exercise ventilatory efficiency in patients with congestive heart failure | Circ J | 72 | 358-63 | 2008 |
| | Jo Y, Anzai T, Sugano Y, Naito K, Ueno K, Kohno T, Yoshikawa T, Ogawa S | Early use of beta-blockers attenuates systemic inflammatory response and lung oxygenation impairment after distal type acute aortic dissection | Heart Vessels | 23 | 334-40 | 2008 |
| | Kohno T, Anzai T, Naito K, Sugano Y, Maekawa Y, Takahashi T, Yoshikawa T, Ogawa S | Angiotensin receptor blockade reduces border zone myocardial monocyte chemoattractant protein-1 expression and macrophage infiltration in post-infarction ventricular remodeling | Circ J | 72 | 1685-92 | 2008 |
| | Hata N, Seino Y, Tsutamoto T, Hiramitsu S, Kaneko N, Yoshikawa T, Yokoyama H, Tanaka K, Mizuno K, Nejima J, Kinoshita M | Effects of carperotide on long-term prognosis in patients with acute decompensated chronic heart failure: the PROTECT multicenter randomized controlled study | Circ J | 72 | 1787-93 | 2008 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|---|--|--|--|---|--|
| | Naito K, Anzai T, Yoshikawa T, Anzai A, Kaneko H, Kohno T, Takahashi T, Kawamura A, Ogawa S Naito K, Anzai T, Sugano Y, Maekawa Y, Kohno T, Yoshikawa T, Matsuno K, Ogawa S Kohno T, Anzai T, Naito K, Miyasho T, Okamoto M, Yokota H, Yamada S, Maekawa Y, Takahashi T, Yoshikawa T, Ishizaka A, Ogawa S | Impact of chronic kidney disease on post- infarction inflammation, oxidative stress and left ventricular remodeling Differential effects of GM-CSF and G-CSF on infiltration of dendritic cells during early left ventricular remodeling after myocardial infarction Role of high mobility group box 1 protein in post-infarction healing process and left ventricular remodeling | J Card Fail J Immunol Cardiovasc Res | 14 181 81 | 831-8 5691-701 565-73 | 2008 2008 2009 |
| 小川聰 | Ueno K, Anzai T, Jinzaki M, Yamada M, Kohno T, Kawamura A, Yoshikawa T, Kuribayashi S, Ogawa S 吉川勉 吉川勉 吉川勉 吉川勉 吉川勉 吉川勉 吉川勉 吉川勉、馬場彰泰 稻垣暢也、吉川 勉、平田健一、平 野勉、植木浩二郎 | Diagnostic capacity of 64-slice multidetector computed tomography for acute coronary syndrome in patients presenting with acute chest pain 心血管バイオマーカーとしての抗心筋自己 抗体の意義 慢性心不全の総論 どのように考えて治療 するのか? 2.心不全・心筋症 臨床医学の展望<循環器病学> B遮断薬をいつ、何を投与し、どのように増 量するのか 心筋症—基礎と臨床の着実な進歩 心筋症 の臨床3)薬物治療 心筋症—基礎と臨床Up to Date 心筋症に おける自己免疫機序 自己免疫機序から見た心不全 左心不全と右心不全 免疫吸着療法 2型糖尿病と心血管疾患 | Cardiology Cardiology Circulation Up-to-Date 日本医事新報 MEDICINA 治療学 医学のあゆみ 心不全Up-to-date 薬局 カレントテラ ピー ^ビ Prog Med | 112 3 4376 45 42 226 1 59 26 28 | 211-8 174-82 67-9 702-5 74-7 16-21 607 14-7 72-3 2679-86 | 2009 2008 2008 2008 2008 2008 2008 2008 |
| 磯部光章 | Maejima Y, Adachi S, Ito H, Hirao K, Isobe M Ogawa M, Suzuki J, Hishikari K, Takayama K, Tanaka H, Isobe M | Induction of premature senescence in cardiomyocytes by doxorubicin as a novel mechanism of myocardial damage. Clarithromycin Attenuates Acute and Chronic Rejection via MMP Suppression in Murine Cardiac Transplantation. | Aging Cell J Am Coll Cardiol | 7 51 | 125-136 1977-1985 | 2008 2008 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|---|---|---------------------------|----------|-----------|------|
| 穂部光章 | Saiki H, Suzuki J, Kosuge H, Haraguchi G, Ishihara T, Haga T, Maejima Y, Isobe M, Uede T | Blockade of the 4-1BB pathway attenuates graft arterial disease in cardiac allografts. | Int Heart J | 49 | 105-118 | 2008 |
| | Tamamori-Adachi M, Takagi H, Hashimoto K, Goto K, Hidaka T, Koshimizu U, Yamada K, Goto I, Maejima Y, Isobe M, Nakayama KI, Inomata N, Kitajima S | Cardiomyocyte proliferation and protection against post-myocardial infarction heart failure by cyclin D1 and Skp2 ubiquitin ligase. | Cardiovasc Res | 80 | 181-190 | 2008 |
| | Suzuki J, Ogawa M, Muto S, Itai A, Isobe M | specific inhibitor of plasminogen activator inhibitor-1 suppresses rat autoimmune myocarditis. | Expert Opin Ther Targets | 12 | 1313-1320 | 2008 |
| | Goda A, Isobe M | Effects of a work rate increase during cardiopulmonary exercise testing in respiratory gas indexes in patients with chronic heart failure. | Jpn J Clin Physiol | 38 | 167-173 | 2008 |
| | Hishikari K, Suzuki J, Ogawa M, Isobe K, Takahashi T, Onishi M, Takayama K, Isobe M | Pharmacological activation of the prostaglandin E ₂ receptor EP4 improves cardiac function after myocardial ischemia/reperfusion injury. | Cardiovasc Res | in press | | 2009 |
| | Wakatsuki S, Suzuki J, Ogawa M, Masumura M, Muto S, Shimizu T, Takayama K, Itai A, Isobe M | A novel IKK inhibitor suppresses heart failure and chronic remodeling after myocardial ischemia via MMP alteration. | Expert Opin Ther Targets. | in press | | 2009 |
| | Goda A, Koike A, Hoshimoto Iwamoto M, Nagayama O, Yamaguchi K, Tajima A, Sawada H, Itoh H, Isobe M, Aizawa T | Prognostic value of heart rate profiles during cardiopulmonary exercise testing in patients with cardiac disease. | Int Heart J | in press | | 2009 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|---|------------------------|----------|-----------|------|
| 磯部光章 | Goda A, Yamashita T, Suzuki S, Ohtsuka T, Uejima T, Oikawa Y, Yajima J, Koike A, Nagashima K, Kirigaya H, Sagara K, Ogasawara K, Isobe M, Sawada H, Aizawa T | Heart Failure with Preserved versus Reduced Left Ventricular Systolic Function: A Prospective Cohort of Shinken Database 2004-5. | Eur J Heart Failure | in press | | 2009 |
| | Konishi M, Maejima Y, Inagaki H, Haraguchi G, Hachiya H, Suzuki J, Hirao K, Isobe M | Clinical characteristics of acute decompensated heart failure with rapid onset of symptoms. | J Heart Failure | in press | | 2009 |
| | aga T, Suzuki J, Kosuge H, Ogawa M, Saiki H, Haraguchi G, Maejima Y, *Isobe M, Uede T | Attenuation of experimental autoimmune myocarditis by blocking T cell activation through 4-1BB pathway. | J Mol Cell Cardiol | in press | | 2009 |
| | Ogawa M, Suzuki J, Isobe M | The Mechanism of Anti-Inflammatory Effects of Prostaglandin E2 Receptor 4 Activation in Murine Cardiac Transplantation. | Transplantati on | in press | | 2009 |
| | | | Int Heart J | 14 | 65-71 | 2008 |
| | | | Clin Sci | 114 | 431-440 | 2008 |
| | | | Heart | 94 | 1282-1287 | 2008 |
| | Oyake N, Shimada T, Murakami Y, Ishibashi Y, Satoh H, Suzuki K, Matsumori A, Oda T. | Hepatitis C virus infection as a risk factor of increased aortic stiffness and cardiovascular event in dialysis patients | J Nephrology | 21 | 345-353 | 2008 |
| | Higuchi H, Hara M, Yamamoto K, Miyamoto T, Kinoshita M, Yamada T, Uchiyama K, Matsumori A. | Mast cell play a critical role in the pathogenesis of viral myocarditis | Circulation | 118 | 363-372 | 2008 |
| | 松森昭 | 心不全とサイトカイン 心不全診療 確立 された診療を見定める | Mebio | 25 | 63-69 | 2008 |
| | 松森昭 | 心筋炎と心筋症 心筋症・基礎と臨床 : Up to Date | 医学のあゆみ | 226 | 11-15 | 2008 |
| | 松森昭 | 企画にあたって 特集・心筋症最前線- | Heart View | 12 | 6-7 | 2008 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|---|----------------|----|----------|------|
| 松森昭 | 松森昭 | ウイルス性心筋炎 特集・心筋症最前線 | Heart View | 12 | 98-103 | 2008 |
| 松森昭 | | 心不全の早期診療と治療—ウイルス性心筋炎とバイオマーカー | 医療情報誌 シュネラー | 68 | 23-27 | 2008 |
| 松森昭 | | 病理生理4 ウイルス性心筋炎と心筋症 | 治療学 | 42 | 27-31 | 2008 |
| 友池仁暢 | Kokubo Y, Okamura T, Yoshimasa Y, Miyamoto Y, Kawanishi K, Kotani Y, Okayama A, Tomoike H, Yin T, Maekawa K, Kamide K, Saito Y, Hanada H, Miyashita K, Kokubo Y, Akaiwa Y, Otsubo R, Nagatsuka K, Otsuki T, Horio T, Takiuchi S, Kawano Y, Minematsu K, Naritomi H, Tomoike H, Sawada J, Miyata T, Mizuta E, Kokubo Y, Yamanaka I, Miyamoto Y, Okayama A, Yoshimasa Y, Tomoike H, Morisaki H, Morisaki T, Yang J, Kamide K, Kokubo Y, Takiuchi S, Horio T, Matayoshi T, Yasuda H, Miwa Y, Yoshii M, Yoshihara F, Nakamura S, Nakahama H, Tomoike H, Miyata T, Kawano Y. | Impact of metabolic syndrome components on the incidence of cardiovascular disease in a general urban Japanese population: the suita study. | Hypertens Res. | 31 | 2027-35. | 2008 |
| | | Genetic variations of CYP2C9 in 724 Japanese individuals and their impact on the antihypertensive effects of losartan. | Hypertens Res. | 31 | 1549-57 | 2008 |
| | | Leptin gene and leptin receptor gene polymorphisms are associated with sweet preference and obesity. | Hypertens Res. | 31 | 1069-77. | 2008 |
| | | Associations of hypertension and its complications with variations in the xanthine dehydrogenase gene | Hypertens Res. | 31 | 931-40 | 2008 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|--|---|-------------------|----------|-----------|------|
| 友池仁暢 | Hiura Y, Fukushima Y, Yuno M, Sawamura H, Kokubo Y, Okamura T, Tomoike H, Goto Y, Nonogi H, Takahashi R, Iwai N | Validation of the association of genetic variants on chromosome 9p21 and 1q41 with myocardial infarction in a Japanese population. | Circ J | 72 | 1213-7 | 2008 |
| 斎藤能彦 | Yasue H, Mizuno Y, Harada E, Itoh T, Nakagawa H, Nakayama M, Ogawa H, Tayama S, Honda T, Hokimoto S, Ohshima S, Hokamura Y, Kugiyama K, Horie M, Yoshimura M, Harada M, Uemura S, Saito Y Ogawa H, Nakayama M, Morimoto T, Uemura S, Kanauchi M, Doi N, Jinnouchi H, Sugiyama S, Saito Y Matoba S, Tatsumi T, Murohara T, Imaizumi T, Katsuda Y, Ito M, Saito Y, Uemura S, Suzuki H, Fukumoto S, Yamamoto Y, Onodera R, Teramukai S, Fukushima M, Matsubara H | Effects of a 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitor, fluvastatin, on coronary spasm after withdrawal of calcium-channel blockers. Low-dose aspirin for primary prevention of atherosclerotic events in patients with type 2 diabetes: a randomized controlled trial. Long-term clinical outcome after intramuscular implantation of bone marrow mononuclear cells (Therapeutic Angiogenesis by Cell Transplantation [TACT] trial) in patients with chronic limb ischemia | J Am Coll Cardiol | 51(18) | 1742-1748 | 2008 |
| | | | JAMA | 300(1 8) | 2134-2141 | 2008 |
| | | | Am Heart J. | 156 | 1010-1018 | 2008 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|---|--|--------------------------|--------|-----------|------|
| 齊藤能彦 | Horii M, Uemura S, Uemura M, Matsumoto M, Ishizashi H, Imagawa K, Iwama H, Takeda Y, Kawata H, Nakajima T, Fujimura Y, Saito Y | Acute Myocardial Infarction as a Systemic Prothrombotic Condition Evidenced by Increased von Willebrand Factor Protein Over ADAMTS13 Activity in Coronary and Systemic Circulation | Heart and Vessel | 23(5) | 301-307 | 2008 |
| | Harada K, Akai Y, Yamaguchi Y, Kimura K, Nishitani Y, Nakatani K, Iwano M, Saito Y | Prediction of corticosteroid responsiveness based on fibroblast-specific protein 1 (FSP1) in patients with IgA nephropathy | Nephrol Dial Transplant. | 23(10) | 3152-3159 | 2008 |
| | Harada K, Akai Y, Koyama S, Ikenaka Y, Saito Y | A case of autoimmune hepatitis exacerbated by the administration of etanercept in the patient with rheumatoid arthritis | Clin Rheumatol. | 27(8) | 1063-1066 | 2008 |
| | Kasuda S, Kubo A, Sakurai Y, Irion S, Ohashi K, Tatsumi K, Nakajima Y, Saito Y, Hakake K, Pipe SW, Shima M, Yoshioka A | Establishment of embryonic stem cells secreting human factor VIII for cell-based treatment of hemophilia A | J Thromb Haemost. | 6(8) | 1352-1359 | 2008 |
| | Okayama S, Uemura S, Nishida T, Morikawa Y, Onoue K, Takemoto Y, Soeda T, Somekawa S, Ishigami K, Takeda Y, Horii M, Kawata H, Takaoka M, Nakajima T, Saito Y | Progression of non-culprit coronary artery atherosclerosis after acute myocardial infarction in comparison with stable angina pectoris | J Atheroscler Thromb. | 15(5) | 228-34 | 2008 |
| | Okayama S, Hirai T, Yamashita N, Somekawa S, Iwano M, Uemura S, Kanauchi M, Saito Y | Contrast-enhanced ultrasonography with Sonazoid for evaluation of renal microcirculation | J. Med Ultrasonics | 35 | 183-189 | 2008 |

| 班員 | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|------|---|---|---------------------------|-------|-----------|------|
| | Okayama S, Uemura S, Kawata H, Horii M, Saito Y | Continuing improvement of cardiac sympathetic activity on 123I-MIBG scintigraphy in a patient with hypertrophic obstructive cardiomyopathy after percutaneous transluminal septal myocardial ablation | J Nucl Cardiol. | 15(5) | e31-4 | 2008 |
| 齊藤能彦 | Q Zhang, Saito Y, Naya N, Imagawa K, Somekawa S, Kawata H, Takeda Y, Uemura S, Kishimoto I, Nakao K | The Specific Mineralocorticoid Receptor Blocker Eplerenone Attenuates Left Ventricular Remodeling in Mice Lacking the Gene Encoding Guanylyl Cyclase-A | Hypertens Res. | 31(6) | 1251-1256 | 2008 |
| | Nakamura H, et al. | Induction of left ventricular remodeling and dysfunction in the recipient heart following donor heart myocardial infarction | J Am Coll Cardiol | 42 | 173-181 | 2003 |
| | Takata S, et al. | Identification of autoantibodies with the corresponding antigen for repetitive coxsackievirus infection-induced cardiomyopathy | Circulation Journal | 68 | 677-682 | 2004 |
| | Okuda S, et al. | Valsartan restores sarcoplasmic reticulum function with no appreciable effect on resting cardiac function in pacing-induced heart failure | Circulation | 109 | 911-919 | 2004 |
| | Inoue N, et al. | Rapid electrical stimulation of contraction modulates gap junction protein in neonatal rat cultured cardiomyocytes | J Am Coll Cardiol | 44 | 914-922 | 2004 |
| | Hayashi T, et al. | TCAP mutations in hypertrophic cardiomyopathy and dilated cardiomyopathy | J Am Coll Cardiol | 44 | 2192-2201 | 2004 |
| 松崎益徳 | Oda T, et al. | Defective regulation of interdomain interactions within the ryanodine receptor plays a key role in the pathogenesis of heart failure | Circulation | 111 | 3400-3410 | 2005 |
| | Yamada M, et al. | Inhibition of protein phosphatase 1 by inhibitor-2 gene delivery ameliorates heart failure progression in genetic cardiomyopathy | FASEB J | 20 | 1197-1199 | 2006 |
| | Yano M, et al. | Mechanisms of Disease: ryanodine receptor defects in heart failure and fatal arrhythmia | Nat Clin Pract Cardiovasc | 3 | 43-52 | 2006 |
| | 中村浩士、他 | 拡張型心筋症の発症と進展機序に関する実験的検討 | 循環器科 | 64 | 202 | 2007 |
| | 中村浩士、他 | 拡張型心筋症 (D C M) | 分子心血管病 | 8 | 113-118 | 2007 |
| | Matsushima A, et al. | Regulation of cardiac regeneration by ACE inhibition following donor heart myocardial infarction after heterotopic transplantation in Tg mice | Circulation Journal | 72 | 793-799 | 2008 |
| | 中村浩士、他 | 心筋症の薬物療法 | Heart View | 12 | 130-135 | 2008 |
| | Tanaka K, et al. | 「Reduction in the Recurrence of Stroke by Eicosapentaenoic Acid for Hypercholesterolemic Patients」 | Stroke | 39 | 2052-2058 | 2008 |