

高橋秀徳、 下山直人	Ⅱ. 緩和ケアにおける コンサルテーション活動の専門性 2. 緩和ケアチーム で活躍する医師の 役割と実際-1) 緩和 ケア担当医の立場から	(財) 日本 ホスピス・ 緩和ケア研 究振興財団 「ホスピス 緩和ケア白 書」編集委 員会	ホスピス緩和 ケア白書20 07	(財) 日 本ホスピ ス・緩和 ケア研究 振興財団	東京	2007	24-27
下山直人	がん患者の苦痛に 対する鍼灸の効果	日本統合医 療学会、渥 美和彦	統合医療 基 礎と臨床	株式会社 ゾディア ック	東京	2007	66-73
門田和気、 下山直人、 他	疼痛と疼痛緩和ケ ア	日本臨床腫 瘍学会	新臨床腫瘍学	南江堂	東京	2006	743-749
高橋秀徳、 下山直人、 他	緩和医療	福富隆志	再発乳癌診療 ガイドブック	中外医学 社	東京	2006	103-116
下山直人	鎮痛薬の特徴と使 用法	社団法人日 本麻酔科学 会教育委員 会・安全委 員会	J S Aリフレ ッシャーコー ス	メディカ ル・サイ エンス・ インター ナシヨナ ル	東京	2006	110-116
河野勤	性腺外胚細胞腫瘍、 再発および治療抵 抗性胚細胞腫瘍	日本臨床腫 瘍学会	新臨床腫瘍学	南江堂	東京	2006	557-564

雑誌 (外国語)

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Megumi Shimoyama, Naohito Shimoyama, et al	Differential analgesic effects of a mu-opioid peptide, [Dmt <sup>1</sup> ]DALDA, and morphine	Pharmacology	83	33-37	2009
Yo Tei MD, Naohito Shimoyama MD, PhD, et al	Treatment Efficacy of Neuraxial Blockade in Specialized Palliative Care Services in Japan: A Multicenter Audit Survey	Journal of Pain and Symptom Management	36(5)	461-467	2008
Nozaki-Taguchi N, Shimoyama N, et al	Potential utility of peripherally applied loperamide in oral chronic graft-versus-host disease related pain	Japan Journal Clinical Oncology	38(12)	857-860	2008

Masaru Narabayashi, <u>Naohito Shimoyama</u> , et al	Opioid Rotation from Oral Morphine to Oral Oxycodone in Cancer Patients with Intolerable Adverse Effects: An Open-Label Trial	Japan Journal Clinical Oncology	38(4)	296-304	2008
Wakasugi A, <u>Hanawa T</u> , et al.	Effects of goshuyuto on lateralization of papillary dynamics in headache	Autonomic Neuroscience: Basic and Clinical	139	9-14	2008
Ito N, <u>Hanawa T</u> , et al.	Rosmarinic Acid from Herbal Produces an Antidepressant-Like Effect in Mice through Cell Proliferation in the Hippocampus	Biol.Pharm.Bull.	31(7)	1376-1380	2008
Ito N, <u>Hanawa T</u> , et al.	Antidepressant-like Effect of <i>l</i> -perillaldehyde in Stress-induced Depression-like Model Mice through Regulation of the Olfactory Nervous System	eCAM			In press
Hoshino T, <u>Hanawa T</u> , et al.	The utility of noninvasive <sup>13</sup> C-acetate breath test using a new solid test meal to measure gastric emptying in mice	Journal of Smooth Muscle Research	44(5)	159-165	2008
Endo M, <u>Hanawa T</u> , et al.	A case in which Kampo medicine affected warfarin control	J. Trad. Med.	25(4)	122-124	2008
Ito N, <u>Hanawa T</u> , et al.	I.C.V. administration of Orexin-a induces an antidepressivelike effect through hippocampal cell proliferation	Neuroscience	157	720-732	2008
Hitoshi Yamashita and <u>Hiroshi Tsukayama</u>	Safety of Acupuncture Practice in Japan: Patient Reactions, Therapist Negligence and Error Reduction Strategies	Evid Based Complement Alternat Med	5(4)	391-8	2008
Yonemori K, <u>Kouno T</u> , et al.	Development and verification of a prediction model using serum tumor markers to predict the response to chemotherapy of patients with metastatic or recurrent breast cancer.	J Cancer Res Clin Oncol.	134	1199-206	2008

Ono M, <u>Kouno T</u> , et al.	Therapy-related acute promyelocytic leukemia caused by hormonal therapy and radiation in a patient with recurrent breast cancer.	Jpn J Clin Oncol.	38	567-70.	2008
Yonemori K, <u>Kouno T</u> , et al.	Immunohistochemical expression of PTEN and phosphorylated Akt are not correlated with clinical outcome in breast cancer patients treated with trastuzumab-containing neoadjuvant chemotherapy.	Med Oncol.	18	Epub ahead of print	2008
Goto Y, <u>Kouno T</u> , et al.	Leptomeningeal metastasis from ovarian carcinoma successfully treated by the intraventricular administration of methotrexate.	Int J Clin Oncol.	13	555-8.	2008
M Miyashita, <u>N Shimoyama</u> , et al	Barriers to Providing Palliative Care and Priorities for Future Actions to Advance Palliative Care in Japan: A Nationwide Expert Opinion Survey	Journal of Palliative Medicine	10(2)	390-399	2007
Arishima, T., <u>Hanawa, T.</u> et al.	Kampo therapy for Graves' disease associated with psychological disorders	Kampo Medicine	58	69-74	2007
Endo, M., <u>Hanawa, T.</u> et al.	Pharmacological analysis for the optimal combination ratio of Shakuyaku and Kanzo in shakuyaku kanzoto	J. Trad. Med.	24	39-42	2007
Hayasaki, T., <u>Hanawa, T.</u> et al.	Analysis of Pharmacological Effect and Molecular Mechanisms of a Traditional Herbal Medicine by Global Gene Expression Analysis: an Exploratory Study.	Journal of Clinical Pharmacy and Therapeutics	32(3)	247-252	2007
Hyuga, S., <u>Hanawa, T.</u> et al.	Maoto, Kampo medicine, suppresses the metastatic potential of highly metastatic osteosarcoma cells.	J. Trad. Med.	24	51-58	2007

Hayasaki, T., <u>Hanawa, T.</u> et al.	Effects of hangeshashinto on butyrate-induced cell death in murine colonic epithelial cell.	J. Trad. Med.	24	81-86	2007
Arishima, T., <u>Hanawa, T.</u> et al.	Successful Treatment of Panic Disorder with Ryukotsuto.	Kampo Medicine	58	487-493	2007
Ito, H., <u>Hanawa, T.</u> et al.	Maoto, a Kampo medicine, suppresses human serum-induced motility of human breast cancer cells.	J. Trad. Med.	24	168-172	2007
Hyuga, S., <u>Hanawa, T.</u>	The basic research of Kampo medicines in view of clinical application - Prevention of cancer metastasis by a Kampo medicine and evaluation of the safety of Kampo medicines used for menopausal symptoms.	J. Trad. Med.	24	177-186	2007
Yamashita H, <u>Tsukayama H</u>	Safety of Acupuncture Practice in Japan: Patient Reactions, Therapist Negligence and Error Reduction Strategies	Evid. Based Complement. Altern. Med.	<a href="http://ecam.oxfordjournals.org/cgi/reprint/nem086v1?maxtoshow=&amp;HITS=10&amp;hits=10&amp;RESULTFORMAT=&amp;fulltext=Tsukayama&amp;searchid=1&amp;FIRSTINDEX=0&amp;resourcetype=HWCIT">http://ecam.oxfordjournals.org/cgi/reprint/nem086v1?maxtoshow=&amp;HITS=10&amp;hits=10&amp;RESULTFORMAT=&amp;fulltext=Tsukayama&amp;searchid=1&amp;FIRSTINDEX=0&amp;resourcetype=HWCIT</a>		2007
KAWAKITA K, <u>TSUKAYAMA H</u> , et al	Report of the 3rd Japan-Korea Workshop on Acupuncture and EBM -- Protocol development for the acupuncture trial on the osteoarthritis of the knee	JAM.; 1: 12-24.	<a href="http://www.jsam.jp/journal/online/index4.php">http://www.jsam.jp/journal/online/index4.php</a>		2007
<u>Tsukayama H</u> , et al	Attitude and decision-making process for use of acupuncture among clinical oncologists in Japan: questionnaire surveys	Focus Altern Complement Ther	12	48-9	2007
<u>Kouno T</u> , et al	Weekly Paclitaxel and Carboplatin against Advanced Transitional Cell Cancer after Failure of a Platinum-Based Regimen.	Eur Urol	52(4)	1115-22	2007

Shimizu C, <u>Kou no T</u> , et al	Current trends and controversies over pre-operative chemotherapy for women with operable breast cancer.	Jpn J Clin Oncol	37(1)	1-8	2007
Yonemori K, <u>Kou no T</u> , et al	Prediction of response to repeat utilization of an anthracycline in recurrent breast cancer patients previously administered anthracycline-containing chemotherapeutic regimens as neoadjuvant or adjuvant chemotherapy.	Breast Cancer Res Treat.	103(3)	313-8	2007
Yamada H, <u>Shimoyama N</u> , et al.	Morphine can produce analgesia via spinal kappa opioid receptors in the absence of mu opioid receptors	Brain Research	1083(1)	61-69	2006
<u>Tsukayama H</u> , et al.	Factors that influence the applicability of sham needle in acupuncture trials: two randomized, single-blind, crossover trials with acupuncture-experienced subjects.	Clin J Pain.	22(4)	346-9	2006

雑誌（日本語）

<u>下山恵美</u> , <u>下山直人</u> , 他	ペインクリニックに関わる「がん対策基本法」	ペインクリニック	30(1)	83-91	2009
<u>下山恵美</u> , <u>下山直人</u> , 他	緩和医療の位置づけ がん薬物療法	日本臨牀	67増刊	S528-533	2009
<u>下山直人</u>	疼痛緩和のガイドライン	腫瘍内科	2(5)	399-405	2008
<u>下山直人</u> , 他	難治性疼痛の治療	麻酔	57増刊	S170-179	2008
<u>笠井慎也</u> , <u>下山直人</u> , 他	がん性疼痛患者におけるオピオイドの作用、副作用に関する遺伝子解析	ペインクリニック	29増刊	S439-449	2008
<u>高橋秀徳</u> , <u>下山直人</u> , 他	癌の痛みを上手にとるには	外科治療	99(6)	580-590	2008
<u>下山直人</u> , 他	がん性疼痛患者へのチームによる全人的緩和医療	慢性疼痛	27(1)	31-36	2008

下山直人、他	緩和医療の最前線	頭頸部癌	34(3)	300-304	2008
下山恵美、下山直人、他	がんと統合医療—緩和医療	モダンフィジシャン	28(11)	1605-1607	2008
下山直人	疼痛緩和のガイドライン	腫瘍内科	2(5)	399-405	2008
下山直人、他	がん性疼痛を取り除くための薬剤の知識	Expert Nurse	24(10)	33-39	2008
下山直人、津嘉山洋、花輪壽彦、他	研究プロジェクト②が ん疼痛に対する代替療法・支持療法	緩和医療学	10(3)	11-16	2008
下山恵美、下山直人	緩和ケアチームの現状と課題	総合臨牀	57(6)	1807-1808	2008
下山直人	緩和医療の現状と今後の展望	東京都医師会雑誌	61(4)	75-79	2008
下山恵美、下山直人	鎮痛補助薬総論(その意義)	緩和医療学	10(2)	3-8	2008
津嘉山洋	EBMと鍼灸—EBMは元々問題指向型の臨床システムだったはずだが—	鍼灸OSAKA	24(2)	197-202	2008
山下仁、津嘉山洋	【いま、知っておきたい統合医療】統合医療の普及状況	Modern Physician	28巻11号	1584-1588	2008
堀紀子、津嘉山洋、他	鍼灸臨床施設におけるClinical Auditの試み 治療者に対するアンケート調査	全日本鍼灸学会雑誌	58巻3号	517	2008
河野 勲	脱毛と性腺機能障害	日本臨床増刊号 がん薬物療法学	67	513-517	2009
下山恵美、下山直人、他	経口オピオイド鎮痛薬の重要性とオキシコドンが果たす臨床的役割	がん患者と対症療法	18(2)	6-10	2007
下山直人	科学的知見に基づくオピオイドに関する知識の再確認	がん患者と対症療法	18(2)	85-87	2007
中山理加、下山直人、他	疼痛コントロール	内科	100(6)	1037-1045	2007
片山博文、下山直人、他	腎障害を伴うがん患者の痛み治療におけるオキシコドンの有用性—モルヒネからの切り替え事例を経験して	がん患者と対症療法	18(2)	40-42	2007
下山直人	緩和治療・痛みのケア	別冊暮らしの手帖 がん安心読本		76-81	2007

下山直人	緩和ケア療法における 鎮痛薬の使い方	日本耳鼻咽喉 科学会専門医 通信	92	12-13	2007
中山理加、 <u>下山直人</u> 、他	癌性疼痛	臨牀と研究	84(6)	57-61	2007
<u>下山直人</u>	緩和医療はここまで進んだ	東京女子医科 大学雑誌	77(4)	182-186	2007
服部政治、 <u>下山直人</u> 、他	オピオイドローテーション	緩和医療学	9(2)	79-85	2007
中山理加、 <u>下山直人</u> 、他	QOL維持のための疼痛管理	からだの科学	253	179-182	2007
木俣有美子、 <u>下山直人</u> 、他	肺がんの合併症対策1) がん性疼痛の管理	呼吸器科	11(2)	156-163	2007
門田和気、 <u>下山直人</u> 、他	新しく導入される可能性の高いオピオイドとその意義	がん看護	12(2)	180-183	2007
中山理加、 <u>下山直人</u> 、他	鎮痛補助薬	日本臨牀	65(1)	57-62	2007
小田口浩、 <u>花輪壽彦</u> 、他	頭痛の漢方療法	総合臨牀	56	718-722	2007
<u>花輪壽彦</u>	漢方臨床研究の展望、第57回日本東洋医学会学術総会	日本東洋医学雑誌	58	833-845	2007
五野由佳理、 <u>花輪壽彦</u>	女性の頭痛と漢方療法、特集 女性のQOLと漢方	産婦人科治療	95	607 - 610	2007
堀紀子、 <u>津嘉山洋</u> 、他	鍼灸受療患者におけるHBs抗原およびHCV抗体の陽性率 筑波技術大学東西医学統合医療センターにおけるスクリーニング検査	東洋医学とペインクリニック	37巻3-4	70-77	2007
<u>津嘉山洋</u>	実は慢性虫垂炎だった腰痛	医道の日本	66巻11号	53-55	2007
山下仁、 <u>津嘉山洋</u>	国際化する鍼灸 その動向と展望 臨床研究方法論の問題と解決	日本補完代替医療学会誌	4巻1号	17-21	2007
小川卓良、 <u>津嘉山洋</u> 、他	がんと鍼灸(2)	全日本鍼灸学会雑誌	57巻5号	587-599	2007

下山直人	許認可薬の適応外使用について	緩和ケア	16Suppl	294-296	2006
下山恵美、下山直人	がん性神経障害性疼痛の基礎研究	ペインクリニック	27(8)	959-964	2006
笠井慎也、下山直人、他	がん性疼痛患者におけるオピオイドの作用、副作用に関する遺伝子解析	ペインクリニック	27(8)	965-973	2006
高橋秀徳、下山直人、他	モルヒネ、フェンタニル、オキシコドンを使い分ける(オピオイドローテーション)	モダンフィジシャン	26(7)	1210-1211	2006
下山直人、他	緩和ケアにおける麻酔科の役割	日本医師会雑誌	135(4)	806-811	2006
村上敏史、下山直人	がん性疼痛における痛みのアセスメント	痛みと臨床	6(3)	72-77	2006
高橋秀徳、下山直人、他	モルヒネの効かないがんの痛みをどうするか?	Modern Physician	26(6)	1024	2006
越川貴史、下山直人	在宅緩和ケアへの移行と疼痛管理について	癌と化学療法	33(5)	611-615	2006
辻尚子、下山直人	小児がんの痛みと治療の基本姿勢	がん患者と対症療法	17(1)	6-10	2006
下山直人	がん患者におこる痛みの治療におけるオピオイド製剤の使い方	実験治療	681	60-63	2006
下山直人、他	麻酔科医がペインクリニック、そして緩和ケア医となって	日本臨床麻酔学会誌	26(1)	18-24	2006
及川哲郎、花輪壽彦	がんの緩和医療における漢方医学の役割	JJIM			in press
吉田紀明、津嘉山洋	経口鉄剤が著効を呈した下肢静止不能症候群の1例	内科	98(4)	739-741	2006
坂口俊二、津嘉山洋、他	慢性腰痛症に対する皮内鍼治療臨床試験(探索的研究)	関西鍼灸大学紀要	3	20-25	2006
山下仁、津嘉山洋	国際化する鍼灸 その動向と展望 欧米における普及と臨床研究の進歩	日本補完代替医療学会誌	3(3)	77-81	2006

上田正一, <u>津嘉山洋</u> , 他	高齢者の鍼治療による全身皮膚温分布の変化	Biomedical Thermology	25(3)	69-74	2006
<u>津嘉山洋</u> , 他	鍼灸臨床施設におけるClinical Auditの試み(I)	全日本鍼灸学会雑誌	56(3)	509	2006
堀紀子, <u>津嘉山洋</u> , 他	鍼灸臨床施設におけるClinical Auditの試み(II)-鍼灸受診患者の転帰	全日本鍼灸学会雑誌	56(3)	510	2006
山下仁, <u>津嘉山洋</u>	日本の成人鍼灸受療者に関する全国規模電話調査2005	全日本鍼灸学会雑誌	56(3)	503	2006
<u>河野勤</u>	緩和医療学講座ABC 化学療法の末梢神経障害	緩和医療学	8(3)	291-295	2006
<u>河野勤</u>	肝障害と腎障害	コンセンサス 癌治療	5(4)	212-215	2006
西尾真, <u>河野勤</u> , 他	進行子宮体癌に対する術後Doxorubicin/Cisplatin(AP)併用化学療法の認容性の検討	癌と化学療法	33(11)	1589-1593	2006

#### IV. 研究協力者氏名一覽

## 研究協力者氏名一覧 (50 音順)

安部能成	千葉県がんセンター 整形外科
及川哲郎	北里大学東洋医学総合研究所
倉澤智子	国立大学法人筑波技術大学東西医学統合医療センター
下山恵美	帝京大学ちば総合医療センター 麻酔科
鈴木春子	国立がんセンター中央病院 緩和ケア科
高橋秀則	帝京大学医学部附属病院 ペインクリニック (麻酔) 科
田口奈津子	千葉大学医学部附属病院 麻酔・疼痛・緩和医療科
野澤桂子	山野美容芸術短期大学 美容福祉学科
元雄良治	金沢医科大学病院 集学的がん治療センター
山本達郎	熊本大学医学部 麻酔科
横川陽子	国立がんセンター中央病院 麻酔科
高橋秀徳	新逗子クリニック