




うなぎ (0.01 mg/kg 添加)




うなぎ (0.5 mg/kg 添加)




鮭 (0.01 mg/kg 添加)




鮭 (0.5 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




牛乳 (0.5 mg/kg 添加)




鶏卵 (0.01 mg/kg 添加)



鶏卵 (0.5 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)



はちみつ (0.5 mg/kg 添加)






図 5-1. 標準品, 回収試料の SIM クロマトグラム (アリドクロール[®])

標準品 (0.01 ng)




筋肉 (0.5 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)



腎臓 (0.5 mg/kg 添加)




標準品 (0.2 ng)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.5 mg/kg 添加)




えび (0.01 mg/kg 添加)




筋肉 (0.01 mg/kg 添加)



脂肪 (0.5 mg/kg 添加)



腎臓 (0.01 mg/kg 添加)



えび (0.5 mg/kg 添加)





図 5-2. 標準品, 回収試料の SIM クロマトグラム (イノキサチオン①)


うなぎ (0.01 mg/kg 添加)




うなぎ (0.05 mg/kg 添加)




鮭 (0.01 mg/kg 添加)




鮭 (0.05 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




牛乳 (0.05 mg/kg 添加)




鶏卵 (0.01 mg/kg 添加)



鶏卵 (0.05 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)



はちみつ (0.05 mg/kg 添加)






図 5-2. 標準品, 回収試料の SIM クロマトグラム (イソキサチオン②)


標準品 (0.01 ng)




筋肉 (0.5 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.5 mg/kg 添加)




標準品 (0.2 ng)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.5 mg/kg 添加)




えび (0.01 mg/kg 添加)




筋肉 (0.01 mg/kg 添加)



脂肪 (0.5 mg/kg 添加)



腎臓 (0.01 mg/kg 添加)



えび (0.5 mg/kg 添加)






図 5-3. 標準品, 回収試料の SIM クロマトグラム (シアナジン①)


うなぎ (0.01 mg/kg 添加)




うなぎ (0.5 mg/kg 添加)




鮭 (0.01 mg/kg 添加)




鮭 (0.5 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




牛乳 (0.5 mg/kg 添加)




鶏卵 (0.01 mg/kg 添加)



鶏卵 (0.5 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)



はちみつ (0.5 mg/kg 添加)






図 5-3. 標準品, 回収試料の SIM クロマトグラム (シアナジン②)


標準品 (0.01 ng)




標準品 (0.2 ng)




筋肉 (0.01 mg/kg 添加)




筋肉 (0.5 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




脂肪 (0.5 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




肝臓 (0.5 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)



腎臓 (0.5 mg/kg 添加)



えび (0.01 mg/kg 添加)



えび (0.5 mg/kg 添加)






図 5-4. 標準品, 回収試料の SIM クロマトグラム (ジクロフルアニド①)


うなぎ (0.01 mg/kg 添加)




うなぎ (0.5 mg/kg 添加)




鮭 (0.01 mg/kg 添加)




鮭 (0.5 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




牛乳 (0.5 mg/kg 添加)




鶏卵 (0.01 mg/kg 添加)



鶏卵 (0.5 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)



はちみつ (0.5 mg/kg 添加)






図 5-4. 標準品, 回収試料の SIM クロマトグラム (ジクロフルアニド②)


標準品 (0.01 ng)




標準品 (0.2 ng)




筋肉 (0.01 mg/kg 添加)




筋肉 (0.5 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




脂肪 (0.5 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




肝臓 (0.5 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)



腎臓 (0.5 mg/kg 添加)



えび (0.01 mg/kg 添加)



えび (0.5 mg/kg 添加)






図 5-5. 標準品, 回収試料の SIM クロマトグラム (ジクロベニル①)


うなぎ (0.01 mg/kg 添加)




うなぎ (0.5 mg/kg 添加)




鮭 (0.01 mg/kg 添加)




鮭 (0.5 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




牛乳 (0.5 mg/kg 添加)




鶏卵 (0.01 mg/kg 添加)



鶏卵 (0.5 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)



はちみつ (0.5 mg/kg 添加)






図 5-5. 標準品, 回収試料の SIM クロマトグラム (ジクロベニル[®])


標準品 (0.01 ng)




筋肉 (0.5 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.5 mg/kg 添加)




標準品 (0.2 ng)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.5 mg/kg 添加)




えび (0.01 mg/kg 添加)




筋肉 (0.01 mg/kg 添加)



脂肪 (0.5 mg/kg 添加)



腎臓 (0.01 mg/kg 添加)



えび (0.5 mg/kg 添加)






図 5-6. 標準品, 回収試料の SIM クロマトグラム (ジフェニル①)


うなぎ (0.01 mg/kg 添加)




うなぎ (0.5 mg/kg 添加)




鮭 (0.01 mg/kg 添加)




鮭 (0.5 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




牛乳 (0.5 mg/kg 添加)




鶏卵 (0.01 mg/kg 添加)



鶏卵 (0.5 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)



はちみつ (0.5 mg/kg 添加)






図 5-6. 標準品, 回収試料の SIM クロマトグラム (ジフェニル②)


標準品 (0.01 ng)




筋肉 (0.5 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




腎臓 (0.5 mg/kg 添加)




標準品 (0.2 ng)




脂肪 (0.01 mg/kg 添加)




肝臓 (0.5 mg/kg 添加)




えび (0.01 mg/kg 添加)



筋肉 (0.01 mg/kg 添加)



脂肪 (0.5 mg/kg 添加)



腎臓 (0.01 mg/kg 添加)



えび (0.5 mg/kg 添加)






図 5-7. 標準品, 回収試料の SIM クロマトグラム (シラフルオフェン①)


うなぎ (0.01 mg/kg 添加)




うなぎ (0.5 mg/kg 添加)




鮭 (0.01 mg/kg 添加)




鮭 (0.5 mg/kg 添加)



牛乳 (0.01 mg/kg 添加)




牛乳 (0.5 mg/kg 添加)



鶏卵 (0.01 mg/kg 添加)



鶏卵 (0.5 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)



はちみつ (0.5 mg/kg 添加)






図 5-7. 標準品, 回収試料の SIM クロマトグラム (シラフルオフエン②)

標準品 (0.01 ng)




標準品 (0.2 ng)




筋肉 (0.01 mg/kg 添加)




筋肉 (0.5 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




脂肪 (0.5 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




肝臓 (0.5 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)



腎臓 (0.5 mg/kg 添加)



えび (0.01 mg/kg 添加)



えび (0.5 mg/kg 添加)





図 5-8. 標準品, 回収試料の SIM クロマトグラム (スルフェントラゾン①)


うなぎ (0.01 mg/kg 添加)




うなぎ (0.5 mg/kg 添加)




鮭 (0.01 mg/kg 添加)




鮭 (0.5 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




牛乳 (0.5 mg/kg 添加)




鶏卵 (0.01 mg/kg 添加)



鶏卵 (0.5 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)



はちみつ (0.5 mg/kg 添加)






図 5-8. 標準品, 回収試料の SIM クロマトグラム (スルフェントラゾン[®])


標準品 (0.01 ng)




標準品 (0.2 ng)




筋肉 (0.01 mg/kg 添加)




筋肉 (0.5 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




脂肪 (0.5 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




肝臓 (0.5 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)



腎臓 (0.5 mg/kg 添加)



えび (0.01 mg/kg 添加)



えび (0.5 mg/kg 添加)






図 5-9. 標準品, 回収試料の SIM クロマトグラム (デメトン-S-メチル①)


うなぎ (0.01 mg/kg 添加)




うなぎ (0.5 mg/kg 添加)




鮭 (0.01 mg/kg 添加)




鮭 (0.5 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




牛乳 (0.5 mg/kg 添加)




鶏卵 (0.01 mg/kg 添加)



鶏卵 (0.5 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)



はちみつ (0.5 mg/kg 添加)






図 5-9. 標準品, 回収試料の SIM クロマトグラム (デメトン-S・メチル[®])


標準品 (0.01 ng)




標準品 (0.2 ng)




筋肉 (0.01 mg/kg 添加)




筋肉 (0.5 mg/kg 添加)



脂肪 (0.01 mg/kg 添加)




脂肪 (0.5 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




肝臓 (0.5 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)



腎臓 (0.5 mg/kg 添加)



えび (0.01 mg/kg 添加)



えび (0.5 mg/kg 添加)






図 5-10. 標準品, 回収試料の SIM クロマトグラム (トリネキサパックエチル①)


うなぎ (0.01 mg/kg 添加)




うなぎ (0.05 mg/kg 添加)




鮭 (0.01 mg/kg 添加)




鮭 (0.05 mg/kg 添加)




牛乳 (0.01 mg/kg 添加)




牛乳 (0.05 mg/kg 添加)




鶏卵 (0.01 mg/kg 添加)



鶏卵 (0.05 mg/kg 添加)



はちみつ (0.01 mg/kg 添加)



はちみつ (0.05 mg/kg 添加)






図 5-10. 標準品, 回収試料の SIM クロマトグラム (トリネキサパックエチル②)


標準品 (0.01 ng)



標準品 (0.2 ng)




筋肉 (0.01 mg/kg 添加)




筋肉 (0.5 mg/kg 添加)




脂肪 (0.01 mg/kg 添加)




脂肪 (0.5 mg/kg 添加)




肝臓 (0.01 mg/kg 添加)




肝臓 (0.5 mg/kg 添加)




腎臓 (0.01 mg/kg 添加)



腎臓 (0.5 mg/kg 添加)



えび (0.01 mg/kg 添加)



えび (0.5 mg/kg 添加)




図 5-11. 標準品, 回収試料の SIM クロマトグラム (トリルフルアノド①)