

4.検査値追加項目について経時推移
全体

		分類 2			
		即時型		遅延型	
		標準誤差	平均	標準誤差	平均
Hb	開始時	0.171	14.111	0.197	13.806
	16週目	0.219	14.756	0.229	13.876
	28週目	0.213	14.854	0.207	13.997
	52週目	2.639	17.576	2.611	16.235
血糖	開始時	5.612	140.492	4.185	124.677
	16週目	5.535	137.938	5.900	128.984
	28週目	6.392	144.682	6.857	134.984
	52週目	5.956	141.661	7.642	140.947
T-Cho	開始時	3.198	182.076	3.715	187.677
	16週目	3.203	177.478	4.027	188.661
	28週目	3.892	180.545	3.826	186.100
	52週目	3.839	180.145	3.845	182.351

完全型/境界型別

分類 2

			即時型		遅延型	
			標準誤差	平均	標準誤差	平均
完全型	Hb	開始時	0.217	14.162	0.218	13.695
		16週目	0.286	14.886	0.264	13.723
		28週目	0.279	14.927	0.239	13.815
		52週目	4.189	19.172	3.720	17.178
	血糖	開始時	7.332	140.878	4.694	121.837
		16週目	7.574	139.341	7.385	127.714
		28週目	7.799	143.262	8.266	131.333
		52週目	8.549	143.872	9.474	137.500
	T-Cho	開始時	4.108	182.690	4.519	186.326
		16週目	4.134	175.791	4.538	187.049
		28週目	4.980	178.000	4.457	184.786
		52週目	5.217	182.795	4.423	182.075
境界型	Hb	開始時	0.295	13.991	0.451	14.206
		16週目	0.351	14.517	0.469	14.424
		28週目	0.341	14.683	0.375	14.694
		52週目	0.362	14.832	0.457	14.320
	血糖	開始時	8.833	142.304	9.320	133.471
		16週目	7.884	137.304	10.507	132.647
		28週目	11.489	149.696	12.914	141.647
		52週目	7.027	140.136	13.234	147.467
	T-Cho	開始時	5.321	180.087	7.436	190.882
		16週目	5.290	180.609	8.733	188.875
		28週目	6.464	184.174	7.951	188.412
		52週目	5.186	173.545	8.876	182.333

5. 検査値比較 追加項目 完全型

		遅延型	即効型
Hb 開始時	N	43.00	42.00
	Mean	13.695	14.162
	SD	1.432	1.407
	MEDIAN	13.700	14.100
	MIN	9.40	10.40
	MAX	16.50	16.90
	NMISS	0	1
	P-VALUE STUDENT T-TEST	.	0.1335
	P-VALUE Wilcoxon	.	0.1714
血糖 開始時	N	43.00	41.00
	Mean	121.84	140.88
	SD	30.779	46.948
	MEDIAN	111.00	126.00
	MIN	85.00	86.00
	MAX	231.00	291.00
	NMISS	0	2
	P-VALUE STUDENT T-TEST	.	0.0300
	P-VALUE Wilcoxon	.	0.0469
T-CHO 開始時	N	43.00	42.00
	Mean	186.33	182.69
	SD	29.634	26.620
	MEDIAN	186.00	183.50
	MIN	126.00	114.00
	MAX	266.00	243.00
	NMISS	0	1

(Continued)

5. 検査値比較 追加項目 完全型

		遅延型	即効型
T-CHO 開始時	P-VALUE STUDENT T-TEST	.	0.5538
	P-VALUE Wilcoxon	.	0.5917
Hb 16週目	N	40.00	42.00
	Mean	13.723	14.886
	SD	1.671	1.854
	MEDIAN	13.500	14.700
	MIN	9.80	9.40
	MAX	16.90	18.50
	NMISS	3	1
	P-VALUE STUDENT T-TEST	.	0.0038
	P-VALUE Wilcoxon	.	0.0023
血糖 16週目	N	42.00	42.00
	Mean	131.33	143.26
	SD	53.570	50.541
	MEDIAN	111.50	127.50
	MIN	67.00	93.00
	MAX	308.00	297.00
	NMISS	1	1
	P-VALUE STUDENT T-TEST	.	0.2970
	P-VALUE Wilcoxon	.	0.0764
T-CHO 16週目	N	41.00	43.00
	Mean	187.05	175.79
	SD	29.059	27.108
	MEDIAN	183.00	178.00
	MIN	131.00	118.00

(Continued)

5. 検査値比較 追加項目 完全型

		遅延型	即効型
T-CHO 16週目	MAX	242.00	230.00
	NMISS	2	0
	P-VALUE STUDENT T-TEST	.	0.0698
	P-VALUE Wilcoxon	.	0.0907
Hb 16週目-開始時の差	N	40.00	41.00
	Mean	0.090	0.746
	SD	0.804	0.953
	MEDIAN	0.200	0.700
	MIN	-1.80	-1.00
	MAX	1.90	3.70
	NMISS	3	2
	P-VALUE STUDENT T-TEST	.	0.0013
	P-VALUE Wilcoxon	.	0.0017
血糖 16週目-開始時の差	N	42.00	41.00
	Mean	9.619	2.024
	SD	45.560	41.120
	MEDIAN	3.500	3.000
	MIN	-87.00	-61.00
	MAX	197.00	172.00
	NMISS	1	2
	P-VALUE STUDENT T-TEST	.	0.4280
	P-VALUE Wilcoxon	.	0.5236

(Continued)

5. 検査値比較 追加項目 完全型

		遅延型	即効型
T-CHO 16週目-開始時の差	N	41.00	42.00
	Mean	0.220	-7.690
	SD	18.518	15.493
	MEDIAN	2.000	-7.000
	MIN	-33.00	-47.00
	MAX	47.00	20.00
	NMISS	2	1
	P-VALUE STUDENT T-TEST	.	0.0377
	P-VALUE Wilcoxon	.	0.0842
Hb 28週目	N	41.00	41.00
	Mean	13.815	14.927
	SD	1.528	1.786
	MEDIAN	13.700	15.300
	MIN	9.60	9.70
	MAX	17.00	18.40
	NMISS	2	2
	P-VALUE STUDENT T-TEST	.	0.0033
	P-VALUE Wilcoxon	.	0.0015
血糖 28週目	N	42.00	41.00
	Mean	127.71	139.34
	SD	47.860	48.495
	MEDIAN	111.50	130.00
	MIN	63.00	81.00
	MAX	259.00	319.00
	NMISS	1	2

(Continued)

5. 検査値比較 追加項目 完全型

		遅延型	即効型
血糖 28週目	P-VALUE STUDENT T-TEST	.	0.2749
	P-VALUE Wilcoxon	.	0.1942
T-CHO 28週目	N	42.00	42.00
	Mean	184.79	178.00
	SD	28.885	32.275
	MEDIAN	182.50	178.50
	MIN	122.00	108.00
	MAX	265.00	249.00
	NMISS	1	1
	P-VALUE STUDENT T-TEST	.	0.3129
	P-VALUE Wilcoxon	.	0.3206
Hb 28週目-開始時の差	N	41.00	40.00
	Mean	0.107	0.717
	SD	0.694	0.988
	MEDIAN	0.100	0.650
	MIN	-1.60	-1.10
	MAX	1.50	3.30
	NMISS	2	3
	P-VALUE STUDENT T-TEST	.	0.0018
	P-VALUE Wilcoxon	.	0.0045
血糖 28週目-開始時の差	N	42.00	40.00
	Mean	5.857	-3.800
	SD	43.714	43.051
	MEDIAN	2.000	-2.500
	MIN	-106.00	-100.00

(Continued)

5. 検査値比較 追加項目 完全型

		遅延型	即効型
血糖 28週目-開始時の差	MAX	112.00	117.00
	NMISS	1	3
	P-VALUE STUDENT T-TEST	.	0.3168
	P-VALUE Wilcoxon	.	0.2944
T-CHO 28週目-開始時の差	N	42.00	41.00
	Mean	-0.405	-5.293
	SD	22.709	22.389
	MEDIAN	2.500	-3.000
	MIN	-98.00	-54.00
	MAX	45.00	44.00
	NMISS	1	2
	P-VALUE STUDENT T-TEST	.	0.3265
	P-VALUE Wilcoxon	.	0.1564
	Hb 52週目	N	40.00
Mean		17.178	19.172
SD		23.530	26.159
MEDIAN		13.450	14.900
MIN		9.90	10.90
MAX		162.00	178.00
NMISS		3	4
P-VALUE STUDENT T-TEST		.	0.7225
P-VALUE Wilcoxon		.	0.0002

(Continued)

5. 検査値比較 追加項目 完全型

		遅延型	即効型
血糖 52週目	N	40.00	39.00
	Mean	137.50	143.87
	SD	59.920	53.391
	MEDIAN	116.00	133.00
	MIN	54.00	87.00
	MAX	384.00	286.00
	NMISS	3	4
	P-VALUE STUDENT T-TEST	.	0.6195
	P-VALUE Wilcoxon	.	0.3243
T-CHO 52週目	N	40.00	39.00
	Mean	182.08	182.79
	SD	27.972	32.579
	MEDIAN	182.50	181.00
	MIN	129.00	115.00
	MAX	267.00	245.00
	NMISS	3	4
	P-VALUE STUDENT T-TEST	.	0.9163
	P-VALUE Wilcoxon	.	0.7351
Hb 52週目-開始時の差	N	40.00	38.00
	Mean	3.483	5.203
	SD	23.236	25.997
	MEDIAN	0.000	0.750
	MIN	-1.80	-1.40
	MAX	146.70	161.10
	NMISS	3	5

(Continued)

5. 検査値比較 追加項目 完全型

		遅延型	即効型
Hb 52週目-開始時の差	P-VALUE STUDENT T-TEST	.	0.7586
	P-VALUE Wilcoxon	.	< 0001
血糖52週目-開始時の差	N	40.00	37.00
	Mean	15.450	-3.081
	SD	49.844	58.325
	MEDIAN	3.500	-2.000
	MIN	-95.00	-161.00
	MAX	214.00	138.00
	NMISS	3	6
	P-VALUE STUDENT T-TEST	.	0.1372
	P-VALUE Wilcoxon	.	0.1849
T-CHO52週目-開始時の差	N	40.00	38.00
	Mean	-5.725	-0.184
	SD	21.995	24.540
	MEDIAN	-8.500	-2.500
	MIN	-75.00	-91.00
	MAX	48.00	64.00
	NMISS	3	5
	P-VALUE STUDENT T-TEST	.	0.2965
	P-VALUE Wilcoxon	.	0.1646

5. 検査値 追加項目 背景因子の比較

		分類	
		即時型	遅延型
Hb	N	66	62
	Mean	14.11	13.81
	SD	1.39	1.55
	Min	10.40	9.40
	Max	16.90	17.20
	4分位範囲	1.90	2.10
	n of missing	1	0
血糖	N	65	62
	Mean	140.49	124.68
	SD	45.25	32.96
	Min	83.00	85.00
	Max	291.00	231.00
	4分位範囲	57.00	29.00
	n of missing	2	0
T-Cho	N	66	62
	Mean	182.08	187.68
	SD	25.98	29.25
	Min	114.00	126.00
	Max	243.00	266.00
	4分位範囲	40.00	38.00
	n of missing	1	0

5. 検査値 追加項目 背景因子の比較

d7=

		分類	
		即時型	遅延型
Hb	N	1	2
	Mean	14.70	12.80
	SD	0	0.85
	Min	14.70	12.20
	Max	14.70	13.40
	4分位範囲	0.00	1.20
	n of missing	0	0
血糖	N	1	2
	Mean	83.00	111.00
	SD	0	28.28
	Min	83.00	91.00
	Max	83.00	131.00
	4分位範囲	0.00	40.00
	n of missing	0	0
T-Cho	N	1	2
	Mean	202.00	189.50
	SD	0	0.71
	Min	202.00	189.00
	Max	202.00	190.00
	4分位範囲	0.00	1.00
	n of missing	0	0

5. 検査値 追加項目 背景因子の比較

d7=完全型

		分類	
		即時型	遅延型
Hb	N	42	43
	Mean	14.16	13.70
	SD	1.41	1.43
	Min	10.40	9.40
	Max	16.90	16.50
	4分位範囲	2.20	2.10
	n of missing	1	0
血糖	N	41	43
	Mean	140.88	121.84
	SD	46.95	30.78
	Min	86.00	85.00
	Max	291.00	231.00
	4分位範囲	52.00	31.00
	n of missing	2	0
T-Cho	N	42	43
	Mean	182.69	186.33
	SD	26.62	29.63
	Min	114.00	126.00
	Max	243.00	266.00
	4分位範囲	38.00	38.00
	n of missing	1	0

5. 検査値 追加項目 背景因子の比較

d7=境界型

		分類	
		即時型	遅延型
Hb	N	23	17
	Mean	13.99	14.21
	SD	1.41	1.86
	Min	11.40	9.90
	Max	16.30	17.20
	4分位範囲	2.10	2.10
	n of missing	0	0
血糖	N	23	17
	Mean	142.30	133.47
	SD	42.36	38.43
	Min	84.00	85.00
	Max	236.00	212.00
	4分位範囲	62.00	28.00
	n of missing	0	0
T-Cho	N	23	17
	Mean	180.09	190.88
	SD	25.52	30.66
	Min	146.00	142.00
	Max	235.00	253.00
	4分位範囲	46.00	53.00
	n of missing	0	0

5. 検査値比較 追加項目

		遅延型	即効型
Hb 開始時	N	62.00	66.00
	Mean	13.806	14.111
	SD	1.555	1.391
	MEDIAN	13.750	14.250
	MIN	9.40	10.40
	MAX	17.20	16.90
	NMISS	0	1
	P-VALUE STUDENT T-TEST	.	0.2451
	P-VALUE Wilcoxon	.	0.2842
血糖 開始時	N	62.00	65.00
	Mean	124.68	140.49
	SD	32.956	45.247
	MEDIAN	115.00	128.00
	MIN	85.00	83.00
	MAX	231.00	291.00
	NMISS	0	2
	P-VALUE STUDENT T-TEST	.	0.0267
	P-VALUE Wilcoxon	.	0.0499
T-CHO 開始時	N	62.00	66.00
	Mean	187.68	182.08
	SD	29.248	25.984
	MEDIAN	187.50	183.00
	MIN	126.00	114.00
	MAX	266.00	243.00
	NMISS	0	1

(Continued)

5. 検査値比較 追加項目

		遅延型	即効型
T-CHO 開始時	P-VALUE STUDENT T-TEST	.	0.2535
	P-VALUE Wilcoxon	.	0.3098
Hb 16週目	N	59.00	66.00
	Mean	13.876	14.756
	SD	1.761	1.777
	MEDIAN	13.600	14.700
	MIN	9.80	9.40
	MAX	17.90	18.50
	NMISS	3	1
	P-VALUE STUDENT T-TEST	.	0.0064
	P-VALUE Wilcoxon	.	0.0035
血糖 16週目	N	61.00	66.00
	Mean	134.98	144.68
	SD	53.557	51.929
	MEDIAN	114.00	130.00
	MIN	67.00	57.00
	MAX	308.00	300.00
	NMISS	1	1
	P-VALUE STUDENT T-TEST	.	0.3023
	P-VALUE Wilcoxon	.	0.0761
T-CHO 16週目	N	59.00	67.00
	Mean	188.66	177.48
	SD	30.935	26.219
	MEDIAN	187.00	178.00
	MIN	131.00	118.00

(Continued)

5. 検査値比較 追加項目

		遅延型	即効型
T-CHO 16週目	MAX	268.00	230.00
	NMISS	3	0
	P-VALUE STUDENT T-TEST	.	0.0299
	P-VALUE Wilcoxon	.	0.0568
Hb 16週目-開始時の差	N	59.00	65.00
	Mean	0.107	0.658
	SD	0.803	0.899
	MEDIAN	0.200	0.700
	MIN	-1.80	-1.00
	MAX	1.90	3.70
	NMISS	3	2
	P-VALUE STUDENT T-TEST	.	0.0005
	P-VALUE Wilcoxon	.	0.0007
血糖 16週目-開始時の差	N	61.00	65.00
	Mean	10.344	3.985
	SD	47.084	43.330
	MEDIAN	4.000	5.000
	MIN	-133.00	-125.00
	MAX	197.00	172.00
	NMISS	1	2
	P-VALUE STUDENT T-TEST	.	0.4313
	P-VALUE Wilcoxon	.	0.7920

(Continued)

5. 検査値比較 追加項目

		遅延型	即効型
T-CHO 16週目-開始時の差	N	59.00	66.00
	Mean	0.458	-5.076
	SD	18.861	16.748
	MEDIAN	2.000	-5.500
	MIN	-33.00	-47.00
	MAX	56.00	43.00
	NMISS	3	1
	P-VALUE STUDENT T-TEST	.	0.0848
	P-VALUE Wilcoxon	.	0.1288
Hb 28週目	N	60.00	65.00
	Mean	13.997	14.854
	SD	1.604	1.715
	MEDIAN	14.050	15.000
	MIN	9.60	9.70
	MAX	18.30	18.40
	NMISS	2	2
	P-VALUE STUDENT T-TEST	.	0.0047
	P-VALUE Wilcoxon	.	0.0019
血糖 28週目	N	61.00	65.00
	Mean	128.98	137.94
	SD	46.079	44.626
	MEDIAN	113.00	130.00
	MIN	63.00	81.00
	MAX	259.00	319.00
	NMISS	1	2

(Continued)

5. 検査値比較 追加項目

		遅延型	即効型
血糖 28週目	P-VALUE STUDENT T-TEST	.	0.2700
	P-VALUE Wilcoxon	.	0.1708
T-CHO 28週目	N	60.00	66.00
	Mean	186.10	180.55
	SD	29.636	31.618
	MEDIAN	184.50	179.50
	MIN	122.00	108.00
	MAX	265.00	249.00
	NMISS	2	1
	P-VALUE STUDENT T-TEST	.	0.3123
	P-VALUE Wilcoxon	.	0.3225
Hb 28週目-開始時の差	N	60.00	64.00
	Mean	0.178	0.714
	SD	0.885	0.914
	MEDIAN	0.200	0.600
	MIN	-2.30	-1.10
	MAX	4.20	3.30
	NMISS	2	3
	P-VALUE STUDENT T-TEST	.	0.0012
	P-VALUE Wilcoxon	.	0.0009
血糖 28週目-開始時の差	N	61.00	64.00
	Mean	4.246	-3.984
	SD	39.789	43.335
	MEDIAN	2.000	1.000
	MIN	-106.00	-108.00

(Continued)

5. 検査値比較 追加項目

		遅延型	即効型
血糖 28週目-開始時の差	MAX	112.00	117.00
	NMISS	1	3
	P-VALUE STUDENT T-TEST	.	0.2715
	P-VALUE Wilcoxon	.	0.3996
T-CHO 28週目-開始時の差	N	60.00	65.00
	Mean	-0.783	-1.862
	SD	20.635	23.009
	MEDIAN	1.000	0.000
	MIN	-98.00	-54.00
	MAX	45.00	65.00
	NMISS	2	2
	P-VALUE STUDENT T-TEST	.	0.7838
	P-VALUE Wilcoxon	.	0.3775
Hb 52週目	N	57.00	62.00
	Mean	16.235	17.576
	SD	19.715	20.777
	MEDIAN	13.500	14.950
	MIN	9.90	10.60
	MAX	162.00	178.00
	NMISS	5	5
	P-VALUE STUDENT T-TEST	.	0.7192
	P-VALUE Wilcoxon	.	<.0001

(Continued)

5. 検査値比較 追加項目

		遅延型	即効型
血糖 52週目	N	57.00	62.00
	Mean	140.95	141.66
	SD	57.695	46.896
	MEDIAN	119.00	135.00
	MIN	54.00	87.00
	MAX	384.00	286.00
	NMISS	5	5
	P-VALUE STUDENT T-TEST	.	0.9409
	P-VALUE Wilcoxon	.	0.4420
T-CHO 52週目	N	57.00	62.00
	Mean	182.35	180.15
	SD	29.031	30.229
	MEDIAN	185.00	180.50
	MIN	116.00	115.00
	MAX	267.00	245.00
	NMISS	5	5
	P-VALUE STUDENT T-TEST	.	0.6860
	P-VALUE Wilcoxon	.	0.6997
Hb 52週目-開始時の差	N	57.00	61.00
	Mean	2.440	3.523
	SD	19.471	20.539
	MEDIAN	0.000	0.800
	MIN	-2.10	-1.40
	MAX	146.70	161.10
	NMISS	5	6

(Continued)

5. 検査値比較 追加項目

		遅延型	即効型
Hb 52週目-開始時の差	P-VALUE STUDENT T-TEST	.	0.7698
	P-VALUE Wilcoxon	.	< 0001
血糖52週目-開始時の差	N	57.00	60.00
	Mean	16.211	-3.150
	SD	44.725	49.945
	MEDIAN	5.000	0.500
	MIN	-95.00	-161.00
	MAX	214.00	138.00
	NMISS	5	7
	P-VALUE STUDENT T-TEST	.	0.0295
	P-VALUE Wilcoxon	.	0.0888
T-CHO52週目-開始時の差	N	57.00	61.00
	Mean	-6.088	-1.721
	SD	21.455	21.253
	MEDIAN	-7.000	-5.000
	MIN	-75.00	-91.00
	MAX	48.00	64.00
	NMISS	5	6
	P-VALUE STUDENT T-TEST	.	0.2692
	P-VALUE Wilcoxon	.	0.2765

5. 検査値比較 追加項目 境界型

		遅延型	即効型
Hb 開始時	N	17.00	23.00
	Mean	14.206	13.991
	SD	1.860	1.413
	MEDIAN	14.500	14.500
	MIN	9.90	11.40
	MAX	17.20	16.30
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.6804
	P-VALUE Wilcoxon	.	0.5469
血糖 開始時	N	17.00	23.00
	Mean	133.47	142.30
	SD	38.429	42.359
	MEDIAN	124.00	130.00
	MIN	85.00	84.00
	MAX	212.00	236.00
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.5020
	P-VALUE Wilcoxon	.	0.5563
T-CHO 開始時	N	17.00	23.00
	Mean	190.88	180.09
	SD	30.659	25.520
	MEDIAN	195.00	173.00
	MIN	142.00	146.00
	MAX	253.00	235.00
	NMISS	0	0

(Continued)

5. 検査値比較 追加項目 境界型

		遅延型	即効型
T-CHO 開始時	P-VALUE STUDENT T-TEST	.	0.2322
	P-VALUE Wilcoxon	.	0.2502
Hb 16週目	N	17.00	23.00
	Mean	14.424	14.517
	SD	1.934	1.682
	MEDIAN	14.100	14.700
	MIN	11.40	11.40
	MAX	17.90	18.20
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.8708
	P-VALUE Wilcoxon	.	0.8054
血糖 16週目	N	17.00	23.00
	Mean	141.65	149.70
	SD	53.245	55.099
	MEDIAN	127.00	137.00
	MIN	71.00	57.00
	MAX	276.00	300.00
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.6459
	P-VALUE Wilcoxon	.	0.4939
T-CHO 16週目	N	16.00	23.00
	Mean	188.88	180.61
	SD	34.930	25.370
	MEDIAN	189.50	170.00
	MIN	137.00	143.00

(Continued)

5. 検査値比較 追加項目 境界型

		遅延型	即効型
T-CHO 16週目	MAX	268.00	225.00
	NMISS	1	0
	P-VALUE STUDENT T-TEST	.	0.3968
	P-VALUE Wilcoxon	.	0.5776
Hb 16週目-開始時の差	N	17.00	23.00
	Mean	0.218	0.526
	SD	0.787	0.806
	MEDIAN	0.100	0.500
	MIN	-1.00	-0.90
	MAX	1.80	1.90
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.2344
	P-VALUE Wilcoxon	.	0.2026
血糖 16週目-開始時の差	N	17.00	23.00
	Mean	8.176	7.391
	SD	51.538	48.664
	MEDIAN	6.000	13.000
	MIN	-133.00	-125.00
	MAX	94.00	92.00
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.9610
	P-VALUE Wilcoxon	.	0.6615

(Continued)

5. 検査値比較 追加項目 境界型

		遅延型	即効型
T-CHO 16週目-開始時の差	N	16.00	23.00
	Mean	-2.688	0.522
	SD	15.598	17.870
	MEDIAN	-0.500	3.000
	MIN	-33.00	-31.00
	MAX	22.00	43.00
	NMISS	1	0
	P-VALUE STUDENT T-TEST	.	0.5652
	P-VALUE Wilcoxon	.	0.6682
Hb 28週目	N	17.00	23.00
	Mean	14.694	14.683
	SD	1.545	1.636
	MEDIAN	14.500	14.900
	MIN	11.30	11.20
	MAX	18.30	18.40
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.9822
	P-VALUE Wilcoxon	.	0.8480
血糖 28週目	N	17.00	23.00
	Mean	132.65	137.30
	SD	43.320	37.809
	MEDIAN	122.00	136.00
	MIN	83.00	85.00
	MAX	244.00	218.00
NMISS	0	0	

(Continued)

5. 検査値比較 追加項目 境界型

		遅延型	即効型
血糖 28週目	P-VALUE STUDENT T-TEST	.	0.7193
	P-VALUE Wilcoxon	.	0.5841
T-CHO 28週目	N	17.00	23.00
	Mean	188.41	184.17
	SD	32.782	31.001
	MEDIAN	190.00	182.00
	MIN	126.00	120.00
	MAX	245.00	230.00
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.6789
	P-VALUE Wilcoxon	.	0.6615
Hb 28週目-開始時の差	N	17.00	23.00
	Mean	0.488	0.691
	SD	1.088	0.809
	MEDIAN	0.300	0.600
	MIN	-0.60	-0.60
	MAX	4.20	2.40
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.5020
	P-VALUE Wilcoxon	.	0.2074
血糖 28週目-開始時の差	N	17.00	23.00
	Mean	-0.824	-5.000
	SD	30.786	45.601
	MEDIAN	-2.000	4.000
	MIN	-52.00	-108.00

(Continued)

5. 検査値比較 追加項目 境界型

		遅延型	即効型
血糖 28週目-開始時の差	MAX	44.00	109.00
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.7461
	P-VALUE Wilcoxon	.	0.9455
T-CHO 28週目-開始時の差	N	17.00	23.00
	Mean	-2.471	4.087
	SD	15.330	23.855
	MEDIAN	-5.000	3.000
	MIN	-25.00	-37.00
	MAX	26.00	65.00
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.3282
	P-VALUE Wilcoxon	.	0.5113
Hb 52週目	N	15.00	22.00
	Mean	14.320	14.832
	SD	1.768	1.700
	MEDIAN	14.600	14.950
	MIN	11.00	10.60
	MAX	17.30	17.40
	NMISS	2	1
	P-VALUE STUDENT T-TEST	.	0.3823
	P-VALUE Wilcoxon	.	0.3069

(Continued)

5. 検査値比較 追加項目 境界型

		遅延型	即効型
血糖 52週目	N	15.00	22.00
	Mean	147.47	140.14
	SD	51.257	32.961
	MEDIAN	130.00	137.00
	MIN	94.00	93.00
	MAX	263.00	205.00
	NMISS	2	1
	P-VALUE STUDENT T-TEST	.	0.5991
	P-VALUE Wilcoxon	.	0.9753
T-CHO 52週目	N	15.00	22.00
	Mean	182.33	173.55
	SD	34.375	24.323
	MEDIAN	187.00	178.50
	MIN	116.00	132.00
	MAX	228.00	218.00
	NMISS	2	1
	P-VALUE STUDENT T-TEST	.	0.3679
	P-VALUE Wilcoxon	.	0.2099
Hb 52週目-開始時の差	N	15.00	22.00
	Mean	0.127	0.736
	SD	1.323	0.939
	MEDIAN	-0.200	0.800
	MIN	-0.90	-1.20
	MAX	4.70	2.30
	NMISS	2	1

(Continued)

5. 検査値比較 追加項目 境界型

		遅延型	即効型
Hb 52週目-開始時の差	P-VALUE STUDENT T-TEST	.	0.1095
	P-VALUE Wilcoxon	.	0.0053
血糖52週目-開始時の差	N	15.00	22.00
	Mean	13.733	-3.682
	SD	25.631	34.238
	MEDIAN	5.000	2.000
	MIN	-19.00	-100.00
	MAX	56.00	58.00
	NMISS	2	1
	P-VALUE STUDENT T-TEST	.	0.1032
	P-VALUE Wilcoxon	.	0.2520
T-CHO52週目-開始時の差	N	15.00	22.00
	Mean	-7.667	-5.364
	SD	21.983	13.741
	MEDIAN	-1.000	-7.000
	MIN	-60.00	-32.00
	MAX	23.00	23.00
	NMISS	2	1
	P-VALUE STUDENT T-TEST	.	0.6968
	P-VALUE Wilcoxon	.	0.9629

5. 検査値比較 追加項目 境界型

		遅延型	即効型
Hb 開始時	N	17.00	23.00
	Mean	14.206	13.991
	SD	1.860	1.413
	MEDIAN	14.500	14.500
	MIN	9.90	11.40
	MAX	17.20	16.30
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.6804
	P-VALUE Wilcoxon	.	0.5469
血糖 開始時	N	17.00	23.00
	Mean	133.47	142.30
	SD	38.429	42.359
	MEDIAN	124.00	130.00
	MIN	85.00	84.00
	MAX	212.00	236.00
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.5020
	P-VALUE Wilcoxon	.	0.5563
T-CHO 開始時	N	17.00	23.00
	Mean	190.88	180.09
	SD	30.659	25.520
	MEDIAN	195.00	173.00
	MIN	142.00	146.00
	MAX	253.00	235.00
	NMISS	0	0

(Continued)

5. 検査値比較 追加項目 境界型

		遅延型	即効型
T-CHO 開始時	P-VALUE STUDENT T-TEST	.	0.2322
	P-VALUE Wilcoxon	.	0.2502
Hb 16週目	N	17.00	23.00
	Mean	14.424	14.517
	SD	1.934	1.682
	MEDIAN	14.100	14.700
	MIN	11.40	11.40
	MAX	17.90	18.20
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.8708
血糖 16週目	N	17.00	23.00
	Mean	141.65	149.70
	SD	53.245	55.099
	MEDIAN	127.00	137.00
	MIN	71.00	57.00
	MAX	276.00	300.00
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.6459
T-CHO 16週目	N	16.00	23.00
	Mean	188.88	180.61
	SD	34.930	25.370
	MEDIAN	189.50	170.00
	MIN	137.00	143.00

(Continued)

5. 検査値比較 追加項目 境界型

		遅延型	即効型
T-CHO 16週目	MAX	268.00	225.00
	NMISS	1	0
	P-VALUE STUDENT T-TEST	.	0.3968
	P-VALUE Wilcoxon	.	0.5776
Hb 16週目-開始時の差	N	17.00	23.00
	Mean	0.218	0.526
	SD	0.787	0.806
	MEDIAN	0.100	0.500
	MIN	-1.00	-0.90
	MAX	1.80	1.90
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.2344
	P-VALUE Wilcoxon	.	0.2026
血糖 16週目-開始時の差	N	17.00	23.00
	Mean	8.176	7.391
	SD	51.538	48.664
	MEDIAN	6.000	13.000
	MIN	-133.00	-125.00
	MAX	94.00	92.00
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.9610
	P-VALUE Wilcoxon	.	0.6615

(Continued)

5. 検査値比較 追加項目 境界型

		遅延型	即効型
T-CHO 16週目-開始時の差	N	16.00	23.00
	Mean	-2.688	0.522
	SD	15.598	17.870
	MEDIAN	-0.500	3.000
	MIN	-33.00	-31.00
	MAX	22.00	43.00
	NMISS	1	0
	P-VALUE STUDENT T-TEST	.	0.5652
	P-VALUE Wilcoxon	.	0.6682
Hb 28週目	N	17.00	23.00
	Mean	14.694	14.683
	SD	1.545	1.636
	MEDIAN	14.500	14.900
	MIN	11.30	11.20
	MAX	18.30	18.40
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.9822
	P-VALUE Wilcoxon	.	0.8480
血糖 28週目	N	17.00	23.00
	Mean	132.65	137.30
	SD	43.320	37.809
	MEDIAN	122.00	136.00
	MIN	83.00	85.00
	MAX	244.00	218.00
	NMISS	0	0

(Continued)

5. 検査値比較 追加項目 境界型

		遅延型	即効型
血糖 28週目	P-VALUE STUDENT T-TEST	.	0.7193
	P-VALUE Wilcoxon	.	0.5841
T-CHO 28週目	N	17.00	23.00
	Mean	188.41	184.17
	SD	32.782	31.001
	MEDIAN	190.00	182.00
	MIN	126.00	120.00
	MAX	245.00	230.00
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.6789
	P-VALUE Wilcoxon	.	0.6615
Hb 28週目-開始時の差	N	17.00	23.00
	Mean	0.488	0.691
	SD	1.088	0.809
	MEDIAN	0.300	0.600
	MIN	-0.60	-0.60
	MAX	4.20	2.40
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.5020
	P-VALUE Wilcoxon	.	0.2074
血糖 28週目-開始時の差	N	17.00	23.00
	Mean	-0.824	-5.000
	SD	30.786	45.601
	MEDIAN	-2.000	4.000
	MIN	-52.00	-108.00

(Continued)

5. 検査値比較 追加項目 境界型

		遅延型	即効型
血糖 28週目-開始時の差	MAX	44.00	109.00
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.7461
	P-VALUE Wilcoxon	.	0.9455
T-CHO 28週目-開始時の差	N	17.00	23.00
	Mean	-2.471	4.087
	SD	15.330	23.855
	MEDIAN	-5.000	3.000
	MIN	-25.00	-37.00
	MAX	26.00	65.00
	NMISS	0	0
	P-VALUE STUDENT T-TEST	.	0.3282
	P-VALUE Wilcoxon	.	0.5113
Hb 52週目	N	15.00	22.00
	Mean	14.320	14.832
	SD	1.768	1.700
	MEDIAN	14.600	14.950
	MIN	11.00	10.60
	MAX	17.30	17.40
	NMISS	2	1
	P-VALUE STUDENT T-TEST	.	0.3823
	P-VALUE Wilcoxon	.	0.3069

(Continued)

5. 検査値比較 追加項目 境界型

		遅延型	即効型
血糖 52週目	N	15.00	22.00
	Mean	147.47	140.14
	SD	51.257	32.961
	MEDIAN	130.00	137.00
	MIN	94.00	93.00
	MAX	263.00	205.00
	NMISS	2	1
	P-VALUE STUDENT T-TEST	.	0.5991
	P-VALUE Wilcoxon	.	0.9753
T-CHO 52週目	N	15.00	22.00
	Mean	182.33	173.55
	SD	34.375	24.323
	MEDIAN	187.00	178.50
	MIN	116.00	132.00
	MAX	228.00	218.00
	NMISS	2	1
	P-VALUE STUDENT T-TEST	.	0.3679
	P-VALUE Wilcoxon	.	0.2099
Hb 52週目-開始時の差	N	15.00	22.00
	Mean	0.127	0.736
	SD	1.323	0.939
	MEDIAN	-0.200	0.800
	MIN	-0.90	-1.20
	MAX	4.70	2.30
	NMISS	2	1

(Continued)

5. 検査値比較 追加項目 境界型

		遅延型	即効型
Hb 52週目-開始時の差	P-VALUE STUDENT T-TEST	.	0.1095
	P-VALUE Wilcoxon	.	0.0053
血糖52週目-開始時の差	N	15.00	22.00
	Mean	13.733	-3.682
	SD	25.631	34.238
	MEDIAN	5.000	2.000
	MIN	-19.00	-100.00
	MAX	56.00	58.00
	NMISS	2	1
	P-VALUE STUDENT T-TEST	.	0.1032
	P-VALUE Wilcoxon	.	0.2520
T-CHO52週目-開始時の差	N	15.00	22.00
	Mean	-7.667	-5.364
	SD	21.983	13.741
	MEDIAN	-1.000	-7.000
	MIN	-60.00	-32.00
	MAX	23.00	23.00
	NMISS	2	1
	P-VALUE STUDENT T-TEST	.	0.6968
	P-VALUE Wilcoxon	.	0.9629