

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 245 | 時間的変化 | 472 | 97 | 33 | 4 | 1 | 65 | 7.25 |
| | | 70.2 | 14.4 | 4.9 | 0.6 | 0.1 | 9.7 | |
| 障害因子 | 要支援 1 | 5 | 2 | 0 | 0 | 0 | — | 0.388 |
| | 要支援 2 | 25 | 3 | 0 | 0 | 0 | — | |
| | 要介護 1 | 82 | 10 | 3 | 0 | 0 | — | |
| | 要介護 2 | 102 | 22 | 5 | 1 | 0 | — | |
| | 要介護 3 | 113 | 34 | 9 | 2 | 0 | — | |
| | 要介護 4 | 82 | 16 | 12 | 1 | 1 | — | |
| | 要介護 5 | 63 | 10 | 4 | 0 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|------|------|-----|------|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 245 | 時間的変化 | 245 | 94 | 88 | 53 | 127 | 65 | 38.5 |
| | | 36.5 | 14.0 | 13.1 | 7.9 | 18.9 | 9.7 | |
| 促進因子 | 要支援 1 | 1 | 2 | 1 | 1 | 2 | — | 0.231 |
| | 要支援 2 | 14 | 4 | 1 | 1 | 8 | — | |
| | 要介護 1 | 39 | 11 | 10 | 8 | 27 | — | |
| | 要介護 2 | 51 | 15 | 25 | 9 | 29 | — | |
| | 要介護 3 | 53 | 32 | 24 | 21 | 29 | — | |
| | 要介護 4 | 49 | 18 | 17 | 7 | 21 | — | |
| | 要介護 5 | 38 | 12 | 10 | 6 | 11 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|------|------|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 250 | 音 | 352 | 119 | 83 | 13 | 27 | 78 | 18.25 |
| | | 52.4 | 17.7 | 12.4 | 1.9 | 4.0 | 11.6 | |
| 障害因子 | 要支援 1 | 1 | 5 | 0 | 0 | 1 | — | 0.000 |
| | 要支援 2 | 20 | 4 | 0 | 0 | 3 | — | |
| | 要介護 1 | 63 | 15 | 5 | 3 | 2 | — | |
| | 要介護 2 | 76 | 22 | 21 | 2 | 6 | — | |
| | 要介護 3 | 85 | 34 | 24 | 2 | 13 | — | |
| | 要介護 4 | 59 | 21 | 22 | 6 | 2 | — | |
| | 要介護 5 | 48 | 18 | 11 | 0 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|------|------|-----|------|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 250 | 音 | 305 | 74 | 73 | 39 | 104 | 77 | 31.75 |
| | | 45.4 | 11.0 | 10.9 | 5.8 | 15.5 | 11.5 | |
| 促進因子 | 要支援 1 | 3 | 2 | 1 | 1 | 0 | — | 0.017 |
| | 要支援 2 | 16 | 4 | 0 | 1 | 7 | — | |
| | 要介護 1 | 48 | 7 | 2 | 6 | 25 | — | |
| | 要介護 2 | 71 | 14 | 15 | 5 | 23 | — | |
| | 要介護 3 | 76 | 25 | 23 | 14 | 20 | — | |
| | 要介護 4 | 56 | 15 | 15 | 9 | 15 | — | |
| | 要介護 5 | 35 | 7 | 17 | 3 | 14 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|-----|------|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 255 | 振動 | 281 | 43 | 90 | 52 | 47 | 159 | 27.75 |
| | | 41.8 | 6.4 | 13.4 | 7.7 | 7.0 | 23.7 | |
| 阻害因子 | 要支援 1 | 1 | 2 | 2 | 0 | 1 | — | 0.003 |
| | 要支援 2 | 11 | 5 | 1 | 2 | 4 | — | |
| | 要介護 1 | 48 | 4 | 9 | 12 | 2 | — | |
| | 要介護 2 | 62 | 5 | 20 | 12 | 12 | — | |
| | 要介護 3 | 62 | 12 | 30 | 15 | 20 | — | |
| | 要介護 4 | 57 | 10 | 14 | 10 | 6 | — | |
| | 要介護 5 | 40 | 5 | 14 | 1 | 2 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 255 | 振動 | 394 | 68 | 16 | 2 | 38 | 154 | 12.5 |
| | | 58.6 | 10.1 | 2.4 | 0.3 | 5.7 | 22.9 | |
| 促進因子 | 要支援 1 | 4 | 1 | 0 | 1 | 0 | — | 0.000 |
| | 要支援 2 | 18 | 1 | 0 | 0 | 5 | — | |
| | 要介護 1 | 53 | 6 | 0 | 0 | 16 | — | |
| | 要介護 2 | 83 | 15 | 5 | 0 | 9 | — | |
| | 要介護 3 | 109 | 21 | 6 | 0 | 4 | — | |
| | 要介護 4 | 77 | 16 | 2 | 1 | 3 | — | |
| | 要介護 5 | 50 | 8 | 3 | 0 | 1 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 260 | 空気の質 | 376 | 100 | 43 | 16 | 18 | 119 | 13.75 |
| | | 56.0 | 14.9 | 6.4 | 2.4 | 2.7 | 17.7 | |
| 阻害因子 | 要支援 1 | 3 | 2 | 1 | 1 | 0 | — | 0.091 |
| | 要支援 2 | 16 | 5 | 0 | 1 | 2 | — | |
| | 要介護 1 | 63 | 12 | 4 | 2 | 2 | — | |
| | 要介護 2 | 83 | 16 | 12 | 2 | 4 | — | |
| | 要介護 3 | 85 | 35 | 14 | 7 | 9 | — | |
| | 要介護 4 | 73 | 21 | 6 | 3 | 1 | — | |
| | 要介護 5 | 53 | 9 | 6 | 0 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|------|-----|-----|------|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 260 | 空気の質 | 350 | 84 | 31 | 18 | 70 | 119 | 21.75 |
| | | 52.1 | 12.5 | 4.6 | 2.7 | 10.4 | 17.7 | |
| 促進因子 | 要支援 1 | 4 | 2 | 0 | 1 | 0 | — | 0.057 |
| | 要支援 2 | 16 | 1 | 0 | 0 | 7 | — | |
| | 要介護 1 | 53 | 9 | 4 | 0 | 17 | — | |
| | 要介護 2 | 80 | 14 | 6 | 2 | 15 | — | |
| | 要介護 3 | 85 | 32 | 11 | 8 | 13 | — | |
| | 要介護 4 | 65 | 17 | 7 | 4 | 12 | — | |
| | 要介護 5 | 47 | 9 | 3 | 3 | 6 | — | |

(3) 支援と関係

「支援と関係」については、全項目で促進因子の Item index が阻害因子の Item index を上回った。とくに、「家族」、「対人サービス提供者」、「保健の専門職」および「その他の専門職」の Item index は 50 点台と大変高くなり、その促進の影響が認められた。中でももっとも高くなったのは、「保健の専門職」で 71.25、次いで「家族」の 69.5 であった。

この領域でも要介護度による差を認めない項目が散見された。

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 310 | 家族 | 441 | 135 | 58 | 10 | 3 | 25 | 11.25 |
| | | 65.6 | 20.1 | 8.6 | 1.5 | 0.4 | 3.7 | |
| 阻害因子 | 要支援 1 | 3 | 2 | 2 | 0 | 0 | — | 0.262 |
| | 要支援 2 | 23 | 4 | 2 | 0 | 0 | — | |
| | 要介護 1 | 73 | 20 | 13 | 1 | 0 | — | |
| | 要介護 2 | 96 | 22 | 15 | 2 | 1 | — | |
| | 要介護 3 | 107 | 45 | 11 | 5 | 2 | — | |
| | 要介護 4 | 76 | 28 | 13 | 2 | 0 | — | |
| | 要介護 5 | 63 | 14 | 2 | 0 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|-----|-----|------|------|------|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 310 | 家族 | 53 | 44 | 145 | 155 | 252 | 23 | 69.5 |
| | | 7.9 | 6.5 | 21.6 | 23.1 | 37.5 | 3.4 | |
| 促進因子 | 要支援 1 | 0 | 1 | 3 | 0 | 3 | — | 0.386 |
| | 要支援 2 | 4 | 1 | 6 | 5 | 13 | — | |
| | 要介護 1 | 6 | 5 | 31 | 28 | 37 | — | |
| | 要介護 2 | 11 | 10 | 29 | 34 | 52 | — | |
| | 要介護 3 | 9 | 13 | 37 | 45 | 66 | — | |
| | 要介護 4 | 9 | 7 | 27 | 27 | 49 | — | |
| | 要介護 5 | 14 | 7 | 12 | 16 | 32 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 315 | 親族 | 415 | 98 | 25 | 5 | 1 | 128 | 7.75 |
| | | 61.8 | 14.6 | 3.7 | 0.7 | 0.1 | 19.0 | |
| 障害因子 | 要支援 1 | 4 | 2 | 0 | 0 | 0 | — | 0.436 |
| | 要支援 2 | 20 | 4 | 0 | 0 | 0 | — | |
| | 要介護 1 | 51 | 17 | 7 | 1 | 0 | — | |
| | 要介護 2 | 92 | 17 | 5 | 1 | 0 | — | |
| | 要介護 3 | 110 | 32 | 6 | 1 | 0 | — | |
| | 要介護 4 | 81 | 21 | 6 | 1 | 0 | — | |
| | 要介護 5 | 57 | 5 | 1 | 1 | 1 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|------|------|------|------|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 315 | 親族 | 155 | 89 | 100 | 85 | 111 | 132 | 45.75 |
| | | 23.1 | 13.2 | 14.9 | 12.6 | 16.5 | 19.6 | |
| 促進因子 | 要支援 1 | 0 | 3 | 2 | 1 | 0 | — | 0.002 |
| | 要支援 2 | 8 | 2 | 7 | 4 | 3 | — | |
| | 要介護 1 | 16 | 12 | 20 | 13 | 15 | — | |
| | 要介護 2 | 35 | 24 | 18 | 11 | 24 | — | |
| | 要介護 3 | 40 | 26 | 25 | 34 | 24 | — | |
| | 要介護 4 | 25 | 20 | 20 | 15 | 28 | — | |
| | 要介護 5 | 31 | 2 | 8 | 7 | 17 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|-----|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 320 | 友人 | 416 | 65 | 11 | 2 | 1 | 180 | 5.0 |
| | | 61.5 | 9.7 | 1.6 | 0.3 | 0.1 | 26.8 | |
| 障害因子 | 要支援 1 | 3 | 2 | 0 | 0 | 0 | — | 0.549 |
| | 要支援 2 | 16 | 3 | 0 | 0 | 0 | — | |
| | 要介護 1 | 61 | 12 | 1 | 0 | 1 | — | |
| | 要介護 2 | 93 | 13 | 4 | 0 | 0 | — | |
| | 要介護 3 | 110 | 23 | 2 | 2 | 0 | — | |
| | 要介護 4 | 80 | 9 | 3 | 0 | 0 | — | |
| | 要介護 5 | 50 | 3 | 1 | 0 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|------|------|------|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 320 | 友人 | 197 | 88 | 93 | 67 | 46 | 181 | 33.5 |
| | | 29.3 | 13.1 | 13.8 | 10.0 | 6.8 | 26.9 | |
| 促進因子 | 要支援 1 | 0 | 1 | 2 | 2 | 0 | — | 0.000 |
| | 要支援 2 | 5 | 2 | 8 | 2 | 2 | — | |
| | 要介護 1 | 17 | 15 | 16 | 16 | 11 | — | |
| | 要介護 2 | 42 | 16 | 22 | 19 | 11 | — | |
| | 要介護 3 | 52 | 29 | 28 | 18 | 10 | — | |
| | 要介護 4 | 41 | 21 | 11 | 6 | 12 | — | |
| | 要介護 5 | 40 | 4 | 6 | 4 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-----------------------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 325 | 知人・仲間・同僚・隣人・コミュニティの成員 | 408 | 82 | 18 | 0 | 2 | 162 | 6.25 |
| | | 60.7 | 12.2 | 2.7 | 0.0 | 0.3 | 24.1 | |
| 阻害因子 | 要支援 1 | 3 | 4 | 0 | 0 | 0 | — | 0.045 |
| | 要支援 2 | 15 | 5 | 0 | 0 | 0 | — | |
| | 要介護 1 | 56 | 17 | 3 | 0 | 1 | — | |
| | 要介護 2 | 98 | 16 | 2 | 0 | 0 | — | |
| | 要介護 3 | 108 | 27 | 5 | 0 | 1 | — | |
| | 要介護 4 | 78 | 9 | 7 | 0 | 0 | — | |
| | 要介護 5 | 50 | 4 | 1 | 0 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-----------------------|------|------|------|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 325 | 知人・仲間・同僚・隣人・コミュニティの成員 | 187 | 119 | 103 | 59 | 44 | 160 | 33.0 |
| | | 27.8 | 17.7 | 15.3 | 8.8 | 6.5 | 23.8 | |
| 促進因子 | 要支援 1 | 1 | 2 | 3 | 1 | 0 | — | 0.000 |
| | 要支援 2 | 4 | 3 | 8 | 3 | 2 | — | |
| | 要介護 1 | 18 | 17 | 22 | 12 | 8 | — | |
| | 要介護 2 | 38 | 23 | 23 | 17 | 16 | — | |
| | 要介護 3 | 44 | 40 | 31 | 20 | 8 | — | |
| | 要介護 4 | 45 | 25 | 11 | 3 | 10 | — | |
| | 要介護 5 | 37 | 9 | 5 | 3 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|--------------|------|-----|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 330 | 権限を持つ立場にある人々 | 354 | 44 | 7 | 1 | 0 | 266 | 3.75 |
| | | 52.7 | 6.5 | 1.0 | 0.1 | 0.0 | 39.6 | |
| 障害因子 | 要支援 1 | 2 | 0 | 0 | 0 | 0 | — | 0.607 |
| | 要支援 2 | 11 | 1 | 0 | 0 | 0 | — | |
| | 要介護 1 | 50 | 10 | 1 | 0 | 0 | — | |
| | 要介護 2 | 82 | 12 | 1 | 0 | 0 | — | |
| | 要介護 3 | 98 | 13 | 4 | 0 | 0 | — | |
| | 要介護 4 | 71 | 8 | 0 | 1 | 0 | — | |
| | 要介護 5 | 40 | 0 | 1 | 0 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|--------------|------|-----|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 330 | 権限を持つ立場にある人々 | 297 | 56 | 20 | 11 | 19 | 269 | 12.75 |
| | | 44.2 | 8.3 | 3.0 | 1.6 | 2.8 | 40.0 | |
| 促進因子 | 要支援 1 | 2 | 0 | 0 | 0 | 0 | — | 0.824 |
| | 要支援 2 | 10 | 2 | 0 | 0 | 0 | — | |
| | 要介護 1 | 38 | 11 | 4 | 3 | 4 | — | |
| | 要介護 2 | 64 | 14 | 5 | 4 | 6 | — | |
| | 要介護 3 | 88 | 13 | 8 | 2 | 4 | — | |
| | 要介護 4 | 59 | 13 | 2 | 1 | 5 | — | |
| | 要介護 5 | 36 | 3 | 1 | 1 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|------------|------|-----|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 335 | 下位の立場にある人々 | 350 | 37 | 3 | 1 | 0 | 281 | 3.0 |
| | | 52.1 | 5.5 | 0.4 | 0.1 | 0.0 | 41.8 | |
| 障害因子 | 要支援 1 | 3 | 0 | 0 | 0 | 0 | — | 0.534 |
| | 要支援 2 | 12 | 0 | 0 | 0 | 0 | — | |
| | 要介護 1 | 53 | 5 | 0 | 1 | 0 | — | |
| | 要介護 2 | 80 | 9 | 1 | 0 | 0 | — | |
| | 要介護 3 | 96 | 15 | 0 | 0 | 0 | — | |
| | 要介護 4 | 68 | 7 | 2 | 0 | 0 | — | |
| | 要介護 5 | 38 | 1 | 0 | 0 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|------------|------|-----|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 335 | 下位の立場にある人々 | 315 | 45 | 9 | 8 | 12 | 283 | 8.75 |
| | | 46.9 | 6.7 | 1.3 | 1.2 | 1.8 | 42.1 | |
| 促進因子 | 要支援 1 | 2 | 1 | 0 | 0 | 0 | — | 0.502 |
| | 要支援 2 | 11 | 0 | 1 | 0 | 0 | — | |
| | 要介護 1 | 44 | 8 | 0 | 3 | 3 | — | |
| | 要介護 2 | 70 | 9 | 4 | 2 | 4 | — | |
| | 要介護 3 | 90 | 14 | 3 | 2 | 2 | — | |
| | 要介護 4 | 61 | 12 | 0 | 1 | 3 | — | |
| | 要介護 5 | 37 | 1 | 1 | 0 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-----------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 340 | 対人サービス提供者 | 465 | 103 | 22 | 0 | 4 | 78 | |
| | | 69.2 | 15.3 | 3.3 | 0.0 | 0.6 | 11.6 | |
| 阻害因子 | 要支援 1 | 4 | 2 | 0 | 0 | 0 | — | 0.713 |
| | 要支援 2 | 24 | 4 | 0 | 0 | 0 | — | |
| | 要介護 1 | 73 | 14 | 2 | 0 | 0 | — | |
| | 要介護 2 | 101 | 18 | 5 | 0 | 0 | — | |
| | 要介護 3 | 114 | 33 | 7 | 0 | 1 | — | |
| | 要介護 4 | 83 | 23 | 6 | 0 | 2 | — | |
| | 要介護 5 | 66 | 9 | 2 | 0 | 1 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-----------|------|-----|------|------|------|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 340 | 対人サービス提供者 | 134 | 58 | 122 | 118 | 163 | 77 | |
| | | 19.9 | 8.6 | 18.2 | 17.6 | 24.3 | 11.5 | |
| 促進因子 | 要支援 1 | 0 | 3 | 1 | 2 | 0 | — | 0.000 |
| | 要支援 2 | 6 | 8 | 2 | 3 | 9 | — | |
| | 要介護 1 | 16 | 9 | 25 | 19 | 20 | — | |
| | 要介護 2 | 26 | 12 | 33 | 23 | 29 | — | |
| | 要介護 3 | 28 | 16 | 37 | 41 | 34 | — | |
| | 要介護 4 | 29 | 7 | 20 | 23 | 35 | — | |
| | 要介護 5 | 29 | 3 | 4 | 7 | 36 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|---------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 345 | よく知らない人 | 429 | 85 | 39 | 5 | 3 | 111 | 8.5 |
| | | 63.8 | 12.6 | 5.8 | 0.7 | 0.4 | 16.5 | |
| 障害因子 | 要支援 1 | 4 | 2 | 0 | 0 | 0 | — | 0.164 |
| | 要支援 2 | 21 | 1 | 0 | 1 | 0 | — | |
| | 要介護 1 | 58 | 15 | 3 | 0 | 0 | — | |
| | 要介護 2 | 93 | 20 | 7 | 0 | 0 | — | |
| | 要介護 3 | 105 | 26 | 13 | 3 | 2 | — | |
| | 要介護 4 | 83 | 15 | 13 | 1 | 0 | — | |
| | 要介護 5 | 65 | 6 | 3 | 0 | 1 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|---------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 345 | よく知らない人 | 383 | 104 | 30 | 17 | 26 | 112 | 14.25 |
| | | 57.0 | 15.5 | 4.5 | 2.5 | 3.9 | 16.7 | |
| 促進因子 | 要支援 1 | 4 | 0 | 2 | 0 | 0 | — | 0.003 |
| | 要支援 2 | 18 | 4 | 1 | 0 | 0 | — | |
| | 要介護 1 | 58 | 11 | 2 | 3 | 2 | — | |
| | 要介護 2 | 73 | 29 | 7 | 3 | 7 | — | |
| | 要介護 3 | 87 | 41 | 10 | 5 | 6 | — | |
| | 要介護 4 | 78 | 16 | 8 | 3 | 7 | — | |
| | 要介護 5 | 65 | 3 | 0 | 3 | 4 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|---------|------|-----|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 350 | 家畜・家禽など | 427 | 33 | 7 | 1 | 5 | 199 | 3.75 |
| | | 63.5 | 4.9 | 1.0 | 0.1 | 0.7 | 29.6 | |
| 障害因子 | 要支援 1 | 5 | 1 | 0 | 0 | 0 | — | 0.731 |
| | 要支援 2 | 14 | 2 | 0 | 0 | 0 | — | |
| | 要介護 1 | 57 | 1 | 0 | 0 | 0 | — | |
| | 要介護 2 | 89 | 6 | 2 | 1 | 3 | — | |
| | 要介護 3 | 113 | 9 | 2 | 0 | 1 | — | |
| | 要介護 4 | 81 | 11 | 2 | 0 | 0 | — | |
| | 要介護 5 | 68 | 3 | 1 | 0 | 1 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|---------|------|-----|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 350 | 家畜・家禽など | 325 | 54 | 39 | 34 | 21 | 199 | 16.75 |
| | | 48.4 | 8.0 | 5.8 | 5.1 | 3.1 | 29.6 | |
| 促進因子 | 要支援 1 | 4 | 1 | 0 | 1 | 0 | — | 0.673 |
| | 要支援 2 | 8 | 3 | 2 | 2 | 1 | — | |
| | 要介護 1 | 41 | 7 | 6 | 0 | 4 | — | |
| | 要介護 2 | 75 | 10 | 8 | 3 | 5 | — | |
| | 要介護 3 | 83 | 15 | 13 | 11 | 3 | — | |
| | 要介護 4 | 62 | 12 | 5 | 11 | 4 | — | |
| | 要介護 5 | 52 | 6 | 5 | 6 | 4 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|--------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 355 | 保健の専門職 | 501 | 133 | 24 | 1 | 3 | 10 | 7.5 |
| | | 74.6 | 19.8 | 3.6 | 0.1 | 0.4 | 1.5 | |
| 阻害因子 | 要支援 1 | 5 | 1 | 0 | 0 | 0 | — | 0.223 |
| | 要支援 2 | 23 | 5 | 0 | 0 | 0 | — | |
| | 要介護 1 | 93 | 15 | 1 | 0 | 0 | — | |
| | 要介護 2 | 110 | 24 | 4 | 0 | 1 | — | |
| | 要介護 3 | 120 | 45 | 8 | 0 | 1 | — | |
| | 要介護 4 | 84 | 26 | 10 | 1 | 0 | — | |
| | 要介護 5 | 66 | 17 | 1 | 0 | 1 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|--------|-----|-----|------|------|------|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 355 | 保健の専門職 | 11 | 42 | 198 | 192 | 219 | 10 | 71.25 |
| | | 1.6 | 6.2 | 29.5 | 28.6 | 32.6 | 1.5 | |
| 促進因子 | 要支援 1 | 0 | 1 | 2 | 2 | 1 | — | 0.176 |
| | 要支援 2 | 1 | 2 | 12 | 3 | 10 | — | |
| | 要介護 1 | 1 | 8 | 38 | 27 | 35 | — | |
| | 要介護 2 | 2 | 8 | 41 | 44 | 44 | — | |
| | 要介護 3 | 3 | 8 | 51 | 60 | 52 | — | |
| | 要介護 4 | 0 | 7 | 31 | 42 | 41 | — | |
| | 要介護 5 | 4 | 8 | 23 | 14 | 36 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|---------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 360 | その他の専門職 | 497 | 120 | 14 | 2 | 3 | 36 | 6.5 |
| | | 74.0 | 17.9 | 2.1 | 0.3 | 0.4 | 5.4 | |
| 障害因子 | 要支援 1 | 5 | 0 | 0 | 0 | 0 | — | 0.163 |
| | 要支援 2 | 25 | 3 | 0 | 0 | 0 | — | |
| | 要介護 1 | 91 | 14 | 0 | 0 | 0 | — | |
| | 要介護 2 | 109 | 21 | 3 | 0 | 1 | — | |
| | 要介護 3 | 116 | 45 | 3 | 1 | 1 | — | |
| | 要介護 4 | 86 | 24 | 7 | 1 | 0 | — | |
| | 要介護 5 | 65 | 13 | 1 | 0 | 1 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|---------|-----|------|------|------|------|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 360 | その他の専門職 | 31 | 79 | 196 | 153 | 177 | 36 | 64.5 |
| | | 4.6 | 11.8 | 29.2 | 22.8 | 26.3 | 5.4 | |
| 促進因子 | 要支援 1 | 0 | 1 | 2 | 1 | 1 | — | 0.001 |
| | 要支援 2 | 6 | 4 | 6 | 4 | 8 | — | |
| | 要介護 1 | 3 | 12 | 41 | 24 | 25 | — | |
| | 要介護 2 | 6 | 16 | 39 | 37 | 36 | — | |
| | 要介護 3 | 4 | 19 | 56 | 41 | 46 | — | |
| | 要介護 4 | 2 | 16 | 26 | 37 | 37 | — | |
| | 要介護 5 | 10 | 11 | 26 | 9 | 24 | — | |

(4) 態度

「態度」についても「支援と関係」と同様に、全項目で促進因子の Item index が阻害因子の Item index を上回った。とくに、促進因子の Item index が高くなったものは「家族の態度」、「保健の専門職の態度」、「その他の専門職の態度」であった。「社会的態度」の促進因子は 13.75 にとどまった。

この領域でも、要介護度による差を認めない項目が多かった。

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|------|------|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 410 | 家族の態度 | 367 | 177 | 67 | 21 | 6 | 34 | 15.5 |
| | | 54.6 | 26.3 | 10.0 | 3.1 | 0.9 | 5.1 | |
| 阻害因子 | 要支援 1 | 4 | 1 | 2 | 0 | 0 | — | 0.421 |
| | 要支援 2 | 14 | 9 | 4 | 1 | 0 | — | |
| | 要介護 1 | 60 | 27 | 15 | 3 | 0 | — | |
| | 要介護 2 | 79 | 36 | 13 | 7 | 1 | — | |
| | 要介護 3 | 96 | 51 | 14 | 4 | 2 | — | |
| | 要介護 4 | 56 | 39 | 15 | 5 | 2 | — | |
| | 要介護 5 | 58 | 14 | 4 | 1 | 1 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|-----|-----|------|------|------|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 410 | 家族の態度 | 43 | 63 | 165 | 176 | 193 | 32 | 66.25 |
| | | 6.4 | 9.4 | 24.6 | 26.2 | 28.7 | 4.8 | |
| 促進因子 | 要支援 1 | 0 | 1 | 2 | 1 | 3 | — | 0.013 |
| | 要支援 2 | 2 | 3 | 9 | 6 | 8 | — | |
| | 要介護 1 | 3 | 5 | 39 | 35 | 23 | — | |
| | 要介護 2 | 10 | 13 | 34 | 39 | 41 | — | |
| | 要介護 3 | 10 | 16 | 41 | 49 | 52 | — | |
| | 要介護 4 | 5 | 19 | 29 | 28 | 36 | — | |
| | 要介護 5 | 13 | 6 | 11 | 18 | 30 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 415 | 親族の態度 | 369 | 118 | 37 | 6 | 1 | 141 | 10.0 |
| | | 54.9 | 17.6 | 5.5 | 0.9 | 0.1 | 21.0 | |
| 障害因子 | 要支援 1 | 4 | 1 | 1 | 0 | 0 | — | 0.039 |
| | 要支援 2 | 10 | 10 | 2 | 1 | 0 | — | |
| | 要介護 1 | 48 | 19 | 8 | 0 | 0 | — | |
| | 要介護 2 | 85 | 19 | 8 | 2 | 0 | — | |
| | 要介護 3 | 100 | 38 | 7 | 1 | 0 | — | |
| | 要介護 4 | 67 | 26 | 9 | 2 | 0 | — | |
| | 要介護 5 | 55 | 5 | 2 | 0 | 1 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|------|------|------|------|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 415 | 親族の態度 | 147 | 93 | 119 | 76 | 95 | 142 | 44.25 |
| | | 21.9 | 13.8 | 17.7 | 11.3 | 14.1 | 21.1 | |
| 促進因子 | 要支援 1 | 0 | 3 | 2 | 1 | 0 | — | 0.008 |
| | 要支援 2 | 3 | 6 | 8 | 5 | 1 | — | |
| | 要介護 1 | 15 | 15 | 24 | 10 | 11 | — | |
| | 要介護 2 | 37 | 18 | 27 | 9 | 23 | — | |
| | 要介護 3 | 36 | 30 | 26 | 27 | 26 | — | |
| | 要介護 4 | 28 | 18 | 23 | 15 | 20 | — | |
| | 要介護 5 | 28 | 3 | 9 | 9 | 14 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 420 | 友人の態度 | 370 | 92 | 18 | 4 | 0 | 188 | 7.25 |
| | | 55.1 | 13.7 | 2.7 | 0.6 | 0.0 | 28.0 | |
| 障害因子 | 要支援 1 | 3 | 3 | 0 | 0 | 0 | — | 0.032 |
| | 要支援 2 | 12 | 4 | 0 | 1 | 0 | — | |
| | 要介護 1 | 56 | 18 | 0 | 2 | 0 | — | |
| | 要介護 2 | 85 | 20 | 5 | 0 | 0 | — | |
| | 要介護 3 | 98 | 28 | 8 | 1 | 0 | — | |
| | 要介護 4 | 69 | 16 | 5 | 0 | 0 | — | |
| | 要介護 5 | 47 | 3 | 0 | 0 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|------|------|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 420 | 友人の態度 | 197 | 86 | 103 | 58 | 37 | 191 | 32.0 |
| | | 29.3 | 12.8 | 15.3 | 8.6 | 5.5 | 28.4 | |
| 促進因子 | 要支援 1 | 0 | 2 | 2 | 2 | 0 | — | 0.000 |
| | 要支援 2 | 2 | 4 | 7 | 3 | 1 | — | |
| | 要介護 1 | 20 | 13 | 25 | 12 | 6 | — | |
| | 要介護 2 | 43 | 16 | 27 | 12 | 11 | — | |
| | 要介護 3 | 51 | 29 | 26 | 19 | 10 | — | |
| | 要介護 4 | 44 | 17 | 13 | 7 | 9 | — | |
| | 要介護 5 | 37 | 5 | 3 | 3 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|--------------------------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 425 | 知人・仲間・同僚・隣人・コミュニティの成員の態度 | 383 | 109 | 15 | 1 | 1 | 163 | 7.25 |
| | | 57.0 | 16.2 | 2.2 | 0.1 | 0.1 | 24.3 | |
| 阻害因子 | 要支援 1 | | | | | | — | 0.061 |
| | 要支援 2 | | | | | | — | |
| | 要介護 1 | | | | | | — | |
| | 要介護 2 | | | | | | — | |
| | 要介護 3 | | | | | | — | |
| | 要介護 4 | | | | | | — | |
| | 要介護 5 | | | | | | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|--------------------------|------|------|------|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 425 | 知人・仲間・同僚・隣人・コミュニティの成員の態度 | 199 | 117 | 108 | 51 | 34 | 163 | 30.5 |
| | | 29.6 | 17.4 | 16.1 | 7.6 | 5.1 | 24.3 | |
| 促進因子 | 要支援 1 | | | | | | — | 0.000 |
| | 要支援 2 | | | | | | — | |
| | 要介護 1 | | | | | | — | |
| | 要介護 2 | | | | | | — | |
| | 要介護 3 | | | | | | — | |
| | 要介護 4 | | | | | | — | |
| | 要介護 5 | | | | | | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-----------------|------|-----|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 430 | 権限を持つ立場にある人々の態度 | 342 | 58 | 9 | 1 | 0 | 262 | 4.75 |
| | | 50.9 | 8.6 | 1.3 | 0.1 | 0.0 | 39.0 | |
| 障害因子 | 要支援 1 | 2 | 2 | 0 | 0 | 0 | — | 0.301 |
| | 要支援 2 | 10 | 2 | 0 | 0 | 0 | — | |
| | 要介護 1 | 47 | 10 | 0 | 1 | 0 | — | |
| | 要介護 2 | 81 | 17 | 2 | 0 | 0 | — | |
| | 要介護 3 | 95 | 16 | 4 | 0 | 0 | — | |
| | 要介護 4 | 68 | 10 | 3 | 0 | 0 | — | |
| | 要介護 5 | 39 | 1 | 0 | 0 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-----------------|------|-----|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 430 | 権限を持つ立場にある人々の態度 | 300 | 56 | 22 | 13 | 17 | 264 | 12.75 |
| | | 44.6 | 8.3 | 3.3 | 1.9 | 2.5 | 39.3 | |
| 促進因子 | 要支援 1 | 2 | 1 | 1 | 0 | 0 | — | 0.609 |
| | 要支援 2 | 10 | 2 | 0 | 0 | 0 | — | |
| | 要介護 1 | 39 | 11 | 4 | 1 | 3 | — | |
| | 要介護 2 | 67 | 13 | 7 | 5 | 6 | — | |
| | 要介護 3 | 88 | 13 | 7 | 4 | 3 | — | |
| | 要介護 4 | 59 | 14 | 1 | 2 | 5 | — | |
| | 要介護 5 | 35 | 2 | 2 | 1 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|---------------|------|-----|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 435 | 下位の立場にある人々の態度 | 347 | 43 | 8 | 1 | 0 | 273 | |
| | | 51.6 | 6.4 | 1.2 | 0.1 | 0.0 | 40.6 | |
| 障害因子 | 要支援 1 | 2 | 2 | 0 | 0 | 0 | — | 0.303 |
| | 要支援 2 | 10 | 2 | 0 | 0 | 0 | — | |
| | 要介護 1 | 51 | 7 | 0 | 0 | 0 | — | |
| | 要介護 2 | 77 | 10 | 3 | 1 | 0 | — | |
| | 要介護 3 | 94 | 15 | 1 | 0 | 0 | — | |
| | 要介護 4 | 73 | 7 | 3 | 0 | 0 | — | |
| | 要介護 5 | 40 | 0 | 1 | 0 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------------------|------|-----|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 435 | 下位の立場にある 人々の態度 | 319 | 48 | 14 | 4 | 14 | 273 | |
| | | 47.5 | 7.1 | 2.1 | 0.6 | 2.1 | 40.6 | |
| 促進因子 | 要支援 1 | 2 | 2 | 0 | 0 | 0 | — | 0.540 |
| | 要支援 2 | 9 | 2 | 1 | 0 | 0 | — | |
| | 要介護 1 | 45 | 7 | 3 | 0 | 3 | — | |
| | 要介護 2 | 71 | 10 | 6 | 2 | 2 | — | |
| | 要介護 3 | 90 | 15 | 2 | 1 | 2 | — | |
| | 要介護 4 | 65 | 10 | 1 | 1 | 6 | — | |
| | 要介護 5 | 37 | 2 | 1 | 0 | 1 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|------------------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 440 | 対人サービス 提供者の態度 | 430 | 103 | 29 | 2 | 2 | 106 | 7.75 |
| | | 64.0 | 15.3 | 4.3 | 0.3 | 0.3 | 15.8 | |
| 阻害因子 | 要支援 1 | 6 | 0 | 0 | 0 | 0 | — | 0.373 |
| | 要支援 2 | 17 | 5 | 0 | 0 | 0 | — | |
| | 要介護 1 | 70 | 13 | 2 | 0 | 0 | — | |
| | 要介護 2 | 91 | 21 | 7 | 0 | 0 | — | |
| | 要介護 3 | 101 | 36 | 9 | 0 | 1 | — | |
| | 要介護 4 | 79 | 21 | 9 | 1 | 0 | — | |
| | 要介護 5 | 66 | 7 | 2 | 1 | 1 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|------------------|------|------|------|------|------|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 440 | 対人サービス 提供者の態度 | 238 | 85 | 72 | 76 | 94 | 107 | 36.75 |
| | | 35.4 | 12.6 | 10.7 | 11.3 | 14.0 | 15.9 | |
| 促進因子 | 要支援 1 | 3 | 2 | 1 | 0 | 0 | — | 0.034 |
| | 要支援 2 | 9 | 4 | 1 | 1 | 7 | — | |
| | 要介護 1 | 32 | 12 | 16 | 5 | 19 | — | |
| | 要介護 2 | 45 | 18 | 16 | 20 | 20 | — | |
| | 要介護 3 | 57 | 30 | 20 | 23 | 18 | — | |
| | 要介護 4 | 47 | 12 | 15 | 15 | 20 | — | |
| | 要介護 5 | 45 | 7 | 3 | 12 | 10 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|------------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 445 | よく知らない人の態度 | 412 | 94 | 37 | 3 | 1 | 125 | 8.25 |
| | | 61.3 | 14.0 | 5.5 | 0.4 | 0.1 | 18.6 | |
| 障害因子 | 要支援 1 | 6 | 0 | 0 | 0 | 0 | — | 0.209 |
| | 要支援 2 | 15 | 4 | 0 | 0 | 0 | — | |
| | 要介護 1 | 58 | 15 | 2 | 0 | 0 | — | |
| | 要介護 2 | 85 | 22 | 9 | 0 | 0 | — | |
| | 要介護 3 | 102 | 29 | 14 | 1 | 0 | — | |
| | 要介護 4 | 81 | 19 | 10 | 2 | 0 | — | |
| | 要介護 5 | 65 | 5 | 2 | 0 | 1 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|------------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 445 | よく知らない人の態度 | 397 | 98 | 22 | 9 | 20 | 126 | 11.5 |
| | | 59.1 | 14.6 | 3.3 | 1.3 | 3.0 | 18.8 | |
| 促進因子 | 要支援 1 | 5 | 0 | 1 | 0 | 0 | — | 0.354 |
| | 要支援 2 | 15 | 4 | 0 | 0 | 0 | — | |
| | 要介護 1 | 59 | 9 | 3 | 2 | 2 | — | |
| | 要介護 2 | 82 | 20 | 6 | 3 | 5 | — | |
| | 要介護 3 | 99 | 34 | 7 | 2 | 4 | — | |
| | 要介護 4 | 73 | 25 | 4 | 2 | 7 | — | |
| | 要介護 5 | 64 | 6 | 1 | 0 | 2 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-----------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 450 | 保健の専門職の態度 | 448 | 163 | 36 | 4 | 1 | 20 | 9.5 |
| | | 66.7 | 24.3 | 5.4 | 0.6 | 0.1 | 3.0 | |
| 障害因子 | 要支援 1 | 4 | 2 | 0 | 0 | 0 | — | 0.099 |
| | 要支援 2 | 17 | 7 | 0 | 1 | 0 | — | |
| | 要介護 1 | 88 | 19 | 1 | 1 | 0 | — | |
| | 要介護 2 | 100 | 29 | 8 | 0 | 0 | — | |
| | 要介護 3 | 107 | 54 | 11 | 0 | 0 | — | |
| | 要介護 4 | 75 | 30 | 12 | 1 | 1 | — | |
| | 要介護 5 | 57 | 22 | 4 | 1 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|---------------|-----|------|------|------|------|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 450 | 保健の専門職 の態度 | 43 | 97 | 214 | 154 | 124 | 40 | 64.75 |
| | | 6.4 | 14.4 | 31.8 | 22.9 | 18.5 | 6.0 | |
| 促進因子 | 要支援 1 | 0 | 0 | 3 | 3 | 0 | — | 0.051 |
| | 要支援 2 | 1 | 1 | 11 | 4 | 8 | — | |
| | 要介護 1 | 5 | 8 | 42 | 24 | 30 | — | |
| | 要介護 2 | 2 | 11 | 47 | 41 | 36 | — | |
| | 要介護 3 | 3 | 15 | 62 | 59 | 33 | — | |
| | 要介護 4 | 2 | 13 | 38 | 40 | 26 | — | |
| | 要介護 5 | 8 | 13 | 25 | 25 | 13 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|----------------|------|------|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 455 | その他の専門職 の態度 | 455 | 149 | 26 | 2 | 1 | 39 | 8.25 |
| | | 67.7 | 22.2 | 3.9 | 0.3 | 0.1 | 5.8 | |
| 阻害因子 | 要支援 1 | 3 | 2 | 0 | 0 | 0 | — | 0.259 |
| | 要支援 2 | 21 | 7 | 0 | 0 | 0 | — | |
| | 要介護 1 | 85 | 19 | 0 | 1 | 0 | — | |
| | 要介護 2 | 100 | 29 | 5 | 0 | 0 | — | |
| | 要介護 3 | 110 | 47 | 7 | 0 | 1 | — | |
| | 要介護 4 | 75 | 29 | 11 | 1 | 0 | — | |
| | 要介護 5 | 61 | 16 | 3 | 0 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|----------------|-----|------|------|------|------|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 455 | その他の専門職 の態度 | 43 | 97 | 214 | 154 | 124 | 40 | 58.75 |
| | | 6.4 | 14.4 | 31.8 | 22.9 | 18.5 | 6.0 | |
| 促進因子 | 要支援 1 | 0 | 1 | 2 | 2 | 0 | — | 0.021 |
| | 要支援 2 | 2 | 5 | 10 | 4 | 7 | — | |
| | 要介護 1 | 7 | 10 | 44 | 20 | 24 | — | |
| | 要介護 2 | 6 | 23 | 42 | 35 | 28 | — | |
| | 要介護 3 | 8 | 21 | 60 | 46 | 29 | — | |
| | 要介護 4 | 5 | 21 | 32 | 32 | 26 | — | |
| | 要介護 5 | 15 | 16 | 24 | 15 | 10 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|-----|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 460 | 社会的態度 | 356 | 61 | 9 | 2 | 0 | 244 | 5.0 |
| | | 53.0 | 9.1 | 1.3 | 0.3 | 0.0 | 36.3 | |
| 障害因子 | 要支援 1 | 2 | 2 | 0 | 0 | 0 | — | 0.029 |
| | 要支援 2 | 13 | 2 | 0 | 0 | 0 | — | |
| | 要介護 1 | 50 | 14 | 2 | 2 | 0 | — | |
| | 要介護 2 | 79 | 15 | 4 | 0 | 0 | — | |
| | 要介護 3 | 85 | 18 | 2 | 0 | 0 | — | |
| | 要介護 4 | 70 | 9 | 0 | 0 | 0 | — | |
| | 要介護 5 | 57 | 1 | 1 | 0 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|-------|------|-----|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 460 | 社会的態度 | 307 | 62 | 17 | 17 | 22 | 247 | 13.75 |
| | | 45.7 | 9.2 | 2.5 | 2.5 | 3.3 | 36.8 | |
| 促進因子 | 要支援 1 | 1 | 2 | 0 | 1 | 0 | — | 0.000 |
| | 要支援 2 | 6 | 2 | 1 | 1 | 4 | — | |
| | 要介護 1 | 41 | 10 | 1 | 7 | 9 | — | |
| | 要介護 2 | 66 | 14 | 6 | 5 | 6 | — | |
| | 要介護 3 | 73 | 24 | 4 | 2 | 2 | — | |
| | 要介護 4 | 67 | 9 | 1 | 1 | 1 | — | |
| | 要介護 5 | 53 | 1 | 4 | 0 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|---------------------|------|-----|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 465 | 社会的規範・慣行・イ デオロギー | 382 | 51 | 8 | 0 | 1 | 230 | 4.0 |
| | | 56.8 | 7.6 | 1.2 | 0.0 | 0.1 | 34.2 | |
| 障害因子 | 要支援 1 | 3 | 1 | 0 | 0 | 0 | — | 0.882 |
| | 要支援 2 | 14 | 2 | 0 | 0 | 0 | — | |
| | 要介護 1 | 60 | 9 | 1 | 0 | 0 | — | |
| | 要介護 2 | 82 | 13 | 3 | 0 | 1 | — | |
| | 要介護 3 | 94 | 16 | 3 | 0 | 0 | — | |
| | 要介護 4 | 72 | 6 | 1 | 0 | 0 | — | |
| | 要介護 5 | 57 | 4 | 0 | 0 | 0 | — | |

| code | 因子 | 評価点 | | | | | | Item index |
|-------|---------------------|------|-----|-----|-----|-----|------|------------|
| | | 0 | 1 | 2 | 3 | 4 | 8, 9 | |
| e 465 | 社会的規範・慣行・イ デオロギー | 337 | 52 | 18 | 13 | 21 | 231 | 12.0 |
| | | 50.1 | 7.7 | 2.7 | 1.9 | 3.1 | 34.4 | |
| 促進因子 | 要支援 1 | 1 | 3 | 0 | 0 | 0 | — | 0.000 |
| | 要支援 2 | 8 | 2 | 1 | 1 | 4 | — | |
| | 要介護 1 | 45 | 8 | 2 | 5 | 10 | — | |
| | 要介護 2 | 70 | 13 | 7 | 4 | 5 | — | |
| | 要介護 3 | 91 | 14 | 5 | 2 | 1 | — | |
| | 要介護 4 | 68 | 7 | 3 | 0 | 1 | — | |
| | 要介護 5 | 54 | 5 | 0 | 1 | 0 | — | |