














# 索 引



Age (day) at admission .....	323
Age at enteral feeding exceed 100ml/kg (among infants with live birth) .....	331
Age at discharge (among infants with live birth) .....	332
Air leak syndrome .....	353
Air leak syndrome (among infants with live birth) .....	325
Air leak syndrome By birthweight .....	378
Air leak syndrome By gestational age .....	404
Apgar ( 1 min) .....	324
Apgar ( 5 min) .....	324
Autopsy (among infants with live birth and dead at discharge) .....	332
Autopsy .....	367
Autopsy By birthweight .....	393
Autopsy By gestational age .....	419
Birth order (among infants with number of fetus 2 >) .....	321
Birth weight .....	325
Blood transfusion .....	365
Blood transfusion (among infants with live birth) .....	331
Blood transfusion By birthweight .....	391
Blood transfusion By gestational age .....	417
Body length at birth .....	325
Body length at discharge (among infants with alive at discharge) .....	333
Body weight at discharge (among infants with alive at discharge) .....	333
Circulatory problem .....	338
CLD at 28 d .....	354
CLD at 28 d (among infants with live birth and alive at 28 days of age) .....	327
CLD at 28 d By birthweight .....	380
CLD at 28 d By gestational age .....	406
CLD at 36 wk .....	355
CLD at 36 wk (among infants with live birth, alive at 36 wk (corrected age), and CLD) .....	327
CLD at 36 wk By birthweight .....	381
CLD at 36 wk By gestational age .....	407
Clinical CAM .....	322
Clinical CAM .....	345
Clinical CAM By birthweight .....	370
Clinical CAM By gestational age .....	396
Condition at discharge .....	340
Congenital anomaly .....	331
Congenital anomaly .....	364
Congenital anomaly By birthweight .....	390
Congenital anomaly By gestational age .....	416
Cord blood transfusion .....	323
Cord blood transfusion .....	349
Cord blood transfusion By birthweight .....	374
Cord blood transfusion By gestational age .....	400
Dead at discharge .....	366
Dead at discharge (among infants with live birth) .....	332
Dead at discharge by birthweight .....	342
Dead at discharge By birthweight .....	392
Dead at discharge By gestational age .....	418
Delivery status .....	335
Diabetes .....	322
Diabetes .....	344
Diabetes By birthweight .....	369
Diabetes By gestational age .....	395
Diagnosis .....	340
Discharge home .....	367
Discharge home (among infants with live birth and alive at discharge) .....	332
Discharge home By birthweight .....	393
Discharge home By gestational age .....	419
Disposition (among infants with live birth, alive at discharge, and transferred) .....	332
Dose of surfactant (among infants with live birth) .....	326
Early onset sepsis (among infants with live birth and sepsis) .....	330
Erythropoietin .....	366
Erythropoietin (among infants with live birth) .....	332
Erythropoietin By birthweight .....	392
Erythropoietin By gestational age .....	418
Follow up system .....	320
Gastrointestinal problem .....	339
Gender .....	324
Gender .....	349
Gender By birthweight .....	375
Gender By gestational age .....	401
Gestational age .....	324
Glucocorticoid for CLD .....	355
Glucocorticoid for CLD (among infants with CLD) .....	327
Glucocorticoid for CLD By birthweight .....	381
Glucocorticoid for CLD By gestational age .....	407
Gravida .....	321
Grade of histologic CAM .....	346
Grade of histologic CAM (among infants with positive histologic CAM) .....	322
Grade of histologic CAM By birthweight .....	371
Grade of histologic CAM By gestational age .....	397
Grade of IVH (among infants with live birth and IVH) .....	329
Head circumference at birth .....	325
Head circumference at discharge (among infants with alive at discharge) .....	333
Hearing loss screening .....	363
Hearing loss screening (among infants with live birth) .....	330
Hearing loss screening By birthweight .....	389

Hearing loss screening By gestational age .....	415
Hearing screening .....	339
HIE .....	360
HIE (among infants with live birth) .....	329
HIE By birthweight .....	386
HIE By gestational age .....	412
Histologic CAM .....	322
Histologic CAM .....	345
Histologic CAM By birthweight .....	371
Histologic CAM By gestational age .....	397
HOT .....	368
HOT (among infants with live birth and alive at discharge) .....	333
HOT By birthweight .....	394
HOT By gestational age .....	420
Idiopathic intestinal perforation .....	363
Idiopathic intestinal perforation (among infants with live birth) .....	330
Idiopathic intestinal perforation By birthweight .....	389
Idiopathic intestinal perforation By gestational age .....	415
Indomethacin for PDA .....	356
Indomethacin for PDA (among infants with live birth) .....	328
Indomethacin for PDA By birthweight .....	382
Indomethacin for PDA By gestational age .....	408
Infection .....	339
Intrauterine infection .....	360
Intrauterine infection (among infants with live birth) .....	329
Intrauterine infection By birthweight .....	386
Intrauterine infection By gestational age .....	412
Intravenous hyperalimentation .....	362
Intravenous hyperalimentation (among infants with live birth) .....	330
Intravenous hyperalimentation By birthweight .....	388
Intravenous hyperalimentation By gestational age .....	414
Intraventricular hemorrhage .....	358
Intraventricular hemorrhage (among infants with live birth) .....	328
Intraventricular hemorrhage By birthweight .....	384
Intraventricular hemorrhage By gestational age .....	410
Intubation at birth .....	325
Intubation at birth .....	351
Intubation at birth By birthweight .....	377
Intubation at birth By gestational age .....	403
Late onset adrenal insufficiency .....	357
Late onset adrenal insufficiency (among infants with live birth and alive at 7 d) .....	328
Late onset adrenal insufficiency By birthweight .....	383
Late onset adrenal insufficiency By gestational age .....	409
Live Birth .....	325
Live birth .....	352
Live birth By birthweight .....	377
Live birth By gestational age .....	403
Length of CPAP (among infants with live birth) .....	326
Length of inhaled nitric oxide (among infants with live birth) .....	327
Length of mechanical ventilation (among infants with live birth) .....	326
Length of oxygen use (among infants with live birth) .....	326
Length of stay (alive at discharge) .....	343
Length of stay (dead at discharge) .....	343
Level of services .....	319
Maternal age .....	321
Maternal information .....	334
Maternal steroid .....	323
Maternal steroid .....	347
Maternal steroid By birthweight .....	372
Maternal steroid By gestational age .....	398
Maternal transport .....	350
Maternal transport (among infants with inborn) .....	324
Maternal transport By birthweight .....	376
Maternal transport By gestational age .....	402
Mode of delivery .....	323
Mode of delivery .....	348
Mode of delivery By birthweight .....	374
Mode of delivery By gestational age .....	400
Mortality rate among hospitals .....	342
NEC .....	362
NEC (among infants with live birth) .....	330
NEC By birthweight .....	388
NEC By gestational age .....	414
Neonatal information .....	335
Neonatal transport .....	324
Neonatal transport .....	350
Neonatal transport By birthweight .....	375
Neonatal transport By gestational age .....	401
Neurological problem .....	338
NRFS .....	323
NRFS .....	347
NRFS By birthweight .....	373
NRFS By gestational age .....	399
Number of beds for neonate .....	319
Number of fetus .....	321
Number of infant admitted .....	342
Number of MFICU .....	319
Number of neonatologist .....	319
Number of NICU .....	319
Number of nurse .....	319


Operation for congenital anomaly	365
Operation for congenital anomaly (among infants with live birth and congenital anomaly)	331
Operation for congenital anomaly By birthweight	391
Operation for congenital anomaly By gestational age	417
Ophthalmologist	320
Organizer	319
Oxygen use at birth	324
Oxygen concentration at 36 wk (among infants with CLD at 36 wk)	327
Oxygen use at birth	351
Oxygen use at birth By birthweight	376
Oxygen use at birth By gestational age	402
Parity	321
PDA with symptom	356
PDA with symptom (among infants with live birth)	328
PDA with symptom By birthweight	382
PDA with symptom By gestational age	408
Pediatric cardiac surgeon	320
Pediatric neurosurgeon	320
Pediatric surgeon	320
Plurarity	343
Plurarity (among infants with number of fetus 2 >)	321
Plurarity By birthweight	369
Plurarity By gestational age	395
PROM	322
PROM	346
PROM By birthweight	372
PROM By gestational age	398
Post IVH hydrocephalus	359
Post IVH hydrocephalus (among infants with live birth and IVH)	329
Post IVH hydrocephalus By birthweight	385
Post IVH hydrocephalus By gestational age	411
PPHN (among infants with live birth)	326
PPHN By birthweight	379
PPHN By gestational age	405
Pregnancy complication	334
Pregnancy induced hypertension	322
Pregnancy induced hypertension	344
Pregnancy induced hypertension By birthweight	370
Pregnancy induced hypertension By gestational age	396
Presentation	323
Presentation	348
Presentation By birthweight	373
Presentation By gestational age	399
Psychologist	319
Pulmonary hemorrhage	353
Pulmonary hemorrhage (among infants with live birth)	326
Pulmonary hemorrhage By birthweight	379
Pulmonary hemorrhage By gestational age	405
PVL	359
PVL (among infants with live birth)	329
PVL By birthweight	385
PVL By gestational age	411
RDS	352
RDS (among infants with live birth)	325
RDS By birthweight	378
RDS By gestational age	404
Respiratory disease	336
Retinopathy of prematurity	339
ROP (worst stage) (among infants with live birth)	331
Seizure	358
Seizure (among infants with live birth)	328
Seizure By birthweight	384
Seizure By gestational age	410
Sepsis	361
Sepsis (among infants with live birth)	329
Sepsis By birthweight	387
Sepsis By gestational age	413
Standardized mortality rate among hospitals	342
Summary	340
Surgical ligation for PDA	357
Surgical ligation for PDA (among infants with symptomatic PDA)	328
Surgical ligation for PDA By birthweight	383
Surgical ligation for PDA By gestational age	409
Tracheostomy	368
Tracheostomy (among infants with live birth and alive at discharge)	333
Tracheostomy By birthweight	394
Tracheostomy By gestational age	420
Treatment for ROP	364
Treatment for ROP (among infants with live birth)	331
Treatment for ROP By birthweight	390
Treatment for ROP By gestational age	416
Type of CLD (among infants with CLD)	327
Use of antibiotics	361
Use of antibiotics (among infants with live birth)	330
Use of antibiotics By birthweight	387
Use of antibiotics By gestational age	413
Use of HFO	354
Use of HFO (among infants with live birth and mechanical ventilation)	326
Use of HFO By birthweight	380
Use of HFO By gestational age	406









404 Diabetes




405 Pregnancy induced hypertension




406 Clinical CAM




407 Histologic CAM




408 Grade of histologic CAM (among infants with positive histologic CAM)



501 PROM




502 Maternal steroid




503 NRFS




504 Presentation




505 Mode of delivery










510 Cord blood transfusion




602 Age(day) at admission









611 Intubation at birth




612 Birth weight




613 Body length at birth



614 Head circumference at birth




615 Live birth



Respiratory disease

701 RDS (among infants with live birth)




702 Air leak syndrome (among infants with live birth)




703 Pulmonary hemorrhage (among infants with live birth)




705 PPHN (among infants with live birth)




706 Length of oxygen use (among infants with live birth)




707 Length of CPAP (among infants with live birth)




708 Length of mechanical ventilation (among infants with live birth)




709 Use of HFO (among infants with live birth and mechanical ventilation)




710 Dose of surfactant (among infants with live birth)




711 Length of inhaled nitric oxide (among infants with live birth)




712 CLD at 28 d (among infants with live birth and alive at 28 days of age)




713 Type of CLD (among infants with CLD)




714 Glucocorticoid for CLD (among infants with CLD)



715 CLD at 36 wk (among infants with live birth, alive at 36 wk(corrected age), and CLD)




716 Oxygen concentration at 36 wk (among infants with CLD at 36 wk)




Circulatory problem


801 PDA with symptom (among infants with live birth)




802 Indomethacin for PDA (among infants with live birth)



803 Surgical ligation for PDA (among infants with symptomatic PDA)




851 Late onset adrenal insufficiency (among infants with live birth and alive at 7 d)




Neurological problem


901 Seizure (among infants with live birth)




902 Intraventricular hemorrhage (among infants with live birth)



903 Grade of IVH (among infants with live birth and IVH)




904 Post IVH hydrocephalus (among infants with live birth and IVH)




905 PVL (among infants with live birth)




906 HIE (among infants with live birth)




907 Intrauterine infection (among infants with live birth)




908 Sepsis (among infants with live birth)



1004 Early onset sepsis (among infants with live birth and sepsis)




1010 Use of antibiotics (among infants with live birth)



Gastrointestinal problem

1101 Intravenous hyperalimentation (among infants with live birth)



1102 NEC (among infants with live birth)




1103 Idiopathic intestinal perforation (among infants with live birth)




Hearing screening

1201 Hearing loss screening (among infants with live birth)




Retinopathy of prematurity


1301 ROP(worst stage) (among infants with live birth)




1302 Treatment for ROP (among infants with live birth)



1411 Congenital anomaly




1413 Operation for congenital anomaly (among infants with live birth and congenital anomaly)




Summary

1501 Age at enteral feeding exceed 100ml/kg (among infants with live birth)




1511 Blood transfusion (among infants with live birth)






1512 Erythropoietin (among infants with live birth)




Condition at discharge


1601 Age at discharge (among infants with live birth)




1602 Dead at discharge (among infants with live birth)




1603 Autopsy (among infants with live birth and dead at discharge)




1605 Discharge home (among infants with live birth and alive at discharge)




1606 Disposition (among infants with live birth, alive at discharge, and transferred)




1607 HOT (among infants with live birth and alive at discharge)




1608 Tracheostomy (among infants with live birth and alive at discharge)




1609 Body weight at discharge (among infants with alive at discharge)



1610 Body length at discharge (among infants with alive at discharge)



1611 Head circumference at discharge (among infants with alive at discharge)



Analysis results on infants born in 2008		I-2/16	
No.	Resources of participating hospitals	All hospitals	n
402	Birth order (among infants with number of fetus 2>)		921
403	Plurarity (among infants with number of fetus 2>)		874
404	Diabetes		3678
405	Pregnancy induced hypertension		3678
406	Clinical CAM		3678
407	Histologic CAM		3678

Analysis results on infants born in 2008		I-1/16	
No.	Resources of participating hospitals	All hospitals	n
<b>A</b>			
<b>Maternal information</b>			
301	Maternal age (median)	32.0	3539
	lower quartile	28.0	
	upper quartile	35.0	
302	Gravida		3678
303	Parity		3678
304	Maternal Comorbidity	O410 147Number O459 104Number O430 74Number O441 57Number D259 45Number	825
<b>B</b>			
<b>Pregnancy complication</b>			
401	Number of fetus		3678

Analysis results on infants born in 2008		I-3/16	
No.	Resources of participating hospitals	All hospitals	n
408	Grade of histologic CAM (among infants with positive histologic CAM)	<p>1: I 23% 2: II 36% 3: III 41%</p>	855
<b>Delivery status</b>			
501	PROM	<p>1: Yes 27% 2: No 73% 3: not available 0%</p>	3678
502	Maternal steroid	<p>1: Yes 43% 2: No 57% 3: not available 0%</p>	3678
503	NRFS	<p>1: Yes 23% 2: No 77% 3: not available 0%</p>	3678
504	Presentation	<p>1: Head 68% 2: other than head 32% 3: not available 0%</p>	3678

Analysis results on infants born in 2008		I-4/16	
No.	Resources of participating hospitals	All hospitals	n
505	Mode of delivery	<p>1: Vaginal 24% 2: Vaginal with manipulation 88% 3: C/S 75%</p>	3678
510	Cord blood transfusion	<p>1: Yes 12% 2: No 88% 3: not available 0%</p>	3678
<b>Neonatal information</b>			
602	Age(day) at admission	<p>1: 0-1 98% 2: 1-2 1% 3: 2-3 0% 4: &gt;3 1%</p>	3678
603	Gender	<p>1: Male 51% 2: Female 49% 3: not available 0%</p>	3677
604	Neonatal transport	<p>1: Yes 8% 2: No 92%</p>	3678