





Analysis results (cumulative data)		I-13/16	
No.	Resources of participating hospitals	All hospitals	n
1302	Treatment for ROP (among infants with live birth)	<p>1: Yes 13% 2: No 87%</p>	19113
L	Diagnosis		
1411	Congenital anomaly	<p>1: Yes 6% 2: No 94%</p>	19113
1412	Diagnosis of congenital anomaly (among infants with congenital anomaly)	502 173Number 503 85Number 999 75Number 504 54Number 301 41Number	1072
1413	Operation for congenital anomaly (among infants with live birth and congenital anomaly)	<p>1: Yes 27% 2: No 73%</p>	1203
M	Summary		
1501	Age at enteral feeding exceed 100ml/kg (median) (among infants with live birth)	11.0	12933
	lower quartile	8.0	
	upper quartile	17.0	

Analysis results (cumulative data)		I-14/16	
No.	Resources of participating hospitals	All hospitals	n
1511	Blood transfusion (among infants with live birth)	<p>1: Yes 10% 2: No 90%</p>	19113
1512	Erythropoietin (among infants with live birth)	<p>1: Yes 21% 2: No 79%</p>	19113
N	Condition at discharge		
1601	Age at discharge (mean) (among infants with live birth)	87.2	18315
	SD	60.7	
	95% confidence interval	86.3-88.0	
1602	Dead at discharge (among infants with live birth)	<p>1: Yes 10% 2: No 90%</p>	18943
1603	Autopsy (among infants with live birth and dead at discharge)	<p>1: Yes 18% 2: No 82%</p>	1585
1604	Cause of death (among infants with live birth and dead at discharge)	90 506Number 10 301Number 50 162Number 31 161Number 30 101Number	1497

Analysis results (cumulative data)		I-15/16	
No.	Resources of participating hospitals	All hospitals	n
1605	Discharge home (among infants with live birth and alive at discharge)	 <p>1: Yes 86% 2: No 14%</p>	16719
1606	Disposition (among infants with live birth, alive at discharge, and transferred)	 <p>1: Delivered hospital 11% 2: Other NICU 54% 3: Pediatric ward 15% 4: Other hospital 18% 5: Facility for disabled children 0% 6: Orphanage 3%</p>	2175
1607	HOT (among infants with live birth and alive at discharge)	 <p>1: Yes 4% 2: No 96%</p>	19113
1608	Tracheostomy (among infants with live birth and alive at discharge)	 <p>1: Yes 1% 2: No 99%</p>	19113
1609	Body weight at discharge (mean) (among infants with alive at discharge)	2580.8	16855
	SD		
	95% confidence interval	2580.8-2580.8	
1610	Body length at discharge (mean) (among infants with alive at discharge)	45.5	15268
	SD	5.3	
	95% confidence interval	45.4-45.6	

Analysis results (cumulative data)		I-16/16	
No.	Resources of participating hospitals	All hospitals	n
1611	Head circumference at discharge (mean) (among infants with alive at discharge)	33.8	15477
	SD	5.7	
	95% confidence interval	33.8-33.9	

