

- EGFR/KRAS/p53 mutations in lung adenocarcinoma. *Clin Cancer Res*, 14:3746–3753, 2008.
- 20) Ajima R, Akazawa H, Kodama M, Takeshita F, Otsuka A, Kohno T, Komuro I, Ochiya T, Yokota J. Deficiency of Myo18B in mice results in embryonic lethality with cardiac myofibrillar aberrations. *Genes Cells*, 13:987–999, 2008.
- 21) Takahashi K, Kohno T, Matsumoto S, Nakanishi Y, Arai Y, Fujiwara T, Tanaka N, Yokota J. Clonal and parallel evolution of primary lung cancers and their metastases revealed by molecular dissection of cancer cells. *Clin Cancer Res*, 13:111–120, 2007.
- 22) Takahashi K, Kohno T, Matsumoto S, Nakanishi Y, Arai Y, Fujiwara T, Tanaka N, Yokota J. Clonality and heterogeneity of pulmonary blastoma from the viewpoint of genetic alterations: A case report. *Lung Cancer*, 57:103–108, 2007.
- 23) Matsumoto S, Iwakawa R, Takahashi K, Kohno T, Nakanishi Y, Matsuno Y, Suzuki K, Nakamoto M, Shimizu E, Minna JD, Yokota J. Prevalence and specificity of LKB1 genetic alterations in lung cancers. *Oncogene*, 26:5911–5918, 2007.
- 24) Ajima R, Kajiya K, Inoue T, Tani M, Shiraishi-Yamaguchi Y, Maeda M, Segawa T, Furuichi T, Sutoh K, Yokota J. HOMER2 binds MYO18B and enhances its activity to suppress anchorage independent growth. *Biochem Biophys Res Commun*, 356:851–856, 2007.
- 25) Yokota J, Matsumoto S, Kohno, T. Letter to the Editor: Comments to the letter by Edmond S. K. Ma et al. *Int J Cancer*, 120:1832–1833, 2007.
- 26) Nagayama K, Kohno T, Sato M, Arai Y, Minna JD, Yokota J. Homozygous deletion scanning of the lung cancer genome at a 100-kb resolution. *Genes Chromosomes Cancer*, 46:1000–1010, 2007.
- 27) Seike M, Yanaihara N, Bowman ED, Zanetti KA, Budhu A, Kumamoto K, Mechanic LE, Matsumoto S, Yokota J, Shibata T, Sugimura H, Gemma A, Kudoh S, Wang XW, Harris CC. Use of a cytokine gene expression signature in lung adenocarcinoma and the surrounding tissue as a prognostic classifier. *J Natl Cancer Inst*, 99:1257–1269, 2007.
- 28) Uekita T, Jia L, Narisawa-Saito M, Yokota J, Kiyono T, Sakai, R. CUB domain-containing protein 1 is a novel regulator of anoikis resistance in lung adenocarcinoma. *Mol Cell Biol*, 27:7649–7660, 2007.
- 29) Yoshida K, Sugimoto N, Iwahori S, Yugawa T, Narisawa-Saito M, Kiyono T, Fujita M. CDC6 interaction with ATR regulates activation of a replication checkpoint in higher eukaryotic cells. *J Cell Sci*, 123:225–35, 2010.
- 30) Aoyagi T, Takahashi M, Higuchi M, Oie M, Tanaka Y, Kiyono T, Aoyagi Y, Fujii M. The PDZ domain binding motif (PBM) of human T-cell leukemia virus type 1 Tax can be substituted by heterologous PBMs from viral oncoproteins during T-cell transformation. *Virus Genes*, in press 2010.
- 31) Omi H, Okamoto A, Nikaido T, Urashima M, Kawaguchi R, Umehara N, Sugiura K, Saito M, Kiyono T, Tanaka T. Establishment of an immortalized human extravillous trophoblast cell line by retroviral infection of E6/E7/hTERT and its transcriptional profile during hypoxia and reoxygenation. *Int J Mol Med*, 23:229–236, 2009.
- 32) Sasaki R, Narisawa-Saito M, Yugawa T, Fujita M, Tashiro H, Katabuchi H, Kiyono T. Oncogenic transformation of human ovarian surface epithelial cells with defined cellular oncogenes. *Carcinogenesis*, 30:423–431, 2009.
- 33) Yugawa, T., Kiyono T. Molecular mechanisms of cervical carcinogenesis by high-risk human papillomaviruses: novel functions of E6 and E7 oncoproteins. *Rev Med Virol*, 19:97–113, 2009.
- 34) Sugimoto N, Yoshida K, Tatsumi Y, Yugawa T, Narisawa-Saito M, Waga S, Kiyono T, Fujita M. Redundant and differential regulation of multiple licensing factors ensures prevention of re-replication in normal human cells. *J Cell Sci*, 122:1184–91, 2009.
- 35) Yuan H, Ito S, Senga T, Hyodo T, Kiyono T, Kikkawa F, Hamaguchi M. Human papillomavirus type 16 oncoprotein E7 suppresses cadherin-mediated cell adhesion via ERK and AP-1 signaling. *Int J Oncol*, 35:309–14, 2009.
- 36) Shimizu Y, Takeuchi T, Mita S, Mizuguchi K, Kiyono T, Inoue M, Kyo S. Dienogest, a synthetic progestin, inhibits the proliferation of immortalized human endometrial epithelial cells with suppression of cyclin D1 gene expression. *Mol Hum Reprod*, 15:693–701, 2009.
- 37) Kawai K, Egawa N, Kiyono T, Kanekura T. Epidermodysplasia-verruciformis-like eruption associated with gamma-papillomavirus infection in a patient with adult T-cell leukemia. *Dermatology*, 219:274–8, 2009.
- 38) Enomoto M, Goto H, Tomono Y, Kasahara K, Tsujimura K, Kiyono T, Inagaki M. A novel positive feedback loop between Cyclin-dependent kinase 1 (CDK1) and Chk1 in the nucleus during the G2/M transition. *J Biol Chem*, 284:34223–30, 2009.

- 39) Ibrahim HR, Kiyono T. Novel Anticancer Activity of the Autocleaved Ovotransferrin against Human Colon and Breast Cancer Cells. *J Agric Food Chem*, 57:11383–90, 2009.
- 40) Scian MJ, Carchman EH, Mohanraj L, Stagliano KE, Anderson MA, Deb D, Crane BM, Kiyono T, Windle B, Deb SP, Deb S. Wild-type p53 and p73 negatively regulate expression of proliferation related genes. *Oncogene*, 27:2583–93, 2008.
- 41) Tsuruga Y, Kiyono T, Matsushita M, Takahashi T, Kasai N, Matsumoto S, Todo S. Effect of intrasplenic transplantation of immortalized human hepatocytes in the treatment of acetaminophen-induced acute liver failure SCID mice. *Transplant Proc*, 40:617–9, 2008.
- 42) Hida N, Nishiyama N, Miyoshi S, Kira S, Segawa K, Uyama T, Mori T, Miyado K, Ikegami Y, Cui C, Kiyono T, Kyo S, Shimizu T, Okano T, Sakamoto M, Ogawa S, Umezawa A. Novel Cardiac Precursor-Like Cells from Human Menstrual Blood-Derived Mesenchymal Cells. *Stem Cells*, 26:1695–704, 2008.
- 43) Narisawa-Saito M, Yoshimatsu Y, Ohno S, Yugawa T, Egawa N, Fujita M, Hirohashi S, Kiyono T. An in vitro multistep carcinogenesis model for human cervical cancer. *Cancer Res*, 68: 5699–705, 2008.
- 44) Tatsumi Y, Ezura K, Yoshida K, Yugawa T, Narisawa-Saito M, Kiyono T, Ohta S, Obuse C, Fujita M. Involvement of human ORC and TRF2 in pre-replication complex assembly at telomeres. *Genes Cells*, 13:1045–59, 2008.
- 45) Sugimoto M, Inoko A, Shiromizu T, Nakayama M, Zou P, Yonemura S, Hayashi Y, Izawa Y, Sasoh M, Uji Y, Kaibuchi K, Kiyono T, Inagaki M. The keratin-binding protein Albatross regulates polarization of epithelial cells. *J Cell Biol*, 183: 19–28, 2008.
- 46) Narisawa-Saito M, Kiyono T. Basic mechanisms of high-risk human papillomavirus-induced carcinogenesis: Roles of E6 and E7 proteins. *Cancer Sci*, 98:1505–11, 2007.
- 47) Haga K, Ohno S, Yugawa T, Narisawa-Saito M, Fujita M, Sakamoto M, Galloway DA, Kiyono T. Efficient immortalization of primary human cells by p16^{Ink4a}-specific short hairpin RNA or Bmi-1, combined with introduction of hTERT. *Cancer Sci*, 98: 147–154, 2007.
- 48) Handa K, Yugawa T, Narisawa-Saito M, Ohno S, Fujita M, Kiyono T. E6AP-dependent degradation of DLG4/PSD95 by high-risk human papillomavirus type 18 E6 protein. *J. Virol*, 81:1379–89, 2007.
- 49) Shima Y, Okamoto T, Aoyama T, Yasura K, Ishibe T, Nishijo K, Shibata KR, Fukiage K, Otsuka S, Uejima D, Nakayama T, Nakamura T, Kiyono T, Toguchida J. In vitro transformation of mesenchymal stem cells by oncogenic H-rasV12. *Biochem Biophys Res Commun*, 353:60–6, 2007.
- 50) Narisawa-Saito M, Handa K, Yugawa T, Ohno S, Fujita M, Kiyono T. HPV16 E6-mediated stabilization of ErbB2 in neoplastic transformation of human cervical keratinocytes. *Oncogene*, 26: 2988–96, 2007.
- 51) Yugawa T, Handa K, Narisawa-Saito M, Ohno S, Fujita M, Kiyono T. Regulation of Notch1 gene expression by p53 in epithelial cells. *Mol Cell Biol*, 27:3732–42, 2007.
- 52) Kiyono T. Molecular mechanisms of cellular senescence and immortalization of human cells. *Expert Opin Biol Ther*, 11:1623–1637, 2007.
- 53) Ojima H, Yoshikawa D, Ino Y, Shimizu H, Miyamoto M, Kokubu A, Hiraoka N, Morofuji N, Kondo T, Onaya H, Okusaka T, Shimada K, Sakamoto Y, Esaki M, Nara S, Kosuge T, Hirohashi S, Kanai Y, Shibata T. Establishment of six new human biliary tract carcinoma cell lines and identification of MAGEH1 as a candidate biomarker for predicting the efficacy of gemcitabine treatment. *Cancer Sci*, in press, 2010.
- 54) Shibata T, Kokubu A, Miyamoto M, Hosoda F, Gotoh M, Tsuta K, Asamura H, Matsuno Y, Kondo T, Imoto I, Inazawa J, Hirohashi S. DEK oncoprotein regulates transcriptional modifiers and sustains tumor initiating activity in high-grade neuroendocrine carcinoma of the lung. *Oncogene*, in press, 2010.
- 55) Kawase T, Ohki R, Shibata T, Tsutsumi S, Kamimura M, Inazawa J, Ohta T, Ichikawa H, Aburatani H, Tashiro F, Taya Y. PH domain-only protein PHLDA3 is a p53-regulated repressor of Akt. *Cell*, 136:535–550, 2009.
- 56) Kubo T, Kuroda Y, Shimizu H, Kokubu A, Okada N, Hosoda F, Arai Y, Nakamura Y, Taniguchi H, Yanagihara K, Imoto I, Inazawa J, Hirohashi S, Shibata T. Resequencing and copy number analysis of the human tyrosine kinase gene family in poorly differentiated gastric cancer. *Carcinogenesis*, 30:1857–1864, 2009.
- 57) Kubo T, Kuroda Y, Kokubu A, Hosoda F, Arai Y, Hiraoka N, Hirohashi S, Shibata T. Resequencing analysis of the Human Tyrosine Kinase Gene Family in Pancreatic Cancer. *Pancreas*, e200–6, 2009.
- 58) Nakamura Y, Migita T, Okada N, Gotoh M, Arai Y, Fukushima M, Ohki M, Miyata S, Takeuchi K, Imoto I, Katai H, Yamaguchi T, Inazawa J, Hirohashi S, Ishikawa Y, Shibata T. Krippel-like factor 12 plays a significant role in poorly differentiated gastric cancer progression. *Int J Cancer*, 125:1859–1867, 2009.
- 59) Shibata T, Kokubu A, Tsuta K, Hirohashi S. Oncogenic mutation of PIK3CA in small cell lung carcinoma: A potential therapeutic target pathway for chemotherapy-resistant lung cancer. *Cancer Letters*, 283:203–

- 211, 2009.
- 60) Yoshikawa D, Ojima H, Kokubu A, Ochiya T, Kasai S, Hirohashi S, Shibata T. Vandatatinib (ZD6474), an inhibitor of VEGFR and EGFR signaling, as a novel molecular target therapy against cholangiocarcinoma. *Br J Cancer*, 100:1257–1266, 2009.
- 61) Arai E, Ushijima S, Gotoh M, Ojima H, Kosuge T, Hosoda F, Shibata T, Kondo T, Yokoi S, Imoto I, Inazawa J, Hirohashi S, Kanai Y. Genome-wide DNA methylation profiles in liver tissue at the precancerous stage and in hepatocellular carcinoma. *Int J Cancer*, 125:2854–2862, 2009.
- 62) Shibata T, Kokubu A, Gotoh M, Ojima H, Ohta T, Yamamoto M, Hirohashi S. Genetic Alteration of Keap1 Confers Constitutive Nrf2 Activation and Resistance to Chemotherapy in Gallbladder Cancer. *Gastroenterology*, 135:1358–1368, 2008.
- 63) Shibata T, Ohta T, Tong KI, Kokubu A, Odogawa R, Tsuta K, Asamura H, Yamamoto M, Hirohashi S. Cancer related mutations in NRF2 impair its recognition by Keap1-Cul3 E3 ligase and promotes malignancy. *Proc Natl Acad Sci USA*, 105:13568–73, 2008.
- 64) Arai E, Ushijima S, Tsuda H, Fujimoto H, Hosoda F, Shibata T, Kondo T, Imoto I, Inazawa J, Hirohashi S, Kanai Y. Genetic clustering of clear cell renal cell carcinoma based on array-comparative genomic hybridization: its association with DNA methylation alteration and patient outcome. *Clin Cancer Res*, 14:5531–9, 2008.
- 65) Arima Y, Inoue Y, Shibata T, Hayashi H, Nagano O, Saya H, Taya Y. Rb depletion results in deregulation of E-cadherin and induction of cellular changes that are characteristic of the epithelial to mesenchymal transition (EMT). *Cancer Res*, 68:5104–12, 2008.
- 66) Suehara Y, Kondo T, Seki K, Shibata T, Fujii K, Gotoh M, Hasegawa T, Shimada Y, Sasako M, Shimoda T, Kurosawa H, Beppu Y, Kawai A, Hirohashi S. Pfetin, as a prognostic biomarker of gastrointestinal stromal tumors revealed by proteomics. *Clin Cancer Res*, 14:1707–17, 2008.
- 67) Yoshikawa D, Ojima H, Iwasaki M, Hiraoka N, Kosuge T, Kasai S, Hirohashi S, Shibata T. Clinicopathological and prognostic significance of EGFR, VEGF, and HER2 expression in cholangiocarcinoma. *Br J Cancer*, 98:418–425, 2008.
- 68) Suzuki A, Shibata T, Shimada Y, Murakami Y, Horii A, Shiratori K, Hirohashi S, Inazawa J, Imoto I. Identification of SMURF1 as a possible target for 7q21.3–22.1 amplification detected in pancreatic cancer cell line by in-house array-based comparative genomic hybridization. *Cancer Sci*, 99:986–94, 2008.
- 69) Katoh H, Ojima H, Kokubu A, Kosuge T, Hosoda F, Imoto I, Inazawa J, Hirohashi S, Shibata T. Genetically distinct and clinically relevant classification of hepatocellular carcinoma. *Gastroenterol*, 133:1475–1486, 2007.
- 70) Yoshida Y, Kokubu A, Suzuki K, Kuribayashi H, Tsuta K, Matsuno Y, Kusumoto M, Kanai Y, Asamura H, Hirohashi S, Shibata T. Molecular markers and changes of computed tomography appearance in lung adenocarcinoma with ground-grass opacity. *Jpn J Clin Oncol*, 37:907–912, 2007.
- 71) Fukui T, Tsuta K, Furuta K, Watanabe S, Asamura H, Ohe Y, Maeshima AM, Shibata T, Masuda N, Matsuno Y. EGFR mutation status and clinicopathological features of combined small cell carcinoma with adenocarcinoma of the lung. *Cancer Sci*, 98:1714–1719, 2007.
- 72) Loukopoulos P, Shibata T, Katoh H, Kokubu A, Sakamoto M, Yamazaki K, Kosuge T, Kanai Y, Hosoda F, Imoto I, Ohki M, Inazawa J, Hirohashi S. Genome-wide array-based comparative genomic hybridization analysis of pancreatic adenocarcinoma: identification of genetic indicators that predict patient. *Cancer Sci*, 98:392–400, 2007.
- 73) Shibata T, Hanada S, Kokubu A, Matsuno Y, Asamura H, Ohta T, Sakamoto M, Hirohashi S. Gene expression profiling of EGFR/KRAS pathway activation in lung adenocarcinoma. *Cancer Sci*, 98:985–991, 2007.
- 74) Haruki S, Imoto I, Kozaki K, Matsui T, Kawachi H, Komatsu S, Muramatsu T, Shimada Y, Kawano T, Inazawa J. Frequent silencing of protocadherin 17, a candidate tumour suppressor for esophageal squamous-cell carcinoma. *Carcinogenesis*, 2010 [in press]
- 75) Prapinjumrune C, Morita KI, Kuribayashi Y, Hanabata Y, Shi Q, Nakajima Y, Inazawa J, Omura K. DNA amplification and expression of FADD in oral squamous cell carcinoma. *J Oral Pathol Med*, 2009 Dec 22. [Epub ahead of print]
- 76) Tanaka S, Mogushi K, Yasen M, Noguchi N, Kudo A, Nakamura N, Ito K, Miki Y, Inazawa J, Tanaka H, Arii S. Gene-expression phenotypes for vascular invasiveness of hepatocellular carcinomas. *Surgery*, 147:405–414, 2009.
- 77) Furuta M, Kozaki K, Tanaka S, Arii S, Imoto I, Inazawa J. miR-124 and miR-203 are epigenetically silenced tumor-suppressive microRNAs in hepatocellular carcinoma. *Carcinogenesis*, 2009 [Epub ahead

[of print]

- 78) Inoue J, Misawa A, Tanaka Y, Ichinose S, Sugino Y, Hosoi H, Sugimoto T, Imoto I, Inazawa J. Lysosomal-associated protein multispansing transmembrane 5 gene (LAPTM5) is associated with spontaneous regression of neuroblastomas. *PLoS One*, 4:e7099, 2009.
- 79) Begum A, Imoto I, Kozaki K, Tsuda H, Suzuki E, Amagasa T, Inazawa J. Identification of PAK4 as a putative target gene for amplification within 19q13.12-q13.2 in oral squamous-cell carcinoma. *Cancer Sci*, 100:1908-16, 2009.
- 80) Komatsu S, Imoto I, Tsuda H, Kozaki K, Muramatsu T, Shimada Y, Aiko S, Yoshizumi Y, Ichikawa D, Otsuji E, Inazawa J. Overexpression of SMYD2 relates to tumor cell proliferation and malignant outcome of esophageal squamous-cell carcinoma. *Carcinogenesis*, 30:1139-46, 2009.
- 81) Fujita K, Sanada M, Harada H, Mori H, Niikura H, Omine M, Inazawa J, Imoto I. Molecular cloning of t(2;7)(p24.3;p14.2), a novel chromosomal translocation in myelodysplastic syndrome-derived acute myeloid leukemia. *J Hum Genet*, 54:355-9, 2009.
- 82) Tanaka S, Mogushi K, Yasen M, Noguchi N, Kudo A, Kurokawa T, Nakamura N, Inazawa J, Tanaka H, Arii S. Surgical contribution to recurrence-free survival in patients with macrovascular-invasion-negative hepatocellular carcinoma. *J Am Coll Surg*, 208:368-74, 2009.
- 83) Iriyama T, Takeda K, Nakamura H, Motimoto Y, Kuroiwa T, Mizukami J, Umeda T, Noguchi T, Naguro I, Nishitoh H, Saegusa K, Tobiume K, Homma T, Shimada Y, Tsuda H, Aiko S, Imoto I, Inazawa J, Chiba K, Kamei Y, Kozuma S, Taketani Y, Matsuzawa A, Ichijo H. ASK1 and ASK2 differentially regulate the counteracting roles of apoptosis and inflammation in tumorigenesis. *EMBO J*, 28:843-53, 2009.
- 84) Yamamoto S, Tsuda H, Honda K, Onozato K, Takano M, Tarnai S, Imoto I, Inazawa J, Yamada T, Matsubara O. Actinin-4 gene amplification in ovarian cancer: a candidate oncogene associated with poor patient prognosis and tumor chemoresistance. *Mod Pathol*, 22:499-507, 2009.
- 85) Takahata M, Inoue Y, Tsuda H, Imoto I, Koinuma D, Hayashi M, Ichikura T, Yamori T, Nagasaki K, Yoshida M, Matsuoka M, Morishita K, Yuki K, Hanyu A, Miyazawa K, Inazawa J, Miyazono K, Imanura T. SKI and MEL1 cooperate to inhibit transforming growth factor-beta signal in gastric cancer cells. *J Biol Chem*, 284:3334-44, 2009.
- 86) Ishihara T, Tsuda H, Hotta A, Kozaki K, Yoshida A, Jaeduk Yoshimura Noh, Ito K, Imoto I, Inazawa J. ITCH is a putative target for a novel 20q11.22 amplification detected in anaplastic thyroid carcinoma cells by array-based comparative genomic hybridization. *Cancer Sci*, 99:1940-49, 2008.
- 87) Kikuchi S, Honda K, Tsuda H, Hiraoka N, Imoto I, Kosuge T, Umaki T, Onozato K, Shitashige M, Yamaguchi U, Ono M, Tsuchida A, Aoki T, Inazawa J, Hirohashi S, Yamada T. Expression and gene amplification of actinin-4 in invasive ductal carcinoma of the pancreas. *Clin Cancer Res*, 14:5348-56, 2008.
- 88) Katsuki Y, Nakada S, Yokoyama T, Imoto I, Inazawa J, Nagasawa M, Mizutani S. Caffeine yields aneuploidy through asymmetrical cell division caused by misalignment of chromosomes. *Cancer Sci*, 99:1539-45, 2008.
- 89) Nakajima T, Yasui K, Zen K, Inagaki Y, Fujii H, Minami M, Tanaka S, Taniwaki M, Itoh Y, Arii S, Inazawa J, Okanoue T. Activation of B-Myb by E2F1 in hepatocellular carcinoma. *Hepatol Res*, 38:886-95, 2008.
- 90) Qi S, Mogi S, Tsuda H, Tanaka Y, Kozaki K, Imoto I, Inazawa J, Hasegawa S, Omura K. Expression of cIAP-1 correlates with nodal metastasis in squamous cell carcinoma of the tongue. *Int J Oral Maxillofac Surg*, 37:1047-53, 2008.
- 91) Kikuchi R, Tsuda H, Kozaki K, Kanai Y, Kasamatsu T, Sengoku K, Hirohashi S, Inazawa J, Imoto I. Frequent inactivation of a putative conditional tumor-suppressor gene, angiopoietin-like protein 2, in ovarian cancer. *Cancer Res*, 68:5067-75, 2008.
- 92) Nakamura E, Kozaki K, Tsuda H, Suzuki E, Pimkhaokham A, Yamamoto G, Irie T, Tachikawa T, Amagasa T, Inazawa J, Imoto I. Frequent silencing of a putative tumor suppressor gene melatonin receptor 1A (MTNR1A) in oral squamous-cell carcinoma. *Cancer Sci*, 99:1390-400, 2008.
- 93) Kozaki K, Imoto I, Mogi S, Omura K, Inazawa J. Exploration of tumor-suppressive microRNAs silenced by DNA hypermethylation in oral cancer. *Cancer Res*, 68:2094-2105, 2008.
- 94) Tanaka S, Arii S, Yasen M, Mogushi K, Su NT, Zhao C, Imoto I, Eishi Y, Inazawa J, Miki Y, Tanaka H. Aurora kinase B is a predictive factor for the aggressive recurrence of hepatocellular carcinoma after curative hepatectomy. *Br J Surg*, 95:611-619, 2008.
- 95) Saitoh Y, Yamamoto N, Dewan MZ, Sugimoto H, Martinez BVJ, Iwasaki Y, Matsubara K, Qi X, Saitoh T, Imoto I, Inazawa J, Utsunomiya A, Watanabe T, Masuda T, Yamamoto N, Yamaoka S. Overexpressed NF- κ B inducing kinase contributes to the tumorigenesis of adult T-cell leukemia and Hodgkin Reed-Sternberg cells. *Blood*, 111:5118-29, 2008.

- 96) Zhao C, Inoue J, Imoto I, Otsuki T, Iidab S, Ueda R, Inazawa J. POU2AF1, an amplification target at 11q23, promotes growth of multiple myeloma cells by directly regulating expression of a B-cell maturation factor, TNFRSF17. *Oncogene*, 27:63–75, 2008.
- 97) Arai A, Yan W, Wakabayashi S, Hayashi S, Inazawa J, Miura O. Successful imatinib treatment of cardiac involvement of FIP1L1-PDGFR α -Positive chronic eosinophilic leukemia followed by severe hepatotoxicity. *Int J Hematol*, 86:233–7, 2007.
- 98) Yamamoto S, Tsuda H, Honda K, Kita T, Takano M, Tamai S, Inazawa J, Yamada T, Matsubara O. Actinin-4 expression in ovarian cancer: a novel prognostic indicator independent of clinical stage and histological type. *Mod Pathol*, 20:1278–85, 2007.
- 99) Mitsui F, Dobashi Y, Imoto I, Inazawa J, Kono K, Fujii H, Ooi A: Non- incidental coamplification of Myc and ERBB2, and Myc and EGFR, in gastric adenocarcinomas. *Mod Pathol*, 20:622–631, 2007.
- 100) Morita D, Tsuda H, Ichikura T, Kimura M, Aida S, Kosuda S, Inazawa J, Mochizuki H, Matsubara O. Analysis of sentinel node involvement in gastric cancer. *Clin Gastroenterol Hepatol*, 5:1046–1052, 2007.
- 101) Yamamoto S, Tsuda H, Kita T, Maekawa K, Fujii K, Kudoh K, Furuya K, Tamai S, Inazawa J, Matsubara O. Clinicopathological significance of WT1 expression in ovarian cancer: a possible accelerator of tumor progression in serous adenocarcinoma. *Virchows Arch*, 451:27–35, 2007.
- 102) Kawanishi H, Takahashi T, Ito M, Matsui Y, Watanabe J, Ito N, Kamoto T, Kadokami T, Tsujimoto G, Imoto I, Inazawa J, Nishiyama H, Ogawa O. Genetic analysis of multifocal superficial urothelial cancers by array-based comparative genomic hybridisation. *Br J Cancer*, 97:260–6, 2007.
- 103) Kikuchi R, Tsuda H, Kanai Y, Kasamatsu T, Sengoku K, Hirohashi S, Inazawa J, Imoto I. Promoter hypermethylation contributes to frequent inactivation of a putative conditional tumor suppressor gene connective tissue growth factor in ovarian cancer. *Cancer Res*, 67:7095–7105, 2007.
- 104) Suzuki E, Imoto I, Pimkhaokham A, Nakagawa T, Kamata N, Kozaki K, Amagasa T, Inazawa J. PRTFDC1, a possible tumor-suppressor gene, is frequently silenced in oral squamous-cell carcinomas by aberrant promoter hypermethylation. *Oncogene*, 26:7921–32, 2007.
- 105) Sugino Y, Misawa A, Inoue J, Kitagawa M, Hosoi H, Sugimoto T, Imoto I, Inazawa J. Epigenetic silencing of prostaglandin E receptor 2 (PTGER2) is associated with progression of neuroblastomas. *Oncogene*, 26:7401–13, 2007.
- 106) Tanaka K, Imoto I, Inoue J, Kozaki K, Tsuda H, Shimada Y, Aiko S, Yoshizumi Y, Iwai T, Kawano T, Inazawa J. Frequent methylation-associated silencing of a candidate tumor-suppressor, CRABP1, in esophageal squamous-cell carcinoma. *Oncogene*, 26:6456–68, 2007.
- 107) Shinoda Y, Kozaki K, Imoto I, Obara W, Tsuda H, Mizutani Y, Shuin T, Fujioka T, Miki T, Inazawa J. Association of KLK5-overexpression with invasiveness of urinary bladder carcinoma cells. *Cancer Sci*, 98:1078–1086, 2007.
- 108) Kawasaki T, Yokoi S, Tsuda H, Izumi H, Kozaki K, Aida S, Ozeki Y, Yoshizawa Y, Imoto I, Inazawa J. BCL2L2 is a probable target for novel 14q11.2 amplification detected in a non-small cell lung cancer cell line. *Cancer Sci*, 98:1070–7, 2007.
- 109) Tanaka E, Hashimoto Y, Ito T, Kondo K, Higashiyama M, Tsunoda S, Ortiz C, Sakai Y, Inazawa J, Shirnada Y. The suppression of aurora-A/STK15 /BTAK expression enhances chemosensitivity to docetaxel in human esophageal squamous cell carcinoma. *Clin Cancer Res*, 13:1331–40, 2007.
- 110) Maekawa T, Shinagawa T, Sano Y, Sakuma T, Nomura S, Nagasaki K, Miki Y, Saito-Ohara F, Inazawa J, Kohno T, Yokota J, Ishii S: Reduced levels of ATF-2 predispose mice to mammary tumors. *Mol Cell Biol*, 27:1730–44, 2007.
- 111) Saigusa K, Imoto I, Tanikawa C, Aoyagi M, Ohno K, Nakamura Y, Inazawa J. RGC32, a novel p53-inducible gene, is located on centrosomes during mitosis and results in G2/M arrest. *Oncogene*, 26:1110–21, 2007.
- 112) Masuda M, Maruyama T, Ohta T, Ito A, Hayashi T, Tsukasaki K, Kamihira S, Yamaoka S, Hoshino H, Yoshida T, Watanabe T, Stanbridge EJ, Murakami Y. CADM1 interacts with Tiam1 and promotes invasive phenotype of human T-cell leukemia virus type I (HTLV-I) transformed cells and adult T-cell leukemia (ATL) cells. *J Biol Chem*, in press, 2010.
- 113) Sakurai-Yageta M, Masuda M, Tsuboi Y, Ito A, Murakami Y. Tumor suppressor CADM1 is involved in epithelial cell structure. *Biochem Biophys Res Commun*, 390:977–982, 2009.
- 114) Hagiyama M, Ichiyangagi N, Kimura BK, Murakami Y, Ito A. Expression of a soluble isoform of cell adhesion molecule 1 in the brain and its involvement in directional neurite outgrowth. *Am J Pathol*, 174:2278–89, 2009.
- 115) Ando K, Ohira M, Ozaki T, Akazawa K, Suenaga Y, Nakamura Y, Koda T, Kamijo T, Murakami Y.

- Nakagawara A. TSLC1 mapped top 11q23 is a candidate tumor suppressor in neuroblastoma. *Int J Cancer*, 123:2087-2094, 2008.
- 116) Overmeer RM, Snijders PJF, Claassen-Kramer D, Helmerhorst TJM, Berkhof J, Heideman DAM, Wilting SM, Murakami Y, Ito A, Meijer CJLM, Steenbergen RDM. Association between dense CADM1 promoter methylation and reduced protein expression in high-grade CIN and cervical SCC. *J Pathol*, 215:388-397, 2008.
- 117) Wakayama T, Sai Y, Ito A, Kato Y, Kurobo M, Murakami Y, Nakashima E, Tsuji A, Kitamura Y, Iseki S. Heterophilic binding of the adhesion molecules poliovirus receptor and immunoglobulin superfamily 4A in the interaction between mouse spermatogenic and Sertoli cells. *Biology Reprod*, 76:1081-1090, 2007.
- 118) Ito A, Hagiwara M, Oonuma J, Murakami Y, Yokozaki H, Takaki M. Involvement of the SgIGSF/Necl-2 adhesion molecule in degradation of mesenteric mast cells. *J Neuro Immunol*, 184:209-213, 2007.
- 119) Furuta H, Kondo Y, Nakahata S, Hamasaki M, Sakoda S, Morishita K. NDRG2 is a candidate tumor-suppressor for oral squamous-cell carcinoma. *Biochem Biophys Res Commun*, 391: 1785-1791, 2010.
- 120) Takahata M, Inoue Y, Tsuda H, Imoto I, Koinuma D, Hayashi M, Ichikura T, Yamori T, Nagasaki K, Yoshida M, Matsuoka K, Morishita K, Yuki K, Hanyu A, Miyazawa K, Inazawa J, Miyazono K, Immura T. SKI and MEL1 cooperate to inhibit transforming growth factor- β signal in gastric cancer cells. *J Biol Chem*, 285:3334-3344, 2009.
- 121) Nakahata S, Saito Y, Hamasaki M, Hidaka T, Arai Y, Taki T, Taniwaki M, Morishita K. Alteration of enhancer of polycomb 1 at 10p11.2 is one of the genetic events leading to development of adult T-cell leukemia/lymphoma. *Genes Chromosomes Cancer*, 48:768-776, 2009.
- 122) Hidaka T, Nakahata S, Hatakeyama K, Hamasaki M, Yamashita K, Kohno T, Arai Y, Taki T, Nishida K, Okayama A, Asada Y, Yamaguchi R, Tsubouchi H, Yokota J, Taniwaki M, Higashi Y, Morishita K. Down-regulation of TCF8 is involved in the leukemogenesis of adult T-cell leukemia/lymphoma. *Blood*, 112:383-393, 2008.
- 123) Dewan MZ, Takamatsu N, Hidaka T, Hatakeyama K, Nakahata S, Fujisawa J, Katano H, Yamamoto S, Morishita K. Critical role for TSLC1 expression in the growth and organ infiltration of adult T-cell leukemia cells in vivo. *J Virol*, 28:11958-11963, 2008.
- 124) Ishida Y, Yamashita K, Sasaki H, Takajou I, Kubuki Y, Morishita K, Tsubouchi H. Activation of complement system in adult T-cell leukemia (ATL) occurs mainly through lectin Pathway: A serum proteomic approach using massaspectrometry. *Cancer Lett*, 271:167-177, 2008.
- 125) Morishita K. Leukemogenesis of the EVI1/MEL1 gene family. *Int J Hematol*, 85:279-286, 2007.
- 126) Yamasaki M, Fujita S, Ishiyama E, Mukai A, Madhyastha H, Sakakibara Y, Suiko M, Hatakeyama K, Nemoto T, Morishita K, Kataoka H, Tsubouchi H, Nishiyama K. Soy-derived isoflavones inhibit the growth of adult T-cell leukemia cells in vitro and in vivo. *Cancer Sci*, 98:1740-1746, 2007.
- 127) Takajo I, Umeki K, Morishita K, Yamamoto I, Kubuki Y, Hatakeyama K, Kataoka H, Okayama A. Engraftment of peripheral blood mononuclear cells from human T-lymphotropic virus Type 1 carriers in NOD/SCID/gammac (null) (NOG) mice. *Int J Cancer*, 121:2205-2211, 2007.
- 128) Matsuda Z, Iga M, Miyauchi K, Komano J, Morishita K, Okayama A, Tsubouchi H. In vitro translation to study HIV protease activity. *Methods Mol Biol*, 375:135-149, 2007.
- 129) Warren EH, Fujii N, Akatsuka Y, Chaney CN, Mito JK, Loeb KR, Gooley TA, Brown ML, Koo KK, Rosinski KV, Ogawa S, Matsubara A, Appelbaum FR, Riddell SR. Therapy of relapsed leukemia after allogeneic hematopoietic cell transplant with T cells specific for minor histocompatibility antigens. *Blood*, in press, 2010.
- 130) Villalobos I, Takahashi Y, Akatsuka Y, Muramatsu H, Nishio N, Hama A, Yagasaki H, Saji H, Kato M, Ogawa S, Kojima S. Relapse of leukemia with loss of mismatched HLA due to uniparental disomy following haploidentical hematopoietic stem cell transplantation. *Blood*, in press, 2010.
- 131) Shiba N, Kato M, Myoung-ja P, Sanada M, Ito E, Fukushima K, Sako M, Arakawa H, Ogawa S, Hayashi Y. CBL mutations in juvenile myelomonocytic leukemia, but not in pediatric myelodysplastic syndrome. *Leukemia*, in press, 2010.
- 132) Ogawa S, Shih L, Suzuki T, Otsu M, Nakauchi H, Koeffler HP, Sanada M. Gain-of-function c-CBL mutations associated with uniparental disomy of 11q in myeloid neoplasms. *Cell Cycle*, in press, 2010.
- 133) Asaoka Y, Toda M, Ikenoue T, Seto M, Imai M, Miyabayashi K, Yamamoto K, Yamamoto S, Kudo Y, Mohri D, Isomura Y, Ijichi H, Tateishi K, Kanai F, Ogawa S, Omata M, Koike K. Gastric Cancer Cell Line Hs746T Harbors a Splice Site Mutation of c-Met Causing Juxtamembrane Domain Deletion. *Biochem Biophys Res Commun*, in press, 2010.
- 134) Thoenissen NH, Krug UO, Lee DH, Kawamata N, Iwanski GB, Lasho T, Weiss T, Nowak D, Koren-

- Michowitz M, Kato M, Sanada M, Shih LY, Nagler A, Raynaud SD, Muller-Tidow C, Mesa R, Haferlach T, Gilliland DG, Tefferi A, Ogawa S, Koeffler HP. Prevalence and prognostic impact of allelic imbalances associated with leukemic transformation of Philadelphia chromosome-negative myeloproliferative neoplasms. *Blood*, in press, 2010.
- 135) Nowak D, Ogawa S, Muschen M, Kato M, Kawamata N, Meixel A, Nowak V, Kim HS, Kang S, Paquette R, Chang MS, Thoennissen NH, Mossner M, Hofmann WK, Kohlmann A, Weiss T, Haferlach T, Haferlach C, Koeffler HP. SNP array analysis of tyrosine kinase inhibitor (TKI) resistant chronic myeloid leukemia (CML) identifies heterogeneous secondary genomic alterations. *Blood*, in press, 2010.
- 136) Morishima S, Ogawa S, Matsubara A, Kawase T, Nannya Y, Kashiwase K, Satake M, Saji H, Inoko H, Kato S, Kodera Y, Sasazuki T, Morishima Y. Impact of highly conserved HLA haplotype on acute graft-versus-host disease. *Blood*, in press, 2010.
- 137) Yokoyama Y, Suzuki T, Sakata-Yanagimoto M, Kumano K, Higashi K, Takato T, Kurokawa M, Ogawa S, Chiba S. Derivation of functional mature neutrophils from human embryonic stem cells. *Blood*, 113:6584–6592, 2009.
- 138) Yin D, Ogawa S, Kawamata N, Tunici P, Finocchiaro G, Eoli M, Ruckert C, Huynh T, Liu G, Kato M, Sanada M, Jauch A, Dugas M, Black KL, Koeffler HP. High-resolution genomic copy number profiling of glioblastoma multiforme by single nucleotide polymorphism DNA microarray. *Mol Cancer Res*, 7:665–677, 2009.
- 139) Sanada M, Suzuki T, Shih LY, Otsu M, Kato M, Yamazaki S, Tamura A, Honda H, Sakata-Yanagimoto M, Kumano K, Oda H, Yamagata T, Takita J, Gotoh N, Nakazaki K, Kawamata N, Onodera M, Nobuyoshi M, Hayashi Y, Harada H, Kurokawa M, Chiba S, Mori H, Ozawa K, Omine M, Hirai H, Nakauchi H, Koeffler HP, Ogawa S. Gain-of-function of mutated C-CBL tumour suppressor in myeloid neoplasms. *Nature*, 460:904–908, 2009.
- 140) Nowak D, Le Toriellec E, Stern MH, Kawamata N, Akagi T, Dyer MJ, Hofmann WK, Ogawa S, Koeffler HP. Molecular allelokaryotyping of T-cell prolymphocytic leukemia cells with high density single nucleotide polymorphism arrays identifies novel common genomic lesions and acquired uniparental disomy. *Haematologica*, 94:518–527, 2009.
- 141) Nakahara F, Sakata-Yanagimoto M, Komeno Y, Kato N, Uchida T, Haraguchi K, Kumano K, Harada Y, Harada H, Kitaura J, Ogawa S, Kurokawa M, Kitamura T, Chiba S. Hes1 immortalizes committed progenitors and plays a role in blast crisis transition in chronic myelogenous leukemia. *Blood*, 115:2872–2881, 2009.
- 142) Lee SY, Kumano K, Nakazaki K, Sanada M, Matsumoto A, Yamamoto G, Nannya Y, Suzuki R, Ota S, Ota Y, Izutsu K, Sakata-Yanagimoto M, Hangaishi A, Yagita H, Fukayama M, Seto M, Kurokawa M, Ogawa S, Chiba S. Gain-of-function mutations and copy number increases of Notch2 in diffuse large B-cell lymphoma. *Cancer Sci*, 100:920–926, 2009.
- 143) Kawase T, Matsuo K, Kashiwase K, Inoko H, Saji H, Ogawa S, Kato S, Sasazuki T, Kodera Y, Morishima Y. HLA mismatch combinations associated with decreased risk of relapse: implications for the molecular mechanism. *Blood*, 113:2851–2858, 2009.
- 144) Kawamata N, Zhang L, Ogawa S, Nannya Y, Dashti A, Lu D, Lim S, Schreck R, Koeffler HP. Double minute chromosomes containing MYB gene and NUP214-ABL1 fusion gene in T-cell leukemia detected by single nucleotide polymorphism DNA microarray and fluorescence in situ hybridization. *Leuk Res*, 33:569–571, 2009.
- 145) Kawamata N, Ogawa S, Seeger K, Kirschner-Schwabe R, Huynh T, Chen J, Megrabian N, Harbott J, Zimmermann M, Henze G, Schrappe M, Bartram CR, Koeffler HP. Molecular allelokaryotyping of relapsed pediatric acute lymphoblastic leukemia. *Int J Oncol*, 34:1603–1612, 2009.
- 146) Kawamata N, Ogawa S, Gueller S, Ross SH, Huynh T, Chen J, Chang A, Nabavi-Nouis S, Megrabian N, Siebert R, Martinez-Climent JA, Koeffler HP. Identified hidden genomic changes in mantle cell lymphoma using high-resolution single nucleotide polymorphism genomic array. *Exp Hematol*, 37:937–946, 2009.
- 147) Kato M, Sanada M, Kato I, Sato Y, Takita J, Takeuchi K, Niwa A, Chen Y, Nakazaki K, Nomoto J, Asakura Y, Muto S, Tamura A, Iio M, Akatsuka Y, Hayashi Y, Mori H, Igarashi T, Kurokawa M, Chiba S, Mori S, Ishikawa Y, Okamoto K, Tobinai K, Nakagama H, Nakahata T, Yoshino T, Kobayashi Y, Ogawa S. Frequent inactivation of A20 in B-cell lymphomas. *Nature*, 459:712–716, 2009.
- 148) Kamei M, Nannya Y, Torikai H, Kawase T, Taura K, Inamoto Y, Takahashi T, Yazaki M, Morishima S, Tsujimura K, Miyamura K, Ito T, Togari H, Riddell SR, Kodera Y, Morishima Y, Kuzushima K, Ogawa S, Akatsuka Y. HapMap scanning of novel human minor histocompatibility antigens. *Blood*, 113:5041–5048, 2009.

- 149) Haraguchi K, Suzuki T, Koyama N, Kumano K, Nakahara F, Matsumoto A, Yokoyama Y, Sakata-Yanagimoto M, Masuda S, Takahashi T, Kamijo A, Takahashi K, Takanashi M, Okuyama Y, Yasutomo K, Sakano S, Yagita H, Kurokawa M, Ogawa S, Chiba S. Notch activation induces the generation of functional NK cells from human cord blood CD34-positive cells devoid of IL-15. *J Immunol*, 182:6168-6178, 2009.
- 150) Akagi T, Shih LY, Ogawa S, Gerss J, Moore SR, Schreck R, Kawamata N, Liang DC, Sanada M, Nannya Y, Deneberg S, Zachariadis V, Nordgren A, Song JH, Dugas M, Lehmann S, Koeffler HP. Single nucleotide polymorphism genomic arrays analysis of t(8;21) acute myeloid leukemia cells. *Haematologica*, 94:1301-1306, 2009.
- 151) Akagi T, Shih LY, Kato M, Kawamata N, Yamamoto G, Sanada M, Okamoto R, Miller CW, Liang DC, Ogawa S, Koeffler HP. Hidden abnormalities and novel classification of t(15;17) acute promyelocytic leukemia (APL) based on genomic alterations. *Blood*, 113:1741-1748, 2009.
- 152) Akagi T, Ogawa S, Dugas M, Kawamata N, Yamamoto G, Nannya Y, Sanada M, Miller CW, Yung A, Schnittger S, Haferlach T, Haferlach C, Koeffler HP. Frequent genomic abnormalities in acute myeloid leukemia/myelodysplastic syndrome with normal karyotype. *Haematologica*, 94:213-223, 2009.
- 153) Akagi T, Ito T, Kato M, Jin Z, Cheng Y, Kan T, Yamamoto G, Olaru A, Kawamata N, Boult J, Soukiasian HJ, Miller CW, Ogawa S, Meltzer SJ, Koeffler HP. Chromosomal abnormalities and novel disease-related regions in progression from Barrett's esophagus to esophageal adenocarcinoma. *Int J Cancer*, 125:2349-2359, 2009.
- 154) Yabe T, Matsuo K, Hirayasu K, Kashiwase K, Kawamura-Ishii S, Tanaka H, Ogawa A, Takanashi M, Satake M, Nakajima K, Tokunaga K, Inoko H, Saji H, Ogawa S, Juji T, Sasazuki T, Kodera Y, Morishima Y. Donor killer immunoglobulin-like receptor (KIR) genotype-patient cognate KIR ligand combination and antithymocyte globulin preadministration are critical factors in outcome of HLA-C-KIR ligand-mismatched T cell-replete unrelated bone marrow transplantation. *Biol Blood Marrow Transplant*, 14:75-87, 2008.
- 155) Walsh CS, Ogawa S, Scoles DR, Miller CW, Kawamata N, Narod SA, Koeffler HP, Karlan BY. Genome-wide loss of heterozygosity and uniparental disomy in BRCA1/2-associated ovarian carcinomas. *Clin Cancer Res*, 14:7645-7651, 2008.
- 156) Walsh CS, Ogawa S, Karahashi H, Scoles DR, Pavelka JC, Tran H, Miller CW, Kawamata N, Ginther C, Dering J, Sanada M, Nannya Y, Slamon DJ, Koeffler HP, Karlan BY. ERCC5 is a novel biomarker of ovarian cancer prognosis. *J Clin Oncol*, 26:2952-2958, 2008.
- 157) Tanaka Y, Kanai F, Tada M, Tateishi R, Sanada M, Nannya Y, Ohta M, Asaoka Y, Seto M, Shiina S, Yoshida H, Kawabe T, Yokosuka O, Ogawa S, Omata M. Gain of GRHL2 is associated with early recurrence of hepatocellular carcinoma. *J Hepatol*, 49:746-757, 2008.
- 158) Takeshita M, Ichikawa M, Nitta E, Goyama S, Asai T, Ogawa S, Chiba S, Kurokawa M. AML1-Evi-1 specifically transforms hematopoietic stem cells through fusion of the entire Evi-1 sequence to AML1. *Leukemia*, 22:1241-1249, 2008.
- 159) Suzuki M, Kato M, Yuyan C, Takita J, Sanada M, Nannya Y, Yamamoto G, Takahashi A, Ikeda H, Kuwano H, Ogawa S, Hayashi Y. Whole-genome profiling of chromosomal aberrations in hepatoblastoma using high-density single-nucleotide polymorphism genotyping microarrays. *Cancer Sci*, 99:564-570, 2008.
- 160) Sakata-Yanagimoto M, Nakagami-Yamaguchi E, Saito T, Kumano K, Yasutomo K, Ogawa S, Kurokawa M, Chiba S. Coordinated regulation of transcription factors through Notch2 is an important mediator of mast cell fate. *Proc Natl Acad Sci U S A*, 105:7839-7844, 2008.
- 161) Ogawa S, Matsubara A, Onizuka M, Kashiwase K, Sanada M, Kato M, Nannya Y, Akatsuka Y, Satake M, Takita J, Chiba S, Saji H, Maruya E, Inoko H, Morishima Y, Kodera Y, Takehiko S. Exploration of the genetic basis of GVHD by genetic association studies. *Biol Blood Marrow Transplant*, 15:39-41, 2008.
- 162) Lin LJ, Asaoka Y, Tada M, Sanada M, Nannya Y, Tanaka Y, Tateishi K, Ohta M, Seto M, Sasahira N, Kawabe T, Zheng CQ, Kanai F, Ogawa S, Omata M. Integrated analysis of copy number alterations and loss of heterozygosity in human pancreatic cancer using a high-resolution, single nucleotide polymorphism array. *Oncology*, 75:102-112, 2008.
- 163) Lehmann S, Ogawa S, Raynaud SD, Sanada M, Nannya Y, Ticchioni M, Bastard C, Kawamata N, Koeffler HP. Molecular allelokaryotyping of early-stage, untreated chronic lymphocytic leukemia. *Cancer*, 112:1296-1305, 2008.
- 164) Kumano K, Masuda S, Sata M, Saito T, Lee SY, Sakata-Yanagimoto M, Tomita T, Iwatsubo T, Natsugari H, Kurokawa M, Ogawa S, Chiba S. Both Notch1 and Notch2 contribute to the regulation of melanocyte homeostasis. *Pigment Cell Research*, 21:70-78, 2008.

- 165) Kawase T, Nannya Y, Torikai H, Yamamoto G, Onizuka M, Morishima S, Tsujimura K, Miyamura K, Kodera Y, Morishima Y, Takahashi T, Kuzushima K, Ogawa S, Akatsuka Y. Identification of human minor histocompatibility antigens based on genetic association with highly parallel genotyping of pooled DNA. *Blood*, 111:3286–3294, 2008.
- 166) Kawamata N, Ogawa S, Zimmermann M, Niebuhr B, Stocking C, Sanada M, Hemminki K, Yamamoto G, Nannya Y, Koehler R, Flohr T, Miller CW, Harbott J, Ludwig WD, Stanulla M, Schrappe M, Bartram CR, Koeffler HP. Cloning of genes involved in chromosomal translocations by high-resolution single nucleotide polymorphism genomic microarray. *Proc Natl Acad Sci USA*, 105:11921–11926, 2008.
- 167) Kawamata N, Ogawa S, Zimmermann M, Kato M, Sanada M, Hemminki K, Yamamoto G, Nannya Y, Koehler R, Flohr T, Miller CW, Harbott J, Ludwig WD, Stanulla M, Schrappe M, Bartram CR, Koeffler HP. Molecular allelokaryotyping of pediatric acute lymphoblastic leukemias by high-resolution single nucleotide polymorphism oligonucleotide genomic microarray. *Blood*, 111:776–784, 2008.
- 168) Kawamata N, Ogawa S, Yamamoto G, Lehmann S, Levine RL, Pikman Y, Nannya Y, Sanada M, Miller CW, Gilliland DG, Koeffler HP. Genetic profiling of myeloproliferative disorders by single-nucleotide polymorphism oligonucleotide microarray. *Exp Hematol*, 36:1471–1479, 2008.
- 169) Kawamata N, Dashti A, Lu D, Miller B, Koeffler HP, Schreck R, Moore S, Ogawa S. Chronic phase of ETV6-ABL1 positive CML responds to imatinib. *Genes Chromosomes Cancer*, 47:919–921, 2008.
- 170) Kamei M, Nannya Y, Torikai H, Kawase T, Taura K, Inamoto Y, Takahashi T, Yazaki M, Morishima S, Tsujimura K, Miyamura K, Ito T, Togari H, Riddell SR, Kodera Y, Morisima Y, Kuzushima K, Ogawa S, Akatsuka Y. HapMap scanning of novel human minor histocompatibility antigens. *Blood*, 113:5041–5048, 2008.
- 171) Ichikawa M, Goyama S, Asai T, Kawazu M, Nakagawa M, Takeshita M, Chiba S, Ogawa S, Kurokawa M. AML1/Runx1 Negatively Regulates Quiescent Hematopoietic Stem Cells in Adult Hematopoiesis. *J Immunol*, 180:4402–4408, 2008.
- 172) Goyama S, Yamamoto G, Shimabe M, Sato T, Ichikawa M, Ogawa S, Chiba S, Kurokawa M. Evi-1 is a critical regulator for hematopoietic stem cells and transformed leukemic cells. *Cell Stem Cell*, 3:207–220, 2008.
- 173) Chen Y, Takita J, Choi YL, Kato M, Ohira M, Sanada M, Wang L, Soda M, Kikuchi A, Igarashi T, Nakagawara A, Hayashi Y, Mano H, Ogawa S. Oncogenic mutations of ALK kinase in neuroblastoma. *Nature*, 455:971–974, 2008.
- 174) Akagi T, Ogawa S, Dugas M, Kawamata N, Yamamoto G, Nannya Y, Sanada M, Miller CW, Yung A, Schnittger S, Haferlach T, Haferlach C, Koeffler HP. Frequent genomic abnormalities in acute myeloid leukemia/myelodysplastic syndrome with normal karyotype. *Haematologica*, 94:213–223, 2008.
- 175) Yamamoto G, Nannya Y, Kato M, Sanada M, Levine RL, Kawamata N, Hangaishi A, Kurokawa M, Chiba S, Gilliland DG, Koeffler HP, Ogawa S. Highly sensitive method for genome-wide detection of allelic composition in nonpaired, primary tumor specimens by use of affymetrix single-nucleotide-polymorphism genotyping microarrays. *Am J Hum Genet*, 81:114–126, 2007.
- 176) Sanada M, Uike N, Ohyashiki K, Ozawa K, Lili W, Hangaishi A, Kanda Y, Chiba S, Kurokawa M, Omine M, Mitani K, Ogawa S. Unbalanced translocation der(1;7)(q10;p10) defines a unique clinicopathological subgroup of myeloid neoplasms. *Leukemia*, 21:992–997, 2007.
- 177) Nannya Y, Taura K, Kurokawa M, Chiba S, Ogawa S. Evaluation of genome-wide power of genetic association studies based on empirical data from the HapMap project. *Hum Mol Genet*, 16:3494–3505, 2007.
- 178) Morishima Y, Yabe T, Matsuo K, Kashiwase K, Inoko H, Saji H, Yamamoto K, Maruya E, Akatsuka Y, Onizuka M, Sakamaki H, Sao H, Ogawa S, Kato S, Juji T, Sasazuki T, Kodera Y. Effects of HLA allele and killer immunoglobulin-like receptor ligand matching on clinical outcome in leukemia patients undergoing transplantation with T-cell-replete marrow from an unrelated donor. *Biol Blood Marrow Transplant*, 13:315–328, 2007.
- 179) Matsumoto A, Haraguchi K, Takahashi T, Azuma T, Kanda Y, Tomita K, Kurokawa M, Ogawa S, Takahashi K, Chiba S, Kitamura T. Immunotherapy against metastatic renal cell carcinoma with mature dendritic cells. *Int J Urol*, 14:277–283, 2007.
- 180) Lips EH, de Graaf EJ, Tollenaar RA, van Eijk R, Oosting J, Szuhal K, Karsten T, Nanya Y, Ogawa S, van de Velde CJ, Eilers PH, van Wezel T, Morreau H. Single nucleotide polymorphism array analysis of chromosomal instability patterns discriminates rectal adenomas from carcinomas. *J Pathol*, 212:269–277, 2007.
- 181) Kawazu M, Yamamoto G, Yoshimi M, Yamamoto K, Asai T, Ichikawa M, Seo S, Nakagawa M, Chiba S,

- Kurokawa M, Ogawa S. Expression profiling of immature thymocytes revealed a novel homeobox gene that regulates double-negative thymocyte development. *J Immunol*, 179:5335–5345, 2007.
- 182) Kawase T, Akatsu Y, Torikai H, Morishima S, Oka A, Tsujimura A, Miyazaki M, Tsujimura K, Miyamura K, Ogawa S, Inoko H, Morishima Y, Kodera Y, Kuzushima K, Takahashi T. Alternative splicing due to an intronic SNP in HMSD generates a novel minor histocompatibility antigen. *Blood*, 110:1055–1063, 2007.
- 183) Jacobs S, Thompson ER, Nannya Y, Yamamoto G, Pillai R, Ogawa S, Bailey DK, Campbell IG. Genome-wide, high-resolution detection of copy number, loss of heterozygosity, and genotypes from formalin-fixed, paraffin-embedded tumor tissue using microarrays. *Cancer Res*, 67:2544–2551, 2007.

