

Ichijima, Y., Yoshioka, K., Yoshioka, Y., Shinohe, K., Fujimori, H., Unno, J., Takagi, M., Goto, H., <u>Inagaki, M.</u> , Mizutani, S., Teraoka, H.	DNA lesions induced by replication stress trigger mitotic aberration and tetraploidy development.	PLoS ONE	5	e8821	2010
Bargagna-Mohan, P., Paranthan, R.R., Hamza, A., Dimova, N., Trucchi, B., Srinivasan, C., Elliott, G.I., Zhan, C.G., Lau, D.L., Zhu, H., Kasahara, K., <u>Inagaki, M.</u> , Cambi, F., Mohan, R.	Withaferin A targets intermediate filaments GFAP and vimentin in A model of retinal gliosis.	J Biol Chem	285	7657-7669	2010
Nakagawa, M., Nakagawa-Oshiro, A., Karnan, S., Tagawa, H., Utsunomiya, A., Nakamura, S., Takeuchi, I., Ohshima, K., <u>Seto, M.</u>	Array CGH analysis of PTCL-U reveals a distinct subgroup with genetic alterations similar to lymphoma-type ATLL.	Clin Cancer Res	15	30-38	2009
Takeuchi, I., Tagawa, H., Tsujikawa, A., Nakagawa, M., Katayama-Suguro, M., Guo, Y., <u>Seto, M.</u>	The potential of copy number gains and losses, detected by array-based comparative genomic hybridization, for computational differential diagnosis of B-cell lymphomas and genetic regions involved in lymphomagenesis.	Haematologica	94	61-69	2009
Lee, S-Y., Kumano, K., Nakazaki, K., Sanada, M., Matsumoto, A., Yamamoto, G., Nannya, Y., Suzuki, R., Ota, Satoshi., Ota, Y., Izutsu, K., Sakata-Yanagimoto, M., Hangaishi, A., Yagita, H., Fukayama, M., <u>Seto, M.</u> , Kurokawa, M., Ogawa, S., Chiba, S.	Gain-of-function mutations and copy number increases of Notch2 in diffuse large B-cell lymphoma.	Cancer Sci	100	920-926	2009
Honma, K., Tsuzuki, S., Nakagawa, M., Tagawa, H., Nakamura, S., Morishima, Y., <u>Seto, M.</u>	<i>TNFAIP3/A20</i> functions as a novel tumor suppressor gene in several subtypes of non-Hodgkin lymphomas.	Blood	114	2467-2475	2009
Kato, H., Taji, H., Ogura, M., Kagami, Y., Oki, Y., Tsujimura, A., Fuwa, N., Kodaira, T., <u>Seto, M.</u> Yamamoto, K., Morishima, Y.	Favorable consolidative effect of high-dose melphalan and total-body irradiation followed by autologous peripheral blood stem cell transplantation after rituximab-containing induction chemotherapy with in vivo purging in relapsed or refractory follicular lymphoma.	Clin Lymphoma Myeloma	9	443-448	2009
Goto Y, Shinjo K, Kondo Y, Shen L, Toyota M, Suzuki H, Gao W, An B, Fujii M, Murakami H, Osada H, Taniguchi T, Usami U, Kondo M, Hasegawa Y, Shimokata K, Matsuo K, Hida T, Fujimoto N, Takumi Kishimoto T, Issa JP, <u>Sekido Y</u>	Epigenetic profiles distinguish malignant pleural mesothelioma from lung adenocarcinomas.	Cancer Res	69	9073-9082	2009
Enomoto, M., Goto, H., Tomono, Y., Kasahara, K., Tsujimura, K., Kiyono, T., <u>Inagaki, M.</u>	Novel positive feedback loop between Cdk1 and Chk1 in the nucleus during the G2/M transition.	J Biol Chem	284	34223-34230	2009
Iwatsuki, M., Fukagawa, T., Mimori, K., <u>Nakanishi, H.</u> , Ito, S., Ishii, H., Yokobori, T., Sasako, M., Baba, H., Mori, M.	Bone marrow and peripheral blood expression of <i>id1</i> in human gastric carcinoma patients is a bona fide indicator of lymph node and peritoneal metastasis.	Br J cancer	100	1937-1942	2009
Kodera, Y., <u>Nakanishi, H.</u> , Ito, S., Mochizuki, Y., Nakayama, G., Koike, M., Fujiwara, M., Yamamura, Y., Nakao, A.	Expression of L1 Cell Adhesion Molecule is a Significant Prognostic Factor in pT3-stage Gastric Cancer.	AntiCancer Res	29	4033-4039	2009

Honma, K., Tsuzuki, S., Nakagawa, M., Karnan, S., Aizawa, Y., Kim, WS., Kim, YD., Ko, YH., <u>Seto, M</u>	<i>TNFAIP3</i> is the target gene of chromosome band 6q23.3-q24.1 loss in cular. Adnexal marginal zone B cell lymphoma.	Genes Chrom. Cancer	47	1-7	2008
Nakamura, T., <u>Seto, M.</u> , Tajika, M., Kawai, H., Yokoi, T., Yatabe, Y., Nakamura, S.	Clinical features and prognosis of gastric MALT lymphoma with special reference to responsiveness to H. pylori eradication and API2-MALT1 status.	Am J Gastroenterol	103	62-70	2008
Karube, K., Ying, G., Tagawa, H., Niino, D., Aoki, R., Kimura, Y., Hashikawa, K., Suefuji, N., Sugita, Y., Nomura, Y., Shimizu, K., Yoshida, S., <u>Seto, M.</u> , Ohshima, K.	BCL6 gene amplification/3q27 gain is associated with unique clinicopathological characteristics among follicular lymphoma without BCL2 gene translocation.	Mod Pathol	21	973-978	2008
Tsukamoto, Y., Uchida, T., Karnan, S., Noguchi, T., Nguyen, LT., Tanigawa, M., Takeuchi, I., Matsuura, K., Hijiya, N., Nakada, C., Kishida, T., Ito, H., Murakami, K., Fujioka, T., <u>Seto, M.</u> , Moriyama, M.	Genome-wide analysis of DNA copy number alterations and gene expression in gastric cancer.	J Pathol	216	471-482	2008
Nakada, C., Matsuura, K., Tsukamoto, Y., Tanigawa, M., Yoshimoto, T., Narimatsu, T., Nguyen, LT., Hijiya, N., Uchida, T., Sato, F., Mimata, H., <u>Seto, M.</u> , Moriyama, M.	Genome-wide microRNA expression profiling in renal cell carcinoma: significant downregulation of miR-141 and miR-200c.	J Pathol	216	418-427	2008
Osada H, Tomida S, Yatabe Y, Tatematsu Y, Takeuchi T, Murakami H, Kondo Y, <u>Sekido Y</u> , Takahashi T.	Roles of Achaete-Scute Homologue 1 in DKK1 and E-cadherin repression and neuroendocrine differentiation in lung cancer.	Cancer Res	68	1647-1655	2008
Natsume A, Wakabayashi T, Tsujimura K, Shimato S, Ito M, Kuzushima K, Kondo Y, <u>Sekido Y</u> , Kawatsura H, Narita Y, Yoshida J.	The DNA demethylating agent 5-aza-2'-deoxycytidine activates NY-ESO-1 antigenicity in orthotopic human glioma.	Int J Cancer	122	2542-2553	2008
Yokoyama T, Osada H, Murakami H, Tatematsu Y, Taniguchi T, Kondo Y, Yatabe Y, Hasegawa Y, Shimokata K, Horio Y, Hida T, <u>Sekido Y</u> .	YAP1 is involved in mesothelioma development and negatively regulated by Merlin through phosphorylation.	Carcinogenesis	29	2139-2146	2008
Gao W, Kondo Y, Shen L, Shimizu Y, Sano T, Yamao K, Natsume A, Goto Y, Ito M, Murakami H, Osada H, Zhang J, Issa JP, <u>Sekido Y</u> .	Variable DNA methylation patterns associated with progression of disease in hepatocellular carcinomas.	Carcinogenesis	29	1901-1910	2008
Yamada T, Yano S, Ogino H, Ikuta K, Kakiuchi S, Hanibuchi M, Kanematsu T, Taniguchi T, <u>Sekido Y</u> , Sone S.	Lysophosphatidic acid stimulates the proliferation and motility of malignant pleural mesothelioma cells through lysophosphatidic acid receptors, LPA1 and LPA2.	Cancer Sci	99	1603-1610	2008
Kondo Y, Shen L, Ahmed S, Bumber Y, <u>Sekido Y</u> , Haddad BR, Issa JP.	Downregulation of histone H3 lysine 9 methyltransferase G9a induces centrosome disruption and chromosome instability in cancer cell.	PLoS ONE	3	e2037	2008
Kondo Y, Shen L, Cheng AS, Ahmed S, Bumber Y, Charo C, Yamochi T, Urano T, Furukawa K, Kwabi-Addo B, Gold DL, <u>Sekido Y</u> , Huang TH, Issa JP.	Gene silencing in cancer by Histone H3 lysine 27 trimethylation independent of promoter methylation.	Nat Genet	40	741-750	2008

Shimizu J, Horio Y, Osada H, Hida T, Hasegawa Y, Shimokata K, Takahashi T, <u>Sekido Y</u> , Yatabe Y	mRNA expression of RRM1, ERCC1 and ERCC2 is not associated with chemosensitivity to cisplatin, carboplatin and gemcitabine in human lung cancer cell lines.	Respirology	13	510-517	2008
Li, Z.F., Wu, X., Jiang, Y., Liu, J., Wu, C., <u>Inagaki M.</u> , Izawa, I., Mizisin, A.P., Engvall, E., Shelton, G.D.	Non-pathogenic protein aggregates in skeletal muscle in MLF1 transgenic mice.	J Neurol Sci	264	77-86	2008
Toyo-oka, K., Mori, D., Yano, Y., Shiota, M., Iwao, H., Goto, H., <u>Inagaki M.</u> , Hiraiwa, N., Muramatsu, M., Wynshaw-Boris, A., Yoshiki, A., Hirotsune, S.	Protein phosphatase 4 catalytic subunit regulates Cdk1 activity and microtubule organization via NDEL1 dephosphorylation.	J Cell Biol	180	1133-1147	2008
Izawa, I., Nishizawa, M., Hayashi, Y., <u>Inagaki M.</u>	Palmitoylation of ERBIN is required for its plasma membrane localization.	Genes Cells	13	691-701	2008
Lin, Y.M., Chen, Y.R., Lin, J.R., Wang, W.J., Inoko, A., <u>Inagaki M.</u> , Wu, Y.C., Chen, R.H.	eIF3k regulates apoptosis in epithelial cells by releasing caspase 3 from keratin-containing inclusions.	J Cell Sci	121	2382-2393	2008
Sugimoto, M., Inoko, A., Shiromizu, T., Nakayama, M., Zou, P., Yonemura, S., Hayashi, Y., Izawa, I., Sasoh, M., Uji, Y., Kaibuchi, K., Kiyono, T., <u>Inagaki M.</u>	The keratin-binding protein Albatross regulates polarization of epithelial cells.	J Cell Biol	183	19-28	2008
Ikegami, Y., Goto, H., Kiyono, T., Enomoto, M., Kasahara, K., Tomono, Y., Tozawa, K., Morita, A., Kohri, K., <u>Inagaki M.</u>	Chk1 phosphorylation at Ser286 and Ser301 occurs with both stalled DNA replication and damage checkpoint stimulation.	Biochem Biophys Res Commun	377	1227-1231	2008
Hara M, <u>Nakanishi H</u> , Tsujimura K, Matsui M, Yatabe Y, Manabe T and Tatematsu M..	Interleukin-2 potentiation of cetuximab anti-tumor activity for EGFR overexpressing gastric cancer xenografts via antibody-dependent cellular cytotoxicity.	Cancer Sci	99	1417-1418	2008
Karube, K., Guo, Y., Suzumiya, J., Sugita, Y., Nomura, Y., Yamamoto, K., Shimizu, K., Yoshida, S., Komatani, H., Takeshita, M., Kikuchi, M., Nakamura, N., Takasu, O., Arakawa, F., Tagawa, H., <u>Seto M.</u> , Ohshima, K.	CD10(-)MUM1(+) follicular lymphoma lacks BCL2 translocation and shows characteristic biological and clinical features.	Blood	109	3076-3079	2007
Tsuzuki, S., Karnan, S., Horibe, K., Matsumoto, K., Kato, K., Inukai, T., Goi, K., Sugita, K., Nakazawa, S., Kasugai, Y., Ueda, R., <u>Seto M.</u>	Genetic abnormalities involved in t(12;21) TEL-AML1 acute lymphoblastic leukemia: Analysis by means of array-based comparative genomic hybridization.	Cancer Sci	98	698-706	2007
Taniguchi, T., Karnan, S., Fukui, T., Yokoyama, T., Tagawa, H., Yokoi, K., Ueda, Y., Mitsudomi, T., Horio, Y., Hida, T., Yatabe, Y., <u>Seto M.</u> , Sekido, Y.	Genomic profiling of malignant pleural mesothelioma with array-based comparative genomic hybridization shows frequent non-random chromosomal alteration regions including JUN amplification on 1p32.	Cancer Sci	98	438-446	2007
Tsuzuki, S., Hong, D., Gupta, R., Matsuo, K., <u>Seto M.</u> , Enver, T.	Isoform-Specific Potentiation of Stem and Progenitor Cell Engraftment by AML1/RUNX1.	PLoS Med	4	e172	2007
Tagawa, H., Karube, K., Tsuzuki, S., Ohshima, K., <u>Seto M.</u>	Synergistic action of the microRNA-17 polycistron and Myc in aggressive cancer development.	Cancer Sci	98	1482-1490	2007

Fukuhara, N., Nakamura, T., Nakagawa, M., Tagawa, H., Takeuchi, I., Yatabe, Y., Morishima, Y., Nakamura, S., <u>Seto, M.</u>	Chromosomal imbalances are associated with outcome of <i>Helicobacter pylori</i> eradication in t(11;18)(q21;q21) negative gastric malt lymphomas.	Gene Chromosome Canc	46	784-790	2007
Kim, W-S., Honma, K., Karnan, S., Tagawa, H., Kim, Y-D., Oh, Y-L., <u>Seto, M.</u> , Ko, Y-H.	Genome-wide array-based comparative genomic hybridization of ocular marginal zone b cell lymphoma: comparison with pulmonary and nodal marginal zone b cell lymphoma.	Gene Chromosome Canc	46	776-783	2007
Isaka, T., Nakamura, T., Tajika, M., Kawai, H., Imaoka, H., Okamoto, Y., Aoki, M., Inoue, H., Takahashi, K., Mizuno, N., Sawaki, A., Yamao, K., <u>Seto, M.</u> , Yokoi, T., Yatabe, Y., Nakamura, S.	API2-MALT1 chimeric transcript-positive gastroduodenal MALT lymphoma with subsequent development of adenocarcinoma as a collision tumour over a clinical course of 7 years.	Histopathology	51	119-123	2007
Tagawa, H., Karube, K., Guo, Y., Takeshita, M., Kikuchi, M., Morishima, Y., Nakamura, S., Ohshima, K., <u>Seto, M.</u>	Trisomy 3 is a specific genomic aberration of t(14;18) negative follicular lymphoma.	Leukemia	21	2549-2551	2007
Yoshimoto, T., Matsuura, K., Karnan, S., Tagawa, H., Nakada, C., Tanigawa, M., Tsukamoto, Y., Uchida, T., Kashima, K., Akizuki, S., Takeuchi, I., Sato, F., Mimata, H., <u>Seto, M.</u> , Moriyama, M.	High-resolution analysis of DNA copy number alterations and gene expression in renal clear cell carcinoma.	J Pathol	213	392-401	2007
Kondo Y, Shen L, Suzuki S, Kurokawa T, Masuko K, Tanaka Y, Kato H, Mizuno Y, Yokoe M, Sugauchi F, Hirashima N, Orito E, Osada H, Ueda R, Guo Y, Chen X, Issa JP, <u>Sekido Y</u>	Alterations of DNA methylation and histone modifications contribute to gene silencing in hepatocellular carcinomas.	Hepatol Res	37	974-983	2007
Tanaka H, Yanagisawa K, Shinjo K, Taguchi A, Maeno K, Tomida S, Shimada Y, Osada H, Kosaka T, Matsubara H, Mitsudomi T, <u>Sekido Y</u> , Tanimoto M, Yatabe Y, Takahashi T.	Lineage-specific dependency of lung adenocarcinomas on the lung development regulator TTF-1.	Cancer Res	67	6007-6011	2007
Watanabe Y, Toyota M, Kondo Y, Suzuki H, Imai T, Ohe-Toyota M, Maruyama R, Nojima M, Sasaki Y, <u>Sekido Y</u> , Hiratsuka H, Shinomura Y, Imai K, Itoh F, Tokino T.	PRDM5 identified as a target of epigenetic silencing in colorectal and gastric cancer.	Clin Cancer Res	13	4786-4794	2007
Sihag, R.K., <u>Inagaki, M.</u> , Yamaguchi, T., Shea, T.B., Pant, H.C.	Role of phosphorylation on the structural dynamics and function of types III and IV intermediate filaments.	Exp Cell Res	313	2098-2109	2007
Tsuno, T., Natsume, A., Katsumata, S., Mizuno, M., Fujita, M., Osawa, H., Nakahara, N., Wakabayashi, T., Satoh, Y., <u>Inagaki, M.</u> , Yoshida, J.	Inhibition of Aurora-B function increases formation of multinucleated cells in p53 gene deficient cells and enhances anti-tumor effect of temozolomide in human glioma cells.	J Neurooncol	83	249-258	2007
Goto, H., <u>Inagaki, M.</u>	Production of a site- and phosphorylation state-specific antibody.	Nat. Protoc	2	2574-2581	2007
Hara M, Hirai T, <u>Nakanishi H</u> , Kanemitsu K, Komori K, Tatematsu M, Kato T.	Isolated tumor cell in lateral lymph node has no influences on the prognosis of rectal cancer patients.	Int J Colorectal Dis	22	911-917	2007

Hara M, <u>Nakanishi H</u> , Jun Q, Hirai T, Kanemitsu K, Ito S, Mochizuki Y, Kodera Y, Tatematsu M, Yamamura Y and Kato T.	Comparative analysis of intraperitoneal minimal free cancer cells between colorectal and gastric cancer patients using quantitative RT-PCR. Possible reason for rare peritoneal recurrence in colorectal cancer.	Clin Exp Metastasis	24	179-189	2007
Ohashi N, <u>Nakanishi H</u> , Kodera, Y, Mochizuki Y, Ito S, Koike M, Fujiwara M, Yamamura Y, Tatematsu M, Nakao A. Kato T.	Intraoperative quantitative detection of CEA mRNA in the peritoneal lavage of gastric cancer patients with transcription reverse-transcription concerted (TRC) method. A comparative study with real-time quantitative RT-PCR.	Anticancer Res	27	2769-2777	2007
Ohno F, <u>Nakanishi H</u> , Abe A, Seki Y, Kinoshita A. Hasegawa Y, Tatematsu M, Kurita K.	Regional difference in intratumoral lymphangiogenesis of oral squamous cell carcinomas evaluated by immunohistochemistry using D2-40 and podoplanin antibody. An analysis in comparison with angiogenesis.	J Oral Pathol Med	36	281-289	2007

YANG / 1000-1000	24	179-189	2007	Hara M, Nakanishi H, Jun Q, Hirai T, Kanemitsu K, Ito S, Mochizuki Y, Kodera Y, Tatematsu M, Yamamura Y and Kato T. Comparative analysis of intraperitoneal minimal free cancer cells between colorectal and gastric cancer patients using quantitative RT-PCR. Possible reason for rare peritoneal recurrence in colorectal cancer.	Clin Exp Metastasis
YANG / 2769-2777	27	2769-2777	2007	Ohashi N, Nakanishi H, Kodera, Y, Mochizuki Y, Ito S, Koike M, Fujiwara M, Yamamura Y, Tatematsu M, Nakao A. Kato T. Intraoperative quantitative detection of CEA mRNA in the peritoneal lavage of gastric cancer patients with transcription reverse-transcription concerted (TRC) method. A comparative study with real-time quantitative RT-PCR.	Anticancer Res
YANG / 281-289	36	281-289	2007	Ohno F, Nakanishi H, Abe A, Seki Y, Kinoshita A. Hasegawa Y, Tatematsu M, Kurita K. Regional difference in intratumoral lymphangiogenesis of oral squamous cell carcinomas evaluated by immunohistochemistry using D2-40 and podoplanin antibody. An analysis in comparison with angiogenesis.	J Oral Pathol Med
YANG / 1000-1000	24	179-189	2007	Hara M, Nakanishi H, Jun Q, Hirai T, Kanemitsu K, Ito S, Mochizuki Y, Kodera Y, Tatematsu M, Yamamura Y and Kato T. Comparative analysis of intraperitoneal minimal free cancer cells between colorectal and gastric cancer patients using quantitative RT-PCR. Possible reason for rare peritoneal recurrence in colorectal cancer.	Clin Exp Metastasis
YANG / 2769-2777	27	2769-2777	2007	Ohashi N, Nakanishi H, Kodera, Y, Mochizuki Y, Ito S, Koike M, Fujiwara M, Yamamura Y, Tatematsu M, Nakao A. Kato T. Intraoperative quantitative detection of CEA mRNA in the peritoneal lavage of gastric cancer patients with transcription reverse-transcription concerted (TRC) method. A comparative study with real-time quantitative RT-PCR.	Anticancer Res
YANG / 281-289	36	281-289	2007	Ohno F, Nakanishi H, Abe A, Seki Y, Kinoshita A. Hasegawa Y, Tatematsu M, Kurita K. Regional difference in intratumoral lymphangiogenesis of oral squamous cell carcinomas evaluated by immunohistochemistry using D2-40 and podoplanin antibody. An analysis in comparison with angiogenesis.	J Oral Pathol Med
YANG / 1000-1000	24	179-189	2007	Hara M, Nakanishi H, Jun Q, Hirai T, Kanemitsu K, Ito S, Mochizuki Y, Kodera Y, Tatematsu M, Yamamura Y and Kato T. Comparative analysis of intraperitoneal minimal free cancer cells between colorectal and gastric cancer patients using quantitative RT-PCR. Possible reason for rare peritoneal recurrence in colorectal cancer.	Clin Exp Metastasis
YANG / 2769-2777	27	2769-2777	2007	Ohashi N, Nakanishi H, Kodera, Y, Mochizuki Y, Ito S, Koike M, Fujiwara M, Yamamura Y, Tatematsu M, Nakao A. Kato T. Intraoperative quantitative detection of CEA mRNA in the peritoneal lavage of gastric cancer patients with transcription reverse-transcription concerted (TRC) method. A comparative study with real-time quantitative RT-PCR.	Anticancer Res
YANG / 281-289	36	281-289	2007	Ohno F, Nakanishi H, Abe A, Seki Y, Kinoshita A. Hasegawa Y, Tatematsu M, Kurita K. Regional difference in intratumoral lymphangiogenesis of oral squamous cell carcinomas evaluated by immunohistochemistry using D2-40 and podoplanin antibody. An analysis in comparison with angiogenesis.	J Oral Pathol Med

