

<u>Morita T</u> , <u>Uchitomi Y</u> , et al	Development of a national clinical guideline for artificial hydration therapy for terminally ill patients with cancer.	J Palliat Med	10	770-780	2007
<u>Miyashita M</u> , <u>Morita T</u> , <u>Uchitomi Y</u> , et al	Good death in cancer care: a nationwide quantitative study.	Ann Oncol	18	1090-1097	2007
<u>Asai M</u> , <u>Morita T</u> , <u>Akechi T</u> , <u>Uchitomi Y</u> , et al	Burnout and psychiatric morbidity among physicians engaged in end-of-life care for cancer patients: a cross-sectional nationwide survey in Japan.	Psychooncology	16	421-428	2007
<u>Akechi T</u> , <u>Uchitomi Y</u> , et al	Multifaceted psychosocial intervention program for breast cancer patients after first recurrence: feasibility study.	Psychooncology	16	517-524	2007
<u>Fujimori M</u> , <u>Akechi T</u> , <u>Morita T</u> , <u>Uchitomi Y</u> , et al	Preferences of cancer patients regarding the disclosure of bad news.	Psychooncology	16	573-581	2007
<u>Fujimori M</u> , <u>Parker PA</u> , <u>Akechi T</u> , <u>Uchitomi Y</u> , et al	Japanese cancer patients' communication style preferences when receiving bad news.	Psychooncology	16	617-625	2007
<u>Inagaki M</u> , <u>Uchitomi Y</u> , <u>Imoto S</u>	Smaller regional volumes of brain gray and white matter demonstrated in breast cancer survivors exposed to adjuvant chemotherapy. Author reply.	Cancer	110	225	2007
<u>Nagamine M</u> , <u>Uchitomi Y</u> , et al	Relationship between heart rate and emotional memory in subjects with a past history of post-traumatic stress disorder.	Psychiatry Clin Neurosci	61	441-443	2007
<u>Tsuchiya M</u> , <u>Uchitomi Y</u> , <u>Tsugane S</u> , et al	Breast Cancer in First-degree Relatives and Risk of Lung Cancer: Assessment of the Existence of Gene Sex Interactions.	Jpn J Clin Oncol	37	419-423	2007
<u>Morita T</u> , <u>Akechi T</u> , <u>Uchitomi Y</u> , et al	Meaninglessness in terminally ill cancer patients: a validation study and nurse education intervention trial.	J Pain Symptom Manage	34	160-170	2007
<u>Matsuoka Y</u> , <u>Uchitomi Y</u> , et al	Left hippocampal volume inversely correlates with enhanced emotional memory in healthy middle-aged women.	J Neuropsychiatry Clin Neurosci	19	335-338	2007
<u>Nagamine M</u> , <u>Uchitomi Y</u> , et al	Different emotional memory consolidation in cancer survivors with and those without a history of intrusive recollection.	J Trauma Stress	20	727-736	2007

Sanjo M, <u>Morita T</u> , <u>Akechi T</u> , <u>Uchitomi Y</u> , et al	Preferences regarding end-of-life cancer care and associations with good-death concepts: a population-based survey in Japan.	Ann Oncol	18	1539–15 47	2007
<u>Akechi T</u> , <u>Uchitomi Y</u> , et al	Associated and predictive factors of sleep disturbance in advanced cancer patients.	Psychooncology	16	888–894	2007
Hakamata Y, <u>Uchitomi Y</u> , et al	Structure of orbitofrontal cortex and its longitudinal course in cancer-related post-traumatic stress disorder.	Neurosci Res	59	383–389	2007
<u>Morita T</u> , <u>Akechi T</u> , <u>Uchitomi Y</u> , et al	Terminal delirium: recommendations from bereaved families' experiences.	J Pain Symptom Manage	34	579–589	2007
Shimizu K, <u>Akechi T</u> , <u>Uchitomi Y</u> , et al	First panic attack episodes in head and neck cancer patients who have undergone radical neck surgery.	J Pain Symptom Manage	34	575–578	2007
Namba M, <u>Morita T</u> , et al	Terminal delirium: families' experience.	Palliat Med	21	587–594	2007
Matsuo N, <u>Morita T</u>	Physician-reported practice of the use of methylphenidate in Japanese palliative care units.	J Pain Symptom Manage	33	655–656	2007
Osaka I, <u>Morita T</u> , et al	Palliative care philosophies of Japanese certified palliative care units: a nationwide survey.	J Pain Symptom Manage	33	9–12	2007
Ando M, <u>Morita T</u> , et al	Life review interviews on the spiritual well-being of terminally ill cancer patients.	Support Care Cancer	15	225–231	2007
Ando M, <u>Morita T</u> , et al	Primary concerns of advanced cancer patients identified through the structured life review process: A qualitative study using a text mining technique.	Palliat Support Care	5	265–271	2007
Matsuo N, <u>Morita T</u>	Efficacy, safety, and cost effectiveness of intravenous midazolam and flunitrazepam for primary insomnia in terminally ill patients with cancer: a retrospective multicenter audit study.	J Palliat Med	10	1054–10 62	2007

Miyashita M, <u>Morita T</u> , et al	Physician and nurse attitudes toward artificial hydration for terminally ill cancer patients in Japan: results of 2 nationwide surveys.	Am J Hosp Palliat Med	24	383-389	2007
Miyashita M, <u>Morita T</u> , et al	Nurse views of the adequacy of decision making and nurse distress regarding artificial hydrartion for terminal ill cancer patients: a nationwide survey.	Am J Hosp Palliat Care	24	463-469	2007
Azuma H, <u>Akechi T</u> , et al	Ictal electro-encephalographic correlates of posttreatment neuropsychological changes in electroconvulsive therapy: a hypothesis-generation study.	J Ect	23	163-168	2007
Azuma H, <u>Akechi T</u> , et al	Postictal cardiovascular response predicts therapeutic efficacy of electroconvulsive therapy for depression.	Psychiatry Clin Neurosci	61	290-294	2007
Azuma H, <u>Akechi T</u> , et al	Postictal suppression correlates with therapeutic efficacy for depression in bilateral sine and pulse wave electroconvulsive therapy.	Psychiatry Clin Neurosci	61	168-173	2007
Azuma H, <u>Akechi T</u> , et al	Neuroleptic malignant syndrome-like state in an epileptic patient with organic brain comorbidity treated with zonisamide and carbamazepine.	Epilepsia	48	1999-20 01	2007
Furukawa TA, <u>Akechi T</u> , Okuyama T, et al	Evidence-based guidelines for interpretation of the Hamilton Rating Scale for Depression.	J Clin Psychopharmacol	27	531-534	2007
Okuyama T, <u>Akechi T</u> , et al	Mental health literacy in Japanese cancer patients: ability to recognize depression and preferences of treatments-comparison with Japanese lay public.	Psychooncology	16	834-842	2007
Omori I, <u>Akechi T</u> , et al	The differential impact of executive attention dysfunction on episodic memory in obsessive-compulsive disorder patients with checking symptoms vs. those with washing symptoms.	J Psychiatr Res	41	776-784	2007
Sato J, <u>Akechi T</u> , et al	Two dimensions of anosognosia in patients with Alzheimer's disease : Reliability and validity of the Japanese version of the Anosognosia Questionnaire for Dementia (AQ-D).	Psychiatry Clin Neurosci	61	672-677	2007

Tabuse H, <u>Akechi T</u> , et al	The new GRID Hamilton Rating Scale for Depression demonstrates excellent interrater reliability for inexperienced and experienced raters before and after training.	Psychiatry Res	153	61-67	2007
Yamada A, <u>Akechi T</u> , et al	Emotional distress and its correlates among parents of children with pervasive developmental disorders.	Psychiatry Clin Neurosci	61	651-657	2007
Shigemoto K, <u>Okamura H</u> , et al	Assessment of degree of satisfaction of cancer patients and their families with rehabilitation and factors associated with it - results of a Japanese population.	Disabil Rehabil	29	437-444	2007
Ozono S, <u>Okamura H</u> , et al	Factors related to posttraumatic stress in adolescent survivors of childhood cancer and their parents.	Support Care Cancer	15	309-317	2007
Mantani T, <u>Okamura H</u> , et al	Factors related to anxiety and depression in women with breast cancer and their husbands: role of alexithymia and family functioning.	Support Care Cancer	15	859-868	2007
Watanabe Y, <u>Okamura H</u> , et al	Depression and associated factors in residents of a health care institution for the elderly.	Phys Occup Ther Geriatr	26	29-41	2007
Asai M, <u>Akechi T</u> , <u>Uchitomi Y</u> , et al	Psychiatric disorders and background characteristics of cancer patients' family members referred to psychiatric consultation service at National Cancer Center Hospitals in Japan	Palliat Support Care	6	225-230	2008
Hamaguchi T, <u>Okamura H</u> , <u>Uchitomi Y</u> , et al	Survey of the current status of cancer rehabilitation in Japan	Disabil Rehabil	30	559-64	2008
Hara E, <u>Uchitomi Y</u> , et al	hippocampal and amygdalar volumes in breast cancer survivors with posttraumatic stress disorder	J Neuropsychiatry Clin Neurosci	20	302-8	2008
Hirai K, <u>Uchitomi Y</u> , et al	Discrimination between worry and anxiety among cancer patients: development of a brief cancer-related worry inventory	Psychooncology	17	1172-9	2008
Inagaki M, <u>Akechi T</u> , <u>Uchitomi Y</u> , et al	Plasma interleukin-6 and fatigue in terminally ill cancer patients	J Pain Symptom Manage	35	153-61	2008
Yamashita M, <u>Okamura H</u> , <u>Uchitomi Y</u> , et al	Psychological impact and associated factors after disclosure of genetic test results concerning hereditary non-polyposis colorectal cancer	Stress and Health	24	407-12	2008
Miyashita M, <u>Morita T</u> , <u>Uchitomi Y</u> , et al	Good Death Inventory: A Measure for Evaluating Good Death from the Bereaved Family Member's	J Pain Symptom Manage	35	486-98	2008

	Perspective				
Miyashita M, <u>Morita T, Uchitomi Y, et al</u>	Factors contributing to evaluation of a good death from the bereaved family member's perspective	Psychooncology	17	612-20	2008
Miyashita M, <u>Morita T, Uchitomi Y, et al</u>	Barriers to referral to inpatient palliative care units in Japan: a qualitative survey with content analysis	Support Care Cancer	16	217-22	2008
Motohashi N, <u>Uchitomi Y, et al</u>	Revised psychopharmacological algorithms for the treatment of mood disorders in Japan	Int J Psychiatr Clin Pract	12	11-18	2008
Nakaya N, <u>Uchitomi Y, et al</u>	Negative psychological aspects and survival in lung cancer patients	Psychooncology	17	466-73	2008
Okamura M, <u>Akechi T, Uchitomi Y, et al</u>	Clinical experience of the use of a pharmacological treatment algorithm for major depressive disorder in patients with advanced cancer	Psychooncology	17	154-60	2008
Okuyama T, <u>Akechi T, Uchitomi Y, et al</u>	Factors Correlated with Fatigue in Terminally Ill Cancer Patients: A Longitudinal Study	J Pain Symptom Manage	35	515-23	2008
Saito-Nakaya K, <u>Uchitomi Y, et al</u>	Marital status and non-small cell lung cancer survival: the Lung Cancer Database Project in Japan	Psychooncology	17	869-76	2008
Sanjo M, <u>Morita T, Onishi H, Uchitomi Y, et al</u>	Perceptions of specialized inpatient palliative care: a population-based survey in Japan	J Pain Symptom Manage	35	275-82	2008
Sato K, <u>Morita T, Uchitomi Y, et al</u>	Reliability Assessment and Findings of a Newly Developed Quality Measurement Instrument: Quality Indicators of End-of-Life Cancer Care from Medical Chart Review at a Japanese Regional Cancer Center	J Palliat Med	11	729-37	2008
Sato K, <u>Morita T, Uchitomi Y, et al</u>	Quality of end-of-life treatment for cancer patients in general wards and the palliative care unit at a regional cancer center in Japan: a retrospective chart review	Support Care Cancer	16	113-22	2008
Shimizu K, <u>Akechi T, Uchitomi Y, et al</u>	Clinical experience of the modified nurse-assisted screening and psychiatric referral program	Palliat Support Care	6	29-32	2008
Shiozaki M, <u>Morita T, Uchitomi Y, et al</u>	Measuring the regret of bereaved family members regarding the decision to admit cancer patients to palliative care units	Psychooncology	17	926-31	2008
Tei Y, <u>Shimoyama N, et al</u>	Treatment Efficacy of Neural Blockade in Specialized Palliative Care Services in Japan: A Multicenter Audit Survey	J Pain Symptom Manage	36(5)	461-467	2008

Nozaki-Taguchi N, <u>Shimoyama N</u> , et al	Potential utility of peripherally applied loperamide in oral chronic graft-versus-host disease related pain	Jpn J Clin Oncol	38(12)	857-860	2008
Narabayashi M, <u>Shimoyama N</u> , et al	Opioid Rotation from Oral Morphine to Oral Oxycodone in Cancer Patients with Intolerable Adverse Effects: An Open-Level Trial	Jpn J Clin Oncol	38(4)	296-304	2008
<u>Morita T</u> , et al	Palliative care needs of cancer outpatients receiving chemotherapy: an audit of a clinical screening project.	Support Care Cancer	16	101-107	2008
<u>Morita T</u> , et al	Screening for discomfort as the fifth vital sign using an electronic medical recording system: a feasibility study.	J Pain Symptom Manage	35	430-436	2008
Miyashita M, <u>Morita T</u> , et al	Identification of quality indicators of end-of-life cancer care from medical chart review using a modified Delphi method in Japan.	Am J Hosp Palliat Med	25	33-38	2008
Miyashita M, <u>Morita T</u> , et al	Effect of a population-based educational intervention focusing on end-of-life home care, life-prolonging treatment and knowledge about palliative care.	Palliat Med	22	376-382	2008
Miyashita M, <u>Morita T</u> , et al	The Japan hospice and palliative care evaluation study (J-HOPE Study): study design and characteristics of participating institutions.	Am J Hosp Palliat Med	25	223-232	2008
Miyashita M, <u>Morita T</u> , et al	Evaluation of end-of-life cancer care from the perspective of bereaved family members: The Japanese experience.	J Clin Oncol	26	3845-3852	2008
Akechi T, <u>Morita T</u> , et al	Psychotherapy for depression among incurable cancer patients.	Cochrane Database Syst Rev	### 7	CD00553	2008
Ando M, <u>Morita T</u> , et al	One-week short-term life review interview can improve spiritual well-being of terminally ill cancer patients.	Psychooncology	17	885-890	2008
Tei Y, <u>Morita T</u> , <u>Shimoyama N</u> , et al	Treatment efficacy of neural blockade in specialized palliative care services in Japan: a multicenter audit survey.	J Pain Symptom Manage	36	461-467	2008
Ando M, <u>Morita T</u> , et al	A pilot study of transformation, attributed meanings to the illness, and spiritual well-being for terminally ill cancer patients.	Palliat Support Care	6	335-340	2008

<u>Morita T</u> , et al	Palliative care in Japan: shifting from the stage of disease to the intensity of suffering.	J Pain Symptom Manage	36	e6-e7	2008
<u>Yamagishi A</u> , <u>Morita T</u> , et al	Palliative care in Japan: current status and a nationwide challenge to improve palliative care by the Cancer Control Act and the Outreach Palliative Care Trial of Integrated Regional Model (OPTIM) study.	Am J Hosp Palliat Care	25	412-418	2008
<u>Akechi T</u> , et al	Problem-solving therapy for psychological distress in Japanese cancer patients: Preliminary clinical experience from psychiatric consultations	Jpn J Clin Oncol	38	867-870	2008
<u>Azuma H</u> , <u>Akechi T</u> , et al	Absence status associated with focal activity and polydipsia-induced hyponatremia	Neuropsychiatr Dis Treat	4	495-498	2008
<u>Endo C</u> , <u>Akechi T</u> , et al	Patient-perceived barriers to the psychological care of Japanese patients with lung cancer	Jpn J Clin Oncol	38	653-660	2008
<u>Fujita A</u> , <u>Akechi T</u> , et al	Adequacy of continuation and maintenance treatments for major depression in Japan	J Psychopharmacol	22	153-156	2008
<u>Nakaya N</u> , <u>Akechi T</u> , <u>Uchitomi Y</u> , et al	Negative psychological aspects and survival in lung cancer patients	Psychooncology	17	466-473	2008
<u>Okuyama T</u> , <u>Akechi T</u> , et al	Cancer patients' reluctance to disclose their emotional distress to their physicians: A study of Japanese patients with lung cancer	Psychooncology	17	460-465	2008
<u>Saito-Nakaya K</u> , <u>Akechi T</u> , <u>Uchitomi Y</u> , et al	Marital status and non-small cell lung cancer survival: The lung cancer database project in Japan	Psychooncology	17	869-876	2008
<u>Nawate Y</u> , <u>Okamura H</u> , et al	Efficacy of group reminiscence therapy for elderly dementia patients residing at home: a preliminary report.	Phys Occup Ther Geriatr	26	57-68	2008
<u>Shingu N</u> , <u>Okamura H</u> , et al	Factors associated with the somatic sensation of inpatients with schizophrenia.	Occup Ther Ment Health	24	31-45	2008
<u>Okuyama T</u> , <u>Akechi T</u> , <u>Okamura H</u> , <u>Uchitomi Y</u> , et al	Factors correlated with fatigue in terminally ill cancer patients: A longitudinal study.	J Pain Symptom Manage	35	515-523	2008
<u>Ishikawa Y</u> , <u>Okamura H</u> , et al	Factors that impede the discharge of long-term schizophrenic inpatients.	Scand J Occup Ther	15	230-235	2008
<u>Yu Sunakawa</u> , <u>Onishi H</u> , et al.	A case report of respiratory akathisia in cancer patient	Palliat Support Care	6	79-81	2008
<u>Nishida T</u> , <u>Onishi H</u>	Activation syndrome caused by paroxetine in a cancer patient	Palliat Support Care	6	183-185	2008

<u>Sanjo M, Morita T, Uchitomi Y, et al</u>	Caregiving Consequences Inventory: a measure for evaluating caregiving consequences from the bereaved family member's perspective	Psychooncology	18	657-66	2009
<u>Nakaya N., Uchitomi Y., et al</u>	Mental vulnerability and survival after cancer	Epidemiology	20	916-20	2009
<u>Morita T., Uchitomi Y., et al</u>	Meaninglessness in terminally ill cancer patients: a randomized controlled study	J Pain Symptom Manage	37	649-58	2009
<u>Miyashita M, Morita T, Uchitomi Y, et al</u>	Quality indicators of end-of-life cancer care from the bereaved family members' perspective in Japan	J Pain Symptom Manage	37	1019-26	2009
<u>Fujimori M., Uchitomi Y., et al</u>	Preferences of cancer patients regarding communication of bad news: a systematic literature review	Jpn J Clin Oncol	39	201-16	2009
<u>Akechi T, Okamura H, Uchitomi Y, et al</u>	Psychosocial factors and survival after diagnosis of inoperable non-small cell lung cancer	Psychooncology	18	23-9	2009
<u>Akechi T, Okamura H, Uchitomi Y, et al</u>	Symptom indicator of severity of depression in cancer patients: a comparison of the DSM-IV criteria with alternative diagnostic criteria	Gen Hosp Psychiatry	31	225-32	2009
<u>Yamagishi A, Morita T, et al</u>	Symptom Prevalence and longitudinal follow-up in cancer outpatients receiving chemotherapy	J Pain Symptom Manage	37	823-830	2009
<u>Morita T, et al</u>	Late referrals to palliative care units in Japan: Nationwide follow-up survey and effects of palliative care team involvement after the cancer control act	J Pain Symptom Manage	38	191-196	2009
<u>Yamagishi A, Morita T, et al</u>	Artificial hydration therapy for terminally ill cancer patients: a nurse-education intervention	J Pain Symptom Manage	38	358-364	2009
<u>Ando M, Morita T, et al</u>	International comparison study on the primary concerns of terminally ill cancer patients in short-term life review interviews among Japanese, Koreans, and Americans	Palliat Support Care	7	349-355	2009
<u>Tarumi Y, Morita T, et al</u>	Cancer pain- progress and ongoing issues in Japan	Pain Res Manag	14	357-358	2009
<u>Sasahara T, Morita T, Okamura H, et al</u>	Development of a standard for hospital-based palliative care consultation teams using a modified Delphi method	J Pain Symptom Manage	38	496-504	2009

Fukuhori H, <u>Morita T</u> , et al	Administrators' perspectives on end-of-life care for cancer patients in Japanese long-term care facilities	Support Care Cancer	17	1247–1254	2009
Sato K, <u>Morita T</u> , et al	The long-term effect of a population-based educational intervention focusing on end-of-life home care, life-prolongation treatment, and knowledge about palliative care	J Palliat Care	25	206–212	2009
Nakazawa Y, <u>Morita T</u> , et al	The Palliative care knowledge test: reliability and validity of an instrument to measure palliative care knowledge among health professionals	Palliat Med	23	754–766	2009
Ando M, <u>Morita T</u> , Akechi T, et al	The efficacy of mindfulness-based meditation therapy on anxiety, depression, and spirituality in Japanese patients with cancer	J Palliat Med	12	1091–1094	2009
Miyashita M, <u>Morita T</u> , et al	J-HOPE study: Evaluation of End-of-Life Cancer Care in Japan from the Perspective of Bereaved Family Members	J Clin Oncol	27	502s(suppl; abst 9577)	2009
Okuyama T, <u>Akechi T</u> , et al	Reliability and validity of the Japanese version of the Short-form Supportive Care Needs Survey questionnaire (SCNS-SF34-J)	Psycho-Oncology	18	1003–1010	2009
Okuyama T, <u>Akechi T</u> , et al	Cancer patients' reluctance to discuss psychological distress with their physicians was not associated with underrecognition of depression by physicians	a preliminary study Palliat Support Care	7	229–233	2009
Omori IM, <u>Akechi T</u> , et al	Efficacy, tolerability and side-effect profile of fluvoxamine for major depression: meta-analysis	J Psychopharmacol	23	539–550	2009
Sagawa R, <u>Akechi T</u> , et al	Etiologies of delirium and their relationship to reversibility and motor subtype in cancer patients	Jpn J Clin Oncol	39	175–82	2009
Yamanishi T, <u>Akechi T</u> , et al	Changes after behavior therapy among responsive and nonresponsive patients with obsessive-compulsive disorder	Psychiatry Res	172	242–50	2009
Fujino N, <u>Okamura H</u>	Factors affecting the sense of burden felt by family members caring for mentally ill patients.	Arch Psychiatr Nurs	23	128–137	2009
Niiyama, E, <u>Okamura H</u> , et al	A survey of nurses who experienced trauma in the workplace: influence of coping strategies on traumatic stress.	Stress Health	25	3–9	2009

<u>Yamamoto T, Okamura H, et al</u>	Relationship between awareness (EQS) and attention function (TMT) among patients with schizophrenia.	J Health Sci Hiroshima Univ	8	34-38	2009
-------------------------------------	--	-----------------------------	---	-------	------

雑誌（日本語）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
<u>内富庸介</u>	がんに対する通常の心理的反応	腫瘍内科	1	311-316	2007
<u>内富庸介</u>	がん対策基本法	精神医学	49	564-565	2007
<u>浅井真理子、内富庸介</u>	がん医療に関わる医師のバーンアウト（燃え尽き）	腫瘍内科	1	351-356	2007
<u>清水研、内富庸介、他</u>	婦人科がんにおける心理的問題と精神疾患	総合病院精神医学	19	174-179	2007
<u>小川朝生、内富庸介、他</u>	緩和ケアについて	精神科治療学	22	1325-1331	2007
<u>藤森麻衣子、内富庸介</u>	Breaking Bad News ーわが国における患者の意向SHAREの紹介ー	緩和医療学	9	54-58	2007
<u>小川朝生、内富庸介</u>	終末期のうつに対する治療戦略：即効性を期待して	Depression Frontier	5	56-62	2007
<u>小川朝生、内富庸介</u>	緩和ケアにおける抑うつ	クリニック	34	290-294	2007
<u>伊藤達彦、内富庸介</u>	ターミナルケアにおける向精神薬の使い方	日医雑誌	136	1530	2007
<u>内富庸介</u>	精神腫瘍学の臨床・教育経験から	日本がん看護学会誌	21	130-132	2007
<u>下山恵美、門田和気、下山直人</u>	経口オピオイド鎮痛薬の重要性とオキシコドンが果たす臨床的役割	がん患者と対症療法	18	6-10	2007
<u>下山直人</u>	科学的知見に基づくオピオイドに関する知識の再確認	がん患者と対症療法	18	85-87	2007
<u>中山理加、下山直人、他</u>	疼痛コントロール	内科	100	1037-1045	2007
<u>片山博文、高橋秀徳、下山直人</u>	腎障害を伴うがん患者の痛み治療におけるオキシコドンの有用性—モルヒネからの切り替え事例を経験して	がん患者と対症療法	18	40-42	2007
<u>下山直人</u>	緩和治療・痛みのケア	別冊暮らしの手帖 がん安心読本		76-81	2007
<u>下山直人</u>	緩和ケア療法における鎮痛薬の使い方	日本耳鼻咽喉科学会専門医通信	92	12-13	2007
<u>中山理加、下山直人、他</u>	癌性疼痛	臨牀と研究	84	57-61	2007
<u>下山直人</u>	緩和医療はここまで進んだ	東京女子医科大学雑誌	77	182-186	2007
<u>服部政治、下山直人、他</u>	オピオイドローション	緩和医療学	9	79-85	2007
<u>中山理加、高橋秀徳、下山直人</u>	QOL維持のための疼痛管理	からだの科学	253	179-182	2007

木俣有美子、下山直人、他	肺がんの合併症対策 1) がん性疼痛の管理	呼吸器科	11	156-163	2007
門田和気、服部政治、下山直人	新しく導入される可能性の高いオピオイドとその意義	がん看護	12	180-183	2007
中山理加、高橋秀徳、下山直人	鎮痛補助薬	日本臨牀	65	57-62	2007
森田達也、他	緩和ケアチームの活動—聖隸三方原病院の場合—	日本臨床	65	128-137	2007
森田達也	緩和ケアにおけるクリニカルパス、一序一	緩和医療学	9	1	2007
森田達也、他	STAS-Jを用いた苦痛のスクリーニングシステム	緩和医療学	9	159-162	2007
森田達也、他	緩和ケアにおけるコンサルテーション活動の専門性。緩和ケアチームの活動の現況と展望—聖隸三方原病院の場合	ホスピス緩和ケア白書2007		17-23	2007
安達勇、森田達也	終末期がん患者に対する輸液ガイドライン：概念的枠組み	緩和ケア	17	186-188	2007
山田理恵、森田達也、他	末梢静脈からのガイドワイヤーを用いた中心静脈カテーテルの挿入	緩和ケア	17	223-224	2007
明智龍男、森田達也、他	看取りの症状緩和パス：せん妄	緩和医療学	9	245-251	2007
八代英子、森田達也、他	看取りの症状緩和パス：嘔気・嘔吐	緩和医療学	9	259-264	2007
森田達也	終末期の輸液管理	消化器外科Nursing	12	965-974	2007
森田達也	緩和ケアへの紹介のタイミング：概念から実行のとき	腫瘍内科	1	364-371	2007
森田達也	緩和治療とは何か	医学芸術社、がん化学療法と患者ケア	改訂第2版	232-234	2007
明智龍男	悪性腫瘍（がん）診療を取り巻く環境を知る：精神的サポート	内科	100	1046-1052	2007
明智龍男	「緩和ケアチーム」-精神科医に期待すること、精神科医ができること：精神科医の立場から	精神医学	49	907-913	2007
明智龍男	がん患者と自殺	腫瘍内科	1	333-339	2007
佐川竜一、明智龍男、他	せん妄の向精神薬による対症療法	精神科治療学	22	885-891	2007
明智龍男	がん治療時に伴う精神症状に対する支持療法	呼吸器科	11	183-188	2007
明智龍男	がん患者の精神症状に対する薬物療法の実際	日本臨牀	65	115-120	2007
小林俊三、明智龍男他	がん治療とインフォームドコンセント	現代医学	55	287-315	2007
藤野成美、岡村仁	精神障害者の家族介護者における介護の肯定的認識とその関連要因。	臨床精神医学	36	781-788	2007
藤野成美、岡村仁、他	精神科における長期入院患者の苦悩。	日本看護研究学会雑誌	30	87-95	2007

大谷道明, 岡村 仁	高齢者の運動療法の効果と限界：高齢者の認知機能と運動療法。	PTジャーナル	41	47-52	2007
大谷道明, 岡村 仁, 他	慢性期脳卒中者の認知症に対するアプローチ。	PTジャーナル	41	269-275	2007
岡村 仁	がん患者のリハビリテーション。	腫瘍内科	1	420-426	2007
岡村 仁	悪性腫瘍の遠隔効果 “paraneoplastic syndrome”に関する最近の知見。	総合病院精神医学	19	348-352	2007
鵜飼聰, 小川朝生, 他	体性感覚野へのrTMSによるHFOsの変化	臨床脳波	47	83-89	2007
明智龍男, 内富庸介	がん患者のうつと自殺	学術の動向	13	44-8	2008
稻垣正俊, 内富庸介	がん患者の倦怠感(がんに関連する倦怠感)	精神医学	50	587-95	2008
内富庸介, 藤森麻衣子	がん患者の精神症状マネジメントとコミュニケーションスキル 緩和ケアチームにおける精神医学の技術の効用 精神腫瘍学の臨床・教育経験から	臨床精神薬理	11	768-76	2008
内富庸介	がん医療における家族への配慮	ナース専科	29	92-5	2008
内富庸介	サイコオンコロジー総論	日本病院薬剤師会雑誌	44	1748-50	2008
内富庸介	がん患者の心の痛み： Psycho-Oncologyの臨床実践	慢性疼痛	27	17-21	2008
内富庸介	がん患者さんが陥りやすい抑うつ状態にどうかかわるか	ナース専科	28	96-9	2008
内富庸介	がんに対する心の反応を理解しよう	ナース専科	28	100-3	2008
内富庸介	がん医療における心のケアとコミュニケーション	医薬の門	48	2 (226) -8 (32)	2008
内富庸介	Psycho-Oncologyの臨床応用について	Pain Clinic	29	1004-5	2008
小川朝生, 内富庸介	がん終末期の精神症状とその対策 —サイコオンコロジーの役割—	外科治療	99	566-73	2008
小川朝生, 内富庸介	腫瘍と精神腫瘍学	Pharma Medica	26	67-70	2008
小川朝生, 内富庸介	チーム医療とは 基本的な概念の整理	腫瘍内科	2	273-9	2008
白井由紀, 内富庸介, 他	コミュニケーション・スキル・トレーニング (CST) プロジェクト	緩和医療学	10	263-70	2008
藤森麻衣子, 内富庸介	癌患者とのコミュニケーション	コンセンサス癌治療	7	44-7	2008
藤森麻衣子, 内富庸介	がん医療におけるコミュニケーション・スキル：SHAREとは	医薬の門	48	9 (233) -13 (7)	2008
藤森麻衣子, 内富庸介	がん医療における心理的支援の可能性	こころの科学	140	2-9	2008

松岡豊、 <u>内富庸介</u>	扁桃体の臨床 海馬・扁桃体の体積計測法とサイコオンコロジー	Clinical Neuroscience	26	427-30	2008
山田祐、 <u>内富庸介</u> 、他	サイコオンコロジーとは	コンセンサス癌治療	7	4-7	2008
<u>下山直人</u>	疼痛緩和のガイドライン	腫瘍内科	2(5)	399-405	2008
<u>下山直人</u> 、他	難治性疼痛の治療	麻酔	57増刊9	S170-179	2008
笠井慎也、 <u>下山直人</u> 、他	がん性疼痛患者におけるオピオイドの作用、副作用に関する遺伝子解析	ペインクリニック	29増刊9	S439-449	2008
高橋秀徳、 <u>下山直人</u> 、他	癌の痛みを上手にとるには	外科治療	99(6)	580-590	2008
<u>下山直人</u> 、他	がん性疼痛患者へのチームによる全人的緩和医療	慢性疼痛	27(1)	31-36	2008
<u>下山直人</u> 、他	緩和医療の最前線	頭頸部癌	34(3)	300-304	2008
下山恵美、 <u>下山直人</u> 、他	がんと統合医療—緩和医療	モダンフィジシャン	28(11)07	1605-1607	2008
<u>下山直人</u>	疼痛緩和のガイドライン	腫瘍内科	2(5)	399-405	2008
<u>下山直人</u> 、他	がん性疼痛を取り除くための薬剤の知識	Expert Nurse	24(10)	33-39	2008
<u>下山直人</u> 、他	研究プロジェクト②がん疼痛に対する代替療法・支持療法	緩和医療学	10(3)	11-16	2008
下山恵美、 <u>下山直人</u>	緩和ケアチームの現状と課題	総合臨牀	57(6)08	1807-1808	2008
<u>下山直人</u>	緩和医療の現状と今後の展望	東京都医師会雑誌	61(4)	75-79	2008
<u>下山直人</u>	鎮痛補助薬の現状と今後の展望序	緩和医療学	10(2)	1-2	2008
下山恵美、 <u>下山直人</u>	鎮痛補助薬総論（その意義）	緩和医療学	10(2)	3-8	2008
藤本亘史、 <u>森田達也</u>	疼痛マネジメントをするための系統的・継続的評価	月間ナーシング	28	90-94	2008
森田達也	緩和ケアの現在と将来—Introduction for psychiatrists—	臨床精神薬理	11	777-786	2008
山岸暁美、 <u>森田達也</u>	緩和ケア普及のための地域プロジェクトーがん対策のための戦略研究「OPTIMプロジェクト」	緩和ケア	18	248-250	2008
<u>森田達也</u>	終末期癌患者における輸液治療—日本緩和医療学会ガイドラインの概要—	日本医事新報	4390	68-74	2008
山岸暁美、 <u>森田達也</u> 、他	研究プロジェクト①地域介入研究（戦略研究）	緩和医療学	10	215-222	2008
河正子、 <u>森田達也</u>	研究プロジェクト⑧スピリチュアルケア	緩和医療学	10	256-262	2008
安藤満代、 <u>森田達也</u>	終末期がん患者へのライフレビュー—その現状と展望—	看護技術	54	65-69	2008
安藤満代、 <u>森田達也</u>	終末期がん患者へのスピリチュアルケアとしての短期回想法の実践	看護技術	54	69-73	2008
<u>森田達也</u>	医療連携と緩和医療；OPTIMプロジェクトによる地域介入研究の紹介	コンセンサス癌治療	7	123-125	2008

森田達也, 他	臨床と研究に役立つ 緩和ケアのアセスメント・ツール II. 身体症状 4. 緩和ケアニードのスクリーニングツール	緩和ケア	18(Suppl)	15-19	2008
森田達也	臨床と研究に役立つ 緩和ケアのアセスメント・ツール IX. 患者・家族における臨床ツール 4. 症状評価のためのツール	緩和ケア	18(Suppl)	129-131	2008
藤本直史, 森田達也	臨床と研究に役立つ 緩和ケアのアセスメント・ツール X. その他の評価とツール 5. 緩和ケアチーム初期評価表	緩和ケア	18(Suppl)	157-160	2008
明智龍男	癌患者にみられる代表的な精神症状とその対策	コンセンサス癌治療がんとうつ	7	14-18	2008
明智龍男	研究プロジェクト-精神心理的介入のエビデンス	緩和医療学	10	250-255	2008
明智龍男	がん患者はなぜ死を望むのか	分子精神医学	8	272-274	2008
明智龍男	サイコオンコロジーにおけるEBM	精神科	13	99-104	2008
明智龍男	精神科医のがんチーム医療への参加	腫瘍内科	2	322-328	2008
明智龍男	がん患者の自殺企図とその対策	血液・腫瘍科 575-580	57	575-580	2008
山下真裕子, 岡村 仁	うつ病の再発予防に関するセルフエフィカシー尺度の開発と信頼性・妥当性の検討.	臨床精神医学	37	1045-1052	2008
花岡秀明, 岡村 仁, 他	在宅高齢者に対する転倒・認知症予防プログラムの予備的研究.	作業療法ジャーナル	42	1254-1260	2008
横井輝夫, 岡村 仁	認知症者のBPSDの解釈モデルについての検討.	老年精神医学雑誌	19	997-1008	2008
小野ミツ, 岡村 仁, 他	介護者が高齢者にとる位置と向きの分析.	日本看護科学会誌	28	46-54	2008
岸本光代, 岡村 仁	入学時における医療系学生のSense of Coherence (SOC)に関連する要因の検討.	保健医療社会学論集	19	82-93	2008
岡村 仁	サイコオンコロジーの理解と実践を目指して.	コンセンサス癌治療	7	2-3	2008
岡村 仁	がんチーム医療とリハビリテーション.	腫瘍内科	2	343-347	2008
小川朝生、内富庸介	サイコオンコロジーの役割	日本臨床増刊	67 Suppl 1	521-527	2008
小川朝生	せん妄、うつ病に対する治療薬の使用方法の実際	日本病院薬剤師会雑誌	44	1754-1756	2008
小川朝生	化学療法による認知機能障害をどのように評価するべきか検討した論文	Mebio Oncology	5	130-133	2008
小川朝生	緩和ケアの食事療法 食事からこころのケアへ 臨床で役立つ精神腫瘍学の知識	New Diet Therapy	24	123	2008
鶴飼聰、小川朝生、篠崎和弘	痛みのTMS治療	臨床精神医学	37	59-65	2008

<u>大西秀樹</u>	がん医療における精神腫瘍学的な問題とその対応について	精神神経薬理	11	761-767	2008
<u>大西秀樹</u> 、他	グリーフケア	緩和医療学	10	196-197	2008
<u>大西秀樹</u> 、他	がん患者と家族への心のケア 第6回 遺族ケア	家族ケア	6	16-19	2008
<u>大西秀樹</u> 、他	遺族ケアの実際	総合病院精神医学	20	149-155	2008
<u>大西秀樹</u> 、他	精神腫瘍外来	精神科治療学	23	1097-1102	2008
<u>大西秀樹</u> 、他	緩和医療における家族ケアの基本	緩和医療学	10	347-351	2008
<u>大西秀樹</u> 、他	がん患者の遺族外来について	心と社会	39	52-60	2008
<u>白井由紀</u> 、 <u>内富庸介</u> 、他	症状緩和8 コミュニケーション	治療学	43	397-403	2009
<u>内富庸介</u> 、藤森麻衣子	SHARE—癌医療におけるコミュニケーション技術	Trends in Hematological Malignancies	1	34-38	2009
<u>内富庸介</u>	がん医療における家族への配慮	ナース専科	29	92-95	2009
<u>内富庸介</u>	コミュニケーション	がん緩和医療	43	49-55	2009
<u>内富庸介</u>	サイコオンコロジー総論	日本精神科病院協会雑誌	28	6-12	2009
藤森麻衣子、 <u>内富庸介</u>	がん医療におけるコミュニケーション	日本精神科病院協会雑誌	28	41-46	2009
清水研、 <u>内富庸介</u>	サイコオンコロジー	MedicamentNews	1997	17-18	2009
<u>小川朝生</u> 、 <u>内富庸介</u>	サイコオンコロジーの役割	日本臨床	67	521-527	2009
<u>小川朝生</u> 、 <u>内富庸介</u>	緩和ケアチームが機能するための課題	癌の臨床	55	441-446	2009
<u>小川朝生</u> 、 <u>内富庸介</u>	高齢者の精神腫瘍学	腫瘍内科	3	505-511	2009
<u>小川朝生</u> 、 <u>内富庸介</u>	精神腫瘍学クイックリファレンスの作成について	緩和医療学	11	20-25	2009
<u>小川朝生</u> 、 <u>内富庸介</u> 、他	がんセンターにおける緩和ケア—緩和ケアにおける抑うつへのアプローチを中心に—	心療内科	13	193-200	2009
山田祐、 <u>内富庸介</u> 、他	コミュニケーション・スキル（S H A R E）	CANCER BOARD 乳癌	2	67-70	2009
山田祐、 <u>内富庸介</u> 、他	医師のコミュニケーション技術の向上を図るためのコミュニケーション技術研修会について	緩和医療学	11	26-30	2009

山田祐, 内富庸介, 他	急性白血病患者に対するコミュニケーション・スキル	Trends in Hematological Malignancies	1	36-40	2009
森田達也	緩和支持治療の量と質の充実と普及をめざす先進的な取り組み	漢方医学	33	295-298	2009
森田達也	スピリチュアルケアガイドの作成プロジェクトの背景	緩和ケア	19	16-21	2009
草島悦子, 森田達也, 他	緩和ケアとスピリチュアルケア	緩和ケア	19	43-48	2009
前堀直美, 森田達也, 他	薬剤師からみた地域連携 保険薬局の抱える現状と課題	緩和ケア	19:	130-136	2009
森田達也, 他	がん性疼痛治療におけるフェンタニル貼付剤の意義と今後の展望	Pharma Medica	27	61-68	2009
森田達也	症状緩和 終末期における輸液治療	治療学	43	377-382	2009
森田達也, 他	すべての病状を通じての緩和ケアチームの活動例	治療学	43	459-464	2009
森田達也	維持輸液、栄養輸液、経腸栄養 終末期がん患者に対する輸液治療	総合臨床	58(増刊)	1110-1118	2009
森田達也	緩和ケアチームと麻酔科のコラボレーション 緩和ケア医の立場から	LiSA	16(別冊'09)	40-49	2009
森田達也	終末期がん患者に対する輸液治療	外科治療	101	149-158	2009
森田達也	30年間のホスピスの歴史が緩和ケアチームの基盤となっていた	Cross Cancer Research	1	12-13	2009
森田達也	緩和ケアチームの活動とリハビリテーション	MB Med Reha	111	45-50	2009
鄭陽, 森田達也, 他	地域における講義とグループディスカッションを複合した多職種セミナーの有用性	ペインクリニック	30	1553-1563	2009
明智龍男	がん患者の抑うつと自殺	日本精神科病院協会雑誌	28	13-16	2009
明智龍男	非専門家がうつ病患者を見つけたとき、専門家につなげる一言	Depression Frontier	7	77-81	2009
明智龍男	がん患者に対する精神医学的な介入に関する研究について	緩和医療学	11	73-77	2009
明智龍男	がん患者と家族の心のケア (#イコノコロジー)	治療	91	2419-2423	2009
明智龍男	癌患者の精神症状緩和-サイコオンコロジー	臨床泌尿器科	63	513-519	2009
明智龍男	がん医療における適応障害と精神療法	緩和ケア	19	205-209	2009
明智龍男	がん患者の精神症状	治療学	43	44-48	2009

明智龍男	がん患者に対する精神療法	精神神経学雑誌	111	68-72	2009
三木恵美, <u>岡村仁</u> , 他	末期がん患者に対する作業療法の効果～作業療法士の語りの質的内 容分析～.	作業療法	28	48-59	2009
花岡秀明, <u>岡村仁</u> , 他	中高年者における肥満と健康関連 QOLの検討－男性と女性の相違に關 する一考察.	総合リハ 37: 1167-1173	37	1167- 1173	2009
安東由佳子, <u>岡村仁</u> , 他	神經難病患者をケアする看護師に おける仕事ストレッサー尺度の作 成－質問項目選定のための検討－.	広島大学保健学ジ ャーナル	8	1-6	2009
安東由佳子, <u>岡村仁</u> , 他	神經難病患者をケアする看護師に おけるバーンアウト因果モデルの 作成と検証.	日本看護科学会誌	29	3-12	2009
<u>岡村仁</u>	うつ病の理解とケア－うつ病に対 する精神療法－.	緩和ケア	19	225-227	2009
繁本梢, <u>岡村仁</u>	高齢がん患者とリハビリテーショ ン.	腫瘍内科	3	546-550	2009
<u>岡村仁</u>	病理医が患者さんと会うときに心 得ておきたい基礎知識 A. がんと いう診断を患者に知らせるとき.	病理と臨床	27	675-677	2009
<u>岡村仁</u>	がん患者のリハビリテーション.	日本精神科病院協 会雑誌	28	31-35	2009
小川朝生	薬剤性精神症状を見極める	看護学雑誌	73	10-19	2009
小川朝生	がん患者のせん妄・認知症	日本精神科病院協 会雑誌	28	24-30	2009
小川朝生	不安に使用されるBZP, SSRIs以外の 薬物	最新精神医学	14	551-555	2009
小川朝生	緩和ケアにおけるうつへのアプロ ーチ 現状と課題	Depression Frontier	7	55-60	2009
大西秀樹	サイコオンコロジーの基本的知識	診断と治療	11	54-59	2009
大西秀樹	がん患者家族へのアプローチ	精神神経学雑誌	111	79-84	2009
大西秀樹、石田真弓、 野村忍	患者家族へのケア～どう対応してゆ くか	臨床腫瘍プラクテ ィス	5	174-177	2009
大西秀樹、他	がん患者の遺族ケア	日本精神科病院協 会雑誌	28	36-40	2009

