

		角野善宏.					
大西秀樹, 西田知未, 和田芽衣, 和田信.	癌患者の精神症状	中川和彦.	キャンサートリートメントナビゲーター	メディカルレビュー社	東京	2008	274-275
志真泰夫	緩和ケアと地域連携	岡田晋吾・谷水正人	バスでできる!がん診療の地域連携と患者サポート	医学書院	東京	2009	101-106
合屋 将, 恒藤 暁	在宅がん緩和ケアに必要な腫瘍学の基本	平原佐斗司, 茅根義和	チャレンジ!在宅がん緩和ケア	南山堂	東京	2009	1-17
武田文和, 的場元弘			がんの痛みをとる!	日本医事新報社		2009	
的場元弘, 山本弘史, 他		厚生労働省 医薬食品局 監視指導・ 麻薬対策課	医療用麻薬適正使用ガイドンスーがん疼痛における医療用麻薬の使用と管理のガイドンスー			2009	
的場元弘, 他		日本麻酔科学会 教育委員会 安全委員会編	JSAリフレクシチャーコース 2007 緩和医療最前線	メディカル・サイエンス・インターナショナル		2009	43-54
的場元弘, 他		日本臨床腫瘍学会	新臨床腫瘍学、がん薬物療法専門医のために 改訂第2版	南江堂		2009	
吉本鉄介, 的場元弘.	がん性疼痛における複方オキシコドン注持続皮下注の有効性と安全性ー4年間の処方調査ー		癌と化学療法		36(10)	2009	
森田達也.	第3部がん化学療法中に施行する栄養管理. 5. 終末期がん患者に対する輸液治療.		がん化学療法チームハンドブック がん患者の栄養管理.	南山堂		2009	262-271

天野功二, 森田 達也.	第Ⅱ章消化器癌化学療法 の実際. 消化器癌化学療法 施行時の栄養管理と消化器 癌患者に対する緩和医療. 消化器癌患者に対する緩和 医療.	久保田哲朗, 大村健二	消化器癌化学療法. 改訂2 版.	南山堂		2009	359-374
-----------------	---	-------------	---------------------	-----	--	------	---------

雑誌 (外国語)

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ando M, Tsuda A, <u>Morita T.</u>	Life review interviews on the spiritual well-being of terminally ill cancer patients.	Support Care Cancer	15	225-231	2007
Ando M, <u>Morita T,</u> O'connor SJ.	Primary concerns of advanced cancer patients identified through the structured life review process: A qualitative study using a text mining technique.	Palliat Support Care	5	265-271	2007
Asai M, <u>Morita T,</u> Akechi T, Sugawara Y, Fujimori M, Akizuki N, Nakano T, Uchitomi Y.	Burnout and psychiatric morbidity among physicians engaged in end-of-life care for cancer patients: A cross-sectional nationwide survey in Japan.	Psycho-Oncology	16	421-428	2007
Fujimori M, Akechi T, <u>Morita T,</u> Inagaki M, Akizuki N, Sakano Y, Uchitomi Y.	Preferences of cancer patients regarding the disclosure of bad news.	Psycho-Oncology	16	573-581	2007
Hideya Kokubun, Misako Fukawa, <u>Motohiro</u> <u>Matoba,</u> et al	Pharmacokinetics and Variation in the Clearance of Oxycodone and Hydrocotarnine in Patients with Cancer Pain	Biol. Pharm. Bulletin	30(11)	2173-2177	2007
Hideya Kokubun, <u>Motohiro Matoba,</u> et al	Relationship between Serum fentanyl concentration and transdermal fentanyl dosage, and intraindividual variability of fentanyl concentration after transdermal application in patients with cancer pain	Jpn. J. Pharm. Health Care Sci	33(3)	200-205	2007
Hirabayashi Y, <u>Miyashita M,</u> Kawa M, Kazuma K, Yamashita K, Okamoto N.	Factors relating to terminally ill cancer patients' willingness to continue living at Home during the early phase of home care after discharge from clinical cancer centers in Japan.	Palliat Support Care	5(1)	19-30	2007
Koyama Y, <u>Miyashita M,</u> Irie S, Takatori Y, Yamamoto M, Karita T, Kazuma K.	A study of the reality of daily life among patients with osteoarthritis of the hip undergoing conservative treatment.	Journal of Orthopaedic Nursing	11	81-90	2007
Matsuo N, <u>Morita T.</u>	Physician-reported practice of the use of methylphenidate in Japanese palliative care units.	J Pain Symptom Manage	33	655-656	2007

Miyashita M, Hirai K, Morita T, Sanjo M, Uchitomi Y.	Barriers to referral to inpatient palliative care units in Japan: A qualitative survey with content analysis.	Support Care Cancer	16(3)	217-222	2008
Miyashita M, Nakamura A, Morita T, Bito S.	Identification of quality indicators of the end-of-life cancer care from medical chart review using modified Delphi method in Japan.	Am J Hosp Palliat Med	25(1)	33-8	2008
Miyashita M, Morita T, Shima Y, Kimura R, Takahashi M, Adachi I.	Nurse views of the adequacy of decision-making and nurse distress regarding artificial hydration for terminally ill cancer patients: a nationwide survey.	Am J Hosp Palliat Med	24(6)	463-9	2008
Miyashita M, Sanjo M, Morita T, Hirai K, Kizawa Y, Shima Y, Shimoyama N, Tsuneto S, Hiraga K, Sato K, Uchitomi Y.	Barriers to providing palliative care and priorities for future actions to advance palliative care in Japan: a nationwide expert opinion survey.	J Palliat Med	10(2)	390-399	2007
Miyashita M, Sanjo M, Morita T, Hirai K, Uchitomi Y.	Good death in cancer care: A nationwide quantitative study.	Ann Oncol	18	1090-7	2007
Miyashita M, Nishida S, Koyama Y, Kimura R, Sasahara T, Shirai Y, Kawa M,	The Society of the Palliative Care for University Hospital. The current status of palliative care teams in Japanese university hospitals: A nationwide questionnaire survey.	Support Care Cancer	15(7)	801-6	2007
Miyashita M, Morita T, Shima Y, Kimura R, Takahashi M, Adachi I.	Physician and nurse attitudes towards artificial hydration for terminally ill cancer patients in Japan: results of two nationwide surveys.	Am J Hosp Palliat Med	24	383-9	2007
Miyashita M, Nakai Y, Sasahara T, Koyama Y, Shimizu Y, Tsukamoto N, Kawa M.	Nursing autonomy plays an important role in nurses' attitudes towards caring for dying patients.	Am J Hosp Palliat Med	24(3)	202-10	2007
Morita T, Bito S, Koyama H, Uchitomi Y, Adachi I.	Development of national clinical guideline for artificial hydration therapy for terminally ill patients with cancer.	J Palliat Med	10	770-780	2007

<u>Morita T</u> , Murata H, Hirai K, Tamura K, Kataoka J, Ohnishi H, Akizuki N, Kurihara Y, Akechi T, Uchitomi Y, on behalf of the apanese spiritual care task orce.	Meaninglessness in terminally ill cancer patients: a validation study and nurse education intervention trial.	J Pain Symptom Manage	34	160-170	2007
<u>Morita T</u> , Akechi T, Ikenaga M, Inoue S, Kohara H, Matsubara T, Matsuo N, Namba M, Shinjo T, Tani K, Uchitomi Y.	Terminal delirium: recommendations from bereaved families' experiences.	J Pain Symptom Manage	34	579-589	2007
Namba M, <u>Morita T</u> , Imura C, Kiyohara E, Ishikawa S, Hirai K.	Terminal delirium: families' experience.	Palliat Med	21	587-594	2007
Okamoto Y, <u>Tsuneto S</u> , Matsuda Y, Inoue T, Tanimukai H, Tazumi K, Ono Y, Kurokawa N, Uejima E.	A Retrospective Chart Review of the Antiemetic Effectiveness of Risperidone in Refractory Opioid-Induced Nausea and Vomiting in Advanced Cancer Patients.	J Pain Symptom Manage	34(2)	217-222	2007
Osaka I, <u>Morita T</u> , Tanaka K, Kurihara Y, Nishizaki H, Adachi I.	Palliative care philosophies of Japanese certified palliative care units: a nationwide survey.	J Pain Symptom Manage	33	9-12	2007
Sanjo M, <u>Miyashita M</u> , <u>Morita T</u> , Hirai K, Kawa M, Ashiya T, Ishihara T, Matsubara T, Miyoshi I, Nakaho T, Nakajima N, Onishi H, Ozawa T, Suenaga K, Tajima T, Hisanaga T, Uchitomi Y.	Perceptions of specialized inpatient palliative care: a population-based survey in Japan.	J Pain Symptom Manage	35(3)	275-82	2008
Sanjo M, <u>Miyashita M</u> , <u>Morita T</u> , Hirai K, Kawa M, Akechi T, Uchitomi Y.	Preferences regarding end-of-life cancer care and associations with god-death concepts: A population-based survey in Japan.	Ann Oncol	18	1539-47	2007
Sano T, Maeyama E, Kawa M, Shirai Y, <u>Miyashita M</u> , Kazuma K, Okabe T.	Family caregiver's experiences in caring for a patient with terminal cancer at home in Japan.	Palliat Support Care	5(4)	389-95	2007
<u>Miyashita M</u> , Yasuda M, Baba R, Iwase S, Teramoto R, Nakagawa K, Kizawa Y, <u>Shima Y</u> .	Inter-rater reliability of proxy simple symptom assessment scale between physician and nurse: A hospital-based palliative care team setting.	Eur J Cancer Care	19	124-130	2010

Miyashita M, Morita T, Hirai K.	Evaluation of end-of-life cancer care from the perspective of bereaved family members: The Japanese experience	J Clin Oncol	26(23)	3845-3852	2008
Miyashita M, Misawa T, Abe M, Nakayama Y, Abe K, Kawa M.	Quality of life, day hospice needs, and satisfaction of community-dwelling advanced cancer patients and their caregivers in Japan.	J Palliat Med	11(9)	1203-1207	2008
Miyashita M, Morita T, Tsuneto S, Sato K, Shima Y.	The Japan HOspice and Palliative care Evaluation study (J-HOPE study): Study design and characteristics of participating institutions.	Am J Hosp Palliat Med	25(3)	223-232	2008
Miyashita M, Morita T, Sato K, Hirai K, Shima Y, Uchitomi Y.	Good Death Inventory: A measure for evaluating good death from the bereaved family member's perspective.	J Pain Symptom Manage	35(5)	486-498	2008
Miyashita M, Morita T, Sato K, Hirai K, Shima Y, Uchitomi Y.	Factors contributing to evaluation of a good death from the bereaved family member's perspective.	Psychooncology	17(6)	612-620	2008
Miyashita M, Sato K, Morita T, Suzuki M.	Effect of a population-based educational intervention focusing on end-of-life home care, life-prolonging treatment, and knowledge about palliative care.	Palliat Med	22(4)	376-382	2008
Miyashita M, Morita T, Shima Y, Kimura R, Takahashi M, Adachi I.	Nurse views of the adequacy of decision-making and nurse distress regarding artificial hydration for terminally ill cancer patients: a nationwide survey.	Am J Hosp Palliat Med	24(6)	463-469	2008
Sato K, Miyashita M, Morita T, Sanjo M, Shima Y, Uchitomi Y.	Reliability assessment and findings of a newly developed quality measurement instrument: quality indicators of end-of-life cancer care from medical chart review at a Japanese regional cancer center.	J Palliat Med	11(5)	729-737	2008
Sato K, Miyashita M, Morita T, Sanjo M, Shima Y, Uchitomi Y.	Quality of end-of-life treatment for cancer patients in general wards and the palliative care unit at a regional cancer center in Japan: a retrospective chart review.	Support Care Cancer	16(2)	113-122	2008

Koyama Y, <u>Miyashita M</u> , Irie S, Yamamoto M, Karita T, Moro T, Takatori Y, Kazuma K.	A study of disease management activities of hip osteoarthritis patients under conservative treatment.	Journal of Orthopaedic Nursing	12	75-83	2008
Abe Y, <u>Miyashita M</u> , Ito N, Shirai Y, Momose Y, Ichikawa Y, Kazuma K.	Attitude of outpatients with neuromuscular diseases in Japan to pain and use of analgesics.	J Neurol Sci	267 (1-2)	22-27	2008
Yamagishi A, <u>Morita T</u> , <u>Miyashita M</u> , Akizuki N, Kizawa Y, Shirahige Y, Akiyama M, Hirai K, Kudo T, Yamaguchi T, Fukushima A, Eguchi K.	Palliative Care in Japan: Current Status and a Nationwide Challenge to Improve Palliative Care by the Cancer Control Act and the Outreach Palliative Care Trial of Integrated Regional Model (OPTIM) Study.	Am J Hosp Palliat Med	25	412-418	2008
<u>Morita T</u> , <u>Miyashita M</u> , <u>Tsuneto S</u> , <u>Shima Y</u> .	Palliative care in Japan: shifting from the stage of disease to the intensity of suffering.	J Pain Symptom Manage	36(6)	e6-7	2008
Shiozaki M, Hirai K, Dohke R, <u>Morita T</u> , <u>Miyashita M</u> , Sato K, <u>Tsuneto S</u> , <u>Shima Y</u> , Uchitomi Y.	Measuring the regret of bereaved family members regarding the decision to admit cancer patients to palliative care units.	Psychooncology	17(9)	926-931	2008
<u>Morita T</u> , et al	Palliative care needs of cancer outpatients receiving chemotherapy: an audit of a clinical screening project.	Support Care Cancer	16	101-107	2008
<u>Morita T</u> , et al	Screening for discomfort as the fifth vital sign using an electronic medical recording system: a feasibility study.	J Pain Symptom Manage	35	430-436	2008
Akechi T, <u>Morita T</u> , et al	Psychotherapy for depression among incurable cancer patients.	Cochrane Database Syst Rev	Apr 16	CD005537	2008
Ando M, <u>Morita T</u> , et al	One-week short-term life review interview can improve spiritual well-being of terminally ill cancer patients.	Psycho-Oncology	17	885-890	2008
Tei Y, <u>Morita T</u> , et al	Treatment efficacy of neural blockade in specialized palliative care services in Japan: a multicenter audit survey.	J Pain Symptom Manage	36	461-467	2008
Ando M, <u>Morita T</u> , et al	A pilot study of transformation, attributed meanings to the illness, and spiritual well-being for terminally ill cancer patients.	Palliat Support Care	6	335-340	2008

Nishida T, <u>Wada M</u> , Wada M, Ito H, Narabayashi M, Onishi N.	Activation syndrome caused by paraxetine in an cancer patient.	Palliative and Supportive Care	6	183-5	2008
Igarashi A, <u>Morita T</u> , <u>Miyashita M</u> , Kiyohara E, Inoue S.	Changes in medical and nursing care after admission to palliative care units: a potential method for improving regional palliative care.	Support Care Cancer.			in press
Fujisawa D, <u>Miyashita M</u> , Nakajima S, Ito M, Kato M, Kim Y.	Prevalence and determinants of complicated grief in general population.	J Affect Disorders.			in press
Sugiura M, <u>Miyashita M</u> , Sato K, <u>Morita T</u> , <u>Tsuneto S</u> , <u>Matoba M</u> , Sano M, <u>Shima Y</u> .	Analysis of Factors Related to the Use of Opioid Analgesics in Regional Cancer Centers in Japan.	J Palliat Med.			in press
Ando M, <u>Morita T</u> , <u>Miyashita M</u> , Sanjo M, <u>Shima Y</u> , Kira H.	Effects of Bereavement Life Review Therapy on Spirituality, Anxiety and Depression.	J Pain Symptom Manage.			in press
Akazawa T, Akechi T, <u>Morita T</u> , <u>Miyashita M</u> , Sato K, <u>Tsuneto S</u> , <u>Shima Y</u> , Furukawa TA.	Self-perceived burden in terminally ill cancer patients: A categorization of care strategies based on bereaved family members' perspectives.	J Pain Symptom Manage			in press
Choi JE, <u>Miyashita M</u> , Hirai K, Sato K, <u>Morita T</u> , <u>Tsuneto S</u> , <u>Shima Y</u> .	Preference of place for end-of-life cancer care and death among bereaved Japanese families who experienced home hospice care and death of a loved one.	Support Care Cancer.			in press
Nakazawa Y, <u>Miyashita M</u> , <u>Morita T</u> , Umeda M, Oyagi Y, Ogasawara T.	The Palliative Care Knowledge Test (PCKT): the reliability and validity of an instrument to measure palliative care knowledge among health professionals.	Palliat Med.			in press
Nakazawa Y, <u>Miyashita M</u> , <u>Morita T</u> , Umeda M, Oyagi Y, Ogasawara T.	The Palliative Care Self-reported Practices Scale (PCPS) and the Palliative Care Difficulties Scale (PCDS): reliability and validity of 2 scales evaluating self-reported practices and difficulties experienced in palliative care by health professionals.	J Palliat Med			in press



Ando M, Kawamura R, <u>Morita T</u> , Hirai K, <u>Miyashita M</u> , Okamoto T, <u>Shima Y</u> .	Value of religious care for relief of psycho-existential suffering in Japanese terminally ill cancer patients: the perspective of bereaved family members.	Psychooncology.				in press
<u>Miyashita M</u> , <u>Morita T</u> , Ichikawa T, Sato K, <u>Shima Y</u> , Uchitomi Y.	Quality indicators of end-of-life cancer care from the bereaved family members' perspective in Japan.	J Pain Symptom Manage.	37(6)	1019-1026		2009
<u>Miyashita M</u> , Arai K, Yamada Y, Owada M, Sasahara T, Kawa M, Mukaiyama T.	Discharge from a palliative care unit: prevalence and related factors from a retrospective study in Japan.	J Palliat Med.	12(2)	142-149		2009
<u>Miyashita M</u> , Narita Y, Sakamoto A, Kawada N, Akiyama M, Kayama M, Suzukamo Y, Fukuhara S.	Care burden and depression in caregivers caring for patients with intractable neurological diseases at home in Japan.	J Neurol Sci.	276	148-152		2009
Sato K, <u>Miyashita M</u> , <u>Morita T</u> , Suzuki M.	Long-term effect of a population-based educational intervention focusing on end-of-life home care, life prolongation treatment, knowledge about palliative care.	J Palliat Care.	25(3)	206-212		2009
<u>Morita T</u> , <u>Miyashita M</u> , <u>Tsuneto S</u> , Sato K, <u>Shima Y</u> .	Late Referrals to Palliative Care Units in Japan: Nationwide Follow-up Survey and Effects of Palliative Care Team Involvement After the Cancer Control Act.	J Pain Symptom Manage.	38(2)	191-196		2009
Fukahori H, <u>Miyashita M</u> , <u>Morita T</u> , Ichikawa T, Akizuki N, Akiyama M, Shirahige Y, Eguchi K.	Administrators' Perspectives on End-of-Life Care for Cancer Patients in Japanese Long-Term Care Facilities.	Support Care Cancer.	17(10)	1247-1254		2009
Misawa T, <u>Miyashita M</u> , Kawa M, Abe K, Abe M, Nakayama Y,	Given CW. Validity and reliability of the Japanese version of the Caregiver Reaction Assessment Scale (CRA-J) for community-dwelling cancer patients.	Am J Hosp Palliat Med.	26(5)	334-340		2009
Okishiro N, <u>Miyashita M</u> , <u>Tsuneto S</u> , <u>Shima Y</u> .	The Japan HOspice and Palliative care Evaluation study (J-HOPE study): views about legalization of death with dignity and euthanasia among the bereaved whose family member died at palliative care units.	Am J Hosp Palliat Med.	26	98-104		2009

Sanjo M, <u>Morita T</u> , <u>Miyashita M</u> , Shiozaki M, Sato K, Hirai K, <u>Shima Y</u> , Uchitomi Y.	Caregiving Consequence Inventory: A measure for evaluating caregiving consequence from the bereaved family member's perspective.	Psychooncolog y.	18(6)	657-666	2009
Yamagishi A, <u>Morita T</u> , <u>Miyashita M</u> , Kimura F.	Symptom prevalence and longitudinal follow-up in cancer outpatients receiving chemotherapy.	J Pain Symptom Manage.	37(5)	823-830	2009
Kusajima E, Kawa M, <u>Miyashita M</u> , Kazuma K, Okabe T.	Prospective evaluation of transition to specialized home palliative care in Japan.	J Hosp Palliat Med.	26(3)	172-179	2009
<u>Morita T</u> , Murata H, Kishi E, <u>Miyashita M</u> , Yamaguchi T, Uchitomi Y.	Meaninglessness in terminally ill cancer patients: a randomized controlled study.	J Pain Symptom Manage.	37(4)	649-658	2009
Okishiro N, Tanimukai H, <u>Tsuneto S</u> , Ito N.	Can "steroid switching" improve steroid-induced psychosis in a patient with advanced cancer?	J Palliat Med	12(5)	487-490	2009
Yomiya K, <u>Matoba M</u> .	Baclofen as an Adjuvant Analgesic for Cancer Pain.	American Journal of Hospice & Palliative Medicine Vol26, No. 2	26(2)	112-118	2009
Yamagishi A, Tanaka F, <u>Morita T</u> .	Artificial hydration therapy for terminally ill cancer patients: a nurse-education intervention.	J Pain Symptom Manage	38(3)	358-364	2009
Ando M, <u>Morita T</u> , AhnSH, Marquez-Wong F, Ide S.	International comparison study on the primary concerns of terminally ill cancer patients in short-term life review interviews among Japanese, Koreans, and Americans.	Palliat Support Care	7(3)	349-355	2009
Okamoto T, Ando M, <u>Morita T</u> , Hirai K, Kawamura R, <u>Miyashita M</u> , Sato K, <u>Shima Y</u> .	Religious care required for Japanese terminally ill patients with cancer from the perspective of bereaved family members.	Am J Hosp Palliat Care.	[Epub ahead of print]		2009
Tarumi Y, <u>Morita T</u> , Watanabe S.	Cancer pain- progress and ongoing issues in Japan.	Pain Res Manag	14(5)	357-358	2009
Sasahara T, Kizawa Y, <u>Morita T</u> , Iwamitsu Y, Otaki J, Okamura H, Takahashi M, Takenouchi S, Bito S.	Development of a standard for hospital-based palliative care consultation teams using a modified Delphi method.	J Pain Symptom Manage	38(4)	496-504	2009

Nakazawa Y, <u>Miyashita M</u> , <u>Morita T</u> , Umeda M, Oyagi Y, Ogasawara T.	The Palliative care knowledge test: reliability and validity of an instrument to measure palliative care knowledge among health professionals.	Palliat Med	23(8)	754-766	2009
Ando M, <u>Morita T</u> , Akechi T, Ito S, Tanaka M, Ifuku Y, Nakayama T.	The efficacy of mindfulness-based meditation therapy on anxiety, depression, and spirituality in Japanese patients with cancer.	J Palliat Med	12(12)	1101-1104	2009
<u>Miyashita M</u> , <u>Morita T</u> , Sato K, <u>Tsuneto S</u> , <u>Shima Y</u> .	J-HOPE study: Evaluation of End-of-Life Cancer Care in Japan from the Perspective of Bereaved Family Members.	J Clin Oncol	27	502	2009

雑誌（日本語）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
佐藤一樹, 宮下光令, 森田達也, 鈴木雅夫.	一般集団における終末期在宅療養の実現可能性の認識とその関連要因	Palliat Care Res	2巻1号	101-111	2007
恒藤暁.	がん性疼痛	医薬ジャーナル		28-29	2007
恒藤暁.	がん患者の身体症状マネジメント：がん疼痛治療を中心に	臨床精神薬理	10巻8号	1529-1536	2007
恒藤暁.	緩和ケアの実践	Physician's Therapy Manual	6巻1号	114-116	2007
富安志郎, 的場元弘, 他	内服モルヒネレスキュードーズ簡略化の妥当性：5mg単位での鎮痛効果と副作用の多施設調査	ペインクリニック	28巻2号	209-215	2007
中村和代, 的場元弘, 他	がん性疼痛患者におけるオキシコドン徐放錠の薬物動態についての検討	癌と化学療法	34巻9号	1449-1453	2007
橋爪隆弘, 的場元弘, 他	フェンタニルパッチ導入において添付文書が推奨する先行オピオイド最低用量の妥当性：日本における多施設の専門医処方調査	がんと化学療法	34巻6号	897-902	2007
福井小紀子, 宮下光令, 清水準一, 山岸暁美, 高沢洋子, 伊藤美緒子.	平成18年度厚生労働省保健健康増進等事業「訪問看護ステーションの業務基準に関する検討」がん緩和ケア小委員会報告書がん緩和ケア基準の作成とその経緯	コミュニティア	9巻9号	24-34	2007
的場元弘, 他	WHO方式がん疼痛治療ガイドラインの推奨量によるアセトアミノフェン：日本における有効性と安全性の多施設処方調査	ペインクリニック	28巻8号	1131-1139	2007
的場元弘, 他	経口オピオイド鎮痛薬の重要性とオキシコドンが果たす臨床的役割オキシコドンの副作用とその対策	がん患者と対症療法	18巻2号	11-17	2007
宮下光令, 佐藤一樹, 森田達也, 濱島ちさと, 祖父江友孝.	緩和ケアのQuality indicator	Palliative Care Research	2巻2号	231-8	2007
宮下光令.	「STAS-Jの使用経験とこれからの課題2007」開催報告	緩和ケア	18巻1号	73-6	2007

宮下光令.	「STAS-Jの使用経験とこれからの課題」開催報告 -STAS-J導入の成功と継続使用のために-	緩和ケア	17巻2号	166-9	2007
宮下光令, 白井由紀, 三條真紀子, 羽佐田知美, 佐藤一樹, 三澤知代.	2004年の都道府県別在宅死亡割合と医療・社会的指標の関連	厚生学指標	54巻11号	44-9	2007
落合亮太, 日下部智子, 宮下光令, 佐藤秀郎, 村上新, 萱間真美, 数間恵子.	成人先天性心疾患患者がキャリアオーバーを経て疾患に対する認識を変化させていくプロセスに関する質的研究	看護研究	42(1)	57-68	2008
宮下光令, 秋山美紀, 落合亮太, 萩原章子, 中島孝, 福原俊一, 大生定義.	神経内科学的疾患患者の在宅介護者に対する「個別化された重みつきQOL尺度」SEIQoL-DWの測定	厚生学指標	55(1)	9-14	2008
落合亮太, 日下部智子, 宮下光令, 佐藤秀郎, 村上新, 萱間真美, 数間恵子.	成人先天性心疾患患者が生育医療に対して抱く要望	心臓	40(8)	700-706	2008
笹原朋代, 三條真紀子, 梅田恵, 樋口比登実, 篠田淳子, 柴山大賀, 宮下光令, 河正子, 数間恵子.	大学病院で活動する緩和ケアチームの支援内容-参加観察の結果から-	日本がん看護学会誌	22(1)	12-22	2008
宮下光令, 志真泰夫, 橋爪隆弘.	緩和ケア・コンサルテーションの現状と課題	緩和ケア	18	494-500	2008
三條真紀子, 広瀬寛子, 柳沢博, 宮下光令, 数間恵子.	終末期がん患者の療養場所移行に関する家族の経験と医療者への家族支援ニーズ	がん看護	13(5)	580-8	2008
宮下光令.	日本人にとっての望ましい死	Pharma Medica.	26(7)	29-33	2008
宮下光令.	緩和ケアの質評価・実態調査	緩和医療学	10(3)	235-40	2008
宮下光令, 草島悦子.	緩和ケア臨床・研究・教育ホームページプロジェクト	緩和医療学	10(3)	271-4	2008
宮下光令.	がん診療連携拠点病院の緩和ケアにおける役割と課題	看護管理	18(7)	553-9	2008
小山友里江, 宮下光令, 数間恵子, 高取吉雄.	寛骨臼回転骨切り術(RAO)を受けた患者の生活	Journal of Clinical Rehabilitation.	17(4)	344-9	2008
宮下光令, 櫻井紀子, 福田敬.	鼎談:ターミナルケアをいかに実践すべきか.	月刊福祉	93(3)	12-20	2008

神谷浩平, 下川美穂, 東健二郎, 久永貴之, <u>志真泰夫</u> .	診断の指針・治療の指針 臨床医に必要な緩和ケアの知識	総合臨床	57(9)	2363-2364	2008
<u>志真泰夫</u> .	緩和医療の卒前・卒後教育 緩和医療の卒後教育について	医学教育	39	22	2008
<u>志真泰夫</u> .	【緩和ケア これからの 10 年をみつめる】研究プロジェクト 日本ホスピス・緩和ケア研究振興財団研究事業 遺族によるホスピス・緩和ケアの質の評価に関する研究	緩和医療学	10(3)	241-246	2008
久永貴之, <u>志真泰夫</u> , 長岡広香, 木澤義之.	【がん患者の消化器症状マネジメント】消化器症状の医学的治療 消化管閉塞の緩和 酢酸オクトレオチド	がん看護	13(2)	255-260	2008
坂口幸弘, 池永昌之, 田村恵子, <u>恒藤暁</u> .	ホスピスで家族を亡くした遺族の心残りに関する探索的検討	死の臨床	31(1)	74-81	2008
岡本禎晃, <u>恒藤暁</u> , 合屋将, 松田陽一, 谷向仁, 大野由美子, 田墨恵子, 井上達也, 安田宗一郎, 衛藤広士, 戸谷良江, 黒川信夫, 上島悦子.	高用量 フェンタニルパッチによるがん性疼痛治療の有効性	ペインクリニック	29(3)	373-7	2008
谷向仁, <u>恒藤暁</u> .	精神科医に相談すべきがん患者の心理・精神的症状	外科治療	99(6)	574-9	2008
<u>恒藤暁</u> .	緩和ケアにおける多次元的アセスメント	緩和ケア	18	1-5	2008
合屋 将, <u>恒藤暁</u> .	進行肺癌患者における症状緩和の実際	総合臨床	57(9)	2344-9	2008
<u>恒藤暁</u> .	日本における緩和ケアの現状と今後の課題	Psychiatry Today	18	47-8	2008
国分秀也, 的場元弘, 岡崎美代子, 外須美夫, 矢後和夫.	がん疼痛患者におけるフェンタニルパッチ2.5mg 製剤片面貼付の検討.	YAKUGAKU ZASSI	128(3)	447-450	2008
藤本亘史, <u>森田達也</u> .	疼痛マネジメントをするための系統的・継続的評価	月間ナーシング	28	90-94	2008
<u>森田達也</u> .	緩和ケアの現在と将来 — Introduction for psychiatrists —	臨床精神薬理	11	777-86	2008
山岸暁美, <u>森田達也</u> .	緩和ケア普及のための地域プロジェクト—がん対策のための戦略研究「OPTIMプロジェクト」	緩和ケア	18	248-50	2008
<u>森田達也</u> .	終末期癌患者における輸液治療—日本緩和医療学会ガイドラインの概要—	日本医事新報	4390	68-74	2008

山岸暁美, 森田達也, 他.	研究プロジェクト①地域介入研究 (戦略研究)	緩和医療学	10	215-22	2008
河正子, 森田達也.	研究プロジェクト⑧スピリチュアルケア	緩和医療学	10	256-62	2008
安藤満代, 森田達也.	終末期がん患者へのライフレビュー —その現状と展望—	看護技術	54	65-9	2008
安藤満代, 森田達也.	終末期がん患者へのスピリチュアルケアとしての短期回想法の実践	看護技術	54	69-73	2008
森田達也.	医療連携と緩和医療; OPTIM プロジェクトによる地域介入研究の紹介	コンセンサス 癌治療	7	123-5	2008
森田達也, 他.	臨床と研究に役立つ 緩和ケアのアセスメント・ツール II. 身体症状 4. 緩和ケアニードのスクリーニングツール	緩和ケア	18	15-9	2008
森田達也.	臨床と研究に役立つ 緩和ケアのアセスメント・ツール IX. 患者・家族における臨床ツール 4. 症状評価のためのツール	緩和ケア	18	129-31	2008
藤本亘史, 森田達也.	臨床と研究に役立つ 緩和ケアのアセスメント・ツール X. その他の評価とツール 5. 緩和ケアチーム初期評価表	緩和ケア	18	157-60	2008
大西秀樹, 西田知未, 和田芽衣, 石田真弓, 和田信.	グリーンケア	緩和医療学	10	196-97	2008
大西秀樹, 西田知未, 和田芽衣, 和田信.	緩和医療における家族ケアの基本	緩和医療学	10	347-51	2008
大西秀樹, 西田知未, 和田芽衣, 石田真弓, 和田信.	遺族ケアの実際	総合病院精神医学	20	149-55	2008
大西秀樹, 西田知未, 和田芽衣, 和田信.	精神腫瘍外来	精神科治療学	23	1097-102	2008
大西秀樹, 西田知未, 和田芽衣, 和田信.	サイコオンコロジーの臨床	精神科	13	94-8	2008
西田知未, 和田信, 和田芽衣, 大西秀樹.	精神腫瘍医の考える薬物療法	家族ケア	6(4)	16-8	2008
大西秀樹, 西田知未, 和田芽衣, 石田真弓, 和田信.	遺族ケア	家族ケア	6(6)	16-9	2008
大西秀樹, 西田知未, 和田芽衣, 和田信, 石田真弓.	遺族ケアの実践と課題	がんけあナビ	1	48-51	2008
大西秀樹, 西田知未, 和田芽衣, 石田真弓, 和田信.	がん患者の家族の相互理解 (コミュニケーション) を促す援助	家族看護	6(2)	103-8	2008

宮下光令.	「STAS-Jの使用経験とこれからの課題2008」開催報告.	緩和ケア	19(2)	178-82	2009
志真泰夫.	緩和ケアにおける教育プログラム - 基本教育と専門教育	緩和ケア	19 (10 増刊号)	114-118	2009
志真泰夫.	がん性疼痛の評価と治療-基本的知識と処方のコツ-	外科治療	101 (2)	113-122	2009
衛藤広士, 松田陽一, 岡本禎晃, 恒藤暁, 合屋将, 谷向 仁, 戸谷良江, 安田宗一郎, 津金麻実子, 上島悦子.	神経障害性疼痛に対するガバペンチン投与後早期の鎮痛効果	ペインクリニック	30(8)	1101-1104	2009
沖代奈央, 恒藤暁	癌性疼痛に対する薬物療法	消化器外科	32	1001-1003	2009
谷向仁, 恒藤暁.	うつ病の理解とケア: がん医療におけるうつ病	緩和ケア	19(3)	216-219	2009
沖代奈央, 恒藤暁.	症状マネジメントの考え方	外科治療	101(2)	103-111	2009
恒藤暁.	がん性疼痛の薬物療法	治療	91(10)	2400-2405	2009
秋山美紀, 的場元弘, 他	地域診療医師の在宅緩和ケアに関する意識調査	Palliative Care Research	4(2)	112-122	2009
森田達也, 小野宏志, 佐々木一義, 鈴木留美, 深澤貴子, 山田博英.	がん性疼痛治療におけるフェンタニル貼付剤の意義と今後の展望	Pharma Medica	27(4)	61-68	2009
森田達也.	【がん緩和医療 終末期に限らない早期からの適切な実施】症状緩和 終末期における輸液治療.	治療学	43(4)	377-382	2009
森田達也, 藤本亘史, 仲田明弘, 鄭陽, 高田知季, 前堀直美, 井村千鶴, 小野宏志.	すべての病状を通じての緩和ケアチームの活動例.	治療学	43(4)	459-464	2009
森田達也.	【今すぐに役立つ輸液ガイドブック】維持輸液、栄養輸液、経腸栄養 終末期がん患者に対する輸液治療.	総合臨床	58 (増刊)	1110-1118	2009
森田達也.	緩和ケアチームと麻酔科のコラボレーション緩和ケア医の立場から	LiSA 16(別冊'09)		40-49	2009
森田達也.	30年間のホスピスの歴史が緩和ケアチームの基盤となっていた.	Cross Cancer Research	1(2)	12-13	2009



森田達也.	【がんのリハビリテーションと緩和ケア】緩和ケアチームの活動とリハビリテーション.	MB Med Reha	111	45-50	2009
鄭陽, 井村千鶴, 野末よし子, 赤澤輝和, 古村和恵, 森田達也, 大木純子, 清原恵美, 井上聡, 田村ひでみ, 藤本亘史, 大谷弘行, 天野功二, 佐久間由美, 加藤亜沙代, 福田かおり, 末田千恵, 山岸暁美.	地域における講義とグループディスカッションを複合した多職種セミナーの有用性.	ペインクリニック	30(11)	1553-1563	2009

