

References

1. Weinstein JL, Katzenstein HM, Cohn SL (2003) Advances in the diagnosis and treatment of neuroblastoma. *Oncologist* 8:278–292
2. Brodeur GM, Pritchard J, Berthold F et al (1993) Revisions of the international criteria for neuroblastoma diagnosis, staging, and response to treatment. *J Clin Oncol* 11:1466–1477
3. Shulkin BL, Shapiro B (1998) Current concepts on the diagnostic use of MIBG in children. *J Nucl Med* 39:679–688
4. Kushner BH, Kramer K, LaQuaglia MP et al (2006) Liver involvement in neuroblastoma: the Memorial Sloan-Kettering Experience supports treatment reduction in young patients. *Pediatr Blood Cancer* 46:278–284
5. Franken EA Jr, Smith WL, Cohen MD et al (1986) Hepatic imaging in stage IV-S neuroblastoma. *Pediatr Radiol* 16:107–109
6. Kitanaka C (2005) Non-apoptotic programmed cell deaths: existence and significance of programmed cell deaths having morphology and mechanism distinct from apoptosis. *Yamagata Med J* 23:83–96

厚生労働科学研究費補助金
がん臨床研究事業

神経芽腫におけるリスク分類にもとづく標準的治療の
確立と均てん化および新規診断・治療法の開発研究

平成 21 年度 総括・分担研究報告書

研究代表者 池田 均

印刷：株松井ピ・テ・オ・印刷

