

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Sato T, <u>Takayama T</u> , Fujii M, Song K, Matsuda M, Higaki T, Okada S	Systemic use of antibiotics does not prevent postoperative infection in elective colorectal surgery: a randomized controlled trial.	Journal of Infection and Chemotherapy	15 (1)	34-38	2009
Yoshida N, Nakayama H, Hemmi A, Suzuki T, <u>Takayama T</u> .	Duodenal stenosis caused by cystic dystrophy in heterotopic pancreas: report of a case.	SurgeryToday	39 (9)	803 -806	2009
Kutsuna N, Yamazaki S, Itoh Y, Wakabayashi K, Iwama A, Watanabe Y, Haraguchi Y, Ueda T, <u>Takayama T</u> .	Arterial stimulation and venous sampling (ASVS) is useful for recurrent lesions of insulinoma: a case report.	Surgical Laparoscopy Endoscopy & Percutaneous Techniques.	19 (4)	138 -139	2009
Watanabe Y, <u>Takayama T</u> , Yamazaki S, Aramaki O, Moriguchi M, Higaki T, Inoue K, Makuuchi M	Use of a bridging autologous hepatic vein graft for extended right-liver transplantation	Transplant International	22 (12)	1193 -1194	2009
吉田直, 間遠一成, 間崎武郎, 石井敬基, 増田英樹, <u>高山忠利</u>	緊急手術を行った急性大腸偽閉塞症の1例	日本臨床外科学会雑誌	70 (2)	450 -454	2009
森口正倫, <u>高山忠利</u> , 中村正彦	Clinical Challenge	肝胆膵画像	11 (2)	106 -107	2009
森口正倫, <u>高山忠利</u> , 中村正彦	Clinical Challenge	肝胆膵画像	11 (3)	356 -359	2009
檜垣時夫, <u>高山忠利</u>	肝垂区域切除	手術	63(6)	903- 910	2009
吉田直, 間遠一成, 間崎武郎, 石井敬基, 増田英樹, <u>高山忠利</u>	S状結腸穿孔後に発症した鼠径ヘルニア膿瘍の1例	日本臨床外科学会雑誌	70 (3)	917 -921	2009
北原拓也, 久保恭仁, 吉澤海, 安部宏, 会澤亮一, 松岡美佳, 相澤良夫, 砂川恵伸, <u>高山忠利</u>	進行性で致命的な経過をたどった特発性Peliosis hepatisの1例	肝臓	50 (5)	229 -237	2009
萩原謙, 松田年, 山形基夫, 五十嵐雅仁, 林成興, 宋圭男, 藤井雅志, <u>高山忠利</u>	腹壁高度肥厚のあるスポーツ選手に対して腹腔鏡下虫垂切除術が有効であった1例	日本消化器外科学会雑誌	42(5)	571 -576	2009
長谷川潔, <u>高山忠利</u> , 國土典宏, 幕内雅敏	原発性肝癌外科治療における randomized controlled trial	臨床外科	64 (6)	771 -777	2009

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
中山壽之, 高山忠利, 大久保貴生, 檜垣時夫	尾状葉の切除	手術	63 (8)	1111- 1115	2009
渡邊慶史, 高山忠利	肝細胞癌に対する生体肝移植の適応. 適応を厳密にし、成功率を高める立 場から	Frontiers in Gastroenterology	14 (1)	20-25	2009
間遠一成, 増田英樹, 間崎武郎, 石井敬基, 青木信彦, 大亀浩久, 万本潤, 吉田直, 高山忠利	大腸穿孔に対する治療水準の 客観的評価法についての提案	日本消化器 外科学会雑誌	42 (9)	1455 -1458	2009
北原拓也, 久保恭仁, 吉澤海, 安部宏, 会澤亮一, 松岡美佳, 相澤良夫, 砂川恵伸, 高山忠利, 幕内雅敏	進行性で致命的な経過をたどった 特発性Peliosis hepatis の1例	肝臓	50 (5)	229 -236	2009
大久保貴生, 高山忠利, 檜垣時夫, 東風貢	大腸癌肝転移治療の新たな展開 —外科的立場から	日本消化器病 学会雑誌	106 (10)	1413 -1420	2009
Nara S, Onaya H, Hiraoka N, Shimada K, Sano T, Sakamoto Y, Esaki M, <u>Kosuge T.</u>	Preoperative evaluation of invasive and noninvasive intraductal papillary-mucinous neoplasms of the pancreas: clinical, radiological, and pathological analysis of 123 cases.	Pancreas	38	8-16	2009
Ojima H, Kanai Y, Iwasaki M, Hiraoka N, Shimada K, Sano T, Sakamoto Y, Esaki M, <u>Kosuge T</u> , Sakamoto M, Hirohashi S.	Intraductal carcinoma component as a favorable prognostic factor in biliary tract carcinoma.	Cancer Sci	100	62-70	2009
Ueno H, <u>Kosuge T</u> , Matsuyama Y, Yamamoto J, Nakao A, Egawa S, Doi R, Monden M, Hatori T, Tanaka M, Shimada M, Kanemitsu K.	A randomised phase III trial comparing gemcitabine with surgery-only in patients with resected pancreatic cancer : Japanese Study Group of Adjuvant Therapy for Pancreatic Cancer.	Br J Cancer	101	908 -915	2009
Yoshitoshi EY, Takada Y, Oike F, Sakamoto S, Ogawa K, Kanazawa H, Ogura Y, Okamoto S, Haga H, Ueda M, Egawa H, Kasahara M, Tanaka K, <u>Uemoto S.</u>	Long-term outcomes of 32 cases of Wilson's disease after living-donor liver transplantation.	Transplantation	87	261 -267	2009

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yoshitomi M, Koshiba T, Haga H, Li Y, Zhao X, Cheng D, Miyagawa A, Sakashita H, Tsuruyama T, Ueda M, Okamoto S, Wood K, Sakaguchi S, Manabe T, <u>Uemoto S</u> .	Requirement of protocol biopsy before and after complete cessation of immunosuppression after liver transplantation.	Transplantation	87	606-614	2009
Miyagawa-Hayashino A, Haga H, Egawa H, Hayashino Y, Uemoto S, Manabe T.	Idiopathic post-transplantation hepatitis following living donor liver transplantation, and significance of autoantibody titer for outcome.	Transplant Int	22	303-312	2009
Hosohata K, Masuda S, Katsura T, Takada Y, Kaido T, Ogura Y, Oike F, Egawa H, <u>Uemoto S</u> , Inui K.	Impact of intestinal CYP2C19 genotypes on the interaction between tacrolimus and omeprazole, but not lansoprazole, in adult living-donor liver transplant patients.	Drug Metab Dispos	37	821-826	2009
Sato E, Yano I, Shimomura M, Masuda S, Katsura T, Matsumoto S, Okitsu T, Iwanaga Y, <u>Uemoto S</u> , Inui K.	Large dosage required for everolimus than sirolimus to maintain same blood concentration in two pancreatic islet transplant patients with tacrolimus.	Drug Metab Pharmacokinet	24	175-179	2009
Miyagawa-Hayashino A, Egawa H, Yorifuji T, Hasegawa M, Haga H, Tsuruyama T, Wen MC, Sumazaki R, Manabe T, <u>Uemoto S</u> .	Allograft steatohepatitis in progressive familial intrahepatic cholestasis type 1 after living donor liver transplantation.	Liver Transplant	15	610-618	2009
Hosohata K, Masuda S, Yonezawa A, Katsura T, Oike F, Ogura Y, Takada Y, Egawa H, <u>Uemoto S</u> , Inui K.	MDR1 haplotypes conferring an increased expression of intestinal CYP3A4 rather than MDR1 in female living-donor liver transplant patients.	Pharm Res	26	1590-1595	2009
Fukudo M, Yano I, Shinsako K, Katsura T, Takada Y, <u>Uemoto S</u> , Inui K.	Prospective evaluation of the Bayesian method for individualizing tacrolimus dose early after living-donor liver transplantation.	J Clin Pharm	49	789-797	2009
<u>Kudo M</u>	Viral hepatitis A to E: An update in 2010.	Intervirolgy	53	5-9	2010
Chung H, Ueda T, <u>Kudo M</u>	Changing trends in hepatitis C interfection over the past 50 years in Japan.	Intervirolgy	53	39-43	2010
Ueda T, Chung H, <u>Kudo M</u> , Ishikawa E, Hayaishi S, Tatsumi C, Inoue T, Yada N, Hagiwara S, Minami Y, Ueshima K	Prolonged PEG-IFN and RBV is effective in patients with HCV genotype 1 and high viral load who achieved virological response later than 24 weeks.	Intervirolgy	53	55-59	2010

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yada N, <u>Kudo M</u> , Chung H, Hayaishi S, Takita M, Ueda T, Tatsumi C, Hatanaka K, Kitai S, Ishikawa E, Inoue T, Hagiwara S, Ueshima K	PEG-IFN $\alpha$ /RBV combination therapy for choronic hepatitis C patients increases serum ferritin level and improves sustained viral response rate.	Intervirolgy	53	60-65	2010
Tatsumi C, <u>Kudo M</u> , Ueshima K, Kitai S, Takahashi S, Inoue T, Minami Y, Chung H, Maekawa K, Fujimoto K, Kato M, Tonomura A, Mitake T	Non-invasive evaluation of hepatic fibrosis for type C chronic hepatitis.	Intervirolgy	53	76-81	2010
Okusaka T, Kasugai H, Shioyama Y, Yanaka K, <u>Kudo M</u> , Saisho H, Osaki Y, Sata M, Fujiyama S, Kumada T, Sato K, Yamamoto S, Hinotsu S, Sato T	Transarterial infusion chemotherapy alone versus transarterial chemoembolization for the treatment of hepatocellular carcinoma: Results of a multicenter randomized phase III trial.	J Hepatol		in press	
Chung H, Watanabe T, <u>Kudo M</u> , Maenishi O, Watatsuki Y, Chiba T	Identification and characterization of IgG4-associated autoimmune hepatitis.	Liver Int		in press	
Tanimoto A, Lee JM, <u>Kudo M</u> , Murakami T, Huppertz A, Grazioli L	Consensus report of the 2 <sup>nd</sup> international forum for liver MRI.	Eur Radiol		in press	
Nakaoka R, Das K, <u>Kudo M</u> , Chung H, Inoue T	Percutaneous aspiration with ethanolamine oleate sclerosis for sustained resolution of symptomatic polycystic liver disease: an initial experience.	Am J Roentgenol		in press	
Omata M, Lesmana LA, Tateishi R, Chen PJ, Lin SM, Yoshida H, <u>Kudo M</u> , Lee JM, Choi BI, Poon RTP, Shiina S, Cheng AL, Jia JD, Obi S, Han KH, Jafri W, Chow P, Lim SG, Chawla YK, Budihusodo U, Gani RA, Lesmana CR, Putranto TA, Liaw YF, Sarin SK	Asian Pacific Association for the Study of the Liver consensus recommendations on hepatocellular carcinoma.	Hepatol Int		in press	
Sasase N, Kim SR, <u>Kudo M</u> , Kim KI, Taniguchi M, Imoto S, Mita K, Hayashi Y, Shouji I, El-Shamy A, Hotta H	Relation between treatment outcome and early viral dynamics of viral mutation in PEG-IFN/RBV combination therapy for chronic hepatitis with high viral loads of serum HCV RNA genotype 1b.	Intervirolgy		in press	

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kim SR, Imoto S, <u>Kudo M</u> , Mita K, Taniguchi M, Kim KI, Sasase N, Shouji I, Ngano M, El-Shamy A, Hotta H, Nagai T, Nagata Y, Hayashi Y	Double filtration plasmapheresis plus interferon treatment for non-sustained virological responders with genotype 1b and high viral load to previous peginterferon plus ribavirin combination therapy: focus on early viral dynamics.	Intervirolgy		in press	
<u>Kudo M</u>	Management of hepatocellular carcinoma: From prevention to molecular targeted therapy.	J Gastroen Hepatol		in press	
<u>Kudo M</u> , Chung H	Single HCC between 2-5cm: the grey zone: Hepatologist's perspective.	J Hepato-Biliary-Pan		in press	
Kim SR, Imoto S, Nakajima T, Ando K, Mita K, Fukuda K, Nishikawa R, Koma Y, Matsuoka T, <u>Kudo M</u> , Hayashi Y	Utility of Gd-EOB-DTPA-enhanced MRI in diagnosing small hepatocellular carcinoma.	Case Report Gastroenterology		in press	
Takayasu K, Aarii S, Ikai I, <u>Kudo M</u> , Omata M, Matsuyama Y, Kojiro M, Makuuchi M, for the Liver Cancer Study Group of Japan	Overall survival after transarterial lipiodol infusion chemotherapy with and without embolization for unresectable hepatocellular carcinoma. A propensity score analysis.	Am J Roentgenol		in press	
Minami Y, <u>Kudo M</u> , Hatanaka K, Inoue T, Hagiwara S, Chung H, Ueshima K	Radiofrequency ablation guided by contrast harmonic sonography using perfluorocarbon-filled microbubbles (Sonazoid) for occult hepatic malignancies resolved poorly on B-mode sonography.	J Gastroenterol		in press	
Kim SR, Taniguchi M, Sasase N, Kim KI, Ninomiya T, Imoto S, Ando K, Mita K, Fuki S, Fukuda K, <u>Kudo M</u> , Sakamoto H, Inui K, Hayashi Y	Multicentric occurrence of HCC detected 3-4 yerars after AFP-L3 positivity.	Intern Med		in press	
Kim SR, Imoto S, Nakajima T, Ando K, Mita K, Fukuda K, Taniguchi M, Sasase N, Matsuoka T, Kawada N, <u>Kudo M</u> , Hayashi Y	Two cases of non-alcoholic steato-hepatitis developing from simple fatty liver.	J Hepatol		in press	
<u>Kudo M</u>	Multistep human hepatocarcinogenesis: correlation of imaging with pathology.	J Gastroenterol	44	112-118	2009

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kim SR, Imoto S, Mita K, Taniguchi M, Sasase N, Muramatsu A, <u>Kudo M</u> , Kitai S, EI-Shamy A, Hotta H, Hayashi Y	Pegylated interferon plus ribavirin combination therapy for chronic hepatitis C with high viral load of serum hepatitis C virus RNA, genotype 1b, discontinued on attaining sustained virological response at week 16 after onset of acute pancreatitis.	Digestion	79	36-39	2009
Kim SR, Imoto S, Nakajima T, Ando K, Mita K, Taniguchi M, Sasase N, Matsuoka T, <u>Kudo M</u> , Hayashi Y	Well-differentiated hepatocellular carcinoma smaller than 15mm in diameter totally eradicated with percutaneous ethanol injection instead of radiofrequency ablation.	Hepatol Int	3	411-415	2009
Inoue T, <u>Kudo M</u> , Maenishi O, Kumata M, Nakashima O, Kojiro M, Mackawa K	Value of liver parenchymal phase contrast-enhanced sonography to diagnose the premalignant and borderline lesions and overt hepatocellular carcinoma.	Am J Roentgenol	192	698-705	2009
Kojiro M, Wanless I, Alves V, Badve S, Balabaud C, Bedosa P, Bathal P, Bioulac-Sage P, Brunt E, Burt A, Craig J, Dhillon A, Ferrell L, Geller S, Goodman Z, Gouw ASH, Guido M, Guindi M, Hytiroglou P, Kage M, Kondo F, <u>Kudo M</u> , Lauwers G, Nakano M, Paradis V, Park YN, Quaglia A, Roncalli M, Roskams T, Ruebner B, Sakamoto M, Saxena R, Theise N, Thung S, Tiniakos D for the ICGHN Group	Pathologic diagnosis of early hepatocellular carcinoma A report of the international consensus group for hepatocellular neoplasia.	Hepatology	49	658-664	2009
Kim SR, Imoto S, Nakajima T, Ando K, Mita K, Fukuda K, Nishikawa R, Koma Y, Matsuoka T, <u>Kudo M</u> , Hayashi Y	Scirrhus hepatocellular carcinoma displaying atypical findings on imaging studies.	World J Gastroenterol	15	2296-2299	2009
Wada M, Marusawa H, Yamada R, Nasu A, Osaki Y, <u>Kudo M</u> , Nabeshima M, Fukuda Y, Chiba T, Matsuda F	Association of genetic polymorphisms with interferon-induced hematologic adverse effects in chronic hepatitis C patients.	J Viral Hepati	16	388-396	2009
Hasegawa K, Makuuchi M, <u>Kudo M</u> , Okazaki M for the Liver Cancer Study Group of Japan	Hepatectomy versus radiofrequency ablation for early hepatocellular carcinoma: Reply.	J Hepatol	50	1052-1053	2009

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Wada M, Marusawa H, Yamada R, Nasu A, <u>Osaki Y</u> , Kudo M, Nabeshima M, Fukuda Y, Chiba T, Matsuda F.	Association of genetic polymorphisms with interferon-induced haematologic adverse effects in chronic hepatitis C patients.	Journal of Viral Hepatitis	16	388-396	2009
Nishijima N, Marusawa H, Kita R, <u>Osaki Y</u> , Chiba T.	Hepatobiliary and Pancreatic: Spontaneous regression of hepatocellular cancer demonstrated by contrast-enhanced ultrasonography.	Journal of Gastroenterology and Hepatology	24	1153	2009
Okusaka T, Kasugai H, Shioyama Y, Tanaka K, Kudo M, Saisho H, <u>Osaki Y</u> , Sata M, Fujiyama S, Kumada T, Sato K, Yamamoto S, Hinotsu S, Sato T.	Transarterial chemotherapy alone versus transarterial chemoembolization for hepatocellular carcinoma: A randomized phase III trial.	Journal of Hepatology	51	1030-1036	2009
喜多竜一, <u>大崎往夫</u>	CTHA/CTAPの今日的意義を考える。肝臓の日常診療におけるCTHA/CTAPは必須の検査か？一般臨床への応用とサイエンスへの還元	肝胆膵画像	11	33-43	2009
津村剛彦, 松尾裕央, 圓尾隆典, 川上尚人, 波多野貴昭, 齋藤澄夫, 西島規浩, 中辻正人, 池田敦之, 西川浩樹, 喜多竜一, 岡部純弘, 木村達, 網谷良一, <u>大崎往夫</u>	Gemcitabineによる薬剤性肺障害が疑われた膵胆道癌の7例	癌と化学療法	36	785-788	2009
池田敦之, 木村達, 坂本梓, 永田嘉昭, 恵荘裕嗣, 川上尚人, 齋藤澄夫, 波多野貴昭, 松尾裕央, 西島規浩, 中辻正人, 西川浩樹, 喜多竜一, 岡部純弘, 谷口敏勝, <u>大崎往夫</u>	ソナゾイド造影超音波による肝細胞癌のRFA後治療効果判定—造影CTとの比較—	肝臓	50	8-25	2009
坂本梓, 木村達, <u>大崎往夫</u>	肝細胞がんに対する肝動注, 肝動脈塞栓術の治療効果判定におけるソナゾイド造影超音波の有用性	Innervision	24 (10)	32-36	2009
<u>大崎往夫</u>	肝がん治療における肝動脈カテーテル療法の位置づけ up to date	肝がん治療における肝動脈カテーテル療法の位置づけ up to date		1-7	2009
<u>大崎往夫</u>	B型肝炎, C型肝炎の現況とトレンド	臨床研修プラクティス	6	6-13	2009

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
大崎往夫	肝がんの検査	インフォームド コンセントの為 の図解シリーズ 肝がん (沖田極・ 幕内雅敏 編)		24-27	2009
Tamori A, Hayashi T, Shinzaki M, Kobayashi S, Iwai S, Enomoto M, Morikawa H, Sakaguchi H, Shiomi S, Takemura S, Kubo S, Kawada N.	Frequent detection of hepatitis B virus DNA in hepatocellular carcinoma of patients with sustained virologic response for hepatitis C virus.	J Med Virol	6	1009 -1014	2009
Hayashi T, Tamori A, Nishikawa M, Morikawa H, Enomoto M, Sakaguchi H, Habu D, Kawada N, Kubo S, Nishiguchi S, Shiomi S.	Differences in molecular alterations of hepatocellular carcinoma between patients with a sustained virological response and those with hepatitis C virus infection.	Liver International	29	126 -132	2009
Ichikawa T, Uenishi T, Takemura S, Oba K, Ogawa M, Kodai S, Shinkawa H, Tanaka H, Yamamoto T, Tanaka S, Yamamoto S, Hai S, Shuto T, Hirohashi K, Kubo S.	A simple, noninvasively determined index predicting hepatic failure following liver resection for hepatocellular carcinoma.	J Hepato-Biliary- Pancreat Surg	16	42-48	2009
高台真太郎, 上西崇弘, 新川寛二, 市川剛, 小川雅生, 大場一輝, 竹村茂一, 藤田明子, 松田常美, 久保正二.	肝切除症例における手術時手指消毒 法の変更と手術部位感染	日本外科 感染症 学会雑誌	6	105 -109	2009
松田常美, 竹村茂一, 大場一輝, 上西崇弘, 小川雅生, 市川剛, 高台真太郎, 新川寛二, 田中宏, 久保正二.	肝切除術における腹腔ドレーン抜去 時期に関する検討	日本消化器 外科学会雑誌	42	141 -146	2009
久保正二, 竹村茂一, 上西崇弘, 塚本忠司, 田中宏.	C型肝炎関連肝細胞癌治療におけるイ ンターフェロン治療の臨床的意義	臨床外科	64	893 -899	2009
久保正二, 竹村茂一, 上西崇弘, 田中宏, 西口修平.	C型肝炎由来肝癌治療後の再発予防に ついて	外科	71	387 -393	2009
上西崇弘, 西口修平, 康典利, 竹村茂一, 久保正二.	インターフェロン療法によるC型肝炎 関連肝細胞癌の切除成績向上	消化器科	48	357 -362	2009



発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
久保正二, 大澤政彦, 藤井英樹, 伊倉義弘, 森克仁, 絵本正憲, 上西崇弘, 河田則文, 上田真喜子.	臨床病理カンファレンス： 生活習慣病と非アルコール性脂肪性 肝炎（NASH）	総合臨床	58	517 -525	2009
Eguchi, Yamada et al	Presence of minute cancer cell dissemination in peritoneal lavage fluid detected by reverse transcription PCR is an independent prognostic factor in patients with resectable pancreatic cancer	Surgery	146 (5)	888 -895	2009
Gotoh, Yamada et al	A Novel Image-Guided Surgery of Hepatocellular Carcinoma by Indocyanine Green Fluorescence Imaging Navigation	Journal of Surgical Oncology	100	75-79	2009
Miyashiro, Yamada et al	Surgical usefulness of indocyanine green as an alternative to India ink for endoscopic marking	Surg. Endosc	23	347 -351	2009
Miyoshi, Yamada et al	Myelotoxicity of Preoperative Chemoradiotherapy Is a Significant Determinant of Poor Prognosis in Patients With T4 Esophageal Cancer	Journal of Surgical Oncology	99	302 -306	2009
Noda, Yamada et al	Usefulness of the CLIP scoring system for prediction of postoperative prognosis of patients with large hepatocellular carcinoma	Journal of Hepato-Biliary- Pancreatic Surgery	16 (4)	538 -545	2009
Ohigashi, Yamada et al	Feasibility and Efficacy of Combination Therapy With Preoperative Full-Dose Gemcitabine, Concurrent Three- Dimensional Conformal Radiation, Surgery, and Postoperative Liver Perfusion Chemotherapy for T3-Pancreatic Cancer	Annals of Surgery	25 (1)	88-95	2009
Yano, Yamada et al	Assessment of neoadjuvant chemotherapy for patients with advanced squamous cell carcinoma of the esophagus	Esophagus	6	111 -116	2009
石川治, 山田晃正 他	膵癌併用治療戦略と方向性	癌の臨床	55 (3)	161 -166	2009
大東弘明, 山田晃正 他	膵消化管吻合術時の膵組織損傷の最 少化を目指した膵断端陥入式膵胃壁 マットレス縫合法	手術	63 (3)	369 -374	2009
荻野崇之, 山田晃正 他	大腸癌手術における創感染対策	外科治療	101(2)	171 -172	2009
神崎隆, 山田晃正 他	肝部分切除におけるドレーン省略に 関する検討	日本外科感染症 学会雑誌	6 (4)	331 -336	2009

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
矢野雅彦, <u>山田晃正</u> 他	食道癌の補助化学療法	外科	71 (10)	1027 -1032	2009
Oki E, Kakeji Y, Zhao Y, Yoshida R, Ando K, Masuda T, Ohgaki K, Morita M, <u>Maehara Y.</u>	Chemosensitivity and survival in gastric cancer patients with microsatellite instability.	Ann Surg Oncol	16 (9)	2510 -2515	2009
Iguchi T, Aishima S, Sanefuji K, Fujita N, Sugimachi K, Gion T, Taketomi A, Shirabe K, <u>Maehara Y</u> , Tsuneyoshi M.	Both fibrous capsule formation and extracapsular penetration are powerful predictors of poor survival in human hepatocellular carcinoma: a histological assessment of 365 patients in Japan.	Ann Surg Oncol	16 (9)	2539 -2546	2009
Aishima S, Iguchi T, Nishihara Y, Fujita N, Taguchi K, Taketomi A, <u>Maehara Y</u> , Tsuneyoshi M.	Decreased intratumoral arteries reflect portal tract destruction and aggressive characteristics in intrahepatic cholangiocarcinoma.	Histopathology	54 (4)	452 -461	2009
飯田洋也, 安井智明, 相原司, <u>山中若樹</u>	腹腔鏡照明と小開腹直視下を融合した肝切除	手術	63	1128 -1133	2009
菊地勝一, 近藤寿郎, 生田真一, 飯田洋也, 相原司, 安井智明, 柳秀憲, 光信正夫, 覚野綾子, 中正恵二, <u>山中若樹</u>	肝細胞癌を合併した非アルコール性脂肪肝炎(NASH)の臨床病理学的検討	肝臓	50 (11)	625 -632	2009

# SURF-trial 症例登録票

下記ご記入のうえ、FAXにて表面のみ右記の  
データセンターまでご連絡ください

【J-CRSU データセンター】  
 FAX : 03-5298-8536 TEL:03-3254-8029  
 受付期間：月～金曜日 10:00～17:00（土日、祝祭日、年末年始を除く）

施設名	科名	科	担当医師名
被験者識別コード	性別	<input type="checkbox"/> 男	<input type="checkbox"/> 女
生年月日	西暦 年 月 日	記入年月日	20 年 月 日

登録する試験の選択（必須）	<input type="checkbox"/> RCT	<input type="checkbox"/> cohort
---------------	------------------------------	---------------------------------

**A.適格性の確認**

A-1. すべての選択基準を満たす患者（※裏面にて要確認）	<input type="checkbox"/> はい	<input type="checkbox"/> いいえ
A-2. すべての除外基準にあたらない患者（※裏面にて要確認）	<input type="checkbox"/> はい	<input type="checkbox"/> いいえ

**B.割付調整因子の確認**

B-1. HCV 感染の有無	<input type="checkbox"/> HCV-Ab 陽性	<input type="checkbox"/> HCV-Ab 陰性
B-2. 典型的肝細胞癌の最大腫瘍径	最大腫瘍径:                      cm	
B-3. 典型的肝細胞癌の腫瘍数	腫瘍数:                              個	

**C.登録に必要な項目の確認**

C-1. Child-Pugh score（※裏面にて要確認）	点	
C-2. 全身状態(ECOG Performance status;PS)（※裏面にて要確認）	<input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2	
C-3. 臓器機能(登録日前30日以内の最新データ)		
血算検査日: 20 年 月 日	白血球数 $\geq 2,000 /\text{mm}^3, \leq 10,000 /\text{mm}^3$	/mm <sup>3</sup>
	血小板数 $\geq 50,000 /\text{mm}^3$	/mm <sup>3</sup>
	ヘモグロビン $\geq 8.0 \text{ g/dL}$	g/dL
生化学検査日: 20 年 月 日	血清総ビリルビン $\leq 2.0 \text{ mg/dL}$	mg/dL
	血清クレアチニン $\leq 1.5 \text{ mg/dL}$	mg/dL
	BUN $\leq 35 \text{ mg/dL}$	mg/dL
	血清アルブミン	g/dL
凝固系検査日: 20 年 月 日	プロトロンビン時間(活性値) $\geq 50\%$	%
C-4. 患者本人からの文書による同意が得られた年月日		20 年 月 日

判定結果をご連絡するための確実な FAX No をご記入ください
FAX No :                      —                      —

データセンター 記入欄	登録日:西暦                      年    月    日 登録番号(                      )整理番号(                      ) オペレーター(                      )確認(                      )
----------------	---

※その他の登録前に評価しておくべき項目は、裏面の登録前評価チェックリストにて要確認  
 SURF-trial ver.1.1

(表面)

登録時チェックシート ※ この面は FAX 不要です

選択基準	<input type="checkbox"/> (1)肝細胞がんに対して局所的または全身的化学療法, 放射線治療などの前治療を受けていない患者。ただし, 当該病変に対する登録前 3 ヶ月以内の肝動脈塞栓療法(抗癌剤投与の有無を問わない)の施行は前治療とみなさない。また, 肝炎ウイルスの種類, ウイルス量や罹患の有無は問わない。 <input type="checkbox"/> (2)腹部ダイナミック CTにて, 早期相で高吸収域, 後期相で低吸収域に描出される典型的な肝細胞癌の造影所見を示し, かつ最大径 3 cm 以内, 3 個以内と診断された患者 <input type="checkbox"/> (3)画像上明らかな肝外病変や脈管侵襲(門脈・胆管・肝静脈内の腫瘍栓)を伴わない患者 <input type="checkbox"/> (4)肝機能が Child-Pugh score 7 点以下に分類される患者 <input type="checkbox"/> (5)当該施設(またはペアリングされた診療科グループ内)で肝切除と RFA がともに治癒的施行可能と判断した患者 <input type="checkbox"/> (6)全身状態(ECOG performance status)が 0~2 である患者 <input type="checkbox"/> (7)以下に示す主要臓器(骨髄, 肝, 腎)機能が十分保持されている患者 <input type="checkbox"/> ①白血球数 : 2,000 /mm <sup>3</sup> 以上, かつ 10,000 /mm <sup>3</sup> 未満 <input type="checkbox"/> ②血小板数 : 50,000 /mm <sup>3</sup> 以上 <input type="checkbox"/> ③ヘモグロビン: 8.0 g/dL 以上 <input type="checkbox"/> ④血清総ビリルビン値: 2.0 mg/dL 以下 <input type="checkbox"/> ⑤プロトロンビン時間(活性値): 50%以上 <input type="checkbox"/> ⑥血清クレアチニン値: 1.5 mg/dL 以下 <input type="checkbox"/> ⑦BUN : 35 mg/dL 以下 <input type="checkbox"/> (8)登録日の年齢が 20 歳以上, 80 歳未満の患者 <input type="checkbox"/> (9)本試験参加について患者本人から同意書による同意が得られている患者
除外基準	<input type="checkbox"/> (1)活動性の重複癌(同時性重複癌)または無病期間が 5 年以内の異時性重複癌を有する患者 <input type="checkbox"/> (2)登録前 6 ヶ月以内に心筋梗塞または不安定狭心症と診断された患者 <input type="checkbox"/> (3)間質性肺炎, 肺線維症, 試験治療の実施が困難と判断される肺気腫のいずれかを合併する患者 <input type="checkbox"/> (4)ヨードアレルギーまたは腎機能低下(血清クレアチニン 1.5 mg/dL <), 他の何らかの理由のため, 造影 CT を施行できない患者 <input type="checkbox"/> (5)精神病または精神症状を合併しており, 本臨床試験の実施が困難と判断される患者 <input type="checkbox"/> (6)妊娠中または妊娠の可能性のある患者 <input type="checkbox"/> (7)その他, 担当医師が登録には不相当と判断した患者

Child-Pugh 分類『臨床・病理 原発性肝癌取り扱い規約(第 5 版)』 p.15 を引用

項目 \ ポイント	1 点	2 点	3 点
脳症	ない	軽度	ときどき昏睡
腹水	ない	少量	中等量
血清ビリルビン値(mg/dl)	2.0 未満	2.0~3.0	3.0 超
血清アルブミン値(g/dl)	3.5 超	2.8~3.5	2.8 未満
プロトロンビン活性値(%)	70 超	40~70	40 未満

各項目のポイントを加算しその合計点で分類する

Child-Pugh 分類	A 5~6 点
	B 7~9 点
	C 10~15 点

ECOG Performance Status(PS)の評価

Grade	Performance Status
0	無症状で社会活動ができ, 制限を受けることなく発病前と同等にふるまえる。
1	軽度の症状があり, 肉体的労働は制限を受けるが, 歩行, 軽労働や坐業はできる。例えば軽い家事, 事務など。
2	歩行や身の回りのことはできるが, 時に少し介助がいることもある。軽労働はできないが, 日中の 50%以上は起居している。
3	身の回りのある程度のことはできるが, しばしば介助がいり, 日中の 50%以上は就床している。
4	身の回りのこともできず, 常に介助がいり, 終日就床を必要としている。

【登録前評価チェックリスト】 以下の項目を登録前に確認する。ただし, \*の付いた項目は, SURF-cohort の必須項目ではない。

登録前 30 日以内	<input type="checkbox"/> 腹部ダイナミック CT	<input type="checkbox"/> 胸部単純 X 線*
	<input type="checkbox"/> WBC, Hb, Plt	<input type="checkbox"/> Alb, T-Bil, BUN, Cr, AST*, ALT*, D-Bil*, ALP*, GGT*
登録前 6 ヶ月以内	<input type="checkbox"/> プロトロンビン時間	<input type="checkbox"/> AFP*, AFP-L3 分画*, PIVKA-II*
	<input type="checkbox"/> 腫瘍数	<input type="checkbox"/> 最大腫瘍径
	<input type="checkbox"/> HCV 感染の有無	<input type="checkbox"/> 肝外病変や脈管侵襲の有無
	<input type="checkbox"/> 肺合併症の有無	<input type="checkbox"/> 既往歴・合併症の有無
	<input type="checkbox"/> 妊娠の可能性	<input type="checkbox"/> PS
	<input type="checkbox"/> 活動性の重複癌(同時性重複癌)または無病期間が 5 年以内の異時性重複癌の有無	
	<input type="checkbox"/> 心筋梗塞の既往歴	<input type="checkbox"/> 不安定狭心症の有無

