

Nakamura T, Nakamura T, <b>Eguchi K.</b>					
Nakamura H, Tateishi S, Kawakami A, Ida H, Fukuda T, Sasaki M, Koide Y, Ashizawa N, Seto S, Hayashi T, Sato S, <b>Eguchi K.</b>	A case of mixed connective tissue disease complicated with hypertrophic obstructive cardiomyopathy.	Rheumatol Int	28(12)	1273-1275	2008
Nakamura H, Kawakami A, Iwamoto N, Ida H, Koji T, <b>Eguchi K.</b>	Rapid and significant induction of TRAIL-mediated type II cells in apoptosis of primary salivary epithelial cells in primary Sjögren's syndrome.	Apoptosis	13(11)	1322-1330	2008
Nakamura H, Usa T, Motomura M, Ichikawa T, Nakao K, Kawasaki E, Tanaka M, Ishikawa K, <b>Eguchi K.</b>	Prevalence of interrelated autoantibodies in thyroid disease and autoimmune disorders.	J Endocrinol Invest	31(10)	861-865	2008
Migita K, Abiru S, Tanaka M, Ito M, Miyashita T, Maeda Y, Koga T, Nakamura M, Komori A, Yatsuhashi H, Ida H, <b>Eguchi K,</b> Hirayama K, Yasunami M, Ishibashi H.	Acute hepatitis in a patient with familial Mediterranean fever.	Liver Int	28(1)	140-142	2008
Fukushima K, Abiru N, Nagayama Y, Kobayashi M, Satoh T, Nakahara M, Kawasaki E, Yamasaki H, Ueha S, Matsushima K, Liu E, <b>Eguchi K.</b>	Combined insulin B:9-23 self-peptide and polyinosinic-polycytidylic acid accelerate insulinitis but inhibit development of diabetes by increasing the proportion of CD4+ Foxp3+ regulatory T cells in the islets in non-obese diabetic mice. 【別冊】	Biochem Bioph Res Com	367 (4)	719-724	2008

Kawasaki E, Kuriya G, Satoh T, Fujishima K, Moriuchi A, Fukushima K, Ozaki M, Abiru N, Yamasaki H, <b>Eguchi K.</b>	Humoral immune response to islet autoantigens in Japanese patients with type 1 diabetes.	ANNALS of The New York Academy of Sciences	1150	248	2008
Kawasaki E, Uga M, Nakamura K, Kuriya G, Satoh T, Fujisjima K, Ozaki M, Abiru N, Yamasaki H, Wenzlau JM, Davidson HW, Hutton JC, <b>Eguchi K.</b>	Association between anti-ZnT8 autoantibody specificities and SLC30A8 Arg325Trp variant in Japanese patients with type 1 diabetes.	Diabetologia	51(12)	2299-2302	2008
Akiyama M, Miyaaki H, Miuma S, Shibata H, Fujimoto M, Takeshita S, Ozawa E, Ichikawa T, Nakao K, <b>Eguchi K.</b>	Significance of trans-hepatic arterial chemotherapy for advanced hepatocellular carcinoma with portal vein tumor thrombus.	Oncol Rep	20 (2)	353-357	2008
Kusumoto K, Yatsushashi H, Nakao R, Hamada R, Fukuda M, Tamada Y, Taura N, Komori A, Daikoku M, Hamasaki K, Nakao K, Ishibashi H, Miyakawa Y, <b>Eguchi K.</b>	Detection of HBV core promoter and precore mutations helps distinguish flares of chronic hepatitis from acute hepatitis B.	J Gastroenterol Hepatol	23(5)	790-793	2008
Miyaaki H, Ichikawa T, Nakao K, Yatsushashi H, Furukawa R, Ohba K, Omagari K, Kusumoto Y, Yanagi K, Inoue O, Kinoshita N,	Clinicopathological study of nonalcoholic fatty liver disease in Japan: the risk factors for fibrosis.	Liver International	28 (4)	519-524	2008

Ishibashi H, Yano M, <b>Eguchi K.</b>					
Shibata H, Ichikawa T, Nakao K, Miyaaki H, Takeshita S, Akiyama M, Fujimoto M, Miura S, Kanda S, Yamasaki H, <b>Eguchi K.</b>	A high glucose condition sensitizes human hepatocytes to hydrogen peroxide-induced cell death.	Mol Med Rep	1	379-385	2008
Satoh K, Shirabe S, Eguchi H, Tsujino A, Motomura M, Satoh A, Tsujihata M, <b>Eguchi K.</b>	Chronological changes in MRI and CSF biochemical markers in Creutzfeldt-Jakob disease patients.	Dement Geriatr Cogn Disord	23 (6)	272-281	2007
Moriuchi A, Yamasaki H, Shimamura M, Kita A, Kuwahara H, Fujishima K, Satoh T, Fukushima K, Fukushima T, Hayakawa T, Mizuguchi H, Nagayama Y, Abiru N, Kawasaki E, <b>Eguchi K.</b>	Induction of human adiponectin gene transcription by telmisartan, angiotensin receptor blocker, independently on PPAR-gamma activation.	Biochem Biophys Res Commun	356 (4)	1024-1030	2007
Kobayashi M, Abiru N, Arakawa T, Fukushima K, Zhou H, Kawasaki E, Yamasaki H, Liu E, Miao D, Wong FS, Eisenbarth GS, <b>Eguchi K.</b>	Altered B:9-23 insulin, when administered intranasally with cholera toxin adjuvant, suppresses the expression of insulin autoantibodies and prevents diabetes. 【別冊】	J Immunol	179(4)	2082-2088	2007
Fukushima N, Nishiura Y, Nakamura T, Kohno S, <b>Eguchi K.</b>	Blockade of IL-2 receptor suppresses HTLV-I and IFN-gamma expression in patients with HTLV-I-associated myelopathy/tropical spastic paraparesis.	Intern Med	46 (7)	347-351	2007
Migita K, Maeda Y, Abiru S, Nakamura M,	Polymorphisms of interleukin-1beta in Japanese patients with hepatitis B virus infection.	J Hepatol	46 (3)	381-386	2007

Komori A, Miyazoe S, Nakao K, Yatsushashi H, <b>Eguchi K</b> , Ishibashi H.					
Ando T, Yasui J, Inokuchi N, Usa T, Ashizawa K, Kamihara S, <b>Eguchi K</b> .	Non-specific activities against ruthenium crosslinker as a new cause of assay interference in an electrochemiluminescent immunoassay.	Intern Med	46 (15)	1225-1229	2007
Iwanaga N, Kamachi M, Fujikawa K, Aramaki T, Izumi Y, Arima K, Tamai M, Aratake K, Nakamura H, Origuchi T, Ida H, Kawakami A, Taguchi T, <b>Eguchi K</b> .	Membraneous glomerulonephritis and non-Hodgkin's lymphoma in a patient with primary Sjögren's syndrome.	Internal Med	46 (4)	191-194	2007
Yamasaki S, Yagishita N, Sasaki T, Nakazawa M, Kato Y, Yamadera T, Bae E, Toriyama S, Ikeda R, Zhang L, Fujitani K, Yoo E, Tsuchimochi K, Ohta T, Araya N, Fujita H, Aratani S, <b>Eguchi K</b> , Komiya S, Maruyama I, Higashi N, Sato M, Senoo H, Ochi T, Yokoyama S, Amano T, Kim J, Gay S, Fukamizu A, Nishioka K,	Cytoplasmic destruction of p53 by the endoplasmic reticulum-resident ubiquitin ligase 'Synoviolin' .	EMBO J	26(1)	113-122	2007

Tanaka K, Nakajima T.					
Tamai M, Kawakami A, Uetani M, Takao S, Tanaka F, Fujikawa K, Aramaki T, Nakamura H, Iwanaga N, Izumi Y, Arima K, Aratake K, Kamachi M, Huang M, Origuchi T, Ida H, Aoyagi K, <b>Eguchi K.</b>	Bone edema determined by magnetic resonance imaging reflects severe disease status in patients with early-stage rheumatoid arthritis. <b>【別冊】</b>	J Rheumatol	34(11)	2154-2157	2007
Fujikawa K, Aratake K, Kawakami A, Aramaki T, Iwanaga N, Izumi Y, Arima K, Kamachi M, Tamai M, Huang M, Nakamura H, Nishiura Y, Origuchi T, Ida H, <b>Eguchi K.</b>	Successful treatment of refractory neuro-Behcet's disease with infliximab: a case report to show its efficacy by magnetic resonance imaging, transcranial magnetic stimulation and cytokine profile.	Ann rheum dis	66 (1)	136-137	2007
Soejima K, Nakamura H, Tamai M, Kawakami A, <b>Eguchi K.</b>	Activation of MKK4 (SEK1), JNK, and c-Jun in labial salivary infiltrating T cells in patients with Sjögren's syndrome.	Rheumatol Int	27 (4)	329-333	2007
Kawasaki S, Nakamura H, Honda E, Iwanaga N, Kawakami A, Ida H, Origuchi T, Honda S, Tsuchihashi Y, Yoshimine H, <b>Eguchi K.</b>	Tacrolimus as a reinforcement therapy for a patient with MPO-ANCA-associated diffuse alveolar hemorrhage.	Clin Rheumatol	26 (7)	1211-1214	2007
Mutsukura K, Nakamura H, Iwanaga N, Kawakami A, Origuchi T, Furuyama M, <b>Eguchi K.</b>	Successful treatment of a patient with primary Sjögren's syndrome complicated with pericarditis during pregnancy.	Intern Med	46 (14)	1143-1148	2007

Kawakami A, Nakashima K, Tamai M, Nakamura H, Iwanaga N, Fujikawa K, Aramaki T, Arima K, Iwamoto N, Ichinose K, Kamachi M, Ida H, Origuchi T, <b>Eguchi K.</b>	Toll-like receptor in salivary glands from patients with Sjögren's syndrome: Functional analysis by human salivary gland cell line.	J Rheumatol	34 (5)	1019-1026	2007
Izumikawa K, Morinaga Y, Kondo A, Hara K, Izumikawa K, Miyazaki Y, Kohno S, Igari N, Akaboshi M, Kawakami A, <b>Eguchi K.</b>	Adult Still's disease associated with cytomegalovirus infection.	J Infect Chemother	13 (2)	114-117	2007
Ichinose K, Kawasaki E, <b>Eguchi K.</b>	Recent advancement of understanding pathogenesis of type 1 diabetes and potential relevance to diabetic nephropathy.	Am J Nephrol	27 (6)	554-564	2007
Satoh K, Shirabe S, Tsujino A, Eguchi H, Motomura M, Honda H, Tomita I, Satoh A, Tsujihata M, Matsuo H, Nakagawa M, <b>Eguchi K.</b>	Total tau protein in cerebrospinal fluid and diffusion-weighted MRI as an early diagnostic marker for Creutzfeldt-Jakob disease.	Dement Geriatr Cogn Disord	24 (3)	207-212	2007
Mizutori Y, Saitoh O, <b>Eguchi K,</b> Nagayama Y.	Lack of effect of methimazole on dendritic cell (DC) function and DC-induced Graves' hyperthyroidism in mice.	Autoimmunity	40 (5)	397-402	2007
Nakamura H, Aramaki T, Arima K, Iwamoto N, Nakajima H, Iwanaga N, Kawakami A, Ida H, Origuchi T, Yamachika S, Tsuchihashi Y, Kamihira S, <b>Eguchi K.</b>	Deep vein thrombosis and pulmonary thromboembolism in a patient with eosinophilia and obesity.	Acta Med Nagasaki	52 (3)	87-91	2007

Koike R, Takeuchi T, <b>Eguchi K</b> , Miyasaka N.	Update on the Japanese guidelines for the use of infliximab and etanercept in rheumatoid arthritis.	Mod Rheumatol	17(6)	451-458	2007
<b>Eguchi K</b> , Saito K, Kondo M, Hidaka T, Ueki Y, Tanaka Y.	Enhanced effect of high-dose leukocytapheresis using a large filter in rheumatoid arthritis.	Mod Rheumatol	17 (6)	481-485	2007
Kusaba M, Nakao K, Goto T, Nishimura D, Kawashimo H, Shibata H, Motoyoshi Y, Taura N, Ichikawa T, Hamasaki K, <b>Eguchi K</b> .	Abrogation of constitutive STAT3 activity sensitizes human hepatoma cells to TRAIL-mediated apoptosis.	J Hepatol	47 (4)	546-555	2007
Nakamura H, Kawakami A, Ida H, Koji T, <b>Eguchi K</b> .	EGF activates PI3K-Akt and NF-kappaB via distinct pathways in salivary epithelial cells in Sjögren's syndrome.	Rheumatol Int	28 (2)	127-136	2007
江口勝美.	関節リウマチの活動性評価と寛解評価.	Rheumatology Clinical Update	16	14-19	2009
江口勝美, 宇佐俊郎, 上谷雅孝.	非造影 1.5T MRI 画像により関節リウマチ発症を早期に予測できるのか?	分子リウマチ治療	2(1)	27-33	2009
江口勝美, 玉井慎美, 川上 純, 藤川敬太, 有馬和彦, 山崎聡士, 荒牧俊幸, 折口智樹, 宇佐俊郎.	リウマチ(膠原病)・アレルギー学.	日本医事新報	4425	63-73	
江口勝美.	関節リウマチの早期診断.	カレントセラピー	27 (6)	485-490	
江口勝美, 宇佐俊郎, 上谷雅孝.	非造影 1.5T MRI 画像により関節リウマチ発症を早期に予測できるのか?	分子リウマチ治療	2 (1)	27-33	
江口勝美.	リウマチ発症を早期に予測する手段とは?	Mebio	26 (7)	71-85	
江口勝美.	5. 早期診断予測と早期治療.	医薬ジャーナル	45 (10)	105-113	
川上 純, 玉井慎美, 川尻真也, 岩本直樹, 江口勝美.	内科医が診る関節リウマチ 【State of Art】 診断に必要な知識とは? 内科医が知っておくべきポイント 早期診断に必要な検査とは?	内科	103 (4)	641-644	
川上 純, 玉井慎美, 中島宗敏, 安部恵代	ELISA 法による抗 CCP 抗体測定キット(コスミック社)の臨床的評価.	医学と薬学	61(4)	647-650	

青柳 潔, 江口勝美.					
川上 純, 玉井慎美, 岩本直樹, 川尻真也, 藤川敬太, 江口勝美.	関節リウマチ 治癒を目指す治療の 新時代へ】 治療に直結する病因・病 態研究最前線 治療反応性と関連す る予後因子.	最新医学	64 (5)	974-980	
川上 純, 江口勝美.	【新たな生物学的製剤によるリウマ チ性疾患の治療】 Abatacept による RA の治療.	リウマチ科	41 (3)	246-251	
川尻真也, 川上 純, 岩本直樹, 藤川敬太, 荒牧俊幸, 一瀬邦弘, 蒲池 誠, 玉井慎美, 有馬和彦, 中村英樹, 喜多雅子, 井田弘明, 折口智樹, 江口勝美.	肺胞出血および急速進行性糸球体腎 炎により再燃した顕微鏡的多発血管 炎の一例.	日本臨床免疫学 会誌	32 (3)	189-194	
川上 純, 玉井慎美, 喜多潤子, 川尻真也, 岩本直樹, 江口勝美.	Undifferentiated arthritis におけるア ウトカム予測と治療法の決定.	リウマチ科	42 (1)	60-64	
川上 純, 玉井慎美, 喜多潤子, 川尻真也, 岩本直樹, 江口勝美.	特集 膠原病・リウマチ性疾患診察の より深い理解を目指して トピック ス I. 診断を的確に下すために 1. 診断不明の関節炎を如何に診断 するか.	日本内科学会雑 誌	98 (10)	2414-2420	
川上 純, 玉井慎美, 江口勝美, 青柳 潔, 上谷雅孝.	関節リウマチに進展する診断未確定 関節炎の特徴.	九州リウマチ	29 (2)	69-73	
上谷雅孝, 川上 純, 玉井慎美, 江口勝美.	早期リウマチ】 早期関節リウマチの MRI 診断.	整形・災害外科	52 (10)	1169-1177	
江口勝美.	リウマチ・膠原病の早期診断.	からだの科学	256	24-29	2008
江口勝美.	TNF 阻害薬と結核症.	呼吸器	13(1)	84-91	2008
江口勝美.	関節リウマチの早期診断・治療 —その重要性と実際—.	Medical Practice	25(8)	1341-1347	2008
江口勝美, 上谷雅孝.	MRI を用いた関節リウマチの早期診 断予測.	関節外科	27(10 増 刊)	82-95	2008
江口勝美, 宇佐俊郎, 上谷雅孝.	画像診断.	総合臨床	57(12)	2846-2854	2008
江口勝美.	関節リウマチの早期診断予測と適切 な治療.	日本臨床内科医 会誌	23(4)	3889-397	2008



江口勝美, 三森経世.	関節リウマチの診断方法の進歩.	診断と治療	96(2)	369-376	2008
江口勝美, 右田清志, 川上 純, 折口智樹, 井田弘明, 中村英樹, 玉井慎美, 蒲池 誠.	【臨床医学の展望】 リウマチ (膠原病)・アレルギー学.	リウマチ (膠原病)・ アレルギー学.	4372	64-73	2008
井田弘明, 江口勝美.	TRAPS の分子病態.	炎症と免疫	16(2)	139-148	2008
一瀬邦弘, 川上 純, 江口勝美.	早期症例への積極的導入の意義.	Progress in Medicine	28(1)	41-47	2008
折口智樹, 江口勝美.	新しい生物学的製剤開発の現状と将来展望.	Progress in Medicine	28(1)	91-97	2008
川上 純, 玉井慎美, 岩本直樹, 江口勝美.	《早期診断・早期治療のこつと治療 のアルゴリズム》関節リウマチ.	内科	101(4)	629-634	2008
川上 純, 玉井慎美, 江口勝美.	EULAR 早期関節ガイドライン.	リウマチ科	39(5)	449-453	2008
川上 純, 玉井慎美, 江口勝美.	早期関節炎と関節リウマチ.	長崎市医師会報	42(6)	36-39	2008
川尻真也, 川上 純, 岩本直樹, 藤川敬太, 荒牧俊幸, 一瀬邦弘, 蒲池 誠, 玉井慎美, 中村英樹, 井田弘明, 折口智樹, 江口勝美.	高尿酸血症の持続により持続性の多 発関節炎を呈した慢性結節性通風の 一例.	Jpn.J.Clin. Immunol	31(3)	190-194	2008
井田弘明, 一瀬邦弘, 荒牧俊幸, 右田清志, 江口勝美.	TNF receptor-associated periodic syndrome (TRAPS) の全国疫学調査.	小児科	49(10)	1349-1356	2008
川上 純, 玉井慎美, 川尻真也, 岩本直樹, 藤川啓太, 江口勝美.	診断未確定関節炎の治療.	リウマチ科	40(3)	303-308	2008
上谷雅孝, 川上 純, 玉井慎美, 江口勝美.	PART2 骨関節疾患のMR imaging 関節炎のMRI 関節リウマチを中心 に.	臨床画像	24(11)	1336-1345	2008
阿比留教生, 江口勝美.	自己抗原の経粘膜投与による自己免 疫疾患の発症抑制ー1型糖尿病とイ ンスリンB鎖ペプチドを中心にー.	臨床免疫・ アレルギー科	50(1)	90-97	2008

荒牧俊幸, 井田弘明, 岩本直樹, 藤川敬太, 一瀬邦弘, 岩永 希, 玉井慎美, 有馬和彦, 蒲池 誠, 中村英樹, 川上 純, 江口勝美, 折口智樹, 中島宗敏, 塚田敏昭, 松岡直樹, 植木幸孝, 福田孝昭.	多施設における関節リウマチ患者に 対するタクロリムスの短期成績.	九州リウマチ	26 (2)	102-108	2007
岩本直樹, 川上 純, 江口勝美, 後藤明子, 福田孝昭, 中島宗敏, 河部庸次郎, 松岡直樹, 溝上明成, 古山雅子, 塚田敏昭, 右田清志, 峰 雅宣, 植木幸孝.	関節リウマチに対するエタネルセプ トの治療成績の検討：併用抗リウマ チ薬による層別化.	九州リウマチ	27	8-14	2007
岩本直樹, 荒武弘一朗, 川尻真也, 藤川敬太, 荒牧俊幸, 一瀬邦弘, 蒲池 誠, 玉井慎美, 中村英樹, 井田弘明, 川上 純, 江口勝美, 折口智樹.	ミゾリビン投与により寛解を得られ ている増殖性ループス腎炎の1例.	九州リウマチ	27	41-45	2007
中島宗敏, 川上 純, 江口勝美.	Mollaret 髄膜炎を合併したリウマ チ性多発筋痛症の一例.	九州リウマチ	27	52-55	2007
一瀬邦弘, 川上 純, 江口勝美.	【関節リウマチにおける生物学的製 剤の実際と問題点】アダリムマブ -PREMIER 試験の示すもの-.	リウマチ科	37 (1)	17-21	2007
江口勝美, 折口智樹, 一瀬邦弘, 川上 純.	【新薬展望 2007】治療における最近 の新薬の位置付け<薬効別> 新薬 の広場 抗リウマチ薬.	医薬ジャーナル	43 (増刊)	386-393	2007
川上 純, 玉井慎美, 江口勝美.	早期関節炎の捉え方と病態解析の方 向性.	日本臨床免疫学 会誌	30 (1)	37-40	2007

江口勝美.	【プライマリ・ケア医のための関節リウマチの診かた 知っておきたいその基本と最新知見】関節リウマチの早期診断.	治療	89 (2)	345-350	2007
江口勝美.	【関節リウマチの最新治療】関節リウマチの早期診断とその意義.	Medical Science Digest	33 (2)	697-701	2007
上谷雅孝, 川上 純, 玉井慎美, 江口勝美.	【骨軟部画像診断の新たなる展開】早期関節リウマチの MRI 診断.	日独医報	51 (4)	659-668	2007
江口勝美.	ここまで知っておきたい痛みへのアプローチ 関節リウマチへの新たなアプローチ 1. 早期診断と早期治療.	痛みと臨床	7 (2)	172-179	2007
江口勝美.	【関節リウマチの骨・軟骨破壊】関節破壊進行の予測因子.	Clinical Calcium	17 (4)	517-525	2007
井田弘明, 江口勝美.	【Autoinflammatory syndrome の新たなる展開と治療法の確立】TRAPS の診断と新しい治療法の展開.	日本臨床免疫学会誌	30 (2)	90-100	2007
江口勝美, 折口智樹.	実践講座 疾患特有の評価法 関節リウマチ.	総合リハビリテーション	35 (4)	365-371	2007
江口勝美.	【リウマチ治療の新時代 治療薬を使いこなす】関節リウマチの早期診断—いかに早期から診断するか？	内科	99 (4)	587-594	2007
岩永 希, 川上 純, 江口勝美.	【関節リウマチのパラダイムシフト 生物学的製剤時代の最新治療動向】生物学的製剤の最新エビデンス アダリムマブの欧米におけるエビデンス.	医学のあゆみ	221 (5)	437-440	2007
江口勝美.	卒後研修講座 関節リウマチの早期診断と臨床経過の予知.	整形外科	58 (5)	571-575	2007
江口勝美.	関節リウマチの早期診断と関節破壊進行の予知.	炎症と免疫	15 (4)	519-525	2007
藤川敬太, 川上 純, 江口勝美.	【生物学的製剤の免疫薬理と臨床変貌する関節リウマチ治療ストラテジー】主要な生物学的製剤の構造、免疫薬理学的特徴と有用性のエビデンス サイトカインを標的とする生物学的製剤 TNF 阻害薬 可溶性 TNF 受容体 IgG キメラ(エタネルセプト).	日本臨床	65 (7)	1211-1217	2007
江口勝美.	【生物学的製剤の免疫薬理と臨床変貌する関節リウマチ治療ストラテジー】TNF 阻害薬の臨床 我が国における臨床成績を中心に 市販後全例使用成績が示す臨床的有用性と使用上の留意点 エタネルセプト.	日本臨床	65 (7)	1259-1266	2007
蒲池 誠, 江口勝美.	【SLE の発症機序と新たな治療法の探索】SR 蛋白質のリン酸化、脱リン酸化と alternative splicing 制御 SLE (全身性エリテマトーデス) における病態的意義と新規治療法への展望.	リウマチ科	38 (2)	109-112	2007
折口智樹, 江口勝美.	【新しい生物学的製剤】完全ヒト抗 TNF $\alpha$ 抗体 adalimumab.	炎症と免疫	15 (5)	558-564	2007
井田弘明, 江口勝美.	Autoinflammatory syndrome.	リウマチ科	38 (3)	283-289	2007

江口勝美.	【関節リウマチ 患者さんに信頼されるための最新知識とその活用】 関節リウマチ・トピックス 関節リウマチと抗 CCP 抗体 早期診断と早期治療への有用性.	Medical Practice	24 (10)	1783-1784	2007
井田弘明, 江口勝美.	【発熱と多関節痛を主訴とする疾患 その病因と膠原病との鑑別について】TRAPS (TNF receptor-associated periodic syndrome).	リウマチ科	38 (4)	361-369	2007
江口勝美.	【整形外科医のための care と cure I RA の window of opportunity を逃さないために】 整形外科医のための RA 診断 診断未確定関節炎症例の RA 発症と関節破壊の出現・進行の予測.	骨・関節・靭帯	20 (10)	941-949	2007
上谷雅孝, 川上 純, 玉井慎美, 江口勝美.	【整形外科医のための care と cure I RA の window of opportunity を逃さないために】 整形外科医のための RA 診断 早期関節リウマチの MRI.	骨・関節・靭帯	20 (10)	983-991	2007
江口勝美.	関節リウマチと抗 CCP 抗体.	関節リウマチ	24 (10)	1783-1784	2007
江口勝美.	関節リウマチの診断.	Animus	49 (春)	17-21	2007
川上 純, 中村英樹, 江口勝美.	【TNFファミリーの分子リウマチ学 基礎から臨床へ】 FasL/Fas (CD95).	分子リウマチ	4 (4)	320-323	2007
蒲池 誠, 江口勝美.	シグナル伝達経路を介した alternative splicing の誘導 -その生物学的意義と制御メカニズム-	Inflammation and Regeneration	27 (6)	575-578	2007
江口勝美.	【関節リウマチ治療 インフリキシマブとエタネルセプト】 エタネルセプトの使い方 ガイドライン.	Mebio	24 (12)	50-56	2007
折口智樹, 一瀬邦弘, 玉井慎美, 中村英樹, 川上 純, 江口勝美.	ANCA 関連血管炎の病態と治療における最近の知見.	日本臨床免疫学会会誌	30 (6)	432-443	2007
折口智樹, 江口勝美.	開発メーカーが知っておきたい抗体医薬品 (抗リウマチ薬) の有害事象.	Pharm Stage	7 (5)	9-12	2007

研究分担者：寺井千尋

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kobayashi S, Ikari K, Kaneko H, Kochi Y, Yamamoto K, Shimane K, Nakamura Y, Toyama Y, Mochizuki T, Tsukahara S, Kawaguchi Y, <b>Terai C</b> , Hara M, Tomatsu T, Yamanaka H,	Association of STAT4 with susceptibility to rheumatoid arthritis and systemic lupus erythematosus in Japanese. 【別冊】	Arthritis Rheum	58	1940-1946	2008

Horiuchi T, Tao K, Yasumoto K, Hamada D, Yasui N, Inoue H, Itakura M, Okamoto, H., Kamatani N, Momohara S.					
Hoshi D, Okamoto H, Kaneko H, Ichikawa N, <b>Terai C</b> , Yamanaka H, Kamatani N.	Association of polymorphism in the monocyte chemoattractant protein-1/CCL2 gene and lupus nephritis in systemic lupus erythematosus patients.	Clin Exp Rheum	26	972-973	2008
Yamanaka H, Inoue E, Tanaka E, Nakajima A, Taniguchi A, <b>Terai C</b> , Hara M, Tomatsu T, Kamatani N.	Influence of methotrexate dose on its efficacy and safety in rheumatoid arthritis patients: evidence based on the variety of prescribing approaches among practicing Japanese rheumatologists in a single institute-based large observational cohort (IORRA).	Mod Rheumatol	17	98-105	2007
寺井千尋.	RAの治療戦略と標準治療 治療戦略の変遷と治療目的	薬局	60	397-403	2009
寺井千尋.	関節リウマチの生命予後とアミロイドーシス合併	埼玉腎臓研究会誌	22	43-51	2009
佐藤美樹, 森口正人, 高鳥志乃, 樋口敬和, 寺井千尋.	大量免疫グロブリン療法が奏効した抗リン脂質抗体関連血球貪食症候群の1例.	日本内科学会誌	97	125-127	2008
寺井千尋.	関節リウマチ治療の新展開.	東京内科医会 会誌	22	175-177	2007
寺井千尋.	関節リウマチの腎障害.	骨・関節・靭帯	20	1047-1053	2007

研究分担者：三森経世

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Nakashima R, Imura Y, Kobayashi S, Yukawa N, Yoshifuji H, Nojima T, Kawabata D, Ohmura K, Usui T, Fujii T, Okawa K, <b>Mimori T.</b>	The RIG-I-like receptor IFIH1/MDA5 is a dermatomyositis-specific autoantigen identified by the anti-CADM-140 antibody.	Rheumatology	Dec 16 [Epub ahead of print]		2009
Kyogoku C, Morinobu A, Nishimura K, Sugiyama D, Hashimoto H,	Lack of association between tyrosine kinase 2 (TYK2) gene polymorphisms and susceptibility to SLE in a Japanese population. Mod. Rheumatol. 19: 401-406, 2009	Mod. Rheumatol.	19	401-406	2009

Tokano Y, <b>Mimori T</b> , Terao C, Matsuda F, Kuno T, Kumagai S					
Ito Y, Usui T, Kobayashi S, Iguchi-Hashimoto M, Ito H, Yoshitomi H, Nakamura T, Shimizu M, Kawabata D, Yukawa N, Hashimoto M, Sakaguchi N, Sakaguchi S, Yoshifuji H, Nojima T, Ohmura K, Fujii T, <b>Mimori T</b> .	Gamma/delta T cells are the predominant source of interleukin-17 in affected joints in collagen-induced arthritis, but not in rheumatoid arthritis. 【別冊】	Arthritis Rheum	60(8)	2294-303	2009
Fujii T, Okada M, Fujita Y, Sato T, Tanaka M, Usui T, Umehara H, <b>Mimori T</b> .	Vaccination with autoreactive CD4(+)Th1 clones in lupus-prone MRL/Mp-Fas(lpr/lpr) mice.	J Autoimmun.	33(2)	125-34	2009
Satoh T, Ishikawa O, Ihn H, Endo H, Kawaguchi Y, Sasaki T, Goto D, Takahashi K, Takahashi H, Misaki Y, <b>Mimori T</b> , Muro Y, Yazawa N, Sato S, Takehara K, Kuwana M.	Clinical usefulness of anti-RNA polymerase III antibody measurement by enzyme-linked immunosorbent assay.	Rheumatology (Oxford)	48(12)	1570-4	2009
Nakayamada S, Saito K, Umehara H, Ogawa N, Sumida T, Ito S, Minota S, Nara H, Kondo H,	Efficacy and safety of mizoribine for the treatment of Sjögren's syndrome: a multicenter open-label clinical trial.	Mod Rheumatol	17 (6)	464-469	2007

Okada J, <b>Mimori T</b> , Yoshifuji H, Sano H, Hashimoto N, Sugai S, Tanaka Y.					
<b>Mimori T</b> , Imura Y, Nakashima R, Yoshifuji H.	Autoantibodies in idiopathic inflammatory myopathy: an update on clinical and pathophysiological significance.	Curr Opin Rheumatol	19 (6)	523-529	2007
Handa T, Nagai S, Miki S, Ueda S, Yukawa N, Fushimi Y, Ito Y, Ohta K, <b>Mimori T</b> , Mishima M, Izumi T.	Incidence of pulmonary hypertension and its clinical relevance in patients with interstitial pneumonias: comparison between idiopathic and collagen vascular disease associated interstitial pneumonias.	Intern Med	46 (12)	831-837	2007
Ito Y, Kawabata D, Yukawa N, Yoshifuji H, Usui T, Tanaka M, Fujii T, <b>Mimori T</b> .	Severe subcutaneous generalized edema in a patient with dermatomyositis.	Mod Rheumatol	17 (2)	171-173	2007
Murakami K, Fujii T, Yukawa N, Yoshifuji H, Kawabata D, Tanaka M, Usui T, <b>Mimori T</b> .	Successful treatment of a patient with refractory adult Still's disease by tacrolimus.	Mod Rheumatol	17(2)	167-70	2007
Hirakata M, Suwa A, Takada T, Sato S, Nagai S, Genth E, Song YW, <b>Mimori T</b> , Targoff IN.	Clinical and immunogenetic features of patients with autoantibodies to asparaginyl-transfer RNA synthetase. 【別冊】	Arthritis Rheum	56 (4)	1295-1303	2007
Fujita Y, Fujii T, Takeda N, Tanaka M, <b>Mimori T</b> .	Successful treatment of primary Sjögren's syndrome with chronic natural killer lymphocytosis by high-dose prednisolone and indomethacin farnesil.	Intern Med	46 (5)	251-254	2007
Tokunaga M, Saito K, Kawabata D, Imura Y, Fujii T,	Efficacy of rituximab (anti-CD20) for refractory systemic lupus erythematosus involving the central nervous system.	Ann Rheum Dis	66 (4)	470-475	2007

Nakayamada S, Tsujiura S, Nawata M, Iwata S, Azuma T, <b>Mimori T</b> , Tanaka Y.					
三森経世.	自己免疫疾患と RNA	蛋白質・核酸・ 酵素	54(16)	2233-2238	2009
三森経世.	全身性エリテマトーデス	Cefiro	10	15-18	2009
三森経世.	核抗原に対する自己抗体	医学のあゆみ	230(9)	698-703	2009
藤井隆夫, 三森経世, 小林民雄, 山下雅樹, 恒川伸二, 藤井義久, 清水喜久男.	抗 UIRNP 抗体と抗 Sm 抗体—改良型 ELISA について—	リウマチ科	41(5)	459-463	2009
三森経世.	関節リウマチ-薬物療法 DMARDs	臨床と研究	86(6)	717-720	2009
藤井隆夫, 岡本洋子, 小林勝哉, 井上治久, 高橋良輔, 三森経世.	生物学的製剤は進行性多巣性白質脳 症(PML)を誘発するか?	内科	103(4)	725-728	2009
三森経世.	ステロイド	臨床研修プラク ティス	6(6)	26-31	2009
湯川尚一郎、 三森経世.	寛解・治癒を目指すための診断法—特 に関節リウマチの早期診断における 抗 CCP 抗体の有用性について—	最新医学	64(5)	981-987	2009
三森経世.	関節リウマチ	薬局増刊号「病 気と薬 パーフ ェクト BOOK 2009」	60(4)	670-677	2009
三森経世.	関節リウマチ薬物療法のガイドライ ンとその検証	日本内科学会雑 誌	98(3)	491-495	2009
湯川尚一郎、 三森経世.	抗リウマチ薬の関節破壊抑制効果	CLINICAL CALCIUM	19(3)	395-403	2009
村上孝作, 藤井隆夫, 三森経世.	リウマトイド因子・抗 CCP 抗体が 陽性・陰性の臨床的意義.	medicina	45 (1)	64-67	2008
湯川尚一郎、	関節リウマチにおける抗 CD 抗体の	CLINICAL	17(4)	569-576	2007



三森経世.	臨床効果.	CALCIUM			
三森経世.	免疫抑制薬の種類と作用機序.	炎症と免疫	15 (3)	329-333	2007
三森経世.	低活動性を目標に厳格な診療介入を：治療効果が認められない患者には生物学的製剤使用.	The Mainichi Medical Journal	3(8)	625	2007
湯川尚一郎, 三森経世.	次世代のB細胞ブロッカー：リツキシマブ.	Mebio	24(12)	92-99	2007
金 哲雄, 三森経世, 岡崎俊朗, 梅原久範.	特集:T細胞レセプターからのシグナル伝達 T細胞の活性化と raft におけるスフィンゴミエリンの役割.	臨床免疫・アレルギー科	48(1)	8 - 13	2007
三森経世.	関節リウマチ.	Suzuken Medical	10(6)	4	2007
三森経世.	関節リウマチ.	Suzuken Medical	10(6)	6	2007

研究分担者：土屋尚之

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ito I, Kawaguchi K, Kawasaki A, Hasegawa M, Ohashi J, Kawamoto M, Fujimoto M, Takehara K, Sato S, Hara M, <b>Tsuchiya N.</b>	Association of <i>FAM167A (C8orf13)</i> - <i>BLK</i> region with systemic sclerosis.	Arthritis Rheum			in press
Ito I, Kawasaki A, Ito S, Hayashi T, Goto D, Matsumoto I, Tsutsumi A, Hom G, Graham RR, Takasaki Y, Hashimoto H, Ohashi J, Behrens TW, Sumida T, <b>Tsuchiya N.</b>	Replication of the association between C8orf13- <i>BLK</i> region and systemic lupus erythematosus in a Japanese population.	Arthritis Rheum	60	553-558	2009
Ichikawa N, Kotake S, Hakoda M, Higami K, Kawasaki A, Furuya T, Nanke Y, <b>Tsuchiya N,</b> Tokunaga K, Kamatani N.	Combining effects of polymorphism of tumor necrosis factor alpha 5'-flanking region and HLA-DRB1 on radiological progression in patients with rheumatoid arthritis. <b>【別冊】</b>	Mod Rheumatol	19	134-139	2009
Ito I, Kawaguchi Y, Kawasaki A, Hasegawa M, Ohashi J,	Association of a functional polymorphism in the <i>IRF5</i> region with systemic sclerosis in a Japanese population.	Arthritis Rheum	60	1845-1850	2009

Hikami K, Kawamoto M, Fujimoto M, Takehara K, Sato S, Hara M, <b>Tsuchiya N.</b>					
<b>Tsuchiya N,</b> Kawasaki A, Ito I.	Role of <i>IRF5</i> , <i>STAT4</i> and <i>BLK</i> polymorphisms for the genetic predisposition to systemic lupus erythematosus in Japanese.	Inflammation Regenerat	29	190-197	2009
<b>Tsuchiya N,</b> Kawasaki A, Hasegawa M, Fujimoto M, Takehara K, Kawaguchi Y, Kawamoto M, Hara M, Sato S.	Association of <i>STAT4</i> polymorphism with systemic sclerosis in a Japanese population.	Ann Rheum Dis	68	1375-1376	2009
Ito I, Kawasaki A, Ito S, Kondo Y, Sugihara M, Horikoshi M, Hayashi T, Goto D, Matsumoto I, Tsutsumi A, Takasaki Y, Hashimoto H, Matsuta K, Sumida T, <b>Tsuchiya N.</b>	Replication of association between <i>FAM167A (C8orf13)</i> - <i>BLK</i> region and rheumatoid arthritis in a Japanese population. 【別冊】	Ann Rheum Dis	Published Online First: 9 September, 2009	doi:10.1136 /ard.2009.1 18760.	2009
Kawasaki A, Ito I, Hikami K, Ohashi J, Hayashi T, Goto D, Matsumoto I, Ito S, Tsutsumi A, Koga M, Arinami T, Graham RR, Hom G, Takasaki Y, Hashimoto H, Behrens TW, Sumida T, <b>Tsuchiya N.</b>	Role of <i>STAT4</i> polymorphisms in systemic lupus erythematosus in a Japanese population: a case-control association study of the <i>STAT1-STAT4</i> region.	Arthritis Res Ther	10	R113	2008
Furuya T, Matsumoto I, <b>Tsuchiya N,</b> Hakoda M, Ichikawa N,	Anti-glucose-6-phosphate isomerase, anti-cyclic citrullinated peptide antibodies and HLA-DRB1 genotypes in Japanese patients with early rheumatoid arthritis. 【別冊】	Clin Exp Rheumatol	26	918-921	2008

Higami K, Nanke Y, Sumida T, Kamatani N, Kotake S.					
Kawasaki A, Kyogoku C, Ohashi J, Miyashita R, Hikami K, Kusaoi M, Tokunaga K, Takasaki Y, Hashimoto H, Behrens TW, <b>Tsuchiya N.</b>	Association of interferon regulatory factor 5 (IRF5) polymorphisms with systemic lupus erythematosus in Japanese: Support for a crucial role of intron 1 polymorphisms.	Arthritis Rheum	58	1940-1946	2008
Furuya T, Hakoda M, Ichikawa N, Higami K, Nanke Y, Yago T, Kobashigawa T, Tokunaga K, <b>Tsuchiya N,</b> Kamatani N, Kotake S.	Differential association of HLA-DRB1 alleles in Japanese patients with early rheumatoid arthritis in relationship to autoantibodies to cyclic citrullinated peptide. 【別冊】	Clin Exp Rheumatol	25	219-224	2007
<b>Tsuchiya N,</b> Kyogoku C, Miyashita R, Kuroki K.	Diversity of human immune system multigene families and its implication in the genetic background of rheumatic diseases.	Curr Med Chem	14	421-439	2007
Kyogoku C, <b>Tsuchiya N.</b>	A compass that points to lupus: Genetic studies on type I interferon pathway.	Genes Immun	8	445-455	2007
土屋尚之.	関節リウマチの環境因子	日本臨床			印刷中
土屋尚之.	関節リウマチと HLA.	MHC	15	235-248	2008
土屋尚之.	関節リウマチ、全身性エリテマトーデスと STAT4 遺伝子.	Frontiers in Rheumatology & Clinical Immunology	2	146-149	2008
土屋尚之.	関節リウマチ関連遺伝子解析に基づく新規治療法開発の可能性.	BIO Clinica	22	894-897	2007

研究分担者：津坂憲政

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Suzuki K, Kameda H, Amano K, Nagasawa H, Takei H, Sekiguchi N, Nishi E, Ogawa H, <b>Tsuzaka K,</b> Takeuchi T.	Single center prospective study of tacrolimus efficacy and safety in treatment of rheumatoid arthritis.	Rheumatol Int	29	431-6	2009
<b>Tsuzaka K,</b> Itami Y, Kumazawa C,	Conservative sequences in 3'UTR of TCR $\zeta$ mRNA regulate TCR $\zeta$ in SLE T cells. 【別冊】	Biochem Biophys Res Commun	367	311-317	2008

Suzuki M, Setoyama Y, Yoshimoto K, Suzuki K, Abe T, Takeuchi T.					
Ohashi Y, <b>Tsuzaka K</b> , Takeuchi T, Sasaki Y, Tsubota K.	Reduced expression of aquaporin 5 and its C-terminal binding protein in the lacrimal glands of a mouse model for Sjögren's syndrome.	Current Eye Res	33	621-629	2008
Suzuki K, Setoyama Y, Yoshimoto K, <b>Tsuzaka K</b> , Abe T, Takeuchi T.	Effect of interleukin 2 on synthesis of B cell activating factor belonging to the tumor necrosis factor family (BAFF) in human peripheral blood mononuclear cells.	Cytokine	44	44-48	2008
Ogawa H, Kameda H, Nagasawa H, Sekiguchi N, Takei H, <b>Tsuzaka K</b> , Amano K, Takeuchi T.	Prospective study of low-dose cyclosporine A in patients with refractory lupus nephritis.	Mod Rheumatol	17	92-97	2007
<b>Tsuzaka K</b> , Matsumoto Y, Sasaki Y, Abe T, Tsubota K, Takeuchi T.	Down-regulation of Fas-ligand mRNA in Sjögren's syndrome patients with enlarged exocrine glands.	Autoimmunity	40	497-502	2007
Suzuki K, Kobayashi S, Yamazaki K, Gondo M, Tomizawa K, Arimura Y, Nakabayashi K, Ozaki S, Yoshida M, Yoshida T, <b>Tsuzaka K</b> , Muso E, Okazaki T, Hashimoto H.	Analysis of risk epitopes of anti-neutrophil antibody MPO-ANCA in vasculitis in Japanese population.	Microbiol Immunol	51	1215-1220	2007
津坂憲政.	IgG4 関連自己免疫性疾患 (形質細胞浸潤)	日本臨床	別刷	135-137	2009
津坂憲政.	関節リウマチ	小児科	50	1999-2004	2009
津坂憲政.	SLET 細胞における TCRζ 鎖発現低下.	最新医学	63	904-911	2008
津坂憲政.	SLE モデルマウスは T 細胞非依存性に発症する.	リウマチ科	40	181-184	2008
津坂憲政.	SLE T 細胞における TCR zeta 鎖の発現調節機構.	リウマチ科	38	152-155	2007

研究分担者：上谷雅孝

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
-------	---------	------	----	-----	-----