

- Rheumatol 36 (1): 113-115, 2009.
- 8) Miyaaki H, Zhou H, Ichikawa T, Nakao K, Shibata H, Takeshita S, Akiyama M, Ozawa E, Miuma S, Eguchi K. Study of liver-targeted regulatory T cells in hepatitis B and C virus in chronically infected patients. *Liver Int* 29 (5): 702-707, 2009.
 - 9) Kawasaki E, Awata T, Ikegami H, Kobayashi T, Maruyama T, Nakanishi K, Shimada A, Uga M, Kurihara S, Kawabata Y, Tanaka S, Kanazawa Y, Eguchi K. Genetic association between the IL2RA and mode of onset of type 1 diabetes in the Japanese population. *J Clin Endocrinol Metab* 94 (3): 947-952, 2009.
 - 10) Iwamoto N, Kawakami A, Tamai M, Fujikawa K, Arima K, Aramaki T, Kawashiri S, Ichinose K, Kamachi M, Nakamura H, Origuchi T, Ida H, Eguchi K. Determination of the subset of Sjögren's syndrome with articular manifestations by anticyclic citrullinated peptide antibodies. *J Rheumatol* 36 (1): 113-115, 2009.
 - 11) Fujikawa K, Kawakami A, Tamai M, Uetani M, Takao S, Arima K, Iwamoto N, Aramaki T, Kawashiri S, Ichinose K, Kamachi M, Nakamura H, Origuchi T, Ida H, Aoyagi K, Eguchi K. High serum cartilage oligomeric matrix protein determines the subset of patients with early-stage rheumatoid arthritis with high serum C-reactive protein, matrix metalloproteinase-3, and MRI-proven bone erosion. *J Rheumatol* 36 (6): 1126-1129, 2009
 - 12) Iwamoto N, Kawakami A, Fujikawa K, Aramaki T, Kawashiri SY, Tamai M, Arima K, Ichinose K, Kamachi M, Yamasaki S, Nakamura H, Nakashima M, Mizokami A, Goto A, Fukuda T, Matsuoka N, Ueki Y, Tsukada T, Migita K, Shoumura F, Kawabe Y, Shibatomi K, Mine M, Ida H, Origuchi T, Aoyagi K, Eguchi K. Prediction of DAS28-ESR remission at 6 months by baseline variables in patients with rheumatoid arthritis treated with etanercept in Japanese population. *Mod Rheumatol* 19 (5): 488-492, 2009.
 - 13) Kawashiri S, Kawakami A, Iwamoto N, Fujikawa K, Aramaki T, Tamai M, Arima K, Kamachi M, Yamasaki S, Nakamura H, Tsurumoto T, Kono M, Shindo H, Ida H, Origuchi T, Eguchi K. Proinflammatory cytokines synergistically enhance the production of chemokine ligand 20 (CCL20) from rheumatoid fibroblast-like synovial cells in vitro and serum CCL20 is reduced in vivo by biologic disease-modifying antirheumatic drugs. *J Rheumatol* 36 (11): 2397-2402, 2009.
 - 14) Akiyama M, Miyaaki H, Miuma S, Shibata H, Fujimoto M, Takeshita S, Ozawa E, Ichikawa T, Nakao K, Eguchi K. Significance of trans-hepatic arterial chemotherapy for advanced hepatocellular carcinoma with portal vein tumor thrombus. ***Oncol Rep*** 20 (2): 353-357, 2008.
 - 15) Goto T, Ishikawa H, Matsumoto K, Nishimura D, Kusaba M, Taura N, Shibata H, Miyaaki H, Ichikawa T, Hamasaki K, Nakao K, Maeshima Y, **Eguchi K**. Tum-1, a tumstatin fragment, gene delivery into hepatocellular carcinoma suppresses tumor growth through inhibiting angiogenesis. ***Int J Oncol*** 33 (1): 33-40, 2008.
 - 16) Hirano K, Ichikawa T, Nakao K, Matsumoto A, Miyaaki H, Shibata H, Eguchi S, Takatsuki M, Ikeda M, Yamasaki H, Kato N, Kanematsu T, Ishii N, **Eguchi K**.

- Differential effects of calcineurin inhibitors, tacrolimus and cyclosporine A, on interferon-induced antiviral protein in human hepatocyte cells. **Liver Transplant** 14 (3): 292-298, 2008.
- 17) Kusumoto K, Yatsuhashi H, Nakao R, Hamada R, Fukuda M, Tamada Y, Taura N, Komori A, Daikoku M, Hamasaki K, Nakao K, Ishibashi H, Miyakawa Y, **Eguchi K**. Detection of HBV core promoter and precore mutations helps distinguish flares of chronic hepatitis from acute hepatitis B. **J Gastroenterol Hepatol** 23 (5): 790-793, 2008.
- 18) Miyasaka N, **Eguchi K**, the CHANGE study investigators. Clinical investigation in highly disease-affected rheumatoid arthritis patients in Japan with adalimumab applying standard and general evaluation: the CHANGE study. **Mod Rheumatol** 18 (3): 252-262, 2008.
- 19) Yoshizaki A, Kawakami A, Aramaki T, Ida H, **Eguchi K**. Preferential recovery by an intensive initial therapy from hemophagocytic syndrome complicated with adult onset Still's disease presenting as agranulocytosis and hypercytokinemia. **Clin Exp Rheumatol** 26(2): 383, 2008.
- 20) Kasagi S, Kawano S, Nakazawa T, Sugino H, Koshihara M, Ichinose K, Ida H, **Eguchi K**, Kumagai S. A case of periodic-fever-syndrome-like disorder with lipodystrophy, myositis, and autoimmune abnormalities. **Mod Rheumatol** 18(2): 203-207, 2008.
- 21) Hida A, Akahoshi M, Takagi Y, Ashizawa K, Imaizumi M, Soda M, Maeda R, Nakashima E, Ida H, Kawakami A, Nakamura T, **Eguchi K**. Prevalence of Sjögren syndrome among Nagasaki atomic bomb survivors. **Ann Rheum Dis** 67(5): 689-695, 2008.
- 22) Fujikawa K, Kawakami A, **Eguchi K**. Recovery from multiple cranial nerve palsy of Wegener granuloma with infliximab. **J Rheumatol** 35(7): 1471, 2008.
- 23) Nakamura H, Takagi Y, Kawakami A, Ida H, Nakamura T, Nakamura T, **Eguchi K**. HTLV-I infection results in resistance toward salivary gland destruction of Sjögren's syndrome. **Clin Exp Rheumatol** 26(4): 653-655, 2008.
- 24) Nakamura H, Tateishi S, Kawakami A, Ida H, Fukuda T, Sasaki M, Koide Y, Ashizawa N, Seto S, Hayashi T, Sato S, **Eguchi K**. A case of mixed connective tissue disease complicated with hypertrophic obstructive cardiomyopathy. **Rheumatol Int** 28(12): 1273-1275, 2008.
- 25) Nakamura H, Kawakami A, Iwamoto N, Ida H, Koji T, **Eguchi K**. Rapid and significant induction of TRAIL-mediated type II cells in apoptosis of primary salivary epithelial cells in primary Sjögren's syndrome. **Apoptosis** 13(11): 1322-1330, 2008.
- 26) Nakamura H, Usa T, Motomura M, Ichikawa T, Nakao K, Kawasaki E, Tanaka M, Ishikawa K, **Eguchi K**. Prevalence of interrelated autoantibodies in thyroid disease and autoimmune disorders. **J Endocrinol Invest** 31 (10): 861-865, 2008.
- 27) Fukushima K, Abiru N, Nagayama Y, Kobayashi M, Satoh T, Nakahara M, Kawasaki E, Yamasaki H, Ueha S, Matsushima K, Liu E, **Eguchi K**. Combined insulin B:9-23 self-peptide and polyinosinic-polycytidylic acid accelerate insulinitis but inhibit development of diabetes

- by increasing the proportion of CD4⁺ Foxp3⁺ regulatory T cells in the islets in non-obese diabetic mice. **Biochem Biophys Res Commun** 367 (4): 719-724, 2008.
- 28) Kawasaki E, Kuriya G, Satoh T, Fujishima K, Moriuchi A, Fukushima K, Ozaki M, Abiru N, Yamasaki H, **Eguchi K**. Humoral immune response to islet autoantigens in Japanese patients with type 1 diabetes. **Ann NY Acad Sci** 1150 :248-251, 2008.
- 29) Kawasaki E, Imagawa A, Makino H, Uga M, Abiru N, Hanafusa T, Uchigata Y, **Eguchi K**. Differences in the contribution of CTLA4 gene to susceptibility to fulminant and type 1A diabetes in Japanese patients. **Diabetes Care** 31(8): 1608-1610, 2008.
- 30) Kawasaki E, Uga M, Nakamura K, Kuriya G, Satoh T, Fujishima K, Ozaki M, Abiru N, Yamasaki H, Wenzlau JM, Davison HW, Hutton JC, **Eguchi K**. Association between anti-ZnT8 autoantibody specificities and SLC30A8 Arg325Trp variant in Japanese patients with type 1 diabetes. **Diabetologia** 51 (12): 2299-2302, 2008.
- 31) Imaizumi M, Ashizawa K, Neriishi K, Akahoshi M, Nakashima E, Usa T, Tominaga T, Hida A, Sera N, Soda M, Fujiwara S, Yamada M, Maeda R, Nagataki S, **Eguchi K**. Thyroid diseases in atomic bomb survivors exposed in utero. **J Clin Endocrinol Metab** 93(5): 1641-1648, 2008.
- 32) Fukushima N, Nakamura T, Nishiura Y, Ida H, Aramaki T, **Eguchi K**. HTLV-I production based on activation of integrin/ligand signaling in HTLV-I-infected T cell lines derived from HAM/TSP patients. **Intervirolgy** 51(2): 123-129, 2008.
- 33) Tateishi Y, Iguchi Y, Kimura K, Inoue T, Shibazaki K, **Eguchi K**. Contrast-enhanced transcranial color-coded duplex sonography criteria for basilar artery stenosis. **J Neuroimaging** 18(4): 407-410, 2008.
- 34) Miyaaki H, Ichikawa T, Nakao K, Yatsushashi H, Furukawa R, Ohba K, Omagari K, Kusumoto Y, Yanagi K, Inoue O, Kinoshita N, Ishibashi H, Yano M, **Eguchi K**. Clinicopathological study of nonalcoholic fatty liver disease in Japan: the risk factors for fibrosis. **Liver Int** 28 (4): 519-524, 2008.
- 35) Shibata H, Ichikawa T, Nakao K, Miyaaki H, Takeshita S, Akiyama M, Fujimoto M, Miura S, Kanda S, Yamasaki H, **Eguchi K**. A high glucose condition sensitizes human hepatocytes to hydrogen peroxide-induced cell death. **Mol Med Rep** 1: 379-385, 2008.
- 36) Migita K, Abiru S, Tanaka M, Ito M, Miyashita T, Maeda Y, Koga T, Nakamura M, Komori A, Yatsushashi H, Ida H, **Eguchi K**, Hirayama K, Yasunami M, Ishibashi H. Acute hepatitis in a patient with familial Mediterranean fever. **Liver Int** 28 (1): 140-142, 2008.
- 37) Yamasaki S, Yagishita N, Sasaki T, Nakazawa M, Kato Y, Yamadera T, Bae E, Toriyama S, Ikeda R, Zhang L, Fujitani K, Yoo E, Tsuchimochi K, Ohta T, Araya N, Fujita H, Aratani S, **Eguchi K**, Komiya S, Maruyama I, Higashi N, Sato M, Senoo H, Ochi T, Yokoyama S, Amano T, Kim J, Gay S, Fukamizu A, Nishioka K, Tanaka K, Nakajima T. Cytoplasmic destruction of p53 by the endoplasmic reticulum-resident ubiquitin ligase 'Synoviolin'. **EMBO J** 26

- (1): 113-122, 2007.
- 38) Tamai M, Kawakami A, Uetani M, Takao S, Tanaka F, Fujikawa K, Aramaki T, Nakamura H, Iwanaga N, Izumi Y, Arima K, Aratake K, Kamachi M, Huang M, Origuchi T, Ida H, Aoyagi K, **Eguchi K**. Bone edema determined by magnetic resonance imaging reflects severe disease status in patients with early-stage rheumatoid arthritis. **J Rheumatol** 34 (11): 2154-2157, 2007.
- 39) Fujikawa K, Aratake K, Kawakami A, Aramaki T, Iwanaga N, Izumi Y, Arima K, Kamachi M, Tamai M, Huang M, Nakamura H, Nishiura Y, Origuchi T, Ida H, **Eguchi K**. Successful treatment of refractory neuro-Behçet's disease with infliximab: A case report to show its efficacy by magnetic resonance imaging, transcranial magnetic stimulation and cytokine profile. **Ann Rheum Dis** 66 (1): 136-137, 2007.
- 40) Iwanaga N, Kamachi M, Fujikawa K, Aramaki T, Izumi Y, Arima K, Tamai M, Aratake K, Nakamura H, Origuchi T, Ida H, Kawakami A, Taguchi T, **Eguchi K**. Membranous glomerulonephritis and non-Hodgkin's lymphoma in a patient with primary Sjögren's syndrome. **Intern Med** 46 (4): 191-194, 2007.
- 41) Koga T, Miyashita T, Matsuoka Y, Hamawaki M, Hashizume K, Hashimoto W, Ito M, Osumi M, **Eguchi K**, Migita K. Acute dissecting thoracic aortic aneurysm in a patient with polymyalgia rheumatica. **Am J Med Sci** 334 (5): 386-388, 2007.
- 42) Huang M, Ida H, Arima K, Nakamura H, Aramaki T, Fujikawa K, Tamai M, Kamachi M, Kawakami A, Yamasaki H, Origuchi T, **Eguchi K**. La autoantigen translocates to cytoplasm after cleavage during granzyme B-mediated cytotoxicity. **Life Sci** 81 (19-20): 1461-1466, 2007.
- 43) Miyaaki H, Ichikawa T, Nakao K, Yatsushashi H, Furukawa R, Ohba K, Omagari K, Kusumoto Y, Yanagi K, Inoue O, Kinoshita N, Ishibashi H, Yano M, **Eguchi K**. Clinicopathological study of nonalcoholic fatty liver disease in Japan: the risk factors for fibrosis. **Liver Int**, Nov 1, 2007.
- 44) Ichinose K, Kawasaki E, **Eguchi K**. Recent advancement of understanding pathogenesis of type 1 diabetes and potential relevance to diabetic nephropathy. **Am J Nephrol** 27 (6): 554-564, 2007.
- 45) Kobayashi M, Abiru N, Arakawa T, Fukushima K, Zhou H, Kawasaki E, Yamasaki H, Liu E, Miao D, Wong FS, Eisenbarth GS, **Eguchi K**. Altered B:9-23 insulin, when administered intranasally with cholera toxin adjuvant, suppresses the expression of insulin autoantibodies and prevents diabetes. **J Immunol** 179 (4): 2082-2088, 2007.
- 46) Kawasaki E, Awata T, Ikegami H, Kobayashi T, Maruyama T, Nakanishi K, Shimada A, Uga M, Kurihara S, Kawabata Y, Tanaka S, Kanazawa Y, Lee I, **Eguchi K**. Japanese Study Group on Type 1 Diabetes Genetics. Systematic search for single nucleotide polymorphisms in a lymphoid tyrosine phosphatase gene (PTPN22): association between a promoter polymorphism and type 1 diabetes in Asian populations. **Am J Med Genet A** 143 (15): 1812-1813, 2007.
- 47) Nakamura H, Kawakami A, Ida H, Koji T,

- Eguchi K.** EGF activates PI3K-Akt and NF-kappaB via distinct pathways in salivary epithelial cells in Sjögren's syndrome. **Rheumatol Int** 28 (2): 127-136, 2007.
- 48) Mizutori Y, Saitoh O, **Eguchi K**, Nagayama Y. Lack of effect of methimazole on dendritic cell (DC) function and DC-induced Graves' hyperthyroidism in mice. **Autoimmunity** 40 (5): 397-402, 2007.
- 49) Kusaba M, Nakao K, Goto T, Nishimura D, Kawashimo H, Shibata H, Motoyoshi Y, Taura N, Ichikawa T, Hamasaki K, **Eguchi K**. Abrogation of constitutive STAT3 activity sensitizes human hepatoma cells to TRAIL-mediated apoptosis. **J Hepatol** 47 (4): 546-555, 2007.
- 50) Migita K, Abiru S, Maeda Y, Nakamura M, Komori A, Ito M, Fujiwara S, Yano K, Yatsuhashi H, **Eguchi K**, Ishibashi H. Elevated serum BAFF levels in patients with autoimmune hepatitis. **Hum Immunol** 68 (7): 586-591, 2007.
- 51) Kamachi M, Aramaki T, Tanimura S, Ichinose K, Fujikawa K, Iwamoto N, Yoshizaki A, Ida H, Kawakami A, Kohno M, **Eguchi K**. Activation of protein phosphatase causes alternative splicing of tumor necrosis factor-related apoptosis-inducing ligand (TRAIL): potential effect on immune surveillance. **Biochem Biophys Res Commun** 360 (1): 280-285, 2007.
- 52) Kawasaki E, **Eguchi K**. Current aspects on the clinical immunology and genetics of autoimmune diabetes in Japan. **Diabetes Res Clin Pract** 77 (Suppl 1): S104-109, 2007.
- 53) Kawakami A, Nakashima K, Tamai M, Nakamura H, Iwanaga N, Fujikawa K, Aramaki T, Arima K, Iwamoto N, Ichinose K, Kamachi M, Ida H, Origuchi T, **Eguchi K**. Toll-like receptor in salivary glands from patients with Sjögren's syndrome: functional analysis by human salivary gland cell line. **J Rheumatol** 34 (5): 1019-1026, 2007.
- 54) Moriuchi A, Yamasaki H, Shimamura M, Kita A, Kuwahara H, Fujishima K, Satoh T, Fukushima K, Fukushima T, Hayakawa T, Mizuguchi H, Nagayama Y, Abiru N, Kawasaki E, **Eguchi K**. Induction of human adiponectin gene transcription by telmisartan, angiotensin receptor blocker, independently on PPAR-gamma activation. **Biochem Biophys Res Commun** 356 (4): 1024-1030, 2007.
- 55) Migita K, Miyashita T, Maeda Y, Nakamura M, Yatsuhashi H, Kimura H, Ishibashi H, **Eguchi K**. Toll-like receptor expression in lupus peripheral blood mononuclear cells. **J Rheumatol** 34 (3): 493-500, 2007.
- 56) Migita K, Maeda Y, Abiru S, Nakamura M, Komori A, Miyazoe S, Nakao K, Yatsuhashi H, **Eguchi K**, Ishibashi H. Polymorphisms of interleukin-1beta in Japanese patients with hepatitis B virus infection. **J Hepatol** 46 (3): 381-386, 2007.
- 57) Soejima K, Nakamura H, Tamai M, Kawakami A, **Eguchi K**. Activation of MKK4 (SEK1), JNK, and c-Jun in labial salivary infiltrating T cells in patients with Sjögren's syndrome. **Rheumatol Int** 27 (4): 329-333, 2007.
- 58) Kawasaki S, Nakamura H, Honda E, Iwanaga N, Kawakami A, Ida H, Origuchi T,

- Honda S, Tsuchihashi Y, Yoshimine H, **Eguchi K**. Tacrolimus as a reinforcement therapy for a patient with MPO-ANCA-associated diffuse alveolar hemorrhage. *Clin Rheumatol* 26 (7): 1211-1214, 2007.
- 59) Tamai M, Kawakami A, Uetani M, Takao S, Tanaka F, Nakamura H, Iwanaga N, Izumi Y, Arima K, Aratake K, Kamachi M, Huang M, Origuchi T, Ida H, Aoyagi K, **Eguchi K**. The presence of anti-cyclic citrullinated peptide antibody is associated with magnetic resonance imaging detection of bone marrow oedema in early stage rheumatoid arthritis. *Ann Rheum Dis* 65 (1): 133-134, 2006.
- 60) Tamai M, Kawakami A, Uetani M, Takao S, Rashid H, Tanaka F, Fujikawa K, Aramaki T, Nakamura H, Iwanaga N, Izumi Y, Arima K, Aratake K, Kamachi M, Huang M, Origuchi T, Ida H, Aoyagi K, **Eguchi K**. Early prediction of rheumatoid arthritis by serological variables and magnetic resonance imaging of the wrists and finger joints: results from prospective clinical examination. *Ann Rheum Dis* 65 (1): 134-135, 2006.
- 61) 江口勝美. 関節リウマチの活動性評価と寛解評価. *Rheumatology Clinical Update* 16: 14-19, 2009.
- 62) 江口勝美, 玉井慎美, 川上 純, 藤川敬太, 有馬和彦, 山崎聡士, 荒牧俊幸, 折口智樹, 宇佐俊郎. リウマチ(膠原病)・アレルギー学. *日本医事新報* 4425: 63-73, 2009.
- 63) 江口勝美. 関節リウマチの早期診断. *カレントセラピー* 27(6): 485-490, 2009.
- 64) 江口勝美, 宇佐俊郎, 上谷雅孝. 非造影 1.5T MRI 画像により関節リウマチ発症を早期に予測できるのか? *分子リウマチ治療* 2 (1): 27-33, 2009.
- 65) 江口勝美. リウマチ発症を早期に予測する手段とは? *Mebio* 26 (7): 71-85, 2009.
- 66) 江口勝美. 関節リウマチの早期診断による発症及び重症化予防. 平成 20 年度厚生労働科学研究費補助金 免疫アレルギー疾患等予防・治療研究事業 研究報告書 : 1-28, 2009.
- 67) 江口勝美. 関節リウマチの早期診断、早期治療、病態解析に関する研究. 平成 20 年度 厚生労働科学研究費補助金 免疫アレルギー疾患等予防・治療研究事業 研究報告書 : 52-65, 2009.
- 68) 江口勝美. 関節リウマチの早期診断による発症及び重症化予防. 厚生労働科学研究費補助金 免疫アレルギー疾患等予防・治療研究事業 平成 20 年度 総括・分担研究報告書 : 3-38, 2009.
- 69) 江口勝美. 関節リウマチの早期診断、早期治療、病態解析に関する研究. 厚生労働科学研究費補助金免疫アレルギー疾患等予防・治療研究事業 平成 19 年度総括・分担研究報告書 : 65-78, 2009.
- 70) 江口勝美. 5. 早期診断予測と早期治療. *医薬ジャーナル* 45 (10): 105-113, 2009.
- 71) 川上 純, 玉井慎美, 川尻真也, 岩本直樹, 江口勝美. 【内科医が診る関節リウマチ State of Art】診断に必要な知識とは? 内科医が知っておくべきポイント 早期診断に必要な検査とは? *内科* 103 (4): 641-644, 2009.
- 72) 川上 純, 川尻真也, 玉井慎美, 岩本直樹, 藤川敬太, 荒牧俊幸, 江口勝美. 関節リウマチの寛解導入に関するマーカーの抽出に関する研究. 平成 20 年度厚

- 生労働科学研究費補助金(免疫アレルギー一疾患予防・治療研究事業)研究分担報告書 : 50-57, 2009.
- 73) 川上 純, 玉井慎美, 中島宗敏, 安部恵代, 青柳 潔, 江口勝美. ELISA 法による抗 CCP 抗体測定キット(コスミック社)の臨床的評価. **医学と薬学** 61(4): 647-650, 2009.
- 74) 川上 純, 玉井慎美, 岩本直樹, 川尻真也, 藤川敬太, 江口勝美. 【関節リウマチ 治癒を目指す治療の新時代へ】 治療に直結する病因・病態研究最前線 治療反応性と関連する予後因子. **最新医学** 64 (5): 974-980, 2009.
- 75) 川上 純, 江口勝美. 【新たな生物学的製剤によるリウマチ性疾患の治療】 Abatacept による RA の治療. **リウマチ科** 41 (3): 246-251, 2009.
- 76) 玉井慎美, 川上 純, 藤川敬太, 有馬和彦, 山崎聡士, 荒牧俊幸, 折口智樹, 宇佐俊郎, 江口勝美. 【臨床医学の展望 2009 診断および治療上の進歩】 リウマチ(膠原病)・アレルギー学 1. RA (2) RA における画像診断. **日本医事新報** 4425: 65-66, 2009.
- 77) 川尻真也, 川上 純, 岩本直樹, 藤川敬太, 荒牧俊幸, 一瀬邦弘, 蒲池 誠, 玉井慎美, 有馬和彦, 中村英樹, 喜多雅子, 井田弘明, 折口智樹, 江口勝美. 肺胞出血および急速進行性糸球体腎炎により再燃した顕微鏡的多発血管炎の一例. **日本臨床免疫学会会誌** 32 (3): 189-194, 2009.
- 78) 川上 純, 川尻真也, 玉井慎美, 岩本直樹, 藤川敬太, 荒牧俊幸, 江口勝美. 関節リウマチの寛解導入に関するマーカーの抽出に関する研究. **免疫アレルギー一医療分野**, 平成 20 年度厚生労働科学研究費補助金(免疫アレルギー一疾患等予防・治療研究事業)研究分担報告書第 2 分冊 : 119-126, 2009.
- 79) 川上 純, 玉井慎美, 喜多潤子, 川尻真也, 岩本直樹, 江口勝美. Undifferentiated arthritis におけるアウトカム予測と治療法の決定. **リウマチ科** 42 (1): 60-64, 2009.
- 80) 川上 純, 玉井慎美, 喜多潤子, 川尻真也, 岩本直樹, 江口勝美. 特集 膠原病・リウマチ性疾患診察のより深い理解を目指して トピックス I. 診断を的確に下すために 1. 診断不明の関節炎を如何に診断するか. **日本内科学会雑誌** 98 (10): 2414-2420, 2009.
- 81) 江口勝美. 特集 関節リウマチの治療目標～寛解と QOL の向上を目指して～ 5. 早期診断予測と早期治療. **医薬ジャーナル** 45 (10): 105-113, 2009.
- 82) 川上 純, 玉井慎美, 江口勝美, 青柳 潔, 上谷雅孝. 関節リウマチに進展する診断未確定関節炎の特徴. **九州リウマチ** 29 (2): 69-73, 2009.
- 83) 上谷雅孝, 川上 純, 玉井慎美, 江口勝美. 【早期リウマチ】 早期関節リウマチの MRI 診断. **整形・災害外科** 52 (10): 1169-1177, 2009.
- 84) 江口勝美. リウマチ・膠原病の早期診断. **からだの科学** 256: 24-29, 2008.
- 85) 江口勝美. TNF 阻害薬と結核症 **呼吸器** 13 (1): 84-91, 2008.
- 86) 江口勝美. 関節リウマチの早期診断・治療—その重要性和実際— **Medical Practice** 25 (8): 1341-1347, 2008.
- 87) 江口勝美, 上谷雅孝. MRI を用いた関節リウマチの早期診断予測 **関節外科** 27 (10 増刊): 82-95, 2008.
- 88) 江口勝美, 宇佐俊郎, 上谷雅孝. 画像診

- 断. 総合臨床 57 (12): 2846-2854, 2008.
- 89) 江口勝美. 関節リウマチの早期診断予測と適切な治療 日本臨床内科医会誌 23 (4): 389-397, 2008.
- 90) 松原 司, 江口勝美, 三森経世. 関節リウマチの診断方法の進歩 診断と治療 96 (2) :369-376, 2008.
- 91) 江口勝美, 右田清志, 川上 純, 折口智樹, 井田弘明, 中村英樹, 玉井慎美, 蒲池 誠. 【臨床医学の展望】リウマチ(膠原病)・アレルギー学. 日本医事新報 4372: 64-73,2008.
- 92) 井田弘明, 江口勝美. TRAPS の分子病態. 炎症と免疫 16(2): 139-148,2008.
- 93) 一瀬邦弘, 川上 純, 江口勝美. 早期症例への積極的導入の意義. **Progress in Medicine** 28(1): 41-47,2008.
- 94) 折口智樹, 江口勝美. 新しい生物学的製剤開発の現状と将来展望. **Progress in Medecine** 28(1): 91-97,2008.
- 95) 川上 純, 玉井慎美, 岩本直樹, 江口勝美. ≪早期診断・早期治療のこつと治療のアルゴリズム≫ 関節リウマチ. 内科 101(4): 629-634,2008.
- 96) 川上 純, 玉井慎美, 江口勝美. EULAR 早期関節ガイドライン. リウマチ科 39(5): 449-453 2008.
- 97) 川上 純, 玉井慎美, 江口勝美. 早期関節炎と関節リウマチ. 長崎市医師会報 42(6): 36-39 2008.
- 98) 川尻真也, 川上 純, 岩本直樹, 藤川敬太, 荒牧俊幸, 一瀬邦弘, 蒲池 誠, 玉井慎美, 中村英樹, 井田弘明, 折口智樹, 江口勝美. 高尿酸血症の持続により持続性の多発関節炎を呈した慢性結節性痛風 の一例 .**Jpn J Clin Immunol** 31(3):190-194,2008.
- 99) 井田弘明, 一瀬邦弘, 荒牧俊幸, 右田清志, 江口勝美. TNF receptor-associated periodic syndrome(TRAPS)の全国疫学調査. 小児科 49(10): 1349-1356,2008.
- 100)川上 純, 玉井慎美, 川尻真也, 岩本直樹, 藤川啓太, 江口勝美. 診断未確定関節炎 の 治療 . **リウマチ科** 40(3): 303-308,2008.
- 101)上谷雅孝, 川上 純, 玉井慎美, 江口勝美. PART2. 骨関節疾患のMR imaging. 関節炎のMRI. 関節リウマチを中心に. 臨床画像 24(11): 1336-1345,2008.
- 102)塩月香那子, 後藤貴史, 宮明寿光, 市川辰樹, 中尾一彦, 江口勝美. 抗 GAD 抗体陽性 C 型慢性肝炎に対するインターフェロン療法の検討. 肝臓 49 (3) : 122-124,2008.
- 103)阿比留教生, 江口勝美. 自己抗原の経粘膜投与による自己免疫疾患の発症抑制—1型糖尿病とインスリンB鎖ペプチドを中心に—. 臨床免疫・アレルギー科 50 (1): 90-97, 2008.
- 104)川崎英二, 江口勝美. 糖尿病基礎研究の進歩. 糖尿病と耐糖能低下の成因分類と発症機序 1型糖尿病 膵島炎発症の分子メカニズム. 日本臨床 66 (増 3): 348-353, 2008.
- 105)江口勝美. 関節リウマチの早期診断による発症及び重症化予防. 厚生労働科学研究費補助金(免疫アレルギー疾患予防・治療研究事業)平成19年度総括・分担研究報告書, pp.3-28, 2008.
- 106)江口勝美. 病態形成における TH17 細胞と制御性 T 細胞の役割とその統御方法の開発. 早期診断予測基準と早期関節破壊進行基準の妥当性の研究. 厚生労働科学研究費補助金(免疫アレルギー疾患予防・治療研究事業)平成19年度総括・分担研究報告書, pp.63-74,2008.

- 107) 荒牧俊幸, 井田弘明, 岩本直樹, 藤川敬太, 一瀬邦弘, 岩永 希, 玉井慎美, 有馬和彦, 蒲池 誠, 中村英樹, 川上 純, 江口勝美, 折口智樹, 中島宗敏, 塚田敏昭, 松岡直樹, 植木幸孝, 福田孝昭. 多施設における関節リウマチ患者に対するタクロリムスの短期成績. **九州リウマチ** 26 (2): 102-108, 2007.
- 108) 岩本直樹, 川上 純, 江口勝美, 後藤明子, 福田孝昭, 中島宗敏, 河部庸次郎, 松岡直樹, 溝上明成, 古山雅子, 塚田敏昭, 右田清志, 峰 雅宣, 植木幸孝. 関節リウマチに対するエタネルセプトの治療成績の検討: 併用抗リウマチ薬による層別化. **九州リウマチ** 27: 8-14, 2007.
- 109) 岩本直樹, 荒武弘一朗, 川尻真也, 藤川敬太, 荒牧俊幸, 一瀬邦弘, 蒲池 誠, 玉井慎美, 中村英樹, 井田弘明, 川上純, 江口勝美, 折口智樹. ミゾリビン投与により寛解を得られている増殖性ループス腎炎の1例. **九州リウマチ** 27: 41-45, 2007.
- 110) 中島宗敏, 川上 純, 江口勝美. Mollaret 髄膜炎を合併したリウマチ性多発筋痛症の一例. **九州リウマチ** 27: 52-55, 2007.
- 111) 一瀬邦弘, 川上 純, 江口勝美. 【関節リウマチにおける生物学的製剤の実際と問題点】アダリムマブ -PREMIER試験の示すもの-. **リウマチ科** 37 (1): 17-21, 2007.
- 112) 江口勝美, 折口智樹, 一瀬邦弘, 川上純. 【新薬展望 2007】治療における最近の新薬の位置付け<薬効別>. 新薬の広場. 抗リウマチ薬. **医薬ジャーナル** 43 (増刊): 386-393, 2007.
- 113) 川上 純, 玉井慎美, 江口勝美. 早期関節炎の捉え方と病態解析の方向性. **日本臨床免疫学会会誌** 30 (1): 37-40, 2007.
- 114) 江口勝美. 【プライマリ・ケア医のための関節リウマチの診かた 知っておきたいその基本と最新知見】関節リウマチの早期診断. **治療** 89 (2): 345-350, 2007.
- 115) 江口勝美. 【関節リウマチの最新治療】関節リウマチの早期診断とその意義. **Medical Science Digest** 33 (2): 697-701, 2007.
- 116) 上谷雅孝, 川上 純, 玉井慎美, 江口勝美. 【骨軟部画像診断の新たなる展開】早期関節リウマチのMRI診断. **日独医報** 51 (4): 659-668, 2007.
- 117) 江口勝美. ここまで知っておきたい痛みへのアプローチ 関節リウマチへの新たなアプローチ 1. 早期診断と早期治療. **痛みと臨床** 7 (2): 172-179, 2007.
- 118) 江口勝美. 【関節リウマチの骨・軟骨破壊】関節破壊進行の予測因子. **Clinical Calcium** 17 (4): 517-525, 2007.
- 119) 井田弘明, 江口勝美. 【Autoinflammatory syndrome の新たなる展開と治療法の確立】TRAPS の診断と新しい治療法の展開. **日本臨床免疫学会会誌** 30 (2): 90-100, 2007.
- 120) 江口勝美, 折口智樹. 実践講座 疾患特有の評価法 関節リウマチ. **総合リハビリテーション** 35 (4): 365-371, 2007.
- 121) 江口勝美. 【リウマチ治療の新時代治療薬を使いこなす】関節リウマチの早期診断—いかに早期から診断するか?. **内科** 99 (4): 587-594, 2007.
- 122) 岩永 希, 川上 純, 江口勝美. 【関節リウマチのパラダイムシフト 生物学的製剤時代の最新治療動向】生物学的製

- 剤の最新エビデンス アダリムマブの
欧米におけるエビデンス. **医学のあゆみ** 221 (5): 437-440, 2007.
- 123)江口勝美. 卒後研修講座 関節リウマチの早期診断と臨床経過の予知. **整形外科** 58 (5): 571-575, 2007.
- 124)江口勝美. 関節リウマチの早期診断と関節破壊進行の予知. **炎症と免疫** 15 (4): 519-525, 2007.
- 125)藤川敬太, 川上 純, 江口勝美. 【生物学的製剤の免疫薬理と臨床 変貌する関節リウマチ治療ストラテジー】主要な生物学的製剤の構造、免疫薬理学的特徴と有用性のエビデンス サイトカインを標的とする生物学的製剤. TNF 阻害薬 可溶性 TNF 受容体 IgG キメラ (エタネルセプト). **日本臨床** 65 (7): 1211-1217, 2007.
- 126)江口勝美. 【生物学的製剤の免疫薬理と臨床 変貌する関節リウマチ治療ストラテジー】TNF 阻害薬の臨床 我が国における臨床成績を中心に 市販後全例使用成績が示す臨床的有用性と使用上の留意点 エタネルセプト. **日本臨床** 65 (7): 1259-1266, 2007.
- 127)蒲池 誠, 江口勝美. 【SLE の発症機序と新たな治療法の探索】SR 蛋白質のリン酸化、脱リン酸化と alternative splicing 制御. SLE (全身性エリテマトーデス)における病態的意義と新規治療法への展望. **リウマチ科** 38 (2): 109-112, 2007.
- 128)折口智樹, 江口勝美. 【新しい生物学的製剤】完全ヒト抗 TNF α 抗体 adalimumab. **炎症と免疫** 15 (5): 558-564, 2007.
- 129)井田弘明, 江口勝美. Autoinflammatory syndrome. **リウマチ科** 38 (3): 283-289, 2007.
- 130)江口勝美. 【関節リウマチ 患者さんに信頼されるための最新知識とその活用】関節リウマチ・トピックス 関節リウマチと抗 CCP 抗体 早期診断と早期治療への有用性. **Medical Practice** 24 (10): 1783-1784, 2007.
- 131)井田弘明, 江口勝美. 【発熱と多関節痛を主訴とする疾患 その病因と膠原病との鑑別について】TRAPS (TNF receptor-associated periodic syndrome). **リウマチ科** 38 (4): 361-369, 2007.
- 132)江口勝美. 【整形外科医のための care と cure I RA の window of opportunity を逃さないために】整形外科医のための RA 診断. 診断未確定関節炎症例の RA 発症と関節破壊の出現・進行の予測. **骨・関節・靭帯** 20 (10): 941-949, 2007.
- 133)上谷雅孝, 川上 純, 玉井慎美, 江口勝美. 【整形外科医のための care と cure I, RA の window of opportunity を逃さないために】整形外科医のための RA 診断. 早期関節リウマチの MRI. **骨・関節・靭帯** 20 (10): 983-991, 2007.
- 134)江口勝美. 関節リウマチと抗 CCP 抗体. **Medical Practice** 24 (10): 1783-1784, 2007.
- 135)江口勝美. 関節リウマチの診断. **Animus** 49 (春): 17-21, 2007.
- 136)川上 純, 中村英樹, 江口勝美. 【TNF ファミリーの分子リウマチ学 基礎から臨床へ】FasL/Fas (CD95). **分子リウマチ** 4 (4): 320-323, 2007.
- 137)蒲池 誠, 江口勝美. シグナル伝達経路を介した alternative splicing の誘導—その生物学的意義と制御メカニズム—. **Inflammation and Regeneration** 27 (6): 575-578, 2007.
- 138)江口勝美. 【関節リウマチ治療 イン

- フリキシマブとエタネルセプト】エタネルセプトの使い方 ガイドライン. **Mebio** 24 (12): 50-56, 2007.
- 139)折口智樹, 一瀬邦弘, 玉井慎美, 中村英樹, 川上 純, 江口勝美. ANCA 関連血管炎の病態と治療における最近の知見. **日本臨床免疫学会会誌** 30 (6): 432-443, 2007.
- 140)折口智樹, 江口勝美. 開発メーカーが知っておきたい抗体医薬品 (抗リウマチ薬) の有害事象. **Pharm Stage** 7 (5): 9-12, 2007.
- 141)江口勝美. 臨床免疫学概論. (木本雅夫, 阪口薫雄, 山下優毅 (編): **免疫学コア講義** 改訂 2 版, 南江堂, 東京, pp.169-175 所収), 2007.
- 142)江口勝美. 関節リウマチ. (木本雅夫, 阪口薫雄, 山下優毅 (編): **免疫学コア講義** 改訂 2 版, 南江堂, 東京, pp.203-208 所収), 2007.
- 143)江口勝美, 折口智樹. 感染性関節炎. (杉本恒明, 矢崎義雄 (編): **内科学**, 朝倉書店, 東京, pp.1104-1105 所収), 2007.
- 144)江口勝美. 関節リウマチの早期診断法の確立及び臨床経過の予測に関する研究. 関節リウマチの早期診断法の確立及び臨床経過の予測に関する研究 平成 18 年度厚生労働科学研究費補助金 (免疫アレルギー疾患予防・治療研究事業) 総括・分担研究報告書, pp.1-12, 2007
- 145)江口勝美. 関節リウマチに進展する早期関節炎の鑑別と早期からの関節破壊の予知に関する研究. 関節リウマチの早期診断法の確立及び臨床経過の予測に関する研究 平成 18 年度厚生労働科学研究費補助金 (免疫アレルギー疾患予防・治療研究事業) 総括・分担研究報告書, pp.31-42, 2007.
- 146)江口勝美, 蒲池 誠. RNA スプライシング異常による SLE 発症機序の解明と新規治療法の開発. 自己免疫疾患に関する調査研究 平成 18 年度厚生労働科学研究費補助金 (難治性疾患克服研究事業) 総括・分担研究報告書, pp.81-83, 2007.
- 147)中村龍文, 福島直美, 西浦義博, 荒牧俊幸, 井田弘明, 江口勝美. HAM 患者 HTLV- I 感染細胞における HTLV- I 産生に及ぼすインテグリン/リガンドシグナリングの検討. 厚生労働科学研究費補助金 (難治性疾患克服研究事業) 免疫性神経疾患に関する調査研究 平成 18 年度 総括・分担研究報告書, pp.108-110,2007.
- 148)本村政勝, 白石裕一, 福田 卓, 江口勝美, 吉村俊郎, 福留隆泰, 松尾秀徳, 辻畑光宏: 抗 MuSK 抗体陽性重症筋無力症の合併症の検討. 厚生労働科学研究費補助金 (難治性疾患克服研究事業) 免疫性神経疾患に関する調査研究 平成 18 年度 総括・分担研究報告書, pp.127-128,2007.
- 149)辻野 彰, 本村政勝, 江口勝美, 調漸: 治験実施に関する研究[酢酸リユープロレリン]. 厚生労働科学研究費補助金 (治験推進研究事業) 平成 18 年度 総括・分担研究報告書, pp.292-293,2007.
- 150)Moriguchi M, Kaneko H, Terai C, Koseki Y, Kajiyama H, Inada S, Kitamura Y, Kamatani N. Relative transcriptional activities of SAA1 promoters polymorphic at position -13(T/C): potential association between increased transcription and amyloidosis. **Amyloid** 12: 26-32, 2005.
- 151)Koseki Y, Inada S, Kitahama M, Sakurai T, Kamatani N, Terai C. Methotrexate Improved Outcome of Japanese

- AA-amyloidosis Patients Secondary to Rheumatoid Arthritis. **Amyloid** 13 : 38, 2006.
- 152) Kitahama M, Sakurai T, Itoh M, Koseki Y, Kamatani N, **Terai C**. Prevalence of AA-amyloidosis in autopsied patients in Japan. **Amyloid** 13 : 37-38, 2006.
- 153) **Terai C**, Kaneko H, Koseki Y, Sakurai T, Kitahama M, Kamatani N. Study of MEFV Gene Mutations in Japanese Patients with AA-amyloidosis Secondary to Rheumatoid Arthritis. **Amyloid** 13 : 62-63, 2006.
- 154) Koseki Y, Inada S, Kitahama M, Sakurai T, Kamatani N, **Terai C**. Methotrexate Improved Outcome of Japanese AA-amyloidosis Patients Secondary to Rheumatoid Arthritis. **Arthritis Rheum** 54 : S373-S374, 2006.
- 155) Kitahama M, Sakurai T, Itoh M, Koseki Y, Kamatani N, **Terai C**. Causes of death and prevalence of AA-amyloidosis among Japanese patients with rheumatoid arthritis. **Arthritis Rheum** 54 : S186, 2006.
- 156) Yamanaka H, Inoue E, Tanaka E, Nakajima A, Taniguchi A, **Terai C**, Hara M, Tomatsu T, Kamatani N. Influence of methotrexate dose on its efficacy and safety in rheumatoid arthritis patients: evidence based on the variety of prescribing approaches among practicing Japanese rheumatologists in a single institute-based large observational cohort (IORRA). **Mod Rheumatol** 17 : 98-105, 2007.
- 157) Yamanaka H, Inoue E, Tanaka E, Nakajima A, Taniguchi A, **Terai C**, Hara M, Tomatsu T, Kamatani N. Influence of methotrexate dose on its efficacy and safety in rheumatoid arthritis patients: evidence based on the variety of prescribing approaches among practicing Japanese rheumatologists in a single institute-based large observational cohort (IORRA). **Mod Rheumatol** 17 : 98-105, 2007.
- 158) Kobayashi S, Ikari K, Kaneko H, Kochi Y, Yamamoto K, Shimane K, Nakamura Y, Toyama Y, Mochizuki T, Tsukahara S, Kawaguchi Y, **Terai C**, Hara M, Tomatsu T, Yamanaka H, Horiuchi T, Tao K, Yasumoto K, Hamada D, Yasui N, Inoue H, Itakura M, Okamoto H, Kamatani N, Momohara S. Association of STAT4 with susceptibility to rheumatoid arthritis and systemic lupus erythematosus in Japanese. **Arthritis Rheum** 58 : 1940-1946, 2008.
- 159) 佐藤美樹, 森口正人, 高鳥志乃, 樋口敬和, 寺井千尋. 大量免疫グロブリン療法が奏効した抗リン脂質抗体関連血球貪食症候群の1例. **日本内科学会雑誌** 97 : 125-127, 2008.
- 160) Hoshi D, Okamoto H, Kaneko H, Ichikawa N, **Terai C**, Yamanaka H, Kamatani N. Association of polymorphism in the monocyte chemoattractant protein-1/CCL2 gene and lupus nephritis in systemic lupus erythematosus patients. **Clin Exp Rheum** 26 (5): 972-973, 2008.
- 161) 和田英則, 寺迫桐子, 佐藤 謙, 佐藤美樹, 木村俊一, 仲宗根秀樹, 奥田慎也, 賀古真一, 山崎絵里, 大島久美, 樋口敬和, 西田淳二, 神谷百合香, 森口正人, 寺井千尋, 神田善伸. 治療抵抗性全身性エリテマトーデス (SLE) に対する自家末梢血幹細胞移植. **臨床血液** 50 (8): 674, 2009.
- 162) Kyogoku C, Morinobu A, Nishimura K, Sugiyama D, Hashimoto H, Tokano Y, **Mimori T**, Terao C, Matsuda F, Kuno T, Kumagai S. Lack of association between

- tyrosine kinase 2 (TYK2) gene polymorphisms and susceptibility to SLE in a Japanese population. **Mod Rheumatol** 19: 401-406, 2009.
- 163) Ito Y, Usui T, Kobayashi S, Iguchi-Hashimoto M, Ito H, Yoshitomi H, Nakamura T, Shimizu M, Kawabata D, Yukawa N, Hashimoto M, Sakaguchi N, Sakaguchi S, Yoshifuji H, Nojima T, Ohmura K, Fujii T, **Mimori T**. Gamma/delta T cells are the predominant source of interleukin-17 in affected joints in collagen-induced arthritis, but not in rheumatoid arthritis. **Arthritis Rheum** 60 (8):2294-303, 2009.
- 164) Nakashima R, Imura Y, Kobayashi S, Yukawa N, Yoshifuji H, Nojima T, Kawabata D, Ohmura K, Usui T, Fujii T, Okawa K, **Mimori T**. The RIG-I-like receptor IFIH1/MDA5 is a dermatomyositis-specific autoantigen identified by the anti-CADM-140 antibody. **Rheumatology** 2009 Dec 16 [Epub ahead of print]
- 165) **Mimori T**, Imura Y, Nakashima R, Yoshifuji H. Autoantibodies in idiopathic inflammatory myopathy: an update on clinical and pathophysiological significance. **Curr Opin Rheumatol** 19 (6): 523-9, 2007.
- 166) Fujita Y, Fujii T, Takeda N, Tanaka M, **Mimori T**. Successful treatment of primary Sjögren's syndrome with chronic natural killer lymphocytosis by high-dose prednisolone and indomethacin farnesil. **Intern Med** 46 (5): 251-4, 2007.
- 167) Ito Y, Kawabata D, Yukawa N, Yoshifuji H, Usui T, Tanaka M, Fujii T, **Mimori T**. Severe subcutaneous generalized edema in a patient with dermatomyositis. **Mod Rheumatol** 17 (2): 171-3, 2007.
- 168) Murakami K, Fujii T, Yukawa N, Yoshifuji H, Kawabata D, Tanaka M, Usui T, **Mimori T**. Successful treatment of a patient with refractory adult Still's disease by tacrolimus. **Mod Rheumatol** 17 (2): 167-70, 2007.
- 169) Ogawa H, Kameda H, Nagasawa H, Sekiguchi N, Takei H, **Tsuzaka K**, Amano K, Takeuchi T. Prospective study of low-dose cyclosporine A in patients with refractory lupus nephritis. **Mod Rheumatol** 17: 92-97, 2007.
- 170) **Tsuzaka K**, Matsumoto Y, Sasaki Y, Abe T, Tsubota K, Takeuchi T. Down-regulation of Fas-ligand mRNA in Sjögren's syndrome patients with enlarged exocrine glands. **Autoimmunity** 40: 497-502, 2007.
- 171) Suzuki K, Kobayashi S, Yamazaki K, Gondo M, Tomizawa K, Arimura Y, Nakabayashi K, Ozaki S, Yoshida M, Yoshida T, **Tsuzaka K**, Muso E, Okazaki T,
- 172) Hashimoto H. Analysis of risk epitopes of anti-neutrophil antibody MPO-ANCA in vasculitis in Japanese population. **Microbiol Immunol** 51: 1215-1220, 2007.
- 173) **Tsuzaka K**, Itami Y, Kumazawa C, Suzuki M, Setoyama Y, Yoshimoto K, Suzuki K, Abe T, Takeuchi T. Conservative sequences in 3'UTR of TCR ζ mRNA regulate TCR ζ in SLE T cells. **Biochem Biophys Res Commun** 367: 311-317, 2008.
- 174) Ohashi Y, **Tsuzaka K**, Takeuchi T, Sasaki Y, Tsubota K. Reduced expression of aquaporin 5 and its C-terminal binding protein in the lacrimal glands of a mouse model for Sjögren's syndrome. **Current Eye Res** 33: 621-629, 2008.
- 175) Suzuki K, Setoyama Y, Yoshimoto K,

- Tsuzaka K, Abe T, Takeuchi T. Effect of interleukin 2 on synthesis of B cell activating factor belonging to the tumor necrosis factor family (BAFF) in human peripheral blood mononuclear cells. *Cytokine* 44: 44-48, 2008.
- 176) Suzuki K, Kameda H, Amano K, Nagasawa H, Takei H, Sekiguchi N, Nishi E, Ogawa H, **Tsuzaka K**, Takeuchi T. Single center prospective study of tacrolimus efficacy and safety in treatment of rheumatoid arthritis. *Rheumatol Int* 29: 431-436, 2009.
- 177) **Tsuzaka K**, Itami Y, Amano K, et al. *Arthritis Rheum* 60: S345, 2009.
- 178) Furuya T, Hakoda M, Ichikawa N, Higami K, Nanke Y, Yago T, Kobashigawa T, Tokunaga K, **Tsuchiya N**, Kamatani N, Kotake S. Differential association of HLA-DRB1 alleles in Japanese patients with early rheumatoid arthritis in relationship to autoantibodies to cyclic citrullinated peptide. *Clin Exp Rheumatol* 25: 219-224, 2007.
- 179) **Tsuchiya N**, Kyogoku C, Miyashita R, Kuroki K. Diversity of human immune system multigene families and its implication in the genetic background of rheumatic diseases. *Curr Med Chem* 14: 421-439, 2007.
- 180) Kyogoku C, **Tsuchiya N**. A compass that points to lupus: Genetic studies on type I interferon pathway. *Genes Immun* 8: 445-455, 2007.
- 181) 土屋尚之. 関節リウマチ関連遺伝子解析に基づく新規治療法開発の可能性. *BIO Clinica* 22: 894-897, 2007.
- 182) Kawasaki A, Kyogoku C, Ohashi J, Miyashita R, Hikami K, Kusaoi M, Tokunaga K, Takasaki Y, Hashimoto H, Behrens TW, **Tsuchiya N**. Association of interferon regulatory factor 5 (IRF5) polymorphisms with systemic lupus erythematosus in Japanese: Support for a crucial role of intron 1 polymorphisms. *Arthritis Rheum* 58: 826-834, 2008.
- 183) Kawasaki A, Ito I, Hikami K, Ohashi J, Hayashi T, Goto D, Matsumoto I, Ito S, Tsutsumi A, Koga M, Arinami T, Graham RR, Hom G, Takasaki Y, Hashimoto H, Behrens TW, Sumida T, **Tsuchiya N**. Role of STAT4 polymorphisms in systemic lupus erythematosus in a Japanese population: a case-control association study of the STAT1-STAT4 region. *Arthritis Res Ther* 10: R113, 2008.
- 184) Furuya T, Matsumoto I, **Tsuchiya N**, Hakoda M, Ichikawa N, Higami K, Nanke Y, Sumida T, Kamatani N, Kotake S. Anti-glucose-6-phosphate isomerase, anti-cyclic citrullinated peptide antibodies and HLA-DRB1 genotypes in Japanese patients with early rheumatoid arthritis. *Clin Exp Rheumatol* 26: 918-921, 2008.
- 185) 土屋尚之. 関節リウマチと HLA. *MHC* 15: 235-248, 2008.
- 186) 土屋尚之. 関節リウマチ、全身性エリテマトーデスと STAT4 遺伝子. *Frontiers in Rheumatology & Clinical Immunology* 2: 146-149, 2008.
- 187) Ito I, Kawasaki A, Ito S, Hayashi T, Goto D, Matsumoto I, Tsutsumi A, Hom G, Graham RR, Takasaki Y, Hashimoto H, Ohashi J, Behrens TW, Sumida T, **Tsuchiya N**. Replication of the association between C8orf13-BLK region and systemic lupus erythematosus in a Japanese population. *Arthritis Rheum* 60: 553-558, 2009.
- 188) Ichikawa N, Kotake S, Hakoda M, Higami

- K, Kawasaki A, Furuya T, Nanke Y, **Tsuchiya N**, Tokunaga K, Kamatani N. Combining effects of polymorphism of tumor necrosis factor α 5'-flanking region and HLA-DRB1 on radiological progression in patients with rheumatoid arthritis. **Mod Rheumatol** 19: 134-139, 2009.
- 189) Ito I, Kawaguchi Y, Kawasaki A, Hasegawa M, Ohashi J, Hikami K, Kawamoto M, Fujimoto M, Takehara K, Sato S, Hara M, **Tsuchiya N**. Association of a functional polymorphism in the IRF5 region with systemic sclerosis in a Japanese population. **Arthritis Rheum** 60: 1845-1850, 2009.
- 190) **Tsuchiya N**, Kawasaki A, Ito I. Role of IRF5, STAT4 and BLK polymorphisms for the genetic predisposition to systemic lupus erythematosus in Japanese. **Inflammation Regenerat** 29: 190-197, 2009.
- 191) **Tsuchiya N**, Kawasaki A, Hasegawa M, Fujimoto M, Takehara K, Kawaguchi Y, Kawamoto M, Hara M, Sato S. Association of STAT4 polymorphism with systemic sclerosis in a Japanese population. **Ann Rheum Dis** 68: 1375-1376, 2009.
- 192) Ito I, Kawasaki A, Ito S, Kondo Y, Sugihara M, Horikoshi M, Hayashi T, Goto D, Matsumoto I, Tsutsumi A, Takasaki Y, Hashimoto H, Matsuta K, Sumida T, **Tsuchiya N**. Replication of association between FAM167A (C8orf13) - BLK region and rheumatoid arthritis in a Japanese population. **Ann Rheum Dis** Published Online First: 9 September 2009. doi:10.1136/ard.2009.118760.
- 193) Ito I, Kawaguchi K, Kawasaki A, Hasegawa M, Ohashi J, Kawamoto M, Fujimoto M, Takehara K, Sato S, Hara M, **Tsuchiya N**. Association of FAM167A (C8orf13)-BLK region with systemic sclerosis. **Arthritis Rheum** (in press).
- 194) 土屋尚之. 関節リウマチの環境因子. 日本臨床 印刷中
- 195) 上谷雅孝. 【関節リウマチの骨・軟骨破壊】 画像診断による関節破壊評価 単純X線写真とMRI. **Clinical Calcium** 17 (4): 453-462, 2007.
- 196) 上谷雅孝, 川上 純, 玉井慎美, 江口勝美. 【整形外科医のための care と cure I RA の window of opportunity を逃さないために】 整形外科医のための RA 診断 早期関節リウマチの MRI. 骨・関節・靭帯 20 (10): 983-991, 2007.
- 197) Tamai M, Kawakami A, Uetani M, et al. Bone edema determined by magnetic resonance imaging reflects severe disease status in patients with early-stage rheumatoid arthritis. **J Rheumatol** 34 (11): 2154-2157, 2007.
- 198) 江口勝美, 上谷雅孝. 【整形外科疾患に対する最新画像診断】 MRI MRI を用いた関節リウマチの早期診断予測. **関節外科** 27 10 月増刊: 82-95, 2008.
- 199) 山下康行, 富樫かおり, 中本裕士, 川光秀昭, 加藤 勤, 門澤秀一, 松井美詠子, 北垣 一, 内田幸司, 興梠征典, 福田国彦, 中島康雄, 佐久間肇, 鳴海善文, 堀之内隆, 上谷雅孝, 土橋俊男, 土井 司, 林田佳子, 小味昌憲, 肥合康弘. 日本磁気共鳴医学会研究プロジェクト「ルーチン MRI 撮像法の標準化検討」成果報告 (第 1 報) 脊椎・脊髄、乳腺. **日本磁気共鳴医学会雑誌** 28: 196-209, 2008.
- 200) 上谷雅孝, 川上 純, 玉井慎美, 江口勝美. 【骨関節画像診断の最前線 MSK を識る】 骨関節組織の MR imaging 関節

- 炎の MRI 関節リウマチを中心に. 臨床画像 24: 1336-1345, 2008.
- 201)Fujikawa K, Kawakami A, Tamai M et al. High serum cartilage oligomeric matrix protein determines the subset of patients with early-stage rheumatoid arthritis with high serum C-reactive protein, matrix metalloproteinase-3, and MRI-proven bone erosion. **J Rheumatol** 36: 1126-1129, 2009.
- 202)Tamai M, Kawakami A, Uetani M, et al. A prediction rule for disease outcome in patients with undifferentiated arthritis using magnetic resonance imaging of the wrists and finger joints and serologic autoantibodies. **Arthritis Rheum** 61: 772-778, 2009.
- 203)上谷雅孝, 川上 純, 玉井慎美, 江口勝美. 【早期リウマチ】 早期関節リウマチの MRI 診断. 整形・災害外科 52: 1169-1177, 2009.
- 204)上谷雅孝. 目でみるシリーズ MRI による関節リウマチの評価. **Frontiers in Rheumatology & Clinical Immunology** 3: 120-125, 2009.
- 205)Ishibashi K, Takamura N, Aoyagi K, Yamasaki H, Abiru N, Nakazato M, Kamihira S, Maeda T. Multimers and adiponectin gene 276G > T polymorphism in the Japanese population residing in rural areas. **Clin Chem Lab Med** 45 (11): 1457-1463, 2007.
- 206)Takai K, Honda S, Ye Z, Abe Y, Takamura N, Osaki M, Kusano Y, Takemoto T, Aoyagi K. Fear of Falling among Community-dwelling Elderly Women Receiving Visiting Nursing Services in Japan. **Acta Med.Nagasaki** 52: 7-11, 2007.
- 207)Tamari K, Briffa K, Tinley P, Aoyagi K. Variations in Torsion of the lower Limb in Japanese and Caucasians with and without Knee Osteoarthritis. **J Rheumatol** 34 (1): 145-150, 2007.
- 208)Yagura C, Takamura N, Kadota K, Nagazumi T, Morishita Y, Nakazato M, Maeda, T, Kusano Y, Abe Y, Aoyagi K. Evaluation of cardiovascular risk factors and related clinical markers in healthy young Japanese adults. **Clin Chem Lab Med** 45 (2): 220-225, 2007.
- 209)Tamai M, Kawakami A, Uetani M, Takao S, Tanaka F, Fujikawa K, Aramaki T, Nakamura H, Iwanaga N, Izumi Y, Arima K, Aratake K, Kamachi M, Huang M, Origuchi T, Ida H, Aoyagi K, Eguchi K. Bone edema determined by magnetic resonance imaging reflects severe disease status in patients with early-stage rheumatoid arthritis. **J Rheumatol** 34 (11): 2154-2157, 2007.
- 210)青柳 潔. 地域在住中高年女性における新規椎体骨折と QOL. **Osteoporosis Japan** 15 (3): 181-184, 2007.
- 211)Akilzhanova A, Takamura N, Kusano Y, Karazhanova A, Yamashita S, Saito H, Aoyagi K. Association Between C677T/MTHFR genotype and homocysteine concentration in a Kazakh population. **Asia Pac J Clin Nutr** 17 (2): 325-329, 2008.
- 212)Tahara Y, Moji K, Honda S, Nakao R, Tsunawake N, Fukuda R, Aoyagi K, Nicholas M-Taylor. Fat-free Mass and Excess Post-exercise Oxygen Consumption in the 40 Minutes after Short-duration Exhaustive Exercise in Young Male Japanese Athletes. **J Physiol Anthropol** 27 (3): 139-143, 2008.
- 213)Kadota K, Takamura N, Aoyagi K, Yamasaki H, Usa T, Nakazato M, Maeda T,

- Wada M, Nakashima K, Abe K, Takeshima F, Ozono Y. Availability of Cardio-Ankle Vascular Index(CAVI) as a Screening Tool for Atherosclerosis. **Circulation Journal** 72 (2): 304-308, 2008.
- 214)Aramaki T, Kawakami A, Iwamoto N, Fujikawa K, Kawashiri S, Tamai M, Arima K, Kamachi M, Yamasaki S, Nakamura H, Nakashima M, Mizokami A, Furuyma M, Matsuoka N, Ueki Y, Ida H, Origuchi T, **Aoyagi K**, Eguchi K. Prediction of DAS28-CRP remission in patients with rheumatoid arthritis treated with tacrolimus at 6 months by baseline variables. **Mod Rheumatol**, *in press*.
- 215)Iwamoto N, Kawakami A, Fujikawa K, Aramaki T, Kawashiri SY, Tamai M, Arima K, Ichinose K, Kamachi M, Yamasaki S, Nakamura H, Nakashima M, Mizokami A, Goto A, Fukuda T, Matsuoka N, Ueki Y, Tsukada T, Migita K, Shoumura F, Kawabe Y, Shibatomi K, Mine M, Ida H, Origuchi T, **Aoyagi K**, Eguchi K. Prediction of DAS28-ESR remission at 6 months by baseline variables in patients with rheumatoid arthritis treated with etanercept in Japanese population. **Mod Rheumatol** 19 (5): 488-492, 2009.
- 216)Ichinose S, Nakamura M, Maeda M, Ikeda R, Wada M, Nakazato M, Ohba Y, Takamura N, Maeda T, **Aoyagi K**, Nakashima K. A validated HPLC-fluorescence method with a semi-micro column for routine determination of homocysteine, cysteine and cysteamine, and the relation between the thiol derivatives in normal human plasma. **Biomed Chromatogr** 23 (9): 935-939, 2009.
- 217)Date Y, Abe Y, **Aoyagi K**, Ye Z, Takamura N, Tomita M, Osaki M, Honda S. Depressive symptoms in chinese factory workers in Nagasaki, Japan. **Ind Health** 47 (4): 376-382, 2009.
- 218)Sakai A, Toba N, Takeda M, Suzuki M, Abe Y, **Aoyagi K**, Nakamura T. Association of unipedal standing time and bone mineral density in community-dwelling Japanese women. **Osteoporosis International** 20: 731-736, 2009.
- 219)Nishiguchi M, Takamura N, Kono M, **Aoyagi K**. Estimation of Blood Loss in Total Knee Arthroplasty with and without Tourniquet. **Acta Med Nagasaki** 53: 105-109, 2009.
- 220)Fujikawa K, Kawakami A, Tamai M, Uetani M, Takao S, Arima K, Iwamoto N, Aramaki T, Kawashiri S, Ichinose K, Kamachi M, Nakamura H, Origuchi T, Ida H, **Aoyagi K**, Eguchi K. High serum cartilage oligomeric matrix protein determines the subset of patients with early-stage rheumatoid arthritis with high serum C-reactive protein, matrix metalloproteinase-3, and MRI-proven bone erosion. **J Rheumatol** 36: 1126-1129, 2009.
- 221)Tamai M, Kawakami A, Uetani M, Takao S, Arima K, Iwamoto N, Fujikawa K, Aramaki T, Kawashiri S, Ichinose K, Kamachi M, Nakamura H, Origuchi T, **Aoyagi K**, Eguchi K. A prediction rule for disease outcome in patients with undifferentiated arthritis using MRI of wrists and finger joints and serologic autoantibodies. **Arthritis Rheum** 61 (6): 772-778, 2009.
- 222)Kitoh A, et al, Indispensable role of the Runx1-Cbfbeta transcription complex for in vivo-suppressive function of FoxP3+ regulatory T cells. **Immunity** 31 (4):

- 609-620, 2009.
- 223) **Sakaguchi S**, et al, Regulatory T cells: how do they suppress immune responses? *Int Immunol* 21 (10): 1105-1111, 2009.
- 224) Miyara M, et al, Functional delineation and differentiation dynamics of human CD4+ T cells expressing the FoxP3 transcription factor. *Immunity* 30 (6): 899-911, 2009.
- 225) Miyara M, et al. Therapeutic approaches to allergy and autoimmunity based on FoxP3+ regulatory T-cell activation and expansion. *J Allergy Clin Immunol* 123 (4): 749-755, 2009.
- 226) Nagahama K, et al. Differential control of allo-antigen-specific regulatory T cells and effector T cells by anti-CD4 and other agents in establishing transplantation tolerance. *Int Immunol* 21 (4): 379-391, 2009.
- 227) Wing K, et al. CTLA-4 control over Foxp3+ regulatory T cell function. *Science* 322 (5899): 271-275, 2008.
- 228) Wakasa-Morimoto C, et al. Arthritis and pneumonitis produced by the same T cell clones from mice with spontaneous autoimmune arthritis. *Int Immunol* 20 (10): 1331-42, 2008.
- 229) Onishi Y, et al. Foxp3+ natural regulatory T cells preferentially form aggregates on dendritic cells in vitro and actively inhibit their maturation. *Proc Natl Acad Sci U S A* 105 (29): 10113-8, 2008.
- 230) **Sakaguchi S**, et al. Regulatory T cells and immune tolerance. *Cell* 133 (5): 775-87, 2008.
- 231) **Sakaguchi S**. Regulatory T cells in the past and for the future. *Eur J Immunol* 38 (4): 901-37, 2008.
- 232) Hirota K, et al. Preferential recruitment of CCR6-expressing Th17 cells to inflamed joints via CCL20 in rheumatoid arthritis and its animal model. *J Exp Med* 204 (12): 2803-12, 2007. Yamaguchi Y, **Fujio K**, Shoda H, Okamoto A, Tsuno NH, Takahashi K, Yamamoto K. Interleukin-17B and interleukin-17C are associated with TNF-alpha production and contribute to the exacerbation of inflammatory arthritis. *J Immunol* 179: 7128-7136, 2007.
- 233) **Fujio K**, Okamura T, Okamoto A, Yamamoto K. T cell receptor gene therapy for autoimmune diseases. *Ann N Y Acad Sci* 1110: 222-232, 2007.
- 234) 藤尾圭志. 関節リウマチにおける BiP に対する免疫応答. *リウマチ科* 40: 220-224, 2008.
- 235) Iwanami K, Matsumoto I, Tanaka Y, Inoue A, Minami R, Hayashi T, Goto D, Ito S, Nishimura Y, **Sumida T**. Altered peptide ligands inhibit glucose-6-phosphate isomerase (GPI) peptide-induced arthritis. *Arthritis Res Ther* (in press).
- 236) Ito I, Kawasaki A, Ito S, Kondo S, Sugihara M, Horikoshi M, Hayashi T, Goto D, Matsumoto I, Tsutsumi A, Takasaki Y, Hashimoto H, Matsuta K, **Sumida T**, Tsuchiya N. Replication of association between FAM167A(C8orf13)-BLK region and rheumatoid arthritis in a Japanese population. *Ann Rheum Dis* (in press).
- 237) Segawa S, Goto D, Yoshiga Y, Sugihara M, Hayashi T, Chino Y, Matsumoto I, Ito S, Ito S, **Sumida T**. Inhibition of TGF- β signaling attenuates IL-18 plus IL-2-induced interstitial lung disease. *Clin Exp Immunol* (in press).
- 238) Wang Y, Ito S, Chino Y, Goto D, Matsumoto I, Murata H, Tsutsumi A, Uchida K, Usui J,

- Yamagata K, **Sumida T**. Analysis of cytokine balance in lupus nephritis by laser-microdissection. **Clini Exp Immunol** (in press).
- 239) Inoue A, Matsumoto I, Tanaka Y, Iwanami K, Goto D, Ito S, **Sumida T**. Role of tumor necrosis factor- α -induced adipose-related protein in autoimmune arthritis. **Arthritis Rheum Ther** (in press).
- 240) Wakamatsu E, Matsumoto I, Yoshiga Y, Iwanami K, Tsuboi H, Hayashi T, Goto D, Ito S, **Sumida T**. Altered peptide ligands regulate type II collagen-induced arthritis in mice. **Mod Rheumatol** 19: 366-371, 2009.
- 241) Segawa S, Goto D, Yoshiga Y, Hayashi T, Matsumoto I, Ito S, **Sumida T**. The decrement of soluble CD1d proteins affects the function of NKT cells in patients with rheumatoid arthritis. **Int J Mol Med** 24: 481-486, 2009.
- 242) Tanaka-Watanabe Y, Matsumoto I, Iwamami K, Inoue A, Goto D, Ito S, Tsutsumi A, **Sumida T**. B cells have crucial role as autoantibody producers in arthritis mediated by glucose-6-phosphate isomerase. **Clin Exp Immunol** 155: 285-294, 2009.
- 243) Ito I, Kawasaki A, Ito S, Hayashi T, Goto D, Matsumoto I, Tsutsumi A, Hom G, Graham RR, Takasaki Y, Hashimoto H, Ohashi J, Behrens TW, **Sumida T**, Tsuchiya N. Replication of the association between C8orf13-BLK region and systemic lupus erythematosus in a Japanese population. **Arthritis Rheum** 60: 553-558, 2009.
- 244) Kawaguchi Y, Wakamatsu E, Matsumoto I, Nishimagi E, Kamatani N, Satoh T, Kuwana M, **Sumida T**, Hara M. Muscarinic-3 acetylcholine receptor autoantibody in patients with systemic sclerosis: contribution to severe gastrointestinal tract dysmotility. **Ann Rheum Dis** 68: 710-714, 2009.
- 245) Iwanami K, Matsumoto I, Tanaka Y, Inoue A, Goto D, Ito S, Tsutsumi A, **Sumida T**. The dominant arthrogenic T cell epitope in glucose-6-phosphate isomerase (GPI)-induced arthritis. **Arthritis Res Ther** 10: R130. Epub 2008 Nov 7.
- 246) Kawasaki A, Ito I, Hikami K, Ohashi J, Hayashi T, Goto D, Matsumoto I, Ito S, Tsutsumi A, Koga M, Arinami T, Graham RR, Hom G, Takasaki Y, Hashimoto H, Behrens TW, **Sumida T**, Tsuchiya N. Association of STAT4 polymorphisms with systemic lupus erythematosus in a Japanese population. **Arthritis Res Ther** 10: R113. Epub 2008.Sep 19.
- 247) Matsumoto I, Zhang H, Yasukochi T, Iwanami K, Tanaka Y, Inoue A, Goto D, Ito S, Tsutsumi A, **Sumida T**. Therapeutic effects of antibodies to TNF α and IL-6 and CTLA-4 Ig in mice with glucose-6-phosphate isomerase-induced arthritis. **Arthritis Res Ther** 10: Epub 2008 Jun 5.
- 248) Iwanami K, Matsumoto I, Watanabe Y, Mihara M, Ohsugi Y, Mamura M, Goto D, Ito S, Tsutsumi A, Kishimoto T, **Sumida T**. Crucial role of IL-6/IL-17 cytokine axis in the induction of arthritis by glucose-6-phosphate-isomerase. **Arthritis Rheum** 58: 754-763, 2008.
- 249) Nakamura Y, Wakamatsu E, Tomiita M, Kohno Y, Yokoka J, Goto D, Ito S, Matsumoto I, Tsutsumi A, **Sumida T**. High prevalence of autoantibodies to muscarinic 3 acetylcholine receptor in patients with juvenile Sjogren's syndrome. **Ann Rheum**

- Dis** 67: 136-137, 2008.
- 250) Yoshiga Y, Goto D, Segawa S, Ohnishi Y, Matsumoto I, Ito S, Tsutsumi A, Taniguchi M, **Sumida T**. NKT cells are novel accelerator of IL-17 in the pathogenesis of collagen-induced arthritis. **Int J Mol Med** 22: 369-374, 2008.
- 251) Matsui H, Tsutsumi A, Sugihara M, Suzuki T, Iwanami K, Kohno M, Goto D, Matsumoto I, Ito S, **Sumida T**. Expression of Visfatin (pre-B cell colony-enhancing factor) gene in patients with rheumatoid arthritis. **Ann Rheum Dis** 67: 571-572, 2008.
- 252) Sugihara M, Tsutsumi A, Suzuki E, Suzuki T, Ogishima H, Hayashi T, Chino Y, Ishii W, Manura M, Goto D, Matsumoto I, Ito S, **Sumida T**. The gene expressions of TNF α , TTP, TIA-1 and HuR in the peripheral blood mononuclear cells of patients with rheumatoid arthritis before and after infliximab therapy. **Arthritis Rheum** 56: 2160-2169, 2007.
- 253) Wakamatsu E, Nakamura Y, Matsumoto I, Goto D, Ito S, Tsutsumi A, **Sumida T**. DNA microarray analysis of labial salivary glands from patients with Sjogren's syndrome. **Ann Rheum Dis** 66: 844-845, 2007.
- 254) Hase K, Kawano K, Nochi T, Pontes GS, Fukuda S, Ebisawa M, Kadokura K, Tobe T, Fujimura Y, Kawano S, Yabashi A, Waguri S, Nakato G, Kimura S, Murakami T, Iimura M, Hamura K, Fukuoka S, Lowe AW, Itoh K, **Kiyono H**, Ohno H. Uptake through glycoprotein 2 of FimH(+) bacteria by M cells initiates mucosal immune response. **Nature** 462: 226-230, 2009.
- 255) Knoop KA, Kumar N, Butler BR, Sakthivel SK, Taylor RT, Nochi T, Akiba H, Yagita H, Kiyono H, Williams IR. RANKL is necessary and sufficient to initiate development of antigen-sampling M cells in the intestinal epithelium. **J Immunol** 183: 5738-5747, 2009.
- 256) Nagatake T, Fukuyama S, Kim DY, Goda K, Igarashi O, Sato S, Nochi T, Sagara H, Yokota Y, Jetten AM, Kaisho T, Akira S, Mimuro H, Sasakawa C, Fukui Y, Fujihashi K, Akiyama T, Inoue J, Penninger JM, Kunisawa J, **Kiyono H**. Id2-, ROR γ mat-, and LT β R-independent initiation of lymphoid organogenesis in ocular immunity. **J Immunol** 183: 5738-5747, 2009.
- 257) Suzuki R, Nourani MR, Saino-Saito S, Abe H, Nochi T, **Kiyono H**, Spener F, Kondo H, Owada Y. Localization of fatty acid binding protein of epidermal type common to dendritic cells and presumptive macrophages in Peyer's patches and epithelial M cells of mouse intestine. **Histochem Cell Biol** (in press) 2009.
- 258) Yuki Y, **Kiyono H**. Mucosal vaccines: novel advances in technology and delivery. **Expert Rev Vaccines** 8: 1083-97, 2009.
- 259) Fujihashi K, **Kiyono H**. Mucosal immunosenescence: new developments and vaccines to control infectious diseases. **Trends Immunol** 30: 334-343, 2009.
- 260) Takahashi I, Nochi T, Yuki Y, **Kiyono H**. New horizon of mucosal immunity and vaccines. **Curr Opin Immunol** 21: 352-8, 2009.
- 261) Terahara K, Yoshida M, Taguchi F, Igarashi O, Nochi T, Gotoh Y, Yamamoto T, Tsunetsugu-Yokota Y, Beauchemin N, Kiyono H. Expression of newly identified secretory CEACAM1(a) isoforms in the