

Tsukahara S, Ikari K, Sato E, <u>Yamanaka H</u> , Hara M, Tomatsu T, Momohara S, Kamatani N	A polymorphism in the gene encoding the Fcγ3 receptor is a possible genetic marker to predict the primary response to infliximab in Japanese patients with rheumatoid arthritis.	Ann Rheum Dis.	67(12)	1791-1792	2008
Soejima M, Kawaguchi Y, Hara M, Saito S, Kamatani N, <u>Yamanaka H</u>	Therapeutic effects of alendronate on bone erosion and atrophy in a patient with rheumatoid arthritis and hepatitis C virus infection.	J Rheumatol.	35(11)	2284-2286	2008
Furuya T, Kotake S, Inoue E, Nanke Y, Yago T, Hara M, Tomatsu T, Kamatani N, <u>Yamanaka H</u>	Risk factors associated with incident fractures in Japanese men with rheumatoid arthritis: a prospective observational cohort study.	J Bone Miner Metab.	26(5)	499-505	2008
Momohara S, Inoue E, Ikari K, Tsukahara S, Kawamura K, Toki H, Hara M, Kamatani N, <u>Yamanaka H</u> , Tomatsu T	Risk factors for wrist surgery in rheumatoid arthritis.	Clin Rheumatol.	27(11)	1387-1391	2008
Iikuni N, Inoue E, Tanaka E, Hara M, Tomatsu T, Kamatani N, <u>Yamanaka H</u>	Low disease activity state with corticosteroid may not represent 'true' low disease activity state in patients with rheumatoid arthritis.	Rheumatology (Oxford).	47(4)	519-521	2008
Nishimoto K, Ikari K, Mochizuki T, Tomatsu T, Toyama Y, Hara M, <u>Yamanaka H</u> , Kamatani N, Momohara S	Lack of association between PADI4 and functional severity in Japanese rheumatoid arthritis patients.	Ann Rheum Dis.	67(3)	431-432	2008
Momohara S, Inoue E, Ikari K, Kawamura K, Tsukahara S, Mochizuki T, Toki H, Miyawaki M, Saito S, Hara M, Kamatani N, <u>Yamanaka H</u> , Tomatsu T	Risk factors for total knee arthroplasty in rheumatoid arthritis.	Mod Rheumatol.	17(6)	476-480	2007
Tsukahara S, Shinozaki M, Ikari K, Mochizuki T, Inoue E, Tomatsu T, Hara M, <u>Yamanaka H</u> , Kamatani N, Momohara S	Effect of matrix metalloproteinase-3 functional SNP on serum matrix metalloproteinase-3 level and outcome measures in Japanese RA patients.	Rheumatology (Oxford).	47(1)	41-44	2008

Tanaka E, Mannalithara A, Inoue E, Hara M, Tomatsu T, Kamatani N, Singh G, <u>Yamanaka H</u>	Efficient management of rheumatoid arthritis significantly reduces long-term functional disability.	Ann Rheum Dis.	67(8)	1153-1158	2008
Shinozaki M, Inoue E, Nakajima A, Hara M, Tomatsu T, Kamatani N, <u>Yamanaka H</u>	Elevation of serum matrix metalloproteinase-3 as a predictive marker for the long-term disability of rheumatoid arthritis patients in a prospective observational cohort IORRA.	Mod Rheumatol.	17(5)	403-408	2007
<u>Yamanaka H</u> , Inoue E, Singh G, Tanaka E, Nakajima A, Taniguchi A, Hara M, Tomatsu T, Kamatani N	Improvement of disease activity of rheumatoid arthritis patients from 2000 to 2006 in a large observational cohort study IORRA in Japan.	Mod Rheumatol.	17(4)	283-239	2007
Koizumi K, Okamoto H, Kamitsuji S, Sato E, Suzuki K, <u>Yamanaka H</u> , Hara M, Tomatsu T, Kamatani N	The occurrence of Japanese cedar pollinosis with rheumatoid arthritis.	Clin Exp Rheumatol.	25(3)	505-506	2007
Tanaka E, Kamitsuji S, Inoue E, Yamada T, Nakajima A, Takeuchi E, Yanagisawa A, Misaka R, Shigemoto M, Yamashita K, Imamura T, Hara M, Tomatsu T, Saito T, Lauren G, Triadafilopoulos G, Kamatani N, Singh G, <u>Yamanaka H</u>	Nonsteroidal anti-inflammatory drug use does not affect short-term endoscopic and histologic outcomes after Helicobacter pylori eradication in patients with rheumatoid arthritis.	Mod Rheumatol.	17(3)	228-234	2007
Iwamoto T, Ikari K, Inoue E, Toyama Y, Hara M, <u>Yamanaka H</u> , Tomatsu T, Momohara S, Kamatani N	Failure to confirm association between PDCD1 polymorphisms and rheumatoid arthritis in a Japanese population.	J Hum Genet.	52(6)	557-560	2007
Okamoto H, Koizumi K, Kamitsuji S, Inoue E, Hara M, Tomatsu T, Kamatani N, <u>Yamanaka H</u>	Beneficial action of statins in patients with rheumatoid arthritis in a large observational cohort.	J Rheumatol.	34(5)	964-968	2007

Yamanaka H, Inoue E, Tanaka E, Nakajima A, Taniguchi A, Terai C, Hara M, Tomatsu T, Kamatani N	Influence of methotrexate dose on its efficacy and safety in rheumatoid arthritis patients: evidence based on the variety of prescribing approaches among practicing Japanese rheumatologists in a single institute-based large observational cohort (IORRA).	Mod Rheumatol.	17(2)	98-105	2007
Iikuni N, Nakajima A, Inoue E, Tanaka E, Okamoto H, Hara M, Tomatsu T, Kamatani N, Yamanaka H	What's in season for rheumatoid arthritis patients? Seasonal fluctuations in disease activity.	Rheumatology (Oxford).	46(5)	846-848	2007

(南木 敏宏)

[書籍]

発表者氏名	論文タイトル名	書籍全体の編集者名		出版社名	出版年
		書籍名		出版地	ページ
南木敏宏	アレルギー・膠原病系症状と検査異常。症状・所見。筋肉痛。	富野康日己編		中外医学社	2009
		チャート内科診断学		東京	519-521
南木敏宏	非ステロイド性抗炎症薬の適応と副作用	宮坂信之編		永井書店	2009
		よくわかる関節リウマチのすべて		大阪	151-157

[雑誌]

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
T Kubota, T Nii, T Nanki, H Kohsaka, M Harigai, Y Komano, T Sugihara, Y Nonomura, W Hirose, K Nagasaka, T Sakurai, N Miyasaka	Anti-tumor necrosis factor therapy does not diminish the immune response to influenza vaccine in Japanese patients with rheumatoid arthritis.	Mod. Rheumatol.	17	531-533	2007
T Kubota, M Hoshino, K Aoki, K Ohya, Y Komano, T Nanki, N Miyasaka, K Umezawa	NF-kappa B inhibitor DHMEQ suppresses osteoclastogenesis and expression of NFATc1 in mouse arthritis without affecting expression of RANKL, OPG or M-CSF.	Arthritis Res. Ther.	9	R97	2007

PD Cravens, K Hayashida, LS Davis, <u>T Nanki</u> , PE Lipsky	Human peripheral blood dendritic cells and monocyte subsets display similar chemokine receptor expression profiles with differential migratory responses.	Scand. J. Immunol.	65	514-524	2007
越智小枝, <u>南木敏宏</u> , 駒野有希子, 鈴木文仁, 小川純, 杉原毅彦, 長坂憲治, 野々村美紀, 萩山裕之, 宮坂信之	全身性エリテマトーデスに肥厚性硬膜炎を合併し、低髄圧症候群様の頭痛・難聴を呈した1例	日本臨床免疫学会誌	30	55-60	2007
<u>南木敏宏</u>	Q and A MTX の使い方で困った症例	Frontiers in Rheumatology & Clinical Immunology	1	52	2007
<u>南木敏宏</u>	特集：自己免疫疾患に伴う血管・血液病変—分子病態と治療— リウマチ性疾患における動脈硬化性病変	分子リウマチ	4	190-203	2007
<u>南木敏宏</u>	特集：関節リウマチの骨・軟骨破壊：免疫細胞による関節破壊の分子機構	CLINICAL CALCIUM	17	510-516	2007
K Watanabe, <u>T Nanki</u> , T Sugihara, N Miyasaka	A case of polyarteritis nodosa with periurethral aseptic abscesses and testicular lesions.	Clin. Exp. Rheumatol.	26	1113-1115	2008
金子英樹, 駒野有希子, 渡部香織, 栢森高, 高田和生, <u>南木敏宏</u> , 宮坂信之	進行性多巣性白質脳症をきたした全身性エリテマトーデスの一例	日本臨床免疫学会誌	31	465-469	2008
<u>南木敏宏</u>	ケモカインと膠原病 臨床リウマチ医のための基礎講座	臨床リウマチ	20	261-263	2008
F Mizoguchi, <u>T Nanki</u> , N Miyasaka	Pneumatosis cystoides intestinalis following lupus enteritis and peritonitis.	Intern. Med.	47	1267-1271	2008
F Mizoguchi, <u>T Nanki</u> , K Takada, Z Miyasaka	Recurrent pulmonary embolism due to intracardiac thrombi in systemic sclerosis.	Clin. Exp. Rheumatol.	26	157	2008
<u>南木敏宏</u>	多発性筋炎/皮膚筋炎。膠原病診療の最近の進歩と今後の展望。	Medico	39	435-438	2008
<u>南木敏宏</u>	全身性エリテマトーデス—病態解明と治療の新たな展開— SLE の難治性病態の解明と治療の展開： SLE の難治性呼吸器病変（肺胞出血・肺高血圧症）	最新医学	63	924-929	2008

南木敏宏	生物学的製剤の使い方をやさしく教えてください！—インフリキシマブとエタネルセプト— 使用するにあたっての注意点は？ 使ってはいけない場合は？	分子リウマチ治療	1	6-10	2008
T Nanki, K Takada, Y Komano, T Morio, H Kanegane, A Nakajima, PE Lipsky, N Miyasaka	Chemokine receptor expression and functional effects of chemokines on B cells: Implication in the pathogenesis of rheumatoid arthritis.	Arthritis Res. Ther.	11	R149	2009
N Ohyanagi, M Ishido, F Suzuki, K Kaneko, T Kubota, N Miyasaka, T Nanki	Retinoid ameliorates experimental autoimmune myositis, with modulation of Th cell differentiation and antibody production in vivo.	Arthritis Rheum.	60	3118-3127	2009
T Kubota, Y Fukuya, R Hashimoto, T Kanda, H Suzuki, Y Okamura, T Nanki, N Miyasaka, K Umezawa	Possible involvement of chemokine-induced platelet activation in thrombophilic diathesis of antiphospholipid syndrome: an attractive target for the NF- κ B-specific inhibitor DHMEQ.	Ann. N.Y. Acad. Sci.	1173	137-145	2009
S Ochi, T Nanki, H Kaneko, K Honne, Y Miyazaki, Y Komano, N Miyasaka	Successful treatment of ankylosing spondylitis coexisting with pulmonary sarcoidosis by infliximab.	Clin. Exp. Rheumatol.	27	698-699	2009
MM Souto-Carneiro, V Mahadevan, K Takada, R Fritsch-Stork, T Nanki, M Brown, TA Fleisher, M Wilson, R Goldbach-Mansky, PE Lipsky	Alterations in peripheral blood memory B cells in patients with active rheumatoid arthritis are dependent on the action of tumour necrosis factor.	Arthritis Res. Ther.	11	R84	2009
N Takahashi, K Matsumoto, H Saito, T Nanki, N Miyasaka, T Kobata, M Azuma, SK Lee, S Mizutani, T Morio	Impaired CD4 and CD8 effector function and decreased memory T cell populations in ICOS-deficient patients.	J. Immunol.	189	5515-5527	2009
Y Nonomura, F Mizoguchi, A Suzuki, T Nanki, H Kato, N Miyasaka, H Kohsaka	Hypoxia-induced abrogation of contact-dependent inhibition of rheumatoid arthritis synovial fibroblast proliferation.	J. Rheumatol.	36	698-705	2009

T Nii, T Kubota, <u>T Nanki</u> , Y Komano, M Harigai, H Kohsaka, W Hirose, K Nagasaka, T Sakurai, N Miyasaka	Reevaluation of antibody titers 1 year after influenza vaccination in patients with rheumatoid arthritis receiving TNF blockers.	Mod. Rheumatol.	19	216-218	2009
J Kishi, <u>T Nanki</u> , K Watanabe, A Takamura, N Miyasaka	A case of rituximab-induced interstitial pneumonitis observed in systemic lupus erythematosus.	Rheumatology	48	447-448	2009
W Hirose, K Nishikawa, M Hirose, <u>T Nanki</u> , H Sugimoto	Response of early active rheumatoid arthritis to tumor necrosis factor inhibitors: evaluation by magnetic resonance imaging.	Mod. Rheumatol.	19	20-26	2009
A Sato, K Watanabe, K Kaneko, Y Murakami, M Ishido, N Miyasaka, <u>T Nanki</u>	Pluripotent molecular action of Am80, a synthetic retinoid, in murine collagen-induced arthritis: possible implication in the treatment of human rheumatoid arthritis.	Mod. Rheumatol. (in press)			
Y Nonomura, Y Miyabe, M Tanaka, R Tsubata, <u>T Nanki</u> , M Harigai, N Miyasaka	Prominent splenic microcalcifications in a patient with systemic lupus erythematosus complicated with antiphospholipid syndrome.	J. Clin. Rheumatol. (in press)			
金子佳代子, <u>南木敏宏</u> , 宮坂信之	関節リウマチ疾患活動性の新たなバイオマーカー	リウマチ科	42	65-71	2009
<u>南木敏宏</u>	魅力的な症例報告の作り方 学会発表講座: Presentation Trainer	Frontiers in Rheumatology & Clinical Immunology	3	46-48	2009

(川上 純)

[雑 誌]

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Tamai M, <u>Kawakami A</u> , et al.	Bone edema determined by magnetic resonance imaging reflects severe disease status in patients with early-stage rheumatoid arthritis.	J Rheumatol	31	2154-7	2007
川上 純 他	早期関節炎の捉え方と病態解析の方向	日本臨床免疫学会誌	30	37-40	2007
岩本直樹, 川上 純 他	関節リウマチに対するエタネルセプトの治療成績の検討：併用抗リウマチ薬による層別化	九州リウマチ	27	8-14	2007
Yoshizaki A, <u>Kawakami A</u> , et al.	Preferential recovery by anintensive initial therapy from hemophagocytic syndrome complicated with adult onset Still's disease presenting as agranulocytosis and hypercytokinemia.	Clin Exp Rheumatol	26	383	2008
川上 純 他	EULAR 早期関節ガイドライン	リウマチ科	39	449-53	2008
川上 純 他	診断未確定関節炎の治療	リウマチ科	40	303-8	2008
川上 純 他	蛋白シトルリン化と関節リウマチに関する研究	厚生労働科学研究費補助金 免疫アレルギー疾患予防・治療研究事業, 関節リウマチの寛解導入療法体系化に関する研究 平成 19 年度総括・分担報告書		36-40	2008
Kawashiri S, <u>Kawakami A</u> , et al.	Decrement of serum cartilage oligomeric matrix protein (COMP) in rheumatoid arthritis (RA) patients achieving remission after 6 months of etanercept treatment: Comparison with CRP, IgM-RF, MMP-3 and anti-CCP Ab	Joint Bone Spine, accepted			

Kawashiri S, <u>Kawakami A</u> , et al.	Proinflammatory cytokines synergistically enhance the production of chemokine ligand 20 (CCL20) from rheumatoid fibroblast-like synovial cells in vitro and serum CCL20 is reduced in vivo by biologic disease-modifying antirheumatic drugs	J Rheumatol	36	2397-402	2009
Iwamoto N, <u>Kawakami A</u> , et al.	Determination of the subset of Sjögren's syndrome with articular manifestations by anticyclic citrullinated peptide antibodies	J Rheumatol	36	113-5	2009
Tamai M, <u>Kawakami A</u> , et al.	A prediction rule for disease outcome in patients with undifferentiated arthritis using MRI of wrists and finger joints and serologic autoantibodies	Arthritis Rheum	61	772-8	2009
Fujikawa K, <u>Kawakami A</u> , et al.	High serum cartilage oligomeric matrix protein determines the subset of patients with early-stage rheumatoid arthritis with high serum C-reactive protein, matrix metalloproteinase-3, and MRI-proven bone erosion.	J Rheumatol	36	1126-9	2009
Iwamoto N, <u>Kawakami A</u> , et al.	Prediction of DAS28-ESR remission at 6 months by baseline variables in patients with rheumatoid arthritis treated with etanercept in Japanese population	Mod Rheumatol	19	448-52	2009
Kawashiri SY, Nakano M, <u>Kawakami A</u> , et al.	Monitoring of therapeutic efficacy in a patient with RS(3)PE syndrome by serologic variables and radiographic methods	Rheumatol Int, Epub			
Fujikawa K, <u>Kawakami A</u> , et al.	Calcium/calmodulin-dependent protein kinase II (CaMKII) regulates tumour necrosis factor-related apoptosis inducing ligand (TRAIL)-mediated apoptosis of fibroblast-like synovial cells (FLS) by phosphorylation of Akt	Clin Exp Rheumatol	27	952-7	2009
Aramaki T, <u>Kawakami A</u> , et al.	Prediction of DAS28-CRP remission in patients with rheumatoid arthritis treated with tacrolimus at 6 months by baseline variables	Mod Rheumatol	19	652-6	2009
Kawashiri SY, <u>Kawakami A</u> , et al.	Switching to the anti-interleukin-6 receptor antibody tocilizumab in rheumatoid arthritis patients refractory to antitumor necrosis factor biologics.	Mod Rheumatol	20	640-5	2010

川上 純 他	Undifferentiated arthritis におけるアウトカム予測と治療法の決定	リウマチ科	42	60-4	2009
川上 純	関節リウマチの寛解導入に関するマーカーの抽出に関する研究	厚生労働科学研究費補助金 免疫アレルギー疾患予防・治療研究事業.関節リウマチの寛解導入療法体系化に関する研究 平成 20 年度総括・分担報告書		50-7	2009
川上 純 他	【関節リウマチ 治癒を目指す治療の新時代へ】治療に直結する病因・病態研究最前線 治療反応性と関連する予後因子	最新医学	64	974-80	2009
川上 純 他	【内科医が診る関節リウマチ State of Art】診断に必要な知識とは? 内科医が知っておくべきポイント 早期診断に必要な検査とは?	内科	103	641-4	2009
川上 純 他	【膠原病・リウマチ性疾患のより深い理解を目指して】I. 診断を適確に下すために 1. 診断不明の関節炎を如何に診断するか	日内会誌	98	2414-20	2009
玉井慎美, 川上 純 他	【臨床医学の展望 2009 診断および治療上の進歩】リウマチ(膠原病)・アレルギー学 1. RA (2) RA における画像診断	日本医事新報	4425	65-6	2009

(渥美 達也)

[書籍]

発表者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
Atsumi T, Amengual O, Koike T	Etiopathology of the Antiphospholipid syndrome,	Tanaka K, Davie EW	Springer Japan KK	2008
		Recent Advances in Thrombosis and Haemostasis 2008.	Tokyo	521-35
Amengual O, Atsumi T, Koike T	Antiphospholipid antibodies and the Antiphospholipid syndrome	Columbus F	Nova Science Publishers	in press
		New Research on Autoantibodies. NY	New York	
Atsumi T, Amengual O, Koike T	Antiphospholipid syndrome: pathogenesis.	Lahita RG	San Diego	in press
		Systemic Lupus Erythematosus 5th edition	Academic Press	

[雑誌]

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Amengual O, Atsumi T, Komano Y, Kataoka H, Horita T, Yasuda S, Koike T	A polymorphism in the Human Platelet Antigen 6b represents a risk factor for thrombocytopenia in patients with systemic lupus erythematosus.	Arthritis Rheum	56	2803-9	2007
Yasuda S, Stevens RL, Terada T, Horita T, Kataoka H, Takeda M, Fukae J, Atsumi T, Koike T	Defective Expression of Ras Guanine Nucleotide Releasing Protein 1 in a Subset of Patients with Systemic Lupus Erythematosus.	J Immunol	179	4890-900	2007
Bohgaki T, Atsumi T, Koike T	Development of multiple autoimmune diseases after CD34+-selected autologous hematopoietic stem cell transplantation in a patient with systemic sclerosis.	N Engl J Med	357	2734-6	2007
Atsumi T, Horita T, Minori T, Koike T	Exchange of information in Rheumatology between East and West : From Man'yo-shu to the Future.	Arthritis Rheum	58	S140-2	2008
Oku K, Atsumi T, Bohgaki M, Kataoka H, Horita T, Yasuda S, Koike T	Complement activation in patients with primary antiphospholipid syndrome.	Ann Rheum Dis	68	1030-5	2009

Horita T, Atsumi T, Yoshida N, Nakagawa H, Kataoka H, Yasuda S, Koike T.	STAT4 single nucleotide polymorphism, rs7574865 G/T, as a risk for antiphospholipid syndrome.	Ann Rheum Dis	68	1366-7	2009
Fukaya S, Yasuda S, Hashimoto T, Oku K, Kataoka H, Horita T, Atsumi T, Koike T.	Clinical Features of Haemophagocytic Syndrome in Patients with Systemic Autoimmune Diseases: Analysis of 30 Cases.	Rheumatology	47	1686-91	2008
Bohgaki T, Atsumi T, Bohgaki M, Furusaki A, Kondo M, Sato-Matsumura K, Abe R, Kataoka H, Horita T, Yasuda S, Amasaki Y, Nishio M, Sawada K, Shimizu H, Koike T.	Immunological reconstitution after autologous hematopoietic stem cell transplantation in patients with systemic sclerosis: relationship between clinical benefits and intensity of immunosuppression.	J Rheumatol	36	1240-8	2009
Sakai Y, Atsumi T, Ieko M, Amengual O, Furukawa S, Furusaki A, Bohgaki M, Kataoka H, Horita T, Yasuda S, Koike T.	The effects of phosphatidylserine dependent antiprothrombin antibody on thrombin generation.	Arthritis Rheum	60	2457-67	2009
Kiyohara I C, Washio M, Horiuchi T, Tada Y, Asami T, Ide S, Atsumi T, Kobashi G, Takahashi H.	Cigarette smoking, STAT4 and TNFRSF1B polymorphisms, and systemic lupus erythematosus in a Japanese population.	J Rheumatol	36	2195-203	2009
Nakagawa H, Yasuda S, Matsuura E, Kobayashi K, Ieko M, Kataoka H, Horita T, Atsumi T, Koike T.	Nicked beta2-glycoprotein I binds angiostatin4.5 (plasminogen kringle 1-5) and attenuates its anti-angiogenic property.	Blood	114	2553-9	2009
Shimane K, Kochi Y, Horita T, Ikari K, Amano H, Hirakata M, Okamoto A, Yamada R, Myouzen K, Suzuki A, Kubo M, Atsumi T, Koike T, Takasaki Y, Momohara S, Yamanaka H, Nakamura Y, Yamamoto K.	The association of a non-synonymous SNP in the TNFAIP3 gene with systemic lupus erythematosus and rheumatoid arthritis in the Japanese population.	Arthritis Rheum	in press		

<p>Fukae J, Kon Y, Henmi M, Sakamoto F, Narita A, Shimizu M, Tanimura K, Matsuhashi M, Kamishima T, Atsumi T, Koike T.</p>	<p>Change of Synovial Vascularity in Single Finger Joint assessed by Power Doppler sonography correlated with radiographic change in Rheumatoid Arthritis.</p>	<p>Arthritis Rheum</p>	<p>in press</p>		
<p>Kamishima T, Fujieda, Y, Atsumi T, Mimura R, Koike T, Terae S, Shirato H</p>	<p>Contrast-Enhanced Whole Body Joint MR Imaging in Patients with Unclassified Arthritis Developing Early Rheumatoid Arthritis in 2 Years: Feasibility Study and Correlation with MR Imaging Findings of the Hands.</p>	<p>Am J Roentgenol</p>	<p>in press</p>		

