

population. *Am J Med Genet B Neuropsychiatr Genet.* 150B(2):233-8, 2009.

2. 学会発表

1. 氏家 寛. 統合失調症とその相同モデルである覚せい剤精神病での遺伝子解析の比較研究. 第5回統合失調症研究会, 2009.2, 東京
2. 岡久 祐子、氏家 寛、児玉匡史, 高木 学, 小高 辰也、中田謙二, 稲田 俊也、内村直尚, 山田 光彦、岩田 仲生、伊豫 雅臣、曾良 一郎、尾崎 紀夫、黒田 重利. カンナビノイド CB1 受容体および CB2 受容体遺伝子多型と覚せい剤依存症の関連研究. 第31回日本生物学的精神医学会, 4.23-4.2, 2009, 京都
3. 大河内智, 奥村武則, 岸 太郎, 池田匡志、北島剛司、木下葉子、川島邦裕、角鹿智子、稲田 俊也、山田 光彦、内村直尚、伊豫 雅臣、曾良 一郎、尾崎 紀夫、氏家寛、岩田 仲生. NOS1 遺伝子多型とメタンフェタミン使用障害との関連研究
第31回日本生物学的精神医学会、4.23-4.2, 2009, 京都
4. 氏家 寛. 教育講演; 思春期と薬物依存. 第5回中国四国思春期学会, 山口, 7.4-5, 2009
5. 氏家 寛. シンポジウム; 精神作用物質使用障害の今日の状況, 精神作用物質使用障害の疾患概念と生物学的脆弱性. 第105回日本精神神経学会総会, 神戸, 8.21-23, 2009
6. Yokobayashi E, Ujike H, Kotaka T, Okahisa Y, Takaki M, Kodama M, Inada T, Uchimura N, Yamada M, Iwata N, Iyo M, Sora I, Ozaki N, Kuroda S. Association Study of the Serine Racemase Gene with Methamphetamine Psychosis. 2nd Annual International Drug Abuse Research Society and International Society for Neurochemistry Meeting, Aug 17-21, 2009, Seoul
7. Okahisa Y, Kodama M, Takaki M, Inada T, Uchimura N, Yamada M, Iwata N, Iyo M, Sora I, Ozaki N, Ujike H. Association Between The Regulator of G-protein Signaling 9 Gene and Patients with Methamphetamine Use Disorder and Schizophrenia 2nd Annual International Drug Abuse Research Society and International Society for Neurochemistry Meeting, Aug 17-21, 2009, Seoul
8. Okahisa Y, Kodama M, Takaki M, Inada T, Uchimura N, Yamada M, Iwata N, Iyo M, Sora I, Ozaki N, Ujike H. Association Study of Two Cannabinoid Receptor genes, CNR1 and CNR2, with Methamphetamine Dependence. 2nd Annual International Drug Abuse Research Society and International Society for Neurochemistry Meeting, Aug 17-21, 2009, Seoul
9. Ujike H, Kishimoto M, Okahisa Y, Kodama M, Takaki M, Inada T, Uchimura N, Yamada M, Iwata N, Iyo M, Sora I, Ozaki N. Association between the 5HT1b receptor gene and methamphetamine dependence. 2nd Annual International Drug Abuse Research Society and International Society for Neurochemistry Meeting, Aug 17-21, 2009, Seoul
10. Tsunoka T, Kishi T, Ikaeda M, Kitajima T, Yamanouchi Y, Kinoshita Y, Kawashima K, Okochi T, Okumura T, Inada T, Ujike H, Yamada M, Uchimura N, Sora I, Iyo M, Ozaki N, Iwata N. No association between GRM3 and Japanese methamphetamine-induced psychosis. 2nd Annual International Drug Abuse Research Society and International Society for Neurochemistry Meeting, Aug 17-21, 2009, Seoul
11. Okumura T, Okochi T, Kishi T, Ikaeda M, Kitajima T, Kinoshita Y, Kawashima K, Tsunoda T, Inada T, Yamada M, Uchimura N, Iyo M, Sora I, Ozaki N, Ujike H, Iwata N. Genetic association analysis of NOS1 with methamphetamine-induced psychosis in

- a Japanese population. 2nd Annual International Drug Abuse Research Society and International Society for Neurochemistry Meeting, Aug 17-21, 2009, Seoul
12. Okochi T, Kishi T, Ikaeda M, Kitajima T, Kinoshita Y, Kawashima K, Okumura T, Tsunoda T, Inada T, Yamada M, Uchimura N, Iyo M, Sora I, Ozaki N, Ujike H, Iwata N. Association study of NOS3 and methamphetamine-induced psychosis in a Japanese population. 2nd Annual International Drug Abuse Research Society and International Society for Neurochemistry Meeting, Aug 17-21, 2009, Seoul
 13. Kobayashi H, Ujike H, Iwata N, Inada T, Yamada M, Sekine Y, Uchimura N, Iyo M, Ozaki N, Itokawa M, Sora I. Association analysis of the tryptophan hydroxylase 2 gene polymorphisms in patients with methamphetamine dependence/psychosis. 2nd Annual International Drug Abuse Research Society and International Society for Neurochemistry Meeting, Aug 17-21, 2009, Seoul
 14. Kobayashi H, Ujike H, Iwata N, Inada T, Yamada M, Sekine Y, Uchimura N, Iyo M, Ozaki N, Itokawa M, Sora I. Association analysis of the adenosine A1 receptor gene polymorphisms in patients with methamphetamine dependence/psychosis. 2nd Annual International Drug Abuse Research Society and International Society for Neurochemistry Meeting, Aug 17-21, 2009, Seoul
 15. Kishi T, Ikaeda M, Kitajima T, Yamanouchi Y, Kinoshita Y, Kawashima K, Okochi T, Tsunoda T, Okumura T, Inada T, Ujike H, Yamada M, Uchimura N, Sora I, Iyo M, Ozaki N, Iwata N. Association study between prokineticin 2 (PROK2) and Japanese methamphetamine dependence. 2nd Annual International Drug Abuse Research Society and International Society for Neurochemistry Meeting, Aug 17-21, 2009, Seoul
 16. Kishi T, Ikaeda M, Kitajima T, Yamanouchi Y, Kinoshita Y, Kawashima K, Okochi T, Tsunoda T, Okumura T, Inada T, Ujike H, Yamada M, Uchimura N, Sora I, Iyo M, Ozaki N, Iwata N. Association study between orphan nuclear receptor rev-erb alpha gene (NR1D1) and Japanese methamphetamine dependence. 2nd Annual International Drug Abuse Research Society and International Society for Neurochemistry Meeting, Aug 17-21, 2009, Seoul
 17. Ujike H, Okahisa Y, Takaki M, kodama M, Inada T, Uchimura N, Yamada M, Iyo M, Sora I, Iwata N, Ozaki N. TYROSINE HYDROXYLASE GENE AND METHAMPHETAMINE USE DISORDERS. XVIIth World Congress on Psychiatric Genetics, Nov 4-8, 2009, San Diego, USA
- G. 知的財産権の出願・登録状況（予定も含む）
1. 特許取得
なし
 2. 実用新案登録
なし
 3. その他
なし

