

IV-	発表者氏名	論文タイトル名	発表誌名	巻名	ページ	出版年
723	Akimoto C, Ueda T, Inoue K, Yamaoka I, Sakari M, Obara W, Fujioka T, Nagahara A, Nonomura N, Tsutsumi S, Aburatani H, Miki T, Matsumoto T, Kitagawa H, <u>Kato S</u>	Testis-specific protein on Y chromosome (TSPY) represses the activity of the androgen receptor in androgen-dependent testicular germ-cell tumors.	<i>Proc Natl Acad Sci USA</i>	107	19891-19896	2010
729	Youn MY, Takada I, Imai Y, Yasuda H, <u>Kato S</u>	Transcriptionally active nuclei are selective in mature multinucleated osteoclasts.	<i>Genes Cells</i>	15	1025-1035	2010
740	Chikanishi T, Fujiki R, Hashiba W, Sekine H, Yokoyama A, <u>Kato S</u>	Glucose-induced expression of MIP-1 genes requires O-GlcNAc transferase in monocytes.	<i>Biochem Biophys Res Commun</i>	39	865-870	2010
746	Takada I, Tsuji N, Youn MY, Fujiyama S, Okada M, Imai Y, Kondo S, Kitakawa H, Yasuda H, <u>Kato S</u>	Purification and identification of estrogen receptor alpha co-regulators in osteoclasts.	<i>Ann N Y Acad Sci</i>	1192	201-207	2010
753	Takada I, Kouzmenko AP, <u>Kato S</u>	PPAR- $\gamma$ signaling crosstalk in mesenchymal stem cells.	<i>PPAR Research</i>	2010	341671	2010
759	Youn MY, Fujiyama-Nakamura S, Takada I, Imai Y, <u>Kato S</u>	Identification of osteoclastic factors in the nuclear envelope of mature, multinucleated osteoclasts.	<i>Biosci Biotechnol Biochem</i>	74	1956-1959	2010
763	Sawatsubashi S, Murata T, Lim J, Fujiki R, Ito S, Suzuki E, Tanabe M, Zhao Y, Kimura S, Fujiyama S, Ueda T, Umetsu D, Ito T, Takeyama K, <u>Kato S</u>	A histone chaperone, DEK, transcriptionally coactivates a nuclear receptor.	<i>Genes Dev</i>	24	159-170	2010
775	Takahashi S, Watanabe T, Okada M, Inoue K, Ueda T, Takada I, Watabe T, Yamamoto Y, Fukuda T, Nakamura T, Akimoto C, Fujimura T, Hoshino M, Imai Y, Metzger D, Miyazono K, Minami Y, Chambon C, Kitamura T, Matsumoto T, <u>Kato S</u>	Noncanonical Wnt signaling mediates androgen-dependent tumor growth in a mouse model of prostate cancer.	<i>Proc Natl Acad Sci USA</i>	107	4938-4943	2011
781	Baba A, Ohtake F, Okuno Y, Yokota K, Okada M, Imai Y, Ni M, Meyer AC, Igarashi K, Kanno J, Brown M, <u>Kato S</u>	Signal-sensing activation of a histone lysine demethylase complex.	<i>Nat Cell Biol</i>		<i>in press</i>	
804	Nakamoto T, Seo S, <u>Sakai R</u> , Kato T, Kutsuna H, Kurokawa M, Noda M, Miyasaka N, Kitagawa S	Expression and tyrosine phosphorylation of Crk-associated substrate lymphocyte type (Cas-L) protein in human neutrophils.	<i>J Cell Biochem</i>	105	121-128	2008

IV-	発表者氏名	論文タイトル名	発表誌名	巻名	ページ	出版年
812	Uekita T, Tanaka M, Takigahira M, Miyazawa Y, Nakanishi Y, Kanai Y, Yanagihara K, <u>Sakai R</u>	CUB-domain containing protein 1 regulates peritoneal dissemination of gastric scirrhous carcinoma.	<i>Am J Pathol</i>	172	1729-1739	2008
823	Jia L, Uekita T, <u>Sakai R</u>	Hyperphosphorylated cortactin in cancer cells plays an inhibitory role in cell motility by regulating tyrosine phosphorylation of p130Cas.	<i>Mol Cancer Res</i>	6	654-662	2008
832	Tanaka M, Sasaki K, Kamata R, Hoshino Y, Yanagihara K, <u>Sakai R</u>	A novel RNA-binding protein, Ossa/C9orf10, regulates activity of Src kinases to protect cells from oxidative stress-induced apoptosis.	<i>Mol Cell Biol</i>	29	402-413	2009
844	Miyake I, Ohira, M, Nakagawara A, <u>Sakai R</u>	Distinct role of ShcC docking protein in the differentiation of neuroblastoma.	<i>Oncogene</i>	28	662-673	2009
856	Ikeda J, Oda T, Inoue M, Uekita T, <u>Sakai R</u> , Okumura M, Aozasa K, Morii E	Expression of CUB domain containing protein (CDCP1) is correlated with prognosis and survival of patients with adenocarcinoma of lung.	<i>Cancer Sci</i>	100	429-433	2009
861	Futami H, <u>Sakai R</u>	RET protein promotes non-adherent growth of NB-39-neuroblastoma cell line.	<i>Cancer Sci</i>	100	1034-1039	2009
867	Tanaka M, Kamata R, Yanagihara K, <u>Sakai R</u>	Suppression of gastric cancer dissemination by ephrin-B1-derived peptide.	<i>Cancer Sci</i>	101	87-93	2010
874	Futami H, <u>Sakai R</u>	All-trans retinoic acid downregulates ALK in neuroblastoma cell lines and induces apoptosis in neuroblastoma cell lines with activated ALK.	<i>Cancer Lett</i>	297	220-225	2010
880	Tazaki T, Sasaki T, Uto K, Yamasaki N, Tashiro S, <u>Sakai R</u> , Tanaka M, Oda H, Honda Z, Honda H	p130Cas, Crk-associated substrate plays essential roles in liver development by regulating sinusoidal endothelial cell fenestration.	<i>Hepatology</i>	52	1089-1099	2010
891	Miyazawa Y, Uekita T, Hiraoka N, Fujii S, Kosuge T, Kanai Y, Nojima Y, <u>Sakai R</u>	CUB domain-containing protein 1, a prognostic factor for human pancreatic cancers, promotes cell migration and extracellular matrix degradation.	<i>Cancer Res</i>	70	5136-5146	2010

IV-	発表者氏名	論文タイトル名	発表誌名	巻名	ページ	出版年
902	Yamaguchi H, Yoshida S, Muroi E, Kawamura M, Kouchi Z, Nakamura Y, <u>Sakai R</u> , Fukami K	Phosphatidylinositol 4,5-bisphosphate and PIP5-kinase Ia are required for invadopodia formation in human breast cancer cells.	<i>Cancer Sci</i>	101	1632-1638	2010
909	Yagi R, Tanaka M, Sasaki K, Kamata R, Nakanishi Y, Kanai Y, <u>Sakai R</u>	ARAP3 inhibits peritoneal dissemination of scirrhous gastric carcinoma cells by regulating cell adhesion and invasion.	<i>Oncogene</i>	30	1413-1421	2011
918	Arai T, Sawabe M, <u>Hosoi T</u> , Tanaka N	Role of DNA repair systems in malignant tumor development in the elderly.	<i>Geriatr Gerontol Int</i>	8	65-72	2008
926	Fujiwara S, Nakamura T, Orimo H, <u>Hosoi T</u> , Gorai I, Oden A, Johansson H, Kanis JA	Development and application of a Japanese model of the WHO fracture risk assessment tool (FRAX).	<i>Osteoporos Int</i>	19	429-435	2008
933	Sogabe N, Oda K, Nakamura H, Orimo H, Watanabe H, <u>Hosoi T</u> , Goseki-Sone M	Molecular effects of the tissue-nonspecific alkaline phosphatase gene polymorphism (787T > C) associated with bone mineral density.	<i>Biomed Res</i>	29	213-219	2008
940	Mori S, Kou I, Sato H, Emi M, Ito H, <u>Hosoi T</u> , Ikegawa S	Association of genetic variations of genes encoding thrombospondin, type 1, domain-containing 4 and 7A with low bone mineral density in Japanese women with osteoporosis.	<i>J Hum Genet</i>	53	694-697	2008
944	Orimo H, Goseki-Sone M, <u>Hosoi T</u> , Shimada T	Functional assay of the mutant tissue-nonspecific alkaline phosphatase gene using U2OS osteoblast-like cells.	<i>Mol Genet Metab</i>	94	375-381	2008
951	Tokuda H, Takai S, Hanai Y, Matsushima-Nishiwaki R, Yamauchi J, Harada A, Hosoi T, Ohta T, Kozawa O	(-)-Epigallocatechin gallate inhibits basic fibroblast growth factor-stimulated interleukin-6 synthesis in osteoblasts.	<i>Horm Metab Res</i>	40	674-678	2008
956	Tokuda H, <u>Hosoi T</u> , Hayasaka K, Okamura K, Yoshimi N, Kozawa O	Overexpression of Protein Kinase C-delta Plays a Crucial Role in Interleukin-6-Producing Pheochromocytoma Presenting with Acute Inflammatory Syndrome: A Case Report.	<i>Horm Metab Res</i>	41	333-338	2009
962	Orimo H, Yaegashi Y, Onoda T, Fukushima Y, <u>Hosoi T</u> , Sakata K	Hip fracture incidence in Japan: estimates of new patients in 2007 an 20-year trends.	<i>Arch Osteoporos</i>	4	71-77	2009

IV-	発表者氏名	論文タイトル名	発表誌名	巻名	ページ	出版年
969	Sawabe M, Arai T, Araki A, <u>Hosoi T</u> , Kuchiba A, Tanaka N, Naito T, Oda K, Ikeda S, Muramatsu M	Smoking confers a MTHFR 677C>T genotype-dependent risk for systemic atherosclerosis: results from a large number of elderly autopsy cases that died in a community-based general geriatric hospital.	<i>J Atheroscler Thromb</i>	16	91-104	2009
983	Liu M, Kurosaki T, Suzuki M, Enomoto Y, Nishimatsu H, Arai T, Sawabe M, <u>Hosoi T</u> , Homma Y, Kitamura T	Significance of common variants on human chromosome 8q24 in relation to the risk of prostate cancer in native Japanese men.	<i>BMC Genet</i>	10	37-44	2009
991	Mori S, Fuku N, Chiba Y, Tokimura F, <u>Hosoi T</u> , Kimbara Y, Tamura Y, Araki A, Tanaka M, Ito H	Cooperative effect of serum 25-hydroxyvitamin D concentration and a polymorphism of transforming growth factor- $\beta$ 1 gene on the prevalence of vertebral fractures in postmenopausal osteoporosis.	<i>J Bone Miner Metab</i>	28	446-450	2010
996	Tanaka S, Yoshimura N, Kuroda T, <u>Hosoi T</u> , Saito M, Shiraki M	The Fractura and Immobilization Score (FRISC) for risk assessment of osteoporotic Fracture and immobilization in postmenopausal women-A joint analysis of the Nagano, Miyama, and Taiji Cohorts.	<i>Bone</i>	47	1064-1070	2010
1003	Shiraki M, Yamazaki Y, Shiraki Y, <u>Hosoi T</u> , Tsugawa N, Okano T	High level of serum undercarboxylated osteocalcin in patients with incident fractures during bisphosphonate treatment.	<i>J Bone Miner Metab</i>	28	578-584	2010
1010	<u>Hosoi T</u>	Genetic aspects of osteoporosis.	<i>J Bone Miner Metab</i>	28	601-607	2010
1017	Shiraki M, Kuroda T, Miyakawa N, Fujinawa N, Tanzawa K, Ishizuka A, Tanaka S, Tanaka Y, <u>Hosoi T</u> , Itoi E, Morimoto S, Itabashi A, Sugimoto T, Yamashita T, Gorai I, Mori S, Kishimoto H, Mizunuma H, Endo N, Nishizawa Y, Takaoka K, Ohashi Y, Ohta H, Fukunaga M, Nakamura T, Orimo H	Design of a pragmatic approach to evaluate the effectiveness of concurrent.	<i>J Bone Miner Metab</i>	29	37-43	2011

IV-	発表者氏名	論文タイトル名	発表誌名	巻名	ページ	出版年
1024	Sogabe N, Maruyama R, Baba O, <u>Hosoi T</u> , Oseki-Sone M	Effects of long-term vitamin K1 (phylloquinone) or vitamin K2 (menaquinone-4) supplementation on body composition and serum parameters in rats.	<b>Bone</b>	48	1036-1042	2011
1031	<u>井上聡</u>	40歳からの女性の医学:骨粗鬆症ー骨のアンチエイジング	<b>岩波書店</b>			2008

刊行物の別刷

創業基盤推進事業

刊行物(総合)

東京大学・井上 聡

