

F. 研究発表

1. 学会発表

なし

2. 論文発表

なし

G 知的財産権の出願、登録状況

なし

H. 引用文献

1. Cheng PY, Lee YM, Wu YS, Chang TW, Jin JS, Yen MH. Protective effect of baicalein against endotoxic shock in rats *in vivo* and *in vitro*. *Biochem Pharmacol* 2007;73:793-804.
2. Trinh HT, Joh EH, Kwak HY, Baek NI, Kim DH. Anti-pruritic effect of baicalin and its metabolites, baicalein and oroxylin A, in mice. *Acta Pharmacol Sin* 2010;31:718-24.
3. Jang SI, Kim HJ, Hwang KM, Jekal SJ, Pae HO, Choi BM, Yun YG, Kwon TO, Chung HT, Kim YC. Hepatoprotective effect of baicalin, a major flavone from *Scutellaria radix*, on acetaminophen-induced liver injury in mice. *Immunopharmacol Immunotoxicol* 2003;25:585-94.
4. Sun H, Che QM, Zhao X, Pu XP. Antifibrotic effects of chronic baicalein administration in a CCl₄ liver fibrosis model in rats. *Eur J Pharmacol* 2010;631:53-60.
5. Dobashi K, Ohkoshi E, Fujii Y, Nagai M, Watanabe S. *Scutellariae Radix* aggravates diclofenac sodium-induced enteropathy in mice. *J Trad Med* 2008;25:81-6.
6. Wong BY, Nguyen DL, Lin T, Wong HH, Cavalcante A, Greenberg NM, Hausted RP, Zheng J. Chinese medicinal herb *Scutellaria barbata* modulates apoptosis and cell survival in murine and human prostate cancer cells and tumor development in TRAMP mice. *Eur J Cancer Prev* 2009;18:331-41.
7. Xu G, Dou J, Zhang L, Guo Q, Zhou C. Inhibitory effects of baicalein on the influenza virus *in vivo* is determined by baicalin in the serum. *Biol Pharm Bull* 2010;33:238-43.
8. Zhang Z, Wu R, Li P, Liu F, Zhang W, Zhang P, Li P, Wang Y. Baicalin administration is effective in positive regulation of twenty-four ischemia/reperfusion-related proteins identified by a proteomic study. *Neurochem Int* 2009;54:488-96.
9. He XL, Wang YH, Gao M, Li XX, Zhang TT, Du GH. Baicalein protects rat brain mitochondria against chronic cerebral hypoperfusion-induced oxidative damage. *Brain Res* 2009;16:212-21.
10. Ma AT, Zhong XH, Liu ZM, Shi WY, Du J, Zhai XH, Zhang T, Meng LG. Protective Effects of Baicalin against Bromocriptine Induced Abortion in Mice. *Am J Chin Med* 2009;37:85-95.
11. Kim DH, Jeon SJ, Son KH, Jung JW, Lee S, Yoon BH, Lee JJ, Cho YW, Cheong JH, Ko KH, Ryu JH. The ameliorating effect of oroxylin A on scopolamine-induced memory impairment in mice. *Neurobiol Learn Mem* 2006;87:536-46.
12. Shang Y, Cheng J, Qi J, Miao H. *Scutellaria* flavonoid reduced memory dysfunction and neuronal injury caused by permanent global ischemia in rats. *Pharmacol Biochem Behav* 2005;82:67-73.
13. Cai X, Li C, Du G, Cao Z. Protective effects of

- baicalin on ligature-induced periodontitis in rats. *J Periodontal Res* 2008;43:14-21.
14. Aung HH, Mehendale SR, Wang CZ, Xie JT, Chang WT, Yuan CS. *Scutellaria baicalensis* decreases ritonavir-induced nausea. *AIDS Res Ther* 2005;2:12.
 15. Chung HL, Yue GG, To KF, Su YL, Huang Y, Ko WH. Effect of *Scutellariae Radix* extract on experimental dextran-sulfate sodium-induced colitis in rats. *World J Gastroenterol* 2007;13:5605-11.
 16. Regulska-Ilow B, Biernat J, Grajeta H, Ilow R, Drzewicka M. Influence of bioflavonoids from the radix extract of *Scutellaria baicalensis* on the level of serum lipids, and the development of laboratory rats fed with fresh and oxidized fats. *Nahrung* 2004;48:123-8.
 17. サンディ・スワンダ, 田力. 漢方生薬実用辞典. 東京: 産調出版; 2010.
 18. 王輝武. 实用中医禁忌学. 北京: 人民衛生出版社; 2009.
 19. 神戸中医学研究会. 中医臨床のための中薬学. 東京: 医歯薬出版; 1992.
 20. 赤堀幸男, 王元武. 臨床中薬解説. 東京: 医歯薬出版; 1996.
 21. 三浦於菟. 実践漢薬学. 東京: 医歯薬出版; 2004.
 22. Jellin J. *Natural medicines : comprehensive database*. Stockton, CA: Therapeutic Research Faculty; 2006.
 23. 寺田真紀子, 北澤英徳, 川上純一, 足立伊佐雄. 漢方薬による間質性肺炎と肝障害に関する薬剤疫学的検討. *医療薬学* 2002;28:425-34.
 24. American Herbal Products Association. *Botanical Safety Handbook*. Boca Raton, FL: CRC; 1997.
 25. Xie Y, Dong X, Wu X, Yan X, Xie Q. Inhibitory effects of flavonoids extracted from licorice on lipopolysaccharide-induced acute pulmonary inflammation in mice. *Int Immunopharmacol* 2009;9:194-200.
 26. Shin YW, Bae EA, Lee B, Lee SH, Kim JA, Kim YS, Kim DH. In Vitro and In Vivo Antiallergic Effects of *Glycyrrhiza glabra* and Its Components. *Planta Med* 2007;73:257-61.
 27. Song LJ, Wang ZX, Chi BR, Yang GZ. Regulatory effect of diammonium glycyrrhizinate on Th1/Th2 deviation in bronchial asthma: experiment with rats. *Chinese Medical Journal* 2007;87:2865-7.
 28. Kamei J, Nakamura R, Ichiki H, Kubo M. Antitussive principles of *Glycyrrhizae radix*, a main component of the Kampo preparations Bakumondo-to (Mai-men-dong-tang). *Eur J Pharmacol* 2003;469:159-63.
 29. Hong YK, Wu HT, Ma T, Liu WJ, He XJ. Effects of *Glycyrrhiza glabra* polysaccharides on immune and antioxidant activities in high-fat mice. *Int J Biol Macromol* 2009;45:61-4.
 30. 李晓冰, 何小鹏, 刘彪, 徐荔, 鞠大宏, 姜淼, 吕爱平. 甘草多糖对H22荷瘤小鼠的免疫调节作用. *中西医结合学报* 2010;8:363-7.
 31. Lee CK, Park KK, Lim SS, Park JH, Chung WY. Effects of the licorice extract against tumor growth and cisplatin-induced toxicity in a mouse xenograft model of colon cancer. *Biol Pharm Bull* 2007;30:2191-5.
 32. Wakamatsu T, Nakahashi Y, Hachimime D, Seki T, Okazaki K. The combination of glycyrrhizin and lamivudine can reverse the

- cisplatin resistance in hepatocellular carcinoma cells through inhibition of multidrug resistance-associated proteins. *Int J Oncol* 2007;31:1465-72.
33. Mukherjee M, Bhaskaran N, Srinath R, Shivaprasad HN, Allan JJ, Shekhar D, Agarwal A. Anti-ulcer and antioxidant activity of GutGard. *Indian J Exp Biol* 2010;48:269-74.
34. Lee JR, Park SJ, Kwon YK, Jee SY, Seo J, Lee HS, Kwon TK, Kim SC. Hepatoprotective Activity of Licorice Water Extract against Cadmium-induced Toxicity in Rats. *Evid Based Complement Alternat Med* 2007;6:195-201.
35. Tang B, Qiao H, Meng F, Sun X. Glycyrrhizin attenuates endotoxin-induced acute liver injury after partial hepatectomy in rats. *Braz J Med Biol Res* 2007;40:1637-46.
36. Tang HF, Mao LG, Jiang RA, Qian Y, Chen JQ. Protective effect against monoammonium glycyrrhizinate on lipopolysaccharide-induced acute lung injury in mice. *Acta pharmaceutica Sinica* 2007;42:954-8.
37. Li Y, Bi X, Zhu G, Han Z, Ye Y, Liang Y, Zhang L, Hao Z, Zeng G, He H, Zhong W. Protective effect of glycyrrhizin on nephrotic syndrome induced by adriamycin in rats. *Clin Invest Med* 2009;32:229-38.
38. Malekinejad H, Farshid AA, Mirzakhani N. Licorice plant extract reduces ochratoxin A-induced nephrotoxicity in rats. *Exp Toxicol Pathol* 2009;63:125-30.
39. Malekinejad H, Mirzakhani N, Razi M, Cheraghi H, Alizadeh A, Dardmeh F. Protective effects of melatonin and *Glycyrrhiza glabra* extract on ochratoxin A-induced damages on testes in mature rats. *Hum Exp Toxicol* 2010.
40. Zamansoltani F, Nassiri-Asl M, Sarookhani MR, Jahani-Hashemi H, Zangivand AA. Antiandrogenic activities of *Glycyrrhiza glabra* in male rats. *Int J Androl* 2009;32:417-22.
41. Wang W, Hu X, Zhao Z, Liu P, Hu Y, Zhou J, Zhou D, Wang Z, Guo D, Guo H. Antidepressant-like effects of liquiritin and isoliquiritin from *Glycyrrhiza uralensis* in the forced swimming test and tail suspension test in mice. *Prog Neuropsychopharmacol Biol Psychiatry* 2008;32:1179-84.
42. Zhao Z, Wang W, Guo H, Zhou D. Antidepressant-like effect of liquiritin from *Glycyrrhiza uralensis* in chronic variable stress induced depression model rats. *Behav Brain Res* 2008;194:108-13.
43. Parle M, Dhingra D, Kulkarni SK. Memory-strengthening activity of *Glycyrrhiza glabra* in exteroceptive and interoceptive behavioral models. *J Med Food* 2004;7:462-6.
44. Nakagawa K, Kishida H, Arai N, Nishiyama T, Mae T. Licorice Flavonoids Suppress Abdominal Fat Accumulation and Increase in Blood Glucose Level in Obese Diabetic KK-A(y) Mice. *Biol Pharm Bull* 2004;27:1775-8.
45. Fuhrman B, Volkova N, Kaplan M, Presser D, Attias J, Hayek T, Aviram M. Antiatherosclerotic effects of licorice extract supplementation on hypercholesterolemic patients: Increased resistance of LDL to atherogenic modifications, reduced plasma lipid levels, and decreased systolic blood pressure. *Nutrition* 2002;18:268-73.

46. Majima T, Yamada T, Tega E, Sakurai H, Saiki I, Tani T. Pharmaceutical evaluation of liquorice before and after roasting in mice. *J Pharm Pharmacol* 2004;56:589-95.
47. 中山医学院, 神戸中医学研究会. 漢薬の臨床応用. 東京: 医歯薬出版; 1979.
48. Thomson. Physicians' desk reference for herbal medicines, 4th Edition. Montvale, NJ: Thomson; 2007.
49. O'Connell RL, White IR, White JM, McFadden JP. Liquorice extract in a cosmetic product causing contact allergy. *Contact Dermatitis* 2008;59:52.
50. Kato H, Kanaoka M, Yano S, Kobayashi M. 3-Monoglucuronyl-glycyrrhetic acid is a major metabolite that causes licorice-induced pseudoaldosteronism. *J Clin Endocrinol Metab* 1995;80:1929-33.
51. Makino T, Ohtake N, Watanabe A, Tsuchiya N, Imamura S, Iizuka S, Inoue M, Mizukami H. Down-regulation of a hepatic transporter multidrug resistance-associated protein 2 is involved in alteration of pharmacokinetics of glycyrrhizin and its metabolites in a rat model of chronic liver injury. *Drug Metab Dispos* 2008;36:1438-43.
52. 入江祥史, 牧野利明. 漢方・中医学講座—臨床生薬学編—生薬の生産から臨床応用まで. 東京: 医歯薬出版; 2009.
53. Yamahara J, Mochizuki M, Rong HQ, Matsuda H, Fujimura H. The anti-ulcer effect in rats of ginger constituents. *J Ethnopharmacol* 1988;23:299-304.
54. Ko JK, Leung CC. Ginger extract and polaprezinc exert gastroprotective actions by anti-oxidant and growth factor modulating effects in rats. *J Gastroenterol Hepatol* 2010;25:1861-8.
55. Borrelli F, Capasso R, Pinto A, Izzo AA. Inhibitory effect of ginger (*Zingiber officinale*) on rat ileal motility in vitro. *Life Sci* 2004;74:2889-96.
56. Ghayur MN, Gilani AH. Species differences in the prokinetic effects of ginger. *Int J Food Sci Nutr* 2006;57:65-73.
57. Ahui ML, Champy P, Ramadan A, Pham Van L, Araujo L, Brou Andre K, Diem S, Damotte D, Kati-Coulibaly S, Offournou MA, Dy M, Thieblemont N, Herbelin A. Ginger prevents Th2-mediated immune responses in a mouse model of airway inflammation. *Int Immunopharmacol* 2008;8:1626-32.
58. Shimoda H, Shan SJ, Tanaka J, Seki A, Seo JW, Kasajima N, Tamura S, Ke Y, Murakami N. Anti-inflammatory properties of red ginger (*Zingiber officinale* var. *rubra*) extract and suppression of nitric oxide production by its constituents. *J Med Food* 2010;13:156-62.
59. Habib SH, Makpol S, Abdul Hamid NA, Das S, Ngah WZ, Yusof YA. Ginger extract (*Zingiber officinale*) has anti-cancer and anti-inflammatory effects on ethionine-induced hepatoma rats. *Clinics* 2008;63:807-13.
60. Lakshmi BV, Sudhakar M. Attenuation of acute and chronic restraint stress-induced perturbations in experimental animals by *Zingiber officinale* Roscoe. *Food Chem Toxicol* 2009;48:530-5.
61. Yemitan OK, Izegbu MC. Protective effects of *Zingiber officinale* (Zingiberaceae) against carbon tetrachloride and acetaminophen-induced hepatotoxicity in rats.

- Phytother Res 2006;20:997-1002.
62. Uz E, Karatas OF, Mete E, Bayrak R, Bayrak O, Atmaca AF, Atis O, Yildirim ME, Akcay A. The effect of dietary ginger (*Zingiber officinalis* Rosc) on renal ischemia/reperfusion injury in rat kidneys. Ren Fail 2009;31:251-60.
63. ElRokh el SM, Yassin NA, El-Shenawy SM, Ibrahim BM. Antihypercholesterolaemic effect of ginger rhizome (*Zingiber officinale*) in rats. Inflammopharmacol 2010;18:309-15.
64. 魏睦新, 呂涛. 中藥一本道. 北京: 科学技術文献出版社; 2009.
65. 織田真智子, 中西由香, 前田佳奈, 東野英明. 蒼朮五苓散と白朮五苓散の薬理作用の比較検討. 和漢医薬学雑誌 2000;17:115-21.
66. Nogami M, Moriura T, Kubo M, Tani T. Studies on the origin, processing and quality of crude drugs. II. Pharmacological evaluation of the Chinese crude drug "zhu" in experimental stomach ulcer. (2). Inhibitory effect of extract of *Atractylodes lancea* on gastric secretion. Chem Pharm Bull 1986;34:3854-60.
67. Yamahara J, Matsuda H, Huang Q, Li Y, Fujimura H. Intestinal motility enhancing effect of *Atractylodes lancea* rhizome. J Ethnopharmacol 1990;29:341-4.
68. 山岡康利, 川喜多卓也, 大窪敏樹, 田島滋. 白朮 (*Atractylodes Rhizome*) と蒼朮 (*Atractylodes Lancea Rhizome*) の小腸上皮間リンパ球に対する作用の特徴に関する検討. 医学と生物学 2008;152:277-85.
69. Konno C, Suzuki Y, Oishi K, Munakata E, Hikino H. Isolation and hypoglycemic activity of atractans A, B and C, glycans of *Atractylodes japonica* rhizomes. Planta Med 1985;50:102-3.
70. Hata T, Kita T, Kawabata A, Itoh E, Kawashima Y. Effect of ginseng-20S-prosapogenin on tissue blood flow measured by the hydrogen clearance method in sympatheticotonic- or parasympathicotonic-type stressed mice. J Pharmacobiodyn 1985;8:1068-72.
71. Matsuda H, Kubo M. Pharmacological study on *Panax ginseng* C.A. Meyer. I. Effect of red ginseng on the experimental disseminated intravascular coagulation (1). Yakugaku Zasshi 1983;103:1269-77.
72. Jeong CS, Hyun JE, Kim YS. Ginsenoside Rb1: the anti-ulcer constituent from the head of *Panax ginseng*. Arch Pharm Res 2003;26:906-11.
73. Yeo M, Kim DK, Cho SW, Hong HD. Ginseng, the root of *Panax ginseng* C.A. Meyer, protects ethanol-induced gastric damages in rat through the induction of cytoprotective heat-shock protein 27. Dig Dis Sci 2008;53:606-13.
74. Liu TP, Liu IM, Cheng JT. Improvement of insulin resistance by panax ginseng in fructose-rich chow-fed rats. Horm Metab Res 2005;37:146-51.
75. Wang BX, Zhou QL, Yang M, Wang Y, Cui ZY, Liu YQ, Ikejima T. Hypoglycemic activity of ginseng glycopeptide. Acta Pharmacol Sin 2003;24:50-4.
76. Voces J, Alvarez AI, Vila L, Ferrando A, Cabral de Oliveira C, Prieto JG Effects of administration of the standardized *Panax ginseng* extract G115 on hepatic antioxidant function after exhaustive exercise. Comp

- Biochem Physiol C Pharmacol Toxicol Endocrinol 1999;123:175-84.
77. Shim JY, Kim MH, Kim HD, Ahn JY, Yun YS, Song JY. Protective action of the immunomodulator ginsan against carbon tetrachloride-induced liver injury via control of oxidative stress and the inflammatory response. *Toxicol Appl Pharmacol* 2010;242:318-25.
78. Lee JS, Choi HS, Kang SW, Chung JH, Park HK, Ban JY, Kwon OY, Hong HP, Ko YG. Therapeutic effect of korean red ginseng on inflammatory cytokines in rats with focal cerebral ischemia/reperfusion injury. *Am J Chin Med* 2011;39:83-94.
79. Kim HA, Kim S, Chang SH, Hwang HJ, Choi YN. Anti-arthritic effect of ginsenoside Rb₁ on collagen induced arthritis in mice. *Int Immunopharmacol* 2007;7:1286-91.
80. Helms S. Cancer prevention and therapeutics: Panax ginseng. *Altern Med Rev* 2004;9:259-74.
81. Ahn JY, Choi IS, Shim JY, Yun EK, Yun YS, Jeong G, Song JY. The immunomodulator ginsan induces resistance to experimental sepsis by inhibiting Toll-like receptor-mediated inflammatory signals. *Eur J Immunol* 2006;36:37-45.
82. Jaenicke B, Kim EJ, Ahn JW, Lee HS. Effect of *Panax ginseng* extract on passive avoidance retention in old rats. *Arch Pharm Res* 1991;14:25-9.
83. Qi D, Zhu Y, Wen L, Liu Q, Qiao H. Ginsenoside Rg₁ restores the impairment of learning induced by chronic morphine administration in rats. *J Psychopharmacol* 2009;23:74-83.
84. Heo JH, Lee ST, Chu K, Oh MJ, Park HJ, Shim JY, Kim M. An open-label trial of Korean red ginseng as an adjuvant treatment for cognitive impairment in patients with Alzheimer's disease. *Eur J Neurol* 2008;15:865-8.
85. Lee MS, Yang EJ, Kim JI, Ernst E. Ginseng for cognitive function in Alzheimer's disease: a systematic review. *J Alzheimers Dis* 2009;18:339-44.
86. Sievenpiper JL, Sung MK, Di Buono M, Seung-Lee K, Nam KY, Amason JT, Leiter LA, Vuksan V. Korean red ginseng rootlets decrease acute postprandial glycemia: results from sequential preparation- and dose-finding studies. *J Am Coll Nutr* 2006;25:100-7.
87. Vuksan V, Sung MK, Sievenpiper JL, Stavro PM, Jenkins AL, Di Buono M, Lee KS, Leiter LA, Nam KY, Amason JT, Choi M, Naeem A. Korean red ginseng (*Panax ginseng*) improves glucose and insulin regulation in well-controlled, type 2 diabetes: results of a randomized, double-blind, placebo-controlled study of efficacy and safety. *Nutr Metab Cardiovasc Dis* 2008;18:46-56.
88. Reay JL, Scholey AB, Milne A, Fenwick J, Kennedy DO. *Panax ginseng* has no effect on indices of glucose regulation following acute or chronic ingestion in healthy volunteers. *Br J Nutr* 2008;1-6.
89. Zhu M, Chan K, Ng L, Chang Q, Chang S, Li R. Possible influences of ginseng on the pharmacokinetics and pharmacodynamics of warfarin in rats. *J Pharm Pharmacol* 1999;51:175-80.
90. Lee SH, Ahn YM, Ahn SY, Doo HK, Lee BC.

- Interaction between warfarin and *Panax ginseng* in ischemic stroke patients. *J Altern Complement Med* 2008;14:715-21.
91. Yuan CS, Wei G, Dey L, Karrison T, Nahlik L, Maleckar S, Kasza K, Ang-Lee M, Moss J. Brief communication: American ginseng reduces warfarin's effect in healthy patients: a randomized, controlled Trial. *Ann Intern Med* 2004;141:23-7.
92. 平山千里, 奥村恂, 谷川久一, 他. 多施設二重盲検試験による慢性活動性肝炎に対する小柴胡湯の臨床効果. *肝・胆・膵* 1990;20:751-9.
93. 平山千里, 奥村恂, 谷川久一, 他. 多施設二重盲検試験による慢性活動性肝炎に対する小柴胡湯の臨床効果～血清酵素活性の変動. *肝・胆・膵* 1992;25:551-8.
94. 川合満, 加藤元一, 春山春枝, 他. 気管支炎に対するツムラ小柴胡湯の臨床効果. *Therapeutic Research* 1991;12:3029-37.
95. 谷崎勝朗, 貴谷光, 岡崎守宏, 他. 気管支喘息に対する小柴胡湯の臨床効果. *臨床と研究* 1991;68:2173-8.
96. 本間行彦. 小柴胡湯による間質性肺炎について. *日本東洋医学雑誌* 1996;47:1-4.
97. Sakaguchi S, Tsutsumi E, Yokota K. Preventive effects of a traditional Chinese medicine (sho-saiko-to) against oxygen toxicity and membrane damage during endotoxemia. *Biol Pharm Bull* 1993;16:782-6.
98. Ohtake N, Nakai Y, Yamamoto M, Ishige A, Sasaki H, Fukuda K, Hayashi S, Hayakawa S. The herbal medicine Shosaiko-to exerts different modulating effects on lung local immune responses among mouse strains. *Int Immunopharmacol* 2002;2:357-66.
99. 伊丹孝文, 江馬真, 坂本純, 他. 細菌内毒素による発熱ウサギを用いた漢方方剤の解熱作用の検討. *薬学雑誌* 1992;112:129-34.
100. 太田好次, 小林隆, 佐々木恵美, 他. D-ガラクトサミン肝障害の進行に対する小柴胡湯エキス経口投与の影響. *医学と生物学* 1994;129:87-91.
101. Sakaguchi S, Furusawa S, Iizuka Y. Preventive effects of a traditional Chinese medicine (Sho-saiko-to) on septic shock symptoms; approached from heme metabolic disorders in endotoxemia. *Biol Pharm Bull* 2005;28:165-8.
102. Chen MH, Chen JC, Tsai CC, Wang WC, Chang DC, Lin CC, Hsieh HY. Sho-saiko-to prevents liver fibrosis induced by bile duct ligation in rats. *Am J Chin Med* 2004;32:195-207.
103. Kusunose M, Qiu B, Cui T, Hamada A, Yoshioka S, Ono M, Miyamura M, Kyotani S, Nishioka Y. Effect of Sho-saiko-to extract on hepatic inflammation and fibrosis in dimethylnitrosamine induced liver injury rats. *Biol Pharm Bull* 2002;25:1417-21.
104. Horie Y, Kajihara M, Yamagishi Y, Kimura H, Tamai H, Kato S, Ishii H. A Japanese herbal medicine, Sho-saiko-to, prevents gut ischemia/reperfusion-induced hepatic microvascular dysfunction in rats. *J Gastroenterol Hepatol* 2002;16:1260-6.
105. Shen YR, Inoue M, Nagatsu Y, Ogihara Y, Aburada M. Anti-hyperlipidemic and anti-atherosclerotic actions of shosaikoto (kampo medicine). *Biol Pharm Bull* 1996;19:1160-5.
106. Shen YR, Inoue M, Ogihara Y. Effect of

- Shosaikoto (Kampo medicine) on the adherence of monocytes in hypercholesterolemic rabbit. *Biol Pharm Bull* 1996;19:149-52.
107. Fujiwara K, Mochida S, Nagoshi S, Iijima O, Matsuzaki Y, Takeda S, Aburada M. Regulation of hepatic macrophage function by oral administration of xiao-chai-hu-tang (sho-saiko-to, TJ-9) in rats. *J Ethnopharmacol* 1995;46:107-14.
108. 鈴木良雄, 服部智久. 実験腎炎に対する和漢薬の効果. *腎と透析* 1989;26:55-9.
109. Sakamoto S, Mori T, Sawaki K, Kawachi Y, Kuwa K, Kudo H, Suzuki S, Sugiura Y, Kasahara N, Nagasawa H. Effects of kampo (Japanese herbal) medicine "sho-saiko-to" on DNA-synthesizing enzyme activity in 1,2-dimethylhydrazine-induced colonic carcinomas in rats. *Planta Med* 1993;59:152-4.
110. 医療用製剤の添付文書.
111. Bensky D, Barolet R. *Chinese Herbal Medicine Formulas and Strategies*. Seattle, WA: Eastland Press; 1990.
112. 吉田麻美, 北岡治子, 増井義一, 他. 糖尿病患者における有痛性筋けいれん(こむら返り)に対する芍薬甘草湯の効果の検討. *神経治療学* 1995;12:529-34.
113. 村上元庸, 小林昌明. いわゆるこむらがえりに対する芍薬甘草湯の治療効果について. *痛みと漢方* 1995;5:11-6.
114. 山内浩, 松本国彦, 戸村光宏, 他. クオリティ・オブ・ライフを考える 上部消化管内視鏡検査における芍薬甘草湯の臨床効果. *現代医療学* 1992;7:350-5.
115. 山田輝司, 呉屋朝幸, 花岡健夫, 他. 漢方薬による上部消化管内視鏡前処置の検討. *Progress in Medicine* 1994;14:2242-3.
116. 桂敏夫. 腹痛に対する甘草湯, 芍薬甘草湯の効き方. *日本東洋医学雑誌* 1995;46:293-9.
117. Sakai Y, Tsuyuguchi T, Ishihara T, Kato K, Tsuboi M, Ooka Y, Katsuura K, Ohara T, Takayama S, Kimura M, Kasanuki J, Ai M, Yokosuka A. Confirmation of the antispasmodic effect of shakuyaku-kanzo-to (TJ-68), a Chinese herbal medicine, on the duodenal wall by direct spraying during endoscopic retrograde cholangiopancreatography. *J Nat Med* 2009;63:200-3.
118. Yoshida T, Sawa T, Ishiguro T, Horiba A, Minatoguchi S, Fujiwara H. The efficacy of prophylactic Shakuyaku-Kanzo-to for myalgia and arthralgia following carboplatin and paclitaxel combination chemotherapy for non-small cell lung cancer. *Support Care Cancer* 2008;17:315-20.
119. 中井由佳, 飯塚晃, 石毛敦, 他. 芍薬甘草湯の運動機能に及ぼす影響第1報 筋痙縮モデルに対する作用. *和漢医薬学雑誌* 1997;13:356-7.
120. Omiya Y, Suzuki Y, Yuzurihara M, Murata M, Aburada M, Kase Y, Takeda S. Antinociceptive effect of shakuyakukanzoto, a Kampo medicine, in diabetic mice. *J Pharmacol Sci* 2005;99:373-80.
121. Hidaka T, Shima T, Nagira K, Ieki M, Nakamura T, Aono Y, Kuraishi Y, Arai T, Saito S. Herbal medicine Shakuyaku-kanzo-to reduces paclitaxel-induced painful peripheral neuropathy in mice. *Eur J Pain* 2008;13:22-7.
122. 志保井太郎, 陳福士, 百瀬弥寿徳, 飯村美

- 波, 佐久間清, 石井敏浩, 真坂互, 小山朝一, 白井厚治, 弓田長彦. ラットの体重、血圧および電解質(Na^+ , K^+ , Cl^-)に及ぼす芍薬甘草湯の長期投与による影響. 薬理と治療 2009;37:657-61.
123. 原澤茂, 三好秋馬, 三輪剛, 正宗研, 松尾裕, 森治樹, 中澤三郎, 須山哲次, 早川滉, 中島光好. 運動不全型の上腹部愁訴 (dysmotility-like dyspepsia) に対するTJ-43六君子湯の多施設共同市販後臨床試験 二重盲検群間比較法による検討. 医学のあゆみ 1998;187:207-29.
124. Kusunoki H, Haruma K, Hata J, Ishii M, Kamada T, Yamashita N, Honda K, Inoue K, Imamura H, Manabe N, Shiotani A, Tsunoda T. Efficacy of Rikkunshito, a traditional Japanese medicine (Kampo), in treating functional dyspepsia. *Intern Med* 2010;49:2195-202.
125. Matsumura T, Arai M, Yonemitsu Y, Maruoka D, Tanaka T, Suzuki T, Yoshikawa M, Imazeki F, Yokosuka O. The traditional Japanese medicine Rikkunshito increases the plasma level of ghrelin in humans and mice. *J Gastroenterol* 2010;45:300-7.
126. 奥野聡子, 平山果与子, 井上潤一, 山崎恭子, 川原玲子, 横井猛, 佐伯典厚, 船渡孝郎. 術後悪心・嘔吐(PONV)に対する六君子湯による予防的治療. 麻酔 2008;57:1502-9.
127. Takahashi T, Endo S, Nakajima K, Souma Y, Nishida T. Effect of rikkunshito, a chinese herbal medicine, on stasis in patients after pylorus-preserving gastrectomy. *World J Surg* 2009;33:296-302.
128. Hasegawa T, Yamaki K, Muraoka I, Nadai M, Takagi K, Nabeshima T. Effects of traditional Chinese medicines on pharmacokinetics of levofloxacin. *Antimicrob Agents Chemother* 1995;39:2135-7.
129. Oka T, Tamagawa Y, Hayashida S, Kaneda Y, Kodama N, Tsuji S. Rikkunshi-to attenuates adverse gastrointestinal symptoms induced by fluvoxamine. *Biopsychosoc Med* 2007;1:21.
130. 檜村博正, 中原朗, 福富久之. 六君子湯の作用機序をめぐって六君子湯のヒト胃粘膜血行動態に与える影響 レーザードップラー法を用いて. *Progress in Medicine* 1991;11:469-75.
131. 坂上博, 細川鎮史, 山下省吾, 他. 六君子湯の胃粘膜防御因子増強作用について. *Progress in Medicine* 1991;11:497-501.
132. Shiratori M, Shoji T, Kanazawa M, Hongo M, Fukudo S. Effect of rikkunshito on gastric sensorimotor function under distention. *Neurogastroenterol Motil*; doi: 10.1111/j.365-2982.010.01648.x.
133. Takeda H, Sadakane C, Hattori T, Katsurada T, Ohkawara T, Nagai K, Asaka M. Rikkunshito, an herbal medicine, suppresses cisplatin-induced anorexia in rats via 5-HT₂ receptor antagonism. *Gastroenterology* 2008;134:2004-13.
134. Yakabi K, Sadakane C, Noguchi M, Ohno S, Ro S, Chinen K, Aoyama T, Sakurada T, Takabayashi H, Hattori T. Reduced ghrelin secretion in the hypothalamus of rats due to cisplatin-induced anorexia. *Endocrinology* 2010;151:3773-82.
135. Yakabi K, Kurosawa S, Tamai M, Yuzurihara M, Nahata M, Ohno S, Ro S, Kato S, Aoyama T, Sakurada T, Takabayashi H, Hattori T. Rikkunshito and 5-HT_{2C} receptor antagonist

- improve cisplatin-induced anorexia via hypothalamic ghrelin interaction. *Regul Pept* 2010;161:97-105.
136. Takeda H, Muto S, Hattori T, Sadakane C, Tsuchiya K, Katsurada T, Ohkawara T, Oridate N, Asaka M. Rikkunshito ameliorates the aging-associated decrease in ghrelin receptor reactivity via phosphodiesterase III inhibition. *Endocrinology* 2010;151:244-52.
137. Miwa H, Koseki J, Oshima T, Kondo T, Tomita T, Watari J, Matsumoto T, Hattori T, Kubota K, Iizuka S. Rikkunshito, a traditional Japanese medicine, may relieve abdominal symptoms in rats with experimental esophagitis by improving the barrier function of epithelial cells in esophageal mucosa. *J Gastroenterol* 2010;45:478-87.
138. Kido T, Nakai Y, Kase Y, Sakakibara I, Nomura M, Takeda S, Aburada M. Effects of rikkunshi-to, a traditional Japanese medicine, on the delay of gastric emptying induced by N^G-nitro-L-arginine. *J Pharmacol Sci* 2005;98:161-7.
139. Tominaga K, Kido T, Ochi M, Sadakane C, Mase A, Okazaki H, Yamagami H, Tanigawa T, Watanabe K, Watanabe T, Fujiwara Y, Oshitani N, Arakawa T. The Traditional Japanese Medicine Rikkunshito Promotes Gastric Emptying via the Antagonistic Action of the 5-HT₃ Receptor Pathway in Rats. *Evid Based Complement Alternat Med* doi: 10.1093/ecam/nep173.
140. 村国均, 小沢哲郎, 清宮清治, 他. 消化管の空腹期強収縮運動に及ぼす六君子湯の影響. *日本東洋医学雑誌* 1992;43:255-62.
141. 小林隆, 尾辻和彦, 太田好次, 他. Compound 48/80惹起胃粘膜障害の進行に対する黄連解毒湯エキスの抑制効果. 半夏瀉心湯, 六君子湯および胃苓湯エキスとの比較検討. *和漢医薬学雑誌* 1994;11:123-33.
142. 村上和憲. インドメタシン潰瘍形成における活性化白血球の関与と漢方薬による制御. *日本東洋医学雑誌* 1997;48:1-6.
143. 荒川哲男, 小池一成, 福田隆, 他. 胃炎を中心にTJ-43六君子湯によるサイトプロテクション作用の機序に関する検討. *Progress in Medicine* 1993;13:2827-31.
144. 唐方, 中西由香, 中野厚, 他. 加齢に伴うマウスの小腸粘膜の変化に対する漢方薬の作用 六君子湯, 補中益気湯, 人參養榮湯, 半夏瀉心湯エキス剤の作用. *日本東洋医学雑誌* 1997;48:7-15.
145. Kito Y, Suzuki H. Properties of Rikkunshi-to (TJ-43)-induced relaxation of rat gastric fundus smooth muscles. *Am J Physiol Gastrointest Liver Physiol* 2010;298:G755-63.
146. Hayakawa T, Arakawa T, Kase Y, Akiyama S, Ishige A, Takeda S, Sasaki H, Uno H, Fukuda T, Higuchi K, Kobayashi K. Liu-Jun-Zi-Tang, a kampo medicine, promotes adaptive relaxation in isolated guinea pig stomachs. *Drugs Exp Clin Res* 1999;25:211-8.
147. Sakai Y, Nobe K, Maruyama Y, Momose K, Homma I. A traditional herbal medicine, rikkunshi-to (TJ-43), prevents intracellular signaling disorders in gastric smooth muscle of diabetic rats. *Am J Chin Med* 2004;32:245-56.
148. Ito K, Satoh T, Watanabe Y, Ikarashi N, Asano T, Morita T, Sugiyama K. Effects of Kampo medicines on CYP and P-gp activity in vitro.

- Biol Pharm Bull 2008;31:893-6.
149. 竹村司, 田沼弘之, 八木茂, 内ヶ崎周子, 矢島純, 今泉俊資, 児島壯一, 寺木祐一, 當間由子. 補中益気湯のアトピー性皮膚炎に対する有用性の検討 ステロイド外用薬使用量の変化について. *Progress in Medicine* 2009;29:1441-5.
150. Kobayashi H, Ishii M, Takeuchi S, Tanaka Y, Shintani T, Yamatodani A, Kusunoki T, Furue M. Efficacy and Safety of a Traditional Herbal Medicine, Hochu-ekki-to in the Long-term Management of Kikyo (Delicate Constitution) Patients with Atopic Dermatitis: A 6-month, Multicenter, Double-blind, Randomized, Placebo-controlled Study. *Evid Based Complement Alternat Med* doi: 10.1093/ecam/nen003.
151. Yang SH, Yu CL. Antiinflammatory effects of Bu-zhong-yi-qi-tang in patients with perennial allergic rhinitis. *J Ethnopharmacol* 2008;115:104-9.
152. Akashi T, Watanabe A, Morii A, Mizuno I, Fuse H. Effects of the herbal medicine hochuekkito on semen parameters and seminal plasma cytokine levels (TNF- α , IL-6, RANTES) in idiopathic male infertility. *J Trad Med* 2008;25:6-9.
153. Kimura M, Sasada T, Kanai M, Kawai Y, Yoshida Y, Hayashi E, Iwata S, Takabayashi A. Preventive effect of a traditional herbal medicine, hochu-ekki-to, on immunosuppression induced by surgical stress. *Surgery Today* 2008;38:316-22.
154. 齋藤信也, 岩垣博巳, 小林直哉, 田中紀章, 河島留一, 竹内義明, 三宅三喜男, 瀧上隆夫, 嶋村廣視, 渡辺哲夫, 光岡直志, 前田徹也. 胃癌・大腸癌の手術侵襲に対する漢方補剤TJ-41の効果について. *日本臨床外科学会雑誌* 2006;67:568-74.
155. Jeong JS, Ryu BH, Kim JS, Park JW, Choi WC, Yoon SW. Bojungikki-tang for cancer-related fatigue: a pilot randomized clinical trial. *Integr Cancer Ther* 2010;9:331-8.
156. Nishida S. Effect of Hochu-ekki-to on asymptomatic MRSA bacteriuria. *Journal of Infection and Chemotherapy* 2003;9:58-61.
157. Satoh N, Sakai S, Kogure T, Tahara E, Origasa H, Shimada Y, Kohoda K, Okubo T, Terasawa K. A randomized double blind placebo-controlled clinical trial of Hochuekkito, a traditional herbal medicine, in the treatment of elderly patients with weakness N of one and responder restricted design. *Phytomedicine* 2005;12:549-54.
158. Kuroiwa A, Liou S, Yan H, Eshita A, Naitoh S, Nagayama A. Effect of a traditional Japanese herbal medicine, hochu-ekki-to (Bu-Zhong-Yi-Qi Tang), on immunity in elderly persons. *Int Immunopharmacol* 2004;4:317-24.
159. Hamazaki K, Sawazaki S, Itomura M, Huan M, Shibahara N, Kawakita T, Kobayashi S, Hamazaki T. No effect of a traditional Chinese medicine, Hochu-ekki-to, on antibody titer after influenza vaccination in man: a randomized, placebo-controlled, double-blind trial. *Phytomedicine* 2007;14:11-4.
160. Gao XK, Fuseda K, Shibata T, Tanaka H, Inagaki N, Nagai H. Kampo Medicines for Mite Antigen-Induced Allergic Dermatitis in NC/Nga Mice. *Evid Based Complement Alternat Med* 2005;2:191-9.

161. Kobayashi H, Mizuno N, Kutsuna H, Teramae H, Ueoku S, Onoyama J, Yamanaka K, Fujita N, Ishii M. Hochu-ekki-to suppresses development of dermatitis and elevation of serum IgE level in NC/Nga mice. *Drugs Exp Clin Res* 2003;29:81-4.
162. Nakada T, Watanabe K, Matsumoto T, Santa K, Triizuka K, Hanawa T. Effect of orally administered Hochu-ekki-to, a Japanese herbal medicine, on contact hypersensitivity caused by repeated application of antigen. *Int Immunopharmacol* 2002;2:901-11.
163. 上野幸三, 養父佐知子, 高橋円, 陳虹, 坂本泰寿, 飯倉洋治. 食物アレルギーモデルマウスの肝臓に対する補中益気湯の抗アレルギー作用の検討. *漢方と最新治療* 2002;11:73-8.
164. 小笠原奈緒子, 上野幸三, 坂本泰寿, 小田嶋安平. 食物アレルギーモデルマウスの肝臓及び小腸障害への補中益気湯の治療効果の検討. *昭和医学会雑誌* 2004;64:78-88.
165. 上野幸三, 養父佐知子, 高橋円, 満川香織, 酒井菜穂, 神谷太郎, 小田嶋安平. 小児アレルギー疾患と漢方 食物アレルギーモデルマウスを用いた治療方法の比較検討 補中益気湯, 柴胡清肝湯, Splatast及びフラクトオリゴ糖の作用機序. *日本小児東洋医学会誌* 2004;20:89-93.
166. Ishimitsu R, Nishimura H, Kawauchi H, Kawakita T, Yoshikai Y. Dichotomous effect of a traditional Japanese medicine, bu-zhong-yi-qi-tang on allergic asthma in mice. *Int Immunopharmacol* 2001;1:857-65.
167. Maeda Y, Tanaka K, Sawamura S, Hasumi K, Koga Y. Therapeutic effect of a traditional Chinese medicine, Bu-zhong-yi-qi-tang (Japanese name: Hochu-ekki-to) through controlling Th1/Th2 balance. *J Trad Med* 2001;18:20-6.
168. Kiyohara H, Nagai T, Munakata K, Nonaka K, Hanawa T, Kim SJ, Yamada H. Stimulating effect of Japanese herbal (kampo) medicine, hochuekkito on upper respiratory mucosal immune system. *Evid Based Complement Alternat Med* 2006;3:459-67.
169. Matsumoto T, Noguchi M, Hayashi O, Makino K, Yamada H. Hochuekkito, a Kampo (traditional Japanese herbal) medicine, enhances mucosal iga antibody response in mice immunized with antigen-entrapped biodegradable microparticles. *Evid Based Complement Alternat Med* doi: 10.1093/ecam/nem166.
170. Tajima S, Bando M, Yamasawa H, Ohno S, Moriyama H, Takada T, Suzuki E, Gejyo F, Sugiyama Y. Preventive effect of Hochu-ekki-to on lipopolysaccharide-induced acute lung injury in BALB/c mice. *Lung* 2006;184:318-23.
171. Cho S, Hong T, Kaneko A, Yoshino G, Sato N, Kikuchi K, Aikawa Y, Yasuno F, Inoue K, Cyong JC. Evaluation of immunological effects of hochu-ekki-to (TJ-41) prophylactic administration in mice. *Am J Chin Med* 2004;32:235-43.
172. Hai le X, Kogure T, Niizawa A, Fujinaga H, Sakakibara I, Shimada Y, Watanabe H, Terasawa K. Suppressive effect of hochu-ekki-to on collagen induced arthritis in DBA1J mice. *J Rheumatol* 2002;29:1601-8.
173. Kogure T, Tatsumi T, Niizawa A, Fujinaga H,

- Shimada Y, Terasawa K. The Population of CD40L-expressing Cells was Slightly but not Significant Decreased in Lymphoid Tissues of Collagen Induced Arthritic Mice Treated with Hochu-Ekki-To. *Yakugaku Zasshi* 2007;127:547-50.
174. Gao X, Tanaka H, Inagaki N, Teramachi H, Tsuchiya T, Nagai H. Immunopharmacological studies on the effects of Juzentaihoto and Hochuekkito on experimental autoimmune encephalomyelitis in rats. *J Trad Med* 2006;23:196-202.
175. 李愛麗, 小松靖弘, 小野裕, 他. がん化学療法剤によるマウス後天的免疫不全状態の生薬別回復の特徴. *感染症学雑誌* 1996;70:717-26.
176. Li T, Tamada K, Abe K, Tada H, Onoe Y, Tatsugami K, Harada M, Kubo C, Nomoto K. The restoration of the antitumor T cell response from stress-induced suppression using a traditional Chinese herbal medicine Hochu-ekki-to (TJ-41:Bu-Zhong-Yi-Qi-Tang). *Immunopharmacol* 1999;43:11-21.
177. Ishih A, Nagata T, Miyase T, Ohori K, Terada M. Protective effects of a kampo medicine, Hochu-ekki-to (TJ-41) on lethal malarial infection with *Plasmodium chabaudi* AS in A/J mice. *J Nat Med* 2007;61:280-7.
178. Kiyohara H, Nonaka K, Sekiya M, Matsumoto T, Nagai T, Tabuchi Y, Yamada H. Polysaccharide-containing macromolecules in a kampo (traditional Japanese herbal) medicine, hochuekkito: dual active ingredients for modulation of immune functions on intestinal peyer's patches and epithelial cells. *Evid Based Complement Alternat Med* doi: 10.1093/ecam/nep193.
179. Harada M, Seta K, Ito O, Tamada K, Li T, Terao H, Takenoyama M, Kimura G, Nomoto K. Concomitant immunity against tumor development is enhanced by the oral administration of a kampo medicine, Hochu-ekki-to (TJ-41: Bu-Zhong-Yi-Qi-Tang). *Immunopharmacol Immunotoxicol* 1995;17:687-703.
180. Tsuneoka N, Tajima Y, Kitasato A, Fukuda K, Kitajima T, Adachi T, Mishima T, Kuroki T, Onizuka S, Kanematsu T. Chemopreventative effect of hochu-ekki-to (TJ-41) on chemically induced biliary carcinogenesis in hamsters. *J Surg Res* 2009;151:22-7.
181. Onogi K, Niwa K, Tang L, Yun W, Mori H, Tamaya T. Inhibitory effects of Hochu-ekki-to on endometrial carcinogenesis induced by N-methyl-N-nitrosourea and 17 β -estradiol in mice. *Oncol Rep* 2006;16:1343-8.
182. Kim SH, Lee SE, Oh H, Kim SR, Yee ST, Yu YB, Byun MW, Jo SK. The radioprotective effects of bu-zhong-yi-qi-tang: a prescription of traditional Chinese medicine. *Am J Chin Med* 2002;30:127-37.
183. Yamaoka Y, Kawakita T, Nomoto K. Protective effect of a traditional Japanese medicine Hochu-ekki-to (Chinese name: Bu-zhong-yi-qi-tang), on the susceptibility against *Listeria monocytogenes* in infant mice. *Int Immunopharmacol* 2001;1:1669-77.
184. Yan X, Kita M, Minami M, Yamamoto T, Kuriyama H, Ohno T, Iwakura Y, Imanishi J. Antibacterial effect of Kampo herbal formulation Hochu-ekki-to (Bu-Zhong-Yi-Qi-Tang) on *Helicobacter pylori*

- infection in mice. *Microbiol Immunol* 2002;46:475-82.
185. Tajima S, Bando M, Yamasawa H, Ohno S, Moriyama H, Terada M, Takada T, Suzuki E, Gejyo F, Sugiyama Y. Preventive effect of hochu-ekki-to, a Japanese herbal medicine, on bleomycin-induced lung injury in mice. *Respirol* 2007;12:814-22.
186. Ochi T, Kawakita T, Nomoto K. Effects of Hochu-ekki-to and Ninjin-yousei-to, traditional Japanese medicines, on porcine serum-induced liver fibrosis in rats. *Immunopharmacol Immunotoxicol* 2004;26:285-98.
187. Wang XQ, Takahashi T, Zhu SJ, Moriya J, Saegusa S, Yamakawa J, Kusaka K, Itoh T, Kanda T. Effect of Hochu-ekki-to (TJ-41), a Japanese Herbal Medicine, on Daily Activity in a Murine Model of Chronic Fatigue Syndrome. *Evid Based Complement Alternat Med* 2004;1:203-6.
188. Chen R, Moriya J, Yamakawa J, Takahashi T, Li Q, Morimoto S, Iwai K, Sumino H, Yamaguchi N, Kanda T. Brain atrophy in a murine model of chronic fatigue syndrome and beneficial effect of Hochu-ekki-to (TJ-41). *Neurochem Res* 2008;33:1759-67.
189. Song QH, Toriizuka K, Kobayashi T, Iijima K, Hong T, Cyong JC. Effect of Kamפו herbal medicines on murine water metabolism in a microgravity environment. *Am J Chin Med* 2002;30:617-27.
190. Kuroiwa A, Liou S, Yan H, Eshita A, Naitoh S, Nagayama A. Effect of a traditional Japanese herbal medicine, hochu-ekki-to (Bu-Zhong-Yi-Qi Tang), on immunity in elderly persons. *Int Immunopharmacol* 2003;4:317-24.

III. 研究成果の刊行に関する一覧表

原著論文

発表者氏名	タイトル名	発表誌名	巻, 号	ページ	出版年
Tanaka K. 他	Comparison of Glycyrrhizae Radix from various sources using a multivariate statistical approach	J. Trad. Med	27	210-216	2010
Tanaka K. 他	Multi-stage mass spectrometric analysis of saponins in Glycyrrhiza radix	Nat. Prod. Comm	6	7-10	2011
Horai H. 他	MassBank: a public repository for sharing mass spectral data for life sciences	Journal of Mass Spectrometry	45(7)	703-714	2010
Kojoma M. 他	Variation of glycyrrhizin and liquiritin contents within a population of 5-year-old licorice (<i>Glycyrrhiza uralensis</i>) plants cultivated under the same conditions	Biol. Pharm. Bull.		submitted	2011

単行本

著者氏名	タイトル名	編集者名	書籍名	出版社名	出版地	出版年	ページ
柴田敏郎	センキュウ、シャクヤク、トウキ 分担執筆		作物学大系第7巻	朝倉書店	東京	2011	(印刷中)
菱田敦之他	オタネニンジン 分担執筆		作物学大系第7巻	朝倉書店	東京	2011	(印刷中)
林茂樹他	カンゾウ 分担執筆		作物学大系第7巻	朝倉書店	東京	2011	(印刷中)

