

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Megumu Ito, Kenji Miyado, Koji Nakagawa, Miho Muraki, Misa Imai, Naomi Yamakawa, Junwen Qin, Yoshihiko Hosoi, Hidekazu Saito, Yuji Takahashi	Age-associated changes in the subcellular localization of phosphorylated p38 MAPK in human granulosa cells	Mol Hum Reprod	16	928-937	2010
Kuk C, Gunawardana CG, Soosaipillai A, Kobayashi H, Li L, Zheng Y, Diamandis EP.	Nidogen-2: A new serum biomarker for ovarian cancer.	Clin Biochem.	43(4-5)	355-61	2010
Kobayashi H.	Screening, epidemiology, molecular biology, and treatment strategies for endometriosis-associated ovarian cancer.	Reprod. Med. Biol.	9 (1)	17-22	2010
Shigetomi H, Onogi A, Kajiwara H, Yoshida S, Furukawa N, Haruta S, Tanase Y, Kanayama S, Noguchi T, Yamada Y, Oi H, Kobayashi H.	Anti-inflammatory actions of serine protease inhibitors containing the Kunitz domain.	Inflamm Res.	59(9)	679-87	2010
Kajihara H, Yamada Y, Kanayama S, Furukawa N, Noguchi T, Haruta S, Yoshida S, Sado T, Oi H, Kobayashi H.	Clear cell carcinoma of the ovary: potential pathogenic mechanisms.	Oncol Rep.	23(5)	1193-203	2010

Yamada Y, Shigetomi H, Onogi A, Haruta S, Kawaguchi R, Yoshida S, Furukawa N, Nagai A, Tanase Y, Tsunemi T, Oi H, <u>Kobayashi H.</u>	New insights into pattern recognition receptors and their ligands in gynecologic pathologies.	Hum Immunol.	2010 Dec 15	2010 Dec 15	2010
Sado T, Kitanaka T, Naruse K, Oi H, Noguchi T, Yoshida S, Kajihara H, Shigetomi H, Oonogi A, <u>Kobayashi H.</u>	Anticytokine Therapy in Preterm Labor: Current Knowledge and Future Perspectives.	Gynecol Obstet Invest.	71(1)	1-10	2010
Noguchi T, Sado T, Naruse K, Shigetomi H, Onogi A, Haruta S, Kawaguchi R, Nagai A, Tanase Y, Yoshida S, Kitanaka T, Oi H, <u>Kobayashi H.</u>	Evidence for activation of Toll-like receptor and receptor for advanced glycation end products in preterm birth.	Mediators Inflamm.	2010	490406	2010
Mizutani S, Wright J, <u>Kobayashi H.</u>	A new approach regarding the treatment of preeclampsia and preterm labor.	Life Sci.	88(1-2)	17-23.	2010
Mizutani S, Wright JW, <u>Kobayashi H.</u>	Placental Leucine Aminopeptidase- and Aminopeptidase A- Deficient Mice Offer Insight concerning the Mechanisms Underlying Preterm Labor and Preeclampsia.	J Biomed Biotechnol.	2011	286947	2011
Kajihara H, Yamada Y, Kanayama S, Furukawa N, Noguchi T, Haruta S, Yoshida S, Sado T, Oi H, <u>Kobayashi H.</u>	New insights into the pathophysiology of endometriosis: from chronic inflammation to danger signal.	Gynecol Endocrinol.	27(2)	73-9	2011

Kaei Nasu, Akitoshi Yuge, Akitoshi Tsuno, Hisashi Narahara	Mevalonate-Ras homology (Rho)/Rho-associated coiled-coil-forming protein kinase (ROCK)-mediated signaling pathway as a therapeutic target for the treatment of endometriosis-associated fibrosis	Curr Signal Transduct Ther	5 (2)	141-148	2010
Kaei Nasu, Akitoshi Tsuno, Marina Hirao, Hironao Kobayashi, Akitoshi Yuge, Hisashi Narahara	Heparin is a promising agent for the treatment of endometriosis-associated fibrosis	Fertil Steril	94 (1)	46-51	2010
西田正和, 榎原久司	妊孕性向上のための内膜症治療 ジェノゲスト	産と婦	77 (7)	828-832	2010
奈須家栄, 榎原久司	子宮内膜症におけるアポトーシスの異常とアポトーシスを誘導する薬物療法の可能性	産婦治療	101(3)	317-320	2010
川野由紀枝, 奈須家栄, 津野晃寿, 高井教行, 黎海莉, 安達正武, 吉田俊恵, 河野康志, 榎原久司	培養子宮内膜症細胞に対するバルプロ酸のエピジェネティック修飾効果についての検討	日エンドメトリ オーシス会誌	31	222-224	2010
Harada M., Hiroi H., Fujiwara T., Fujimoto A., Kikuchi A., Osuga Y., Momoeda M., Kugu K., Yano T., Taketani Y.	Case of chronic ectopic pregnancy diagnosed in which the complete shape of the fetus was visible by ultrasonography	J Obstet Gynaecol Res	36	462-465	2010
Hasegawa A., Yoshino O., Osuga Y., Kodama A., Takamura M., Nishii O., Taketani Y.	Hyaluronic acid reagent suppressed endometriotic lesion formation in a mouse model.	Fertil Steril	93	2757-2759	2010

Hirata T., Osuga Y., Takamura M., Kodama A., Hirota Y., Koga K., Yoshino O., Harada M., Takemura Y., Yano T., Taketani Y.	Recruitment of CCR6-expressing Th17 cells by CCL 20 secreted from IL-1 beta-, TNF-alpha-, and IL-17A-stimulated endometriotic stromal cells.	Endocrinology	151	5468- 5476	2010
Hirota Y., Acar N., Tranguch S., Burnum K.E., Xie H., Kodama A., Osuga Y., Ustunel I., Friedman D.B., Caprioli R.M., Daikoku T., Dey S.K.	Uterine FK506-binding protein 52 (FKBP52)-peroxiredoxin-6 (PRDX6) signaling protects pregnancy from overt oxidative stress	Proc Natl Acad Sci USA	107	15577- 15582	2010
Isono W., Tsutsumi R., Wada-Hiraike O., Fujimoto A., Osuga Y., Yano T., Taketani Y.	Uterine artery pseudoaneurysm after cesarean section: case report and literature review.	Minim Invasive Gynecol	17	687-691	2010
Yoshino O., Hayashi T., Osuga Y., Orisaka M., Asada H., Okuda S., Hori M., Furuya M., Onuki H., Sadoshima Y., Hiroi H., Fujiwara T., Kotsuji F., Yoshimura Y., Nishii O., Taketani Y.	Decreased pregnancy rate is linked to abnormal uterine peristalsis caused by intramural fibroids.	Hum Reprod	25	2475- 2479	2010
Mori M., Kitazume M., Ose R., Kurokawa J., Koga K., Osuga Y., Arai S., Miyazaki T.	Death effector domain-containing protein (DEDD) is required for uterine decidualization during early pregnancy in mice.	J Clin Invest	121	318-327	2011

Taguchi A., Koga K., Osuga Y., Fujimoto A., Miyasaka A., Yano T., Kurokawa M., Taketani Y.	Successful management of a ruptured endometrial cyst in acute leukemia.	Fertil Steril.	95	292 e291- 293	2011
Kimura N, Tsunoda S, Iuchi Y, Abe H, Totsukawa K, Fuji J.	Intrinsic oxidative stress causes either two-cell arrest or cell death depending on developmental stage of the embryos from SOD1-deficient mice	Mol Hum Reprod	16	441-451	2010
Iuchi Y, Kibe N, Tsunoda S, Suzuki S, Mikami T, Okada F, Uchida K, Fuji J.	Implication of oxidative stress as a cause of autoimmune hemolytic anemia in the NZB mice.	Free Radic Biol Med	48	935-944	2010
Ikeda Y, Ito R, Ihara H, Okada T, Fuji J	Expression of N-terminally truncated forms of rat peroxiredoxin-4 in insect cells.	Protein Expr Purif	72	1-7	2010
Iuchi Y, Roy D, Okada F, Kibe N, Tsunoda S, Suzuki S, Takahashi M, Yokoyama H, Yoshitake J, Kondo S, Fuji J	Spontaneous skin damage and delayed wound healing in SOD1-deficient mice.	Mol Cell Biochem	341	181-194	2010
Bertolotti M, Yim SH, Masciarelli S, Kim YJ, Garcia-Manteiga JM, Vene' R, Iuchi Y, Kang MH, Fuji J, Rubartelli A, Rhee SG, Sitia R.	B to plasma cell terminal differentiation entails oxidative stress and profound reshaping of the antioxidant responses.	Antioxid Redox Signal	13	1133- 1144	2010

Otaki N, Chikazawa M, Nagae R, Shimozu Y, Shibata T, Ito S, Takasaki Y, <u>Fujii J</u> , Uchida K	Identification of a lipid peroxidation product as the source of oxidation-specific epitopes recognized by anti-DNA autoantibodies	J Biol Chem	285	33834-33842	2010
<u>Fujii J</u> , Tsunoda S	Redox regulation of spermatogenic process and fertilization	Asian J Androl			2011 in press
<u>Fujii J</u> , Ito JI, Zhang X, Kurahashi T.	Unveiling the roles of the glutathione redox system in vivo by analyzing genetically modified mice	J Clin Biochem Nutr			2011 in press
Ikeda Y, Nakano M, Ihara H, Ito R, Taniguchi N, <u>Fujii J</u> .	Different consequences of the reactions with hydrogen peroxide and t-butyl hydroperoxide in the hyperoxidative inactivation of rat peroxiredoxin-4	J Biochem			2011 in press
Sasaki N, Hirano T, Kobayashi K, Toyoda M, Miyakawa Y, Okita H, Kiyokawa N, <u>Akutsu H</u> , Umezawa A, Nishihara S.	Chemical inhibition of sulfation accelerates neural differentiation of mouse embryonic stem cells and human induced pluripotent stem cells.	Biochem Biophys Res Commun	401	480-486	2010
Nishino K, Toyoda M, Yamazaki-Inoue M, Makino H, Fukawatase Y, Chikazawa E, Takahashi Y, Miyagawa Y, Okita H, Kiyokawa N, <u>Akutsu H</u> , Umezawa A.	Defining hypo-methylated regions of stem cell-specific promoters in human iPS cells derived from extra-embryonic amnions and lung fibroblasts.	PLoS One	5	e13 017	2010
Adachi T, Wang X, Murata T, Obara M, <u>Akutsu H</u> , Machida M, Umezawa A, Tomita M.	Production of a non-triple helical collagen alpha chain in transgenic silkworms and its evaluation as a gelatin substitute for cell culture.	Biotechnol Bioeng.	106	860-870	2010

Stadtfeld M, Apostolou E, <u>Akutsu H</u> , Fukuda A, Follett P, Natesan S, Kono T, Shioda T, Hochedlinger K.	Aberrant silencing of imprinted genes on chromosome 12qF1 in mouse induced pluripotent stem cells.	Nature	465	175-181	2010
Yamada M, Hamatani T, <u>Akutsu H</u> , Chikazawa N, Kuji N, Yoshimura Y, Umezawa A.	Involvement of a novel preimplantation-specific gene encoding the high mobility group box protein Hmgpi in early embryonic development.	Hum Mol Genet.	19	480-493	2010
Kawano N, Yoshida K, <u>Miyado K</u> , Yoshida M	Lipid Rafts: Keys to Sperm Maturation, Fertilization, and Early Embryogenesis	Journal of Lipids			2011 in press
Kawano N, Yoshida K, Harada Y, Onami N, Takezawa Y, <u>Miyado K</u>	Roles of CD9 and CD9-containing exosomes in sperm-egg membrane fusion.	Journal of Mammalian Ova Research	27(4)	191-197	2010
Ito M, <u>Miyado K</u> , Nakagawa K, Muraki M, Imai M, Yamakawa N, Qin J, Hosoi Y, Saito H, Takahashi Y.	Age-associated changes in the subcellular localization of phosphorylated p38 MAPK in human granulosa cells.	Molecular Human Reproduction	16(12)	928-937	2010
Kawano N., Kang W., Yamashita M., Koga Y., Yamazaki T., Hata T., <u>Miyado K.</u> , Baba T.	Mice lacking two sperm serine proteases, ACR and PRSS21, are subfertile, but the Mutant Sperm are infertile in vitro.	Biology of Reproduction	83(3)	359-369	2010
Ito C, Yamatoya K, Yoshida K, Maekawa M, <u>Miyado K</u> , Toshimori K.	Tetraspanin family protein CD9 in the mouse sperm: unique localization, appearance, behavior and fate during fertilization.	Cell Tissue and Research	340(3)	583-594	2010
Kawano N, Yoshida K, Harada Y, Onami N, Takezawa Y, <u>Miyado K</u>	Roles of CD9 and CD9-containing exosomes in sperm-egg membrane fusion.	Journal of Mammalian Ova Research	27(4)	191-197	2010

<p>*Sasawatari, S., *Okamura, T., *Kasumi, E., Tanaka-Furuyama, K., Yanobu-Takanashi, R., Shirasawa, S., Kato, N. and Toyama-Sorimachi, N. *These authors equally contributed to this work</p>	<p>The solute carrier family15A4 regulates TLR9 and NOD1 functions in the innate immune system and promotes colitis in mice.</p>	<p>Gastroenterology</p>			<p>2010 in press</p>
<p>Haga, S., Nagata, N., Okamura, T., Yamamoto, N., Sata, T., Yamamoto, N., Sasazuki, T. and Ishizaka, Y.</p>	<p>TACE antagonists blocking ACE2 shedding caused by the spike protein of SARS-CoV are candidate antiviral compounds.</p>	<p>Antiviral Res.</p>	<p>85</p>	<p>551-555</p>	<p>2010</p>

