

- 1 Kohno, T., Shimamura, K., Tosaka, M., Tani, M., Kim, S. R., Sugimura, H., Nohmi, T., Kasai, H.,
2 and Yokota, J. (1998). Genetic polymorphisms and alternative splicing of the hOGG1 gene,
3 that is involved in the repair of 8-hydroxyguanine in damaged DNA. *Oncogene* **16**,
3219–3225.
4 Kohno, T., Kunith, H., Toyama, K., Yamamoto, S., Kuchiba, A., Saito, D., Yanagitan, N.,
5 Ishihara, S., Saito, R., and Yokota, J. (2006). Association of the OGG1-Ser326Cys polymor-
6 phism with lung adenocarcinoma risk. *Cancer Sci.* **97**, 724–728.
7 Kohno, T., Kunith, H., Shimada, Y., Shiraishi, K., Ishii, Y., Goto, K., Ohe, Y., Nishiwaki, Y.,
8 Kuchiba, A., Yamamoto, S., Hirose, H., Oka, A., et al. (2010). Individuals susceptible to lung
9 adenocarcinoma defined by combined HLA-DQA1 and TERT genotypes. *Carcinogenesis* **31**,
834–841.
10 Kohno, T., Kunith, H., Mimaki, S., Shiraishi, K., Kuchiba, A., Yamamoto, S., and Yokota, J.
11 Contribution of the TP53, OGG1, CHRNA3 and HLA-DQA1 genes to the risk for lung
12 squamous cell carcinoma. *J. Thorac. Oncol.* (In Press).
13 Landi, M. T., Chatterjee, N., Yu, K., Goldin, L. R., Goldstein, A. M., Rotunno, M.,
14 Mirabello, L., Jacobs, K., Wheeler, W., Yeager, M., Bergen, A. W., Li, Q., et al. (2009). A
15 genome-wide association study of lung cancer identifies a region of chromosome 5p15
16 associated with risk for adenocarcinoma. *Am. J. Hum. Genet.* **85**, 679–691.
17 Le Calvez, F., Mukeria, A., Hunt, J. D., Kelm, O., Hung, R. J., Taniere, P., Brennan, P.,
18 Boffetta, P., Zaridze, D. G., and Hainaut, P. (2005). TP53 and KRAS mutation load and
19 types in lung cancers in relation to tobacco smoke: Distinct patterns in never, former, and
20 current smokers. *Cancer Res.* **65**, 5076–5083.
21 Li, H., Hao, X., Zhang, W., Wei, Q., and Chen, K. (2008). The hOGG1 Ser326Cys polymor-
22 phism and lung cancer risk: A meta-analysis. *Cancer Epidemiol. Biomarkers Prev.* **17**,
1739–1745.
23 Li, Y., Sheu, C. C., Ye, Y., de Andrade, M., Wang, L., Chang, S. C., Aubrey, M. C., Aakre, J. A.,
24 Allen, M. S., Chen, F., Cunningham, J. M., Deschamps, C., et al. (2010). Genetic variants and
25 risk of lung cancer in never smokers: A genome-wide association study. *Lancet Oncol.* **11**,
321–330.
26 Lips, E. H., Gaborieau, V., McKay, J. D., Chabrier, A., Hung, R. J., Boffetta, P., Hashibe, M.,
27 Zaridze, D., Szczesna-Dabrowska, N., Lissowska, J., Rudnai, P., Fabianova, E., et al. (2010).
28 Association between a 15q25 gene variant, smoking quantity and tobacco-related cancers
29 among 17000 individuals. *Int. J. Epidemiol.* **39**, 563–577.
30 Liu, P., Vikis, H. G., Lu, Y., Wang, Y., Schwartz, A. G., Pinney, S. M., Yang, P., de Andrade, M.,
31 Gazdar, A., Gaba, C., Mandal, D., Lee, J., et al. (2010a). Cumulative effect of multiple loci on
32 genetic susceptibility to familial lung cancer. *Cancer Epidemiol. Biomarkers Prev.* **19**,
517–524.
33 Liu, J. Z., Tozzi, F., Waterworth, D. M., Pillai, S. G., Muglia, P., Middleton, L., Berrettini, W.,
34 Knouff, C. W., Yuan, X., Waeber, G., Vollenweider, P., Preisig, M., et al. (2010b). Meta-
35 analysis and imputation refines the association of 15q25 with smoking quantity. *Nat. Genet.*
36 42, 436–440.
37 McClellan, J., and King, M. C. (2010). Genetic heterogeneity in human disease. *Cell* **141**,
210–217.
38 McKay, J. D., Hung, R. J., Gaborieau, V., Boffetta, P., Chabrier, A., Byrnes, G., Zaridze, D.,
39 Mukeria, A., Szczesna-Dabrowska, N., Lissowska, J., Rudnai, P., Fabianova, E., et al.
40 (2008). Lung cancer susceptibility locus at 5p15.33. *Nat. Genet.* **40**, 1404–1406.
41 Pillai, S. G., Ge, D., Zhu, G., Kong, X., Shianna, K. V., Need, A. C., Feng, S., Hersh, C. P.,
42 Bakke, P., Gulsvik, A., Ruppert, A., Lødrup Carlsen, K. C., et al. (2009). A genome-wide
43 association study in chronic obstructive pulmonary disease (COPD): Identification of two
major susceptibility loci. *PLoS Genet.* **5**, e1000421.
44

11 Au1

- 1 Rafnar, T., Sulem, P., Stacey, S. N., Geller, F., Gudmundsson, J., Sigurdsson, A., 1
2 Jakobsdottir, M., Helgadottir, H., Thorlakson, S., Aben, K. K., Blöndal, T., 2
3 Thorgeirsson, T. E., et al. (2009). Sequence variants at the TERT-CLPTM1L locus associate 3
with many cancer types. *Nat. Genet.* **41**, 221–227.
4 Reid, M. E., Santella, R., and Ambrosone, C. B. (2008). Molecular epidemiology to better 4
predict lung cancer risk. *Clin. Lung Cancer* **9**, 149–153.
5 Rubin, H. (2001). Synergistic mechanisms in carcinogenesis by polycyclic aromatic hydrocar- 6
bons and by tobacco smoke: A bio-historical perspective with updates. *Carcinogenesis* **22**, 7
1903–1930.
8 Schwartz, A. G., Prymak, G. M., Bock, C. H., and Cote, M. L. (2007). The molecular epidemi- 8
ology of lung cancer. *Carcinogenesis* **28**, 507–518.
9 Shiraiishi, K., Kohno, T., Kunitoh, H., Watanabe, S., Goto, K., Nishiwaki, Y., Shimada, Y., 10
Hirose, H., Saito, I., Kuchiba, A., Yamamoto, S., and Yokota, J. (2009). Contribution of 11
nicotine acetylcholine receptor polymorphisms to lung cancer risk in a smoking-indepen- 12
dent manner in the Japanese. *Carcinogenesis* **30**, 65–70.
13 Sobue, T., Yamamoto, S., Hara, M., Sasazuki, S., Sasaki, S., and Tsugane, S. (2002). Cigarette 13
smoking and subsequent risk of lung cancer by histologic type in middle-aged Japanese men 14
and women: The JPHC study. *Int. J. Cancer* **99**, 245–251.
15 Spitz, M. R., Amos, C. I., Dong, Q., Lin, J., and Wu, X. (2008). The CHRNA5-A3 region on 16
chromosome 15q24-25.1 is a risk factor both for nicotine dependence and for lung cancer. 17
J. Natl. Cancer Inst. **21**, 1552–1556.
18 Stacey, S. N., Sulem, P., Masson, G., Gudjonsson, S. A., Thorleifsson, G., Jakobsdottir, M., 18
Sigurdsson, A., Gudbjartsson, D. F., Sigurgeirsson, B., Benediktsdottir, K. R., 19
Thorsdottir, K., Ragnarsson, R., et al. (2009). New common variants affecting susceptibility 20
to basal cell carcinoma. *Nat. Genet.* **41**, 909–914.
21 Subramanian, J., and Govindan, R. (2008). Molecular genetics of lung cancer in people who 22
have never smoked. *Lancet Oncol.* **9**, 676–682.
22 Sugimura, H., Kohno, T., Wakai, K., Nagura, K., Genka, K., Igarashi, H., Morris, B. J., Baba, S., 23
Ohno, Y., Gao, C., Li, Z., Wang, J., et al. (1999). hOGG1 Ser326Cys polymorphism and lung 24
cancer susceptibility. *Cancer Epidemiol. Biomarkers Prev.* **8**, 669–674.
25 Sun, S., Schiller, J. H., and Gazdar, A. F. (2007). Lung cancer in never smokers—A different 26
disease. *Nat. Rev. Cancer* **7**, 778–790.
27 Thorgeirsson, T. E., Geller, F., Sulem, P., Rafnar, T., Wiste, A., Magnusson, K. P., Manolescu, A., 28
Thorleifsson, G., Stefansson, H., Ingason, A., Stacey, S. N., Bergthorsson, J. T., et al. (2008). 28
A variant associated with nicotine dependence, lung cancer and peripheral arterial disease. 29
Nature **452**, 638–642. 30
31 Thorgeirsson, I. E., Gudbjartsson, D. F., Surakka, I., Vink, J. M., Amin, N., Geller, F., Sulem, P.,
Rafnar, T., Esko, T., Walter, S., Gieger, C., Rawal, R., et al. (2010). Sequence variants at
CHRNB3-CHRNA6 and CYP2A6 affect smoking behavior. *Nat. Genet.* **42**, 448–453.
32 Travis, W. D., Brambilla, E., Muller-Hermelink, H. K., and Harris, C. C. (2004). Pathology and 33
genetics, tumours of lung, pleura, thymus and heart. In: World Health Organization Classifi- 34
cation of Tumors, (W. D. Travis, E. Brambilla, H. K. Muller-Hermelink, and C. C. Harris, 35
Eds.), pp. 1–344. IARC Press, Lyon.
36 Truong, T., Hung, R. J., Amos, C. I., Wu, X., Bickeboller, H., Rosenberger, A., Sauter, W., 37
Illeg, T., Wichmann, H. E., Risch, A., Dienemann, H., Kaaks, R., et al. (2010). Replication of 38
lung cancer susceptibility loci at chromosomes 15q25, 5p15, and 6p21: A pooled analysis 38
from the International Lung Cancer Consortium. *J. Natl. Cancer Inst.* **102**, 959–971.
39 Wang, Y., Broderick, P., Webb, E., Wu, X., Vijayakrishnan, J., Matakidou, A., Qureshi, M., 40
Dong, Q., Gu, X., Chen, W. V., Spitz, M. R., Eisen, T., et al. (2008). Common 5p15.33 and 41
6p21.33 variants influence lung cancer risk. *Nat. Genet.* **40**, 1407–1409.
42 43

- 1 Wang, Y., Broderick, P., Matakidou, A., Eisen, T., and Houlston, R. S. (2010). Role of Sp15.33
2 (TERT-CLPTM1L), 6p21.33 and 15q25.1 (CHRNA5-CHRNA3) variation and lung cancer
3 risk in never-smokers. *Carcinogenesis* **31**, 234–238.
4 Whibley, C., Pharoah, P. D., and Hollstein, M. (2009). p53 polymorphisms: Cancer implications. *Nat. Rev. Cancer* **9**, 95–107.
5 Wilkering, S., Bermejo, J. L., and Hemminki, K. (2007). MDM2 SNP309 and cancer risk: A
6 combined analysis. *Carcinogenesis* **28**, 2262–2267.
7 Wilkering, S., Chen, B., Bermejo, J. L., and Canzian, F. (2009). Is there still a need for candidate
8 gene approaches in the era of genome-wide association studies? *Genomics* **93**, 415–419.
9 Wu, C., Hu, Z., Yu, D., Huang, L., Jin, G., Liang, J., Guo, H., Tan, W., Zhang, M., Qian, J.,
10 Lu, D., Wu, T., et al. (2009). Genetic variants on chromosome 15q25 associated with lung
11 cancer risk in Chinese populations. *Cancer Res.* **69**, 5065–5072.
12 Yamane, A., Kohno, T., Ito, K., Sunaga, N., Aoki, K., Yoshimura, K., Murakami, H.,
13 Nojima, Y., and Yokota, J. (2004). Differential ability of polymorphic OGG1 proteins to
14 suppress mutagenesis induced by 8-hydroxyguanine in human cell in vivo. *Carcinogenesis* **25**,
15 1689–1694.
16 Ye, Z., Song, H., Higgins, J. P., Pharoah, P., and Danesh, J. (2006). Five glutathione s-transferase
17 gene variants in 23, 452 cases of lung cancer and 30, 397 controls: Meta-analysis of 130
18 studies. *PLoS Med.* **3**, e91.
19 You, M., Wang, D., Liu, P., Vikis, H., James, M., Lu, Y., Wang, Y., Wang, M., Chen, Q., Jia, D.,
20 Liu, Y., Wen, W., et al. (2009). Fine mapping of chromosome 6q23–25 region in familial lung
21 cancer families reveals RGS17 as a likely candidate gene. *Clin. Cancer Res.* **15**, 2666–2674.
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43

Author Query Form

Journal: Advances in Cancer Research, 109
Article No: Chapter 2



Dear Author,

During the preparation of your manuscript for typesetting some questions have arisen. These are listed below. Please check your typeset proof carefully and mark any corrections in the margin of the proof or compile them as a separate list. This form should then be returned with your marked proof/list of corrections to Elsevier Science.

Disk use

In some instances we may be unable to process the electronic file of your article and/or artwork. In that case we have, for efficiency reasons, proceeded by using the hard copy of your manuscript. If this is the case the reasons are indicated below:

- Disk damaged Incompatible file format LaTeX file for non-LaTeX journal
 Virus infected Discrepancies between electronic file and (peer-reviewed, therefore definitive) hard copy.
 Other:

We have proceeded as follows:

- Manuscript scanned Manuscript keyed in Artwork scanned
 Files only partly used (parts processed differently).....)

Bibliography

If discrepancies were noted between the literature list and the text references, the following may apply:

- The references listed below were noted in the text but appear to be missing from your literature list. Please complete the list or remove the references from the text.
 Uncited references: This section comprises references which occur in the reference list but not in the body of the text. Please position each reference in the text or, alternatively, delete it. Any reference not dealt with will be retained in this section.

Query Refs.	Details Required	Author's response
Au1	Please update this reference.	

