

Kuwashiro T, <u>Toyoda K</u> , Oyama N, Kawase K, Okazaki S, Nagano K, <u>Koga M</u> , Matsuo H, Naritomi H, Minematsu K	High plasma D-dimer is a marker of deep vein thrombosis in acute stroke.	J Stroke Cerebrovasc Dis		Epub ahead of prin	2010
Shono Y, <u>Koga M</u> , <u>Toyoda K</u> , Matsuoka H, Yokota C, Uehara T, Yamamoto H, Minematsu K	Medial medullary infarction identified by diffusion-weighted MRI.	Cerebrovasc Dis	30	519-524	2010
Thompson BB, Bejot Y, Caso V, Castillo J, Christensen H, Flaherty ML, Foerch C, Ghandehari K, Giroud M, Greenberg SM, Hallevi H, Hemphill JC III, Heuschmann P, Juvela S, <u>Kimura K</u> , Myint PK, Nagakane Y, Naritomi H, Passero S, Rodríguez-Yáñez MR, Roquer J, Rosand J, Rost NS, Saloheimo P, Salomaa V, Sivenius J, Sorimachi T, Togha M, <u>Toyoda K</u> , Turaj W, Vemmos KN, Wolfe CDA, Woo D, Smith EE	Prior antiplatelet therapy and outcome following intracerebral hemorrhage: a systematic review.	Neurology	75	1333-1342	2010
Nezu T, <u>Naganuma M</u> , Shono Y, <u>Toyoda K</u> , Minematsu K	Central apnea associated with subcortical hemorrhage in the left temporal lobe.	J Neurol Neurosurg Psychiatry	81	299-301	2010
Mori M, Yamamoto H, <u>Koga M</u> , Okatsu H, Shono Y, <u>Toyoda K</u> , Fukuda K, Iihara K, Yamada N, Minematsu K	Hyoid bone compression induced repetitive occlusion and recanalization of the internal carotid artery in a patient with ipsilateral brain and retinal ischemia.	Arch Neurol,	68	258-9	2011

<u>Naganuma M, Koga M, Shiokawa Y, Nakagawara J, Furui E, Kimura K, Yamagami H, Okada Y, Hasegawa Y, Kario K, Okuda S, Nishiyama K, Minematsu K, Toyoda K</u>	Reduced estimated glomerular filtration rate is associated with stroke outcomes after intravenous rt-PA: the Stroke Acute Management with Urgent Risk-factor Assessment and Improvement (SAMURAI) Study.	Cerebrovasc Dis	31	123-129	2011
<u>Koga M, Toyoda K, Nakashima T, Hyun B-H, Uehara T, Yokota C, Nagatsuka K, Minegami K</u>	Carotid duplex ultrasonography can predict safety and outcome of intravenous rt-PA therapy for hyperacute stroke.	J Stroke Cerebrovasc Dis	20	24-29	2011
<u>Nagasawa H, Yokota C, Toyoda K, Ito A, Minematsu K</u>	High Level of Plasma Adiponectin in Acute Stroke Patients is Associated with Stroke Mortality.	J Neurol Sci,	304	102-106	2011
<u>Nezu T, Koga M, Nakagawara J, Shiokawa Y, Yamagami H, Furui E, Kimura K, Hasegawa Y, Okada Y, Okuda S, Kario K, Naganuma M, Maeda K, Minematsu K, Toyoda K</u>	Early ischemic change on CT versus DWI for stroke patients receiving intravenous rt-PA therapy: SAMURAI rt-PA Registry.	Stroke		in press	2011
<u>Naganuma M, Mori M, Nezu T, Makihara N, Koga M, Okada Y, Minematsu K, Toyoda K</u> on behalf of the Stroke Acute Management with Urgent Risk-factor Assessment and Improvement (SAMURAI) Study Investigators	Intravenous recombinant tissue plasminogen activator therapy for stroke patients receiving maintenance hemodialysis: the Stroke Acute Management with Urgent Risk-factor Assessment and Improvement (SAMURAI) Study Registry.	Eur Neurol		in press	2011
<u>Koga M, Kimura K, Shibasaki K, Shiokawa Y, Nakagawara J, Furui E, Yamagami H, Okada Y, Hasegawa Y, Kario K, Okuda S, Naganuma M, Nezu T, Maeda K, Minematsu K, Toyoda K</u>	CHADS2 score is associated with 3-month clinical outcomes after intravenous rt-PA therapy in stroke patients with atrial fibrillation: SAMURAI rt-PA Registry.	J Neurol Sci		Epub ahead of print	2011

牧原典子、岡田靖、古賀政利、塩川芳昭、中川原譲二、古井英介、木村和美、山上宏、長谷川泰弘、荻尾七臣、奥田聡、永沼雅基、豊田一則	rt-PA静注療法施行症例におけるスタチンの頭蓋内出血および転帰に及ぼす影響—Stroke Acute Management with Urgent Risk-factor Assessment and Improvement (SAMURAI) Study—	臨床神経学	50	225-231	2010
豊田一則、古賀政利、塩川芳昭、中川原譲二、古井英介、木村和美、山上宏、岡田靖、長谷川泰弘、荻尾七臣、奥田聡、永沼雅基、西山和利、峰松一夫	国内多施設共同登録研究Stroke Acute Management with Urgent Risk-factor Assessment and Improvement (SAMURAI) rt-PA Registry : 全体成績とサブ研究の紹介	脳卒中	32	756-761	2010
三好正浩、古賀政利、豊田一則、峰松一夫	突然の全身性痙攣で発症した高血圧性脳症の1例。	脳と循環	16	51-55	2011
鈴木理恵子、豊田一則、宮城哲哉、飯原弘二、峰松一夫	片側上下肢の舞蹈運動を呈した内頸動脈共作症の一例。	脳と循環	16	in press	2011
上原敏志、豊田一則	SAMURAI Study, SUMO Study: 脳卒中急性期の治療手段、治療の場	分子脳血管病	10 (2)	168-173,	2011
Eguchi K, Hoshide S, Ishikawa S, Shimada K, <u>Kario K</u>	Short sleep duration is an independent predictor of stroke events in elderly hypertensive patients.	J Am Soc Hypertens	4	255-262	2010
Eguchi K, Matsui Y, Shibasaki S, Hoshide S, Kabutoya T, Ishikawa J, Ishikawa S, Shimada K, <u>Kario K</u>	Controlling evening BP as well as morning BP is important in hypertensive patients with prediabetes/diabetes: the JMS-1 study.	Am J Hypertens	23	522-527	2010
Ishikawa J, Haimoto H, Hoshide S, Eguchi K, Shimada K, <u>Kario K</u> : J-HOP Study Investigators Group	An increased visceral-subcutaneous adipose tissue ratio is associated with difficult-to-treat hypertension in men.	J Hypertens	28	1340-1346	2010

Ishikawa Y, Ishikawa J, Ishikawa S, Kajii E, Schwartz JE, Pickering TG, <u>Kario K</u> : Jichi Medical School Cohort Investigators Group	Prehypertension and the risk for cardiovascular disease in the Japanese general population: The Jichi Medical School Cohort Study.	J Hypertens	28	1630-1637	2010
Kabutoya T, Hoshide S, Ishikawa J, Eguchi K, Shimada K, <u>Kario K</u>	The effect of pulse rate and blood pressure dipping status on the risk of stroke and cardiovascular disease in Japanese hypertensive patients.	Am J Hypertens	23	749-755	2010
Kabutoya T, Ishikawa J, Hoshide S, Eguchi K, Shimada K, <u>Kario K</u>	Poor blood pressure and urinary albumin excretion responses to home blood pressure-based antihypertensive therapy in depressive hypertensive patients.	J Clin Hypertens	12	345-349	2010
<u>Kario K</u>	Measuring the effects of stress on the cardiovascular system during a disaster - The effective use of self-measured blood pressure monitoring-	J Hypertens	28	657-659	2010
<u>Kario K</u>	Proposal of RAS-diuretic vs. RAS-calcium antagonist strategies in high-risk hypertension: insight from the 24-hour ambulatory blood pressure profile and central pressure.	J Am Soc Hypertens	4	215-218	2010
<u>Kario K</u>	Morning Surge in Blood Pressure and Cardiovascular Risk - Evidence and Perspectives -	Hypertension	56	765-773	2010
<u>Kario K</u> , Hoshide S, Shimizu M, Yano Y, Eguchi K, Ishikawa J, Ishikawa S, Shimada K	Effect of dosing time of angiotensin II receptor blockade titrated by self-measured blood pressure recordings on cardiorenal protection in hypertensives: the Japan Morning Surge-Target Organ Protection (J-TOP) study.	J Hypertens	28	1574-1583	2010

<u>Kario K</u> , Shirayama M, Hiramatsu K, Shiosakai K, Sugiyama M, Shimada K	A new baroreceptor sensitivity-restoring Ca-channel blocker diminishes age-related morning blood pressure increase in hypertensive patients: open-label monitoring of azelnidipine treatment for hypertension in the early morning (At-HOME) Study.	Pharmaceuti-cals	3	225-236	2010
Matsui Y, Eguchi K, Shibasaki S, Ishikawa J, Hoshide S, Shimada K, <u>Kario K</u> : Japan morning Surge-1 Study Group	Impact of arterial stiffness reduction on urinary albumin excretion during antihypertensive treatment: the Japan morning Surge-1 study.	J Hypertens	28	1752-1760	2010
Matsui Y, Eguchi K, Shibasaki S, Ishikawa J, Shimada K, <u>Kario K</u>	Morning hypertension assessed by home monitoring is a strong predictor of concentric left ventricular hypertrophy in patients with untreated hypertension.	J Clinl Hypertens	12	776-783	2010
Nagai M, Hoshide S, <u>Kario K</u>	Hepretension and dementia.	Am J Hypertens	23	116-124	2010
Nagai M, Hoshide S, <u>Kario K</u>	The insular cortex and cardiovascular system: a new insight into the brain-heart axis.	J Am Soc Hypertens	4	174-182	2010
Yano Y, Matsuda S, Hatakeyama K, Sato Y, Imamura T, Shimada K, Kodama T, <u>Kario K</u> , Asada Y	Plasma Pentraxin 3, but not high-sensitivity C-reactive protein, is a useful inflammatory biomarker for predicting cognitive impairment in elderly hypertensive patients.	J Gerontol A Biol Sci Med Sci	65	547-552	2010
<u>Kario K</u> , Yano Y, Matsuo T, Hoshide S, Eguchi K, Shimada K	Additional impact of morning haemostatic risk factors and morning blood pressure surge on stroke risk in older Japanese hypertensive patients.	Eur Heart J	32	354-580	2011
Matsui Y, Eguchi K, Ishikawa J, Shimada K, <u>Kario K</u>	Urinary Albumin Excretion During Angiotensin II Receptor Blockade: Comparison of Combination Treatment With a Diuretic or a Calcium-Channel Blocker.	Am J Hypertens	24	466-473	2011
Matsui Y, Eguchi K, O'Rourke MF, Ishikawa J, Shimada K, <u>Kario K</u>	Association between aldosterone induced by antihypertensive medication and arterial stiffness reduction : The J-CORE study.	Atheroscler-osis	215	184-188	2011

Yano Y, Inokuchi T, Hoshide S, Kanemaru Y, Shimada K, <u>Kario K</u>	Association of Poor Physical Function and Cognitive Dysfunction With High Nocturnal Blood Pressure Level in Treated Elderly Hypertensive Patients.	Am J Hypertens	24	285-291	2011
Yano Y, Hoshide S, Tamaki N, Nagata M, Sasaki K, Kanemaru Y, Shimada K, <u>Kario K</u>	Efficacy of Eplerenone added to Renin-Angiotensin Blockade in Elderly Hypertensive Patients -The Jichi-Eplerenone Treatment (JET) Study-	J Renin Angiotensin Aldosterone Syst		In press	2011
<u>Nakagawara J</u> , Minematsu K, <u>Okada Y</u> , Tanahashi N, Nagahiro S, Mori E, Shinohara Y, Yamaguchi T; J-MARS Investigators.	Thrombolysis with 0.6 mg/kg intravenous alteplase for acute ischemic stroke in routine clinical practice: the Japan post-Marketing Alteplase Registration Study (J-MARS).	Stroke	41	1984-1989	2010
Hirano T, Sasaki M, Mori E, Minematsu K, <u>Nakagawara J</u> , Yamaguchi T; Japan Alteplase Clinical Trial II Group.	Residual vessel length on magnetic resonance angiography identifies poor responders to alteplase in acute middle cerebral artery occlusion patients: exploratory analysis of the Japan Alteplase Clinical Trial II.	Stroke	41	2828-2833	2010
Mori E, Minematsu K, <u>Nakagawara J</u> , Yamaguchi T, Sasaki M, Hirano T for the J-ACT II Group	Effects of 0.6 mg/kg Intravenous Alteplase on Vascular and Clinical Outcomes in Middle Cerebral Artery Occlusion: Japan Alteplase Clinical Trial II (J-ACT II)	Stroke	41	461-465	2010
Itabashi R., <u>Furui E.</u> , Yazawa Y., Sato S., Fujiwara S.	Mobile intimal flap in the brachiocephalic artery diagnosed by ultrasonography.	Eur Neurol	65	39	2010
佐藤祥一郎, 矢澤由加子, 板橋 亮, 突田健一, 古井英介	頸動脈過敏症を合併した頸動脈痛 (carotidynia) の1例.	臨床神経	50	714-717	2010
矢澤由加子, 佐藤祥一郎, 板橋 亮, 古井英介, 近藤竜史, 松本康史	ステント留置術が有効であった左総頸動脈起始部狭窄による眼虚血症候群の一例.	臨床神経	51	114-119	2011

西山和利、塩川芳昭、中川原譲二、古井英介、木村和美、山上宏、岡田靖、長谷川泰弘、荻尾七臣、奥田聡、峰松一夫、豊田一則、わが国における脳卒中再発予防のための急性期内科治療戦略の確立に関する研究・班会議メンバー	本邦におけるrt-PA静注療法後の脳出血・出血性梗塞に関する多施設共同研究	The Mt. Fuji Workshop on CVD 2009	28	106-108	2010
Hasegawa Y, Shimada K, Yamaguchi T.	Efficacy and safety of diuretics in combination with perindopril in hypertensive stroke patients: Results of the Japan Perindopril and Diuretics on Cerebrovascular Disease Study(J-PADOC)	Blood Press Suppl	121(4)	10-16	2010
Shiraishi M, Kobayashi T, Watanabe H, Kamo T, Hasegawa Y.	Serum somatostatin in early-stage Parkinson's disease.	Acta neurologica	121	225-229.	2010
Horiuchi M, Hasegawa Y, Yanagisawa T	Difference in Risk Factor Profiles between Hemifacial Spasm and Blepharospasm.	Journal of St. Marianna University	73(3)	103-108	2010
Isahaya K, Yamada K, Yamatoku M, Sakurai K, Takaishi S, Kato B, Hirayama T, Hasegawa Y	Effects of Edaravone, a Free Radical Scavenger, on Serum Levels of Inflammatory Biomarkers in Acute Brain Infarction.	J Stroke Cerebrovasc Dis		Epub ahead of print	2011
長谷川泰弘	脳卒中急性期の医療連帯－内科の立場から－	神経内科	73(3)	251-256	2010
長谷川泰弘	新規抗パーキンソン病治療薬トレリーフの使用経験や使い方・位置づけなどについて	Pharma Medica	28(8)	83-89	2010
長谷川泰弘	マリア病院前脳卒中スケール (M SPP)	エマージェンシー・ケア	23 (8)	42-44	2010
長谷川泰弘	脳静脈・静脈洞血栓症における抗凝固療法の有効性と安全性	分子脳血管病	9(4)	38-43	2010
長谷川泰弘 山口武典, 瀧澤俊也, 今福一郎, 丸山路之, 城倉健	脳卒中の抗血小板療法 – Risk & Benefit –	Pharma Medica	28 (10)	133-139	2010

豊田一則,古賀政利, 塩川芳明,中川原讓 二,古井英介,木村和 美,山上 宏,岡田 靖,長谷川泰弘,荻尾 七臣,奥田 聡,永沼 雅基,西山和利,峰松 一夫	国内他施設共同登録研究Stroke Acute Management with Urge nt Risk-factor Assessment and Improvement(SAMURAI)rt-PA Registry:全体成績とサブ研究の 紹介	脳卒中	32(6)	756-761	2010
秋山久尚,長谷川泰 弘	Over The Counter Drug(OTC 医薬品)であるロート鼻炎ソフト カプセルユアNの服用を契機に発 症した横紋筋融解症の1症例	日本臨床救急 医学会雑誌	13(5)	650-655	2010
長谷川泰弘	脳卒中医療連携の最前線 脳卒中 急性期の医療連携 内科の立場か ら(解説/特集)	神経内科	73(3)	251-256	2010
長谷川泰弘,佐々木 直	t-PA治療2010 治療開始5年後の 現状と展望 病院前脳卒中評価ス ケールMPSS	Mebio	27(7)	40-48	2010
清水高弘,高田達 郎,下出淳子,伊佐 早健司,櫻井謙三, 平山俊和,長谷川泰 弘	抗血栓療法が有効であった晩発性 外傷性内頸動脈解離の1例	脳卒中	32(2)	167-173	2010
長谷川泰弘	【3ステップでわかる脳神経疾患 看護技術 確認問題で理解度をチ ェック!】 学校では教えてくれな かった脳神経の基礎知識をマスタ ー 脳循環・脳脊髄液の循環(解説/ 特集)	Brain Nursing	春季 増刊	27-44	2010
長谷川泰弘	チームで取り組む治療戦略【後編】 t-PA時代の脳卒中】 マリア病院前 脳卒中スケール(MPSS)	EMERGENC Y CARE	23(8)	806-808	2010
長谷川泰弘, Rothw ellPeter M., 平野 照之,長尾毅彦,渡 邊聖樹	TIAの診断と治療 早期治療実現 のために	Pharma Medica	28 (10)	69-75	2010
長谷川泰弘	脳卒中診療体制と治療の実際	診断と治療	99(1)	18-24	2011
堀内正浩,長谷川泰 弘	Parkinson病における側方屈曲を 伴う体軸ジストニア -盆栽症候 群とPisa症候群の比較-	神経内科	74(1)	79-81	2011
長谷川泰弘	特集:脳梗塞を防ぐ、治す PART1発症予防の水際作戦「TIA を見逃すな」	日経メディカ ル	3(52)	56-57	2011
長谷川泰弘	忘れ得ぬナース&ドクター「脳卒 中医療や看護に対する熱い思い」	BRAIN NUR SINGU	27(2)	1-5	2011

櫻井謙三, 伊佐早健 司, 高石智, 加藤文 太, 清水華奈子, 下 邨華菜, 徳山承明, 長谷川泰弘	脳梗塞急性期のスタチン投与が末 梢血炎症性サイトカイン動態と急 性期の進行増悪に与える影響	臨床神経学	51(1)	6-13	2011
<u>Yamagami H.</u> Sakai N, Matsumaru Y, Sakai C, Kai Y, Sugiu K, Fujinaka T, Matsumoto Y, Miyachi S, Yoshimura S, Hyogo T, Kuwayama N, Hyodo A.	Periprocedural Cilostazol Treatment and Restenosis after Carotid Artery Stenting: The Retrospective Study of In-Stent Restenosis after Carotid Artery Stenting (ReSISter-CAS).	J Stroke Cerebrovasc Dis	Online	Online	2010
<u>山上 宏</u>	CAS・CEAの周術期における経頭 蓋超音波検査	Jpn J Med Ultrasonics	37	273-282	2010
<u>山上 宏</u>	糖尿病患者の頸動脈病変と脳卒中 リスク	月刊糖尿病	11	77-83	2010
<u>Kimura K.</u> Shibazaki K, Iguchi Y, Aoki J, Sakai K, Sakamoto Y, Kobayashi K.	The combination of elevated BNP and AF as a predictor of no early recanalization after IV-t-PA in acute ischemic stroke	J Neurol Sci.	15:29 0	37-40	2010
<u>Kimura K.</u> , Iguchi Y., Shibazaki K., Aoki J., Watanabe M., Kobayashi K., Sakamoto Y.	Recanalization within 1 Hour after IV t-PA is Associated with Favorable Outcome in Acute Stroke Patients	Eur Neurology	63	331-336	2010
<u>Kimura K.</u> , Iguchi Y, Shibazaki K, Aoki J, Watanabe M, Matsumoto N, Yamashita S	Early stroke treatment with IV t-PA associated with early recanalization	J Neurol Sci.	295	53-7	2010
<u>Kimura K.</u> , Iguchi Y, Shibazaki K, Sakamoto Y, Watanabe M	IV t-PA thrombolysis in patients without major arterial occlusion seems to be safe and effective	Eur Neurol	64	258-264	2010
Iguchi Y, <u>Kimura K.</u> , Sakai K, Matsumoto N, Aoki J, Yamashita S, Shibazaki K	Hyper-acute stroke patients associated with aortic dissection.	Intern Med.	49	543-7	2010
Terasawa Y, <u>Kimura K.</u> , Iguchi Y, Kobayashi K, Aoki J, Shibazaki K, Kaji R.	Could clinical diffusion-mismatch determined using DWI ASPECTS predict neurological improvement after thrombolysis before 3 hours after acute stroke ?	J Neurol Neurosurg Psychiatry.	81	864-8	2010
Aoki J, Iguchi Y, <u>Kimura K.</u> Shibazaki K, Iwanaga T, Sakai K.	Diameter of the Basilar Artery May Be Associated with Neurological Deterioration in Acute Pontine Infarction.	Eur Neurol.	63	221-226	2010

Watanabe M, <u>Kimura K</u> , Iguchi Y, Shibazaki K, Urabe T, Hattori N	Peripheral Arterial Atherosclerosis in Patients with Extracranial, not Intracranial, Arterial Stenosis.	Intern Med.	49	1515-9	2010
Aoki J, <u>Kimura K</u> , Iguchi Y, Shibazaki K, Sakai K, Iwanaga T.	FLAIR can estimate the onset time in acute ischemic stroke patients.	J Neurol Sci.	293	39-44	2010
Tamagno G, Celik Y, Simo R, Dihne M, <u>Kimura K</u> , Gelosa G, Lee BI, Hommet C, Murialdo G	Encephalopathy associated with autoimmune thyroid disease in patients with Graves' disease: clinical manifestations, follow-up, and outcomes.	BMC Neurology	10	27	2010
Iguchi Y, <u>Kimura K</u> , Watanabe M, Shibazaki K, Aoki J.	Utility of the Kurashiki Prehospital Stroke Scale for Hyperacute Stroke.	Cerebrovasc Dis.	31	51-56	2010
Iguchi Y, <u>Kimura K</u> , Shibazaki K, Aoki J, Kobayashi K, Sakai K, Sakamoto Y.	Annual incidence of atrial fibrillation and related factors in adults.	Am J Cardiol	15;106	1129-33	2010
Uemura J, <u>Kimura K</u> , Sibazaki K, Inoue T, Iguchi Y, Yamashita S.	Acute stroke patients have occult malignancy more often than expected.	Eur Neurol.	29;64	140-144	2010
Iguchi Y, <u>Kimura K</u> , Kobayashi K, Aoki J, Sakai K, Terasawa Y, Uemura J, Shibazaki K	Detection of Right-to-Left hunts may be Associated with a Body Size.	J Neuroimaging	20	130-133	2010
Shibazaki K, <u>Kimura K</u> , Iguchi Y, Aoki J, Sakai K, Kobayashi K.	Plasma brain natriuretic peptide predicts death during hospitalization in acute ischaemic stroke and transient ischaemic attack patients with atrial fibrillation.	Eur J Neurol.	18(1)	165-9	2011
<u>Kimura k.</u>	Enlightenment of the citizen and the education of emergency medical services.	JMAJ	51	1-6	2011
Ogata T, Masahiro Yasaka M, Wakugawa Y, Yasumori K, Inoue T, Kitazono K, Iida M, <u>Okada Y</u>	Long-term results of medical and surgical therapy for Japanese patients with moderate carotid stenosis.	J Stroke Cerebrovasc Dis	Article in press	1-6	2010
Ogata T, Yasaka M, Wakugawa Y, Kitazono T, <u>Okada Y</u>	Morphological Classification of Mobile Plaques and Their Association with Early Recurrence of Stroke.	Cerebrovascular Diseases	30(6)	606-611	2010

Sakima H, Wakugawa Y, Isa K, Yasaka M, Ogata T, Saitoh M, Shimada H, Yasumori K, Inoue T, Ohya Y, <u>Okada Y</u>	Correlation between the Degree of Left Subclavian Artery Stenosis and the Left Vertebral Artery Waveform by Pulse Doppler Ultrasonography.	Cerebrovascular Diseases	31(1)	64-67	2011
Ogata T, Yasaka M, Wakugawa Y, Yasumori K, Kotazono T, <u>Okada Y</u>	Prognosis of Medical Treatment for Japanese Patients with Carotid Stenosis.	Internal Medicine	50(4)	291-296	2011
<u>岡田 靖</u> , 峰松一夫, 小川 彰, 今中雄一, 関本 美穂, 端 和夫, 山口 武典	rt-PA (アルテプラゼ) 静注療法の承認後4年間の全国における実施状況調査 ～地域格差の克服に向けて～	脳卒中	32(4)	365-372	2010
姉川 敬裕, 矢坂 正弘, 中村 麻子, 湧川 佳幸, 齋藤 正樹, <u>岡田 靖</u>	非弁膜性心房細動に伴う脳梗塞の重症度・転帰とCHADS2スコアとの関連に関する研究	脳卒中	32(2)	129-132	2010
湧川 佳幸, 岩元美子, <u>岡田 靖</u>	SCU/ICUにおける脳卒中クリニカルパスの実例と効果	EMERGENCY CARE	23(8)	828-835	2010
緒方 利安, 中根博, 矢坂 正弘, 湧川 佳幸, <u>岡田 靖</u> , 北園 孝成	脳出血急性期の至適血圧についての検討－FSR : Fukuoka Stroke Registry : 「他施設共通データベースを用いた脳卒中急性期患者の病態解明に関する疫学研究」のデータを用いて－	脳卒中	33(1)	9-16	2011
森 真由美, <u>岡田 靖</u> , 吉村 壮平, 松下 知永, 宮崎 雄一, 牧原 典子, 湧川 佳幸, 矢坂 正弘	一過性脳虚血発作急性期入院患者における脳梗塞発症リスクに関するABCD ² スコアを用いた検討	脳卒中	33(1)	25-30	2011
松下 知永, <u>岡田 靖</u>	効果を高める (2) : t-PAとその他の治療との併用	分子脳血管病	10(1)	41-47	2011
清原 卓也, 湧川 佳幸, <u>岡田 靖</u>	一過性脳虚血発作の診断と治療	診断と治療	99(1)	100-105	2011
<u>Koga M</u> , Uehara T, Yasui N, <u>Hasegawa Y</u> , Nagatsuka K, <u>Okada Y</u> , Minematsu K.	Influencing factors of cooperation among healthcare providers in a community-based stroke care system in Japan.	J Stroke and Cerebrovascular Diseases.		Epub ahead of print	2010
<u>古賀政利</u>	脳出血急性期の血圧管理.	血圧	17	931-934	2010
<u>古賀政利</u> , 豊田一則, <u>塩川芳昭</u>	急性期脳出血患者の降圧療法に関する全国アンケート調査－SAMU RAI研究より－	The Mt. Fuji Workshop on CVD	28	41-44	2010

古賀政利, 豊田一則, 峰松一夫	急性期脳出血の降圧療法：全国アンケート—SAMURAI.	血圧	17	6-7	2010
古賀政利	超急性期脳梗塞の経頭蓋超音波検査.	Jpn J Med Ultrasonics	37	1-7	2010
古賀政利, 峰松一夫	実地医家のための脳卒中診療の新しい展開. 脳梗塞急性期治療の新しい展開.	Medical Practice	28	580-589	2011

